

Takunori Taira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8384096/publications.pdf>

Version: 2024-02-01

371
papers

7,686
citations

47006

47
h-index

64796

79
g-index

372
all docs

372
docs citations

372
times ranked

2699
citing authors

#	ARTICLE	IF	CITATIONS
1	Recovery of the laser-induced breakdown spectroscopy system using a ceramic microchip deteriorated by radiation for the remote elemental analysis. Journal of Nuclear Science and Technology, 2023, 60, 175-184.	1.3	5
2	Radiation robustness of laser ceramics and single crystal for microchip laser remote analysis. Japanese Journal of Applied Physics, 2022, 61, 032003.	1.5	1
3	Remote Laser Analysis Technique for Decommissioning of Nuclear Power Station. Journal of the Institute of Electrical Engineers of Japan, 2022, 142, 77-80.	0.0	0
4	>50 MW peak power, high brightness Nd:YAG/Cr ⁴⁺ :YAG microchip laser with unstable resonator. Optics Express, 2022, 30, 5151.	3.4	15
5	Development of a portable laser peening device and its effect on the fatigue properties of HT780 butt-welded joints. Forces in Mechanics, 2022, 7, 100080.	2.8	6
6	Laser-induced damage study of bonded material for a high-brightness laser system. Optics Letters, 2022, 47, 3067.	3.3	5
7	Deformation Properties of Laser Peen Forming Using Sub-nanosecond Microchip Laser. Journal of the Japan Society for Technology of Plasticity, 2021, 62, 8-13.	0.3	0
8	Thermal Expansion Coefficient of Garnet and Bixbyite Laser Crystals Evaluated by First Principles Calculation. , 2021, , .		0
9	Study on the specific heat of Y3Al5O12 between 129â€¦K and 573â€¦K. Optical Materials Express, 2021, 11, 55 B.0		6
10	Radiation dose rate effects on the properties of a laser-induced breakdown spectroscopy system developed using a ceramics micro-laser for fiber-optic remote analysis. Journal of Nuclear Science and Technology, 2021, 58, 405-415.	1.3	12
11	Effects of Laser Peening with a Pulse Energy of 1.7 mJ on the Residual Stress and Fatigue Properties of A7075 Aluminum Alloy. Metals, 2021, 11, 1716.	2.3	4
12	Thermal Expansion Coefficient of Materials for Laser Ceramics Evaluated by the First Principles Calculation. , 2021, , .		0
13	37 MW peak power unstable resonator microchip laser. , 2021, , .		0
14	Smart Gain Medium of DFC Chip for >2J Micro-Laser Amplifier under Room Temperature. , 2021, , .		0
15	Tailor-made Laser Chip by Bonding for High Energy Laser System. , 2021, , .		0
16	Development of a laser-induced breakdown spectroscopy system using a ceramic micro-laser for fiber-optic remote analysis. Journal of Nuclear Science and Technology, 2020, 57, 1189-1198.	1.3	21
17	High peak-power near-MW laser pulses by third harmonic generation at 355â€¦nm in Ca5(BO3)3F nonlinear single crystals. Optics Express, 2020, 28, 10524.	3.4	7
18	Polarity inversion of crystal quartz using a quasi-phase matching stamp. Optics Express, 2020, 28, 6505.	3.4	4

#	ARTICLE	IF	CITATIONS
19	Room Temperature 2J Laser Amplifier with Direct Bonded DFC Chip. , 2020, , .		2
20	Quantitative Evaluation of Birefringence of Quartz Crystal in Terahertz Region. , 2020, , .		0
21	Investigation on Gain Aperture as a Compact Tool for Spatial Beam Shaping. , 2020, , .		0
22	Specific Heat of Y3Al5O12 under Cryogenic and Room Temperature Conditions. , 2020, , .		0
23	High-Brightness Unstable Cavity Nd:YAG/Cr4+:YAG Microchip Laser. , 2020, , .		0
24	Stamp method for QPM quartz fabrication. , 2020, , .		0
25	Laser Wavelengths Suitable for Generating Ultrasonic Waves in Resin-Coated Carbon Fiber Composites. Journal of Nondestructive Evaluation, Diagnostics and Prognostics of Engineering Systems, 2020, 3, .	0.9	1
26	Spectral phase control of interfering chirped pulses for high-energy narrowband terahertz generation. Nature Communications, 2019, 10, 2591.	12.8	96
27	Tiny Integrated Laser by Room Temperature Surface Activated Bonding. , 2019, , .		0
28	100 Hz operation in 10 PW/srÅ ² class Nd:YAG Micro-MOPA. Optics Express, 2019, 27, 19555.	3.4	18
29	>30 MW peak power from distributed face cooling tiny integrated laser. Optics Express, 2019, 27, 30217.	3.4	20
30	High peak power Nd:YAG/Cr:YAG ceramic microchip laser with unstable resonator. Optics Express, 2019, 27, 31307.	3.4	14
31	Second Harmonic Generation under High Dose-Rate Gamma Ray Irradiation. , 2019, , .		0
32	Study of Gain Aperture under High Pump Power for the Development of High-brightness Ultra-compact MOPA. , 2019, , .		0
33	Study of Microchip Laser Pulse Shaping under Amplification. , 2019, , .		0
34	High Efficiency Third Harmonic Generation at 355 nm in CBF (Ca5(BO3)3F) Single Crystal Using Micro-MOPA. , 2019, , .		0
35	Polarity inversion of crystal quartz using a QPM stamp. , 2019, , .		0
36	Transparent Ceramics Made of Non-Isometric Crystals. The Review of Laser Engineering, 2019, 47, 442.	0.0	0

#	ARTICLE	IF	CITATIONS
37	High average power ultrafast lasers: large aperture quasi-phase matched nonlinear devices. , 2019, , .		0
38	A quantitative thermal and thermomechanical analysis for design optimization and robustness assessment of microassembled high power Yb:CaF ₂ thin-disk Laser. Optics and Laser Technology, 2018, 105, 229-241.	4.6	3
39	Q-switched Laser Oscillation in Micro-Domain Controlled Yb:FAP Anisotropic Laser Ceramics. , 2018, , .		0
40	High brightness energetic pulses delivered by compact microchip-MOPA system. Optics Express, 2018, 26, 8609.	3.4	25
41	Feature issue introduction: Advanced Solid-State Lasers 2017. Optics Express, 2018, 26, 11018.	3.4	0
42	Feature issue introduction: Advanced Solid-State Lasers 2017. Optical Materials Express, 2018, 8, 1246.	3.0	0
43	Characteristics of crystal quartz for high-intensity, sub-nanosecond wavelength conversion. Optical Materials Express, 2018, 8, 1259.	3.0	8
44	Surface Activated Bonding (SAB) based Sub-nanosecond Distributed Face Cooling (DFC) Handheld Laser. , 2018, , .		0
45	Towards Millijoule Narrowband Terahertz Pulses Using the Chirp-and-Delay Technique. , 2018, , .		0
46	14 MW doughnut beam Nd:YAG/Cr:YAG ceramic microchip laser with unstable cavity. , 2018, , .		0
47	Study on QPM quartz for intense-laser pumped 266 nm generation. , 2018, , .		0
48	Towards Millijoule Narrowband Terahertz Generation Using Chirp-and-Delay in Periodically Poled Lithium Niobate. , 2018, , .		1
49	Efficient optical parametric generation pumped by a sub-nanosecond MOPA source. , 2018, , .		0
50	Suppression of the Secondary Phase at Grain Boundaries in Yb:FAP Anisotropic Laser Ceramics. , 2018, , .		0
51	100Hz operation in the PW/sr/cm ² class Micro-MOPA. , 2018, , .		0
52	Frequency-shifted sources for terahertz-driven linear electron acceleration. , 2018, , .		0
53	Structured laser gain-medium by new bonding for power micro-laser. Proceedings of SPIE, 2017, , .	0.8	2
54	Compressed 6â€‰%ps pulse in nonlinear amplification of a Q-switched microchip laser. Laser Physics, 2017, 27, 025102.	1.2	3

#	ARTICLE	IF	CITATIONS
55	Process design of microdomains with quantum mechanics for giant pulse lasers. Scientific Reports, 2017, 7, 10732.	3.3	11
56	Randomly polarised beam produced by magnetooptically Q-switched laser. Scientific Reports, 2017, 7, 15398.	3.3	4
57	Distributed face cooling scheme for tiny laser power scale-up. , 2017, , .		0
58	Effective Terahertz Wave Parametric Generation Depending on the Pump Pulse Width Using a LiNbO ₃ Crystal. IEEE Transactions on Terahertz Science and Technology, 2017, 7, 617-620.	3.1	24
59	Improvement of optical-to-optical conversion efficiency of passively Q-switched micro-laser pumped by VCSEL module. , 2017, , .		1
60	Quasi phase-matched quartz for intense-laser pumped wavelength conversion. Optics Express, 2017, 25, 2369.	3.4	15
61	Sub-nanosecond laser induced air-breakdown with giant-pulse duration tuned Nd:YAG ceramic micro-laser by cavity-length control. Optics Express, 2017, 25, 6302.	3.4	28
62	Temperature stable operation of YCOB crystal for giant-pulse green microlaser. Optics Express, 2017, 25, 6431.	3.4	13
63	Focus issue introduction: Advanced Solid-State Lasers (ASSL) 2016. Optics Express, 2017, 25, 8604.	3.4	0
64	Focus issue introduction: Advanced Solid-State Lasers (ASSL) 2016. Optical Materials Express, 2017, 7, 1431.	3.0	0
65	Drastic thermal effects reduction through distributed face cooling in a high power giant-pulse tiny laser. Optical Materials Express, 2017, 7, 3214.	3.0	35
66	Feature issue introduction: shaping and patterning crystals for optics. Optical Materials Express, 2017, 7, 3466.	3.0	1
67	Model for the polarization dependence of the saturable absorption in Cr ⁴⁺ :YAG. Optical Materials Express, 2017, 7, 577.	3.0	15
68	Pulse-width and pulse-energy dependence of sub-nanosecond laser induced air-breakdown. , 2017, , .		0
69	Narrowband terahertz generation with chirped-and-delayed laser pulses in periodically poled lithium niobate. Optics Letters, 2017, 42, 2118.	3.3	55
70	Epitaxial growth of Ce substituted yttrium iron garnet film on Nd:YAG substrate. , 2017, , .		1
71	Pulse-Width Scaling law of Air-Breakdown for Laser Ignition Application. , 2017, , .		0
72	>200 mJ High-Brightness Sub-ns Micro-Laser-Based Compact MOPA. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
73	Giant Micro-Photonics Toward Innovative Ignition. , 2017, , .		0
74	Giant-pulse width tunable Nd:YAG ceramic microchip laser and amplifier for smart ignition. , 2017, , .		0
75	Multistage Amplification of Microchip Laser for Air Breakdown Experiments. , 2017, , .		0
76	Epitaxially Grown Magnetic Garnet Film on Nd:YAG Substrate for Microchip Lasers. , 2017, , .		1
77	Study of Saturable Absorption in Cr ⁴⁺ :YAG Ceramics for the Efficient Q-Switched Laser Action. , 2017, , .		0
78	Large aperture quasi-phase matched nonlinear material for functional power lasers. , 2017, , .		1
79	CW Operation of Distributed Face Cooling Chip for Tiny Integrated Lasers. , 2017, , .		0
80	Laser Damage Threshold Evaluation of Nonlinear Crystal Quartz for Sub-Nanosecond Pulse Irradiation. , 2017, , .		0
81	High Damage-Resistant Coating Solution for High-Field Ceramics Laser. , 2017, , .		0
82	Terahertz Accelerator Technology. , 2017, , .		0
83	Model for the Polarization Dependence of Saturable Absorption Characteristics in Cr ⁴⁺ :YAG. , 2017, , .		0
84	>MW peak power at 266 nm, low jitter kHz repetition rate from intense pumped microlaser. Optics Express, 2016, 24, 28748.	3.4	19
85	Magnetic domains driving a Q-switched laser. Scientific Reports, 2016, 6, 38679.	3.3	19
86	Giant-pulse Nd:YVO ₄ microchip laser with MW-level peak power by emission cross-sectional control. Optics Express, 2016, 24, 3137.	3.4	13
87	Numerical model for thermal parameters in optical materials. , 2016, , .		0
88	Magneto-optical Q-switching using magnetic garnet film with micromagnetic domains. Optics Express, 2016, 24, 17635.	3.4	19
89	Focus issue introduction: Advanced Solid-State Lasers (ASSL) 2015. Optics Express, 2016, 24, 5674.	3.4	2
90	Introduction: Nonlinear Optics (NLO) 2015 feature issue. Optical Materials Express, 2016, 6, 466.	3.0	1

#	ARTICLE	IF	CITATIONS
91	Direct Measurement of Temporal Transmission Distribution of a Saturable Absorber in a Passively Q-Switched Laser. IEEE Journal of Quantum Electronics, 2016, 52, 1-7.	1.9	6
92	High-gain mid-infrared optical-parametric generation pumped by microchip laser. Optics Express, 2016, 24, 1046.	3.4	17
93	Over 0.5 MW green laser from sub-nanosecond giant pulsed microchip laser. , 2016, , .		0
94	Initial Behavior of the Relaxation Oscillation at Zero-Phonon Line of Yb Gain Media. , 2016, , .		1
95	Continuously pulse width tunable Nd:YAG ceramic micro giant-pulse laser for laser induced breakdown. , 2016, , .		0
96	>2 MW peak power at 1560 nm from micro giant-pulse laser/amplifier with PPMgLN OPG. , 2016, , .		1
97	State of The Art Laser Ignition. Journal of the Institute of Electrical Engineers of Japan, 2016, 136, 296-300.	0.0	1
98	Polarization dependence of saturable absorption characteristics in Cr ⁴⁺ :YAG. , 2016, , .		0
99	Temperature stable operation of YCOB crystal for giant-pulse green micro-laser. , 2016, , .		0
100	Actively controlled Q-switched laser using domains in magneto-optical garnet film. , 2016, , .		0
101	Diode Laser Pumped Solid State Laser Using Magneto-Optical Q Switch. , 2016, , .		0
102	Overview of Optical/Laser Technological Advances Leading to Practical Laser Ignition Systems. , 2015, , .		3
103	Focus issue introduction: Advanced Solid-State Lasers (ASSL) 2014. Optics Express, 2015, 23, 8170.	3.4	3
104	High-power, widely tunable, room-temperature picosecond optical parametric oscillator based on cylindrical 5%MgO:PPLN. Optics Letters, 2015, 40, 3897.	3.3	28
105	Diode edge-pumped passively Q-switched microchip laser. Optical Engineering, 2015, 54, 090501.	1.0	4
106	Long Time Operation of Composite Ceramic Nd:YAG/Cr:YAG Micro-chip Lasers for Ignition. , 2015, , .		1
107	> 1 MW peak power at 266 nm in nonlinear YAl ₃ (BO ₃) ₄ (YAB) single crystal. , 2015, , .		3
108	Introduction to the Issue on Solid-State Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 1-3.	2.9	2

#	ARTICLE	IF	CITATIONS
109	Mid-Infrared optical-parametric generation pumped by sub-nanosecond microchip laser. , 2015, , .		3
110	Giant Micro-photonics for Laser Ignition. , 2014, , .		0
111	Highly accurate interferometric evaluation of thermal expansion and dn/dT of optical materials. Optical Materials Express, 2014, 4, 876.	3.0	40
112	> 0.5 MW Peak Power, kHz Repetition Rate at 266 nm Using [100]-Cut Nd:YAG Microchip Laser. , 2014, , .		1
113	Updating of temperature coefficients of refractive index in Nd:GdVO4 and Nd:YVO4. , 2014, , .		0
114	Anisotropic Yb:FAP laser ceramics by micro-domain control. Optical Materials Express, 2014, 4, 2006.	3.0	34
115	Feature issue introduction: optical ceramics. Optical Materials Express, 2014, 4, 2221.	3.0	2
116	Focus issue introduction: Advanced Solid-State Lasers (ASSL) 2013. Optics Express, 2014, 22, 8813.	3.4	3
117	Focus issue introduction: Laser Ignition Conference. Optics Express, 2014, 22, A564.	3.4	1
118	Improvement of laser-beam distortion in large-aperture PPMgLN device by using X-axis Czochralski-grown crystal. Optics Express, 2014, 22, 19668.	3.4	13
119	240 kW peak power at 266 nm in nonlinear YAl ₃ (BO ₃) ₄ single crystal. Optics Express, 2014, 22, 30325.	3.4	19
120	Introduction: Nonlinear Optics (NLO) 2013 feature. Optical Materials Express, 2014, 4, 41.	3.0	1
121	Kilowatt-peak Terahertz-wave Generation and Sub-femtojoule Terahertz-wave Pulse Detection Based on Nonlinear Optical Wavelength-conversion at Room Temperature. Journal of Infrared, Millimeter, and Terahertz Waves, 2014, 35, 25-37.	2.2	79
122	Ultrabright continuously tunable terahertz-wave generation at room temperature. Scientific Reports, 2014, 4, 5045.	3.3	185
123	Practical Solid-State Lasers for Laser Ignition. The Review of Laser Engineering, 2014, 42, 394.	0.0	2
124	Fabrication of large-aperture PPMgLN device using X-axis Czochralski-grown crystal. , 2014, , .		0
125	Laser Engine Ignition. The Review of Laser Engineering, 2014, 42, 299.	0.0	0
126	1J pumped optical parametric oscillation by using large-aperture PPMgLN device. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
127	Laser Ignition Spin-Off: Giant Pulse UV Microchip Laser. The Review of Laser Engineering, 2014, 42, 400.	0.0	0
128	Temporal and Spatial Observations of the Anisotropic Transmission of a Cr:YAG Saturable Absorber in a Passively Q-Switched Laser. The Review of Laser Engineering, 2014, 42, 71.	0.0	0
129	Megawatt peak power UV microlaser. Proceedings of SPIE, 2013, , .	0.8	0
130	High Peak Power, Passively Q-Switched Yb:YAG/Cr:YAG Micro-Lasers. IEEE Journal of Quantum Electronics, 2013, 49, 454-461.	1.9	40
131	Discussions on the pump absorption efficiency under hot-band pumping of Nd:YAG. , 2013, , .		1
132	Growth and characterization of YAl ₃ (BO ₃) ₄ single crystals. , 2013, , .		0
133	Orientation control of micro-domains in anisotropic laser ceramics. Optical Materials Express, 2013, 3, 829.	3.0	21
134	Dual-wavelength source from 5%MgO:PPLN cylinders for the characterization of nonlinear infrared crystals. Optics Express, 2013, 21, 28886.	3.4	25
135	Efficient second to ninth harmonic generation using megawatt peak power microchip laser. Optics Express, 2013, 21, 28849.	3.4	25
136	Widely tunable optical parametric oscillator in a 5Åmm thick 5% MgO:PPLN partial cylinder. Optics Letters, 2013, 38, 860.	3.3	27
137	Palm-top size megawatt peak power ultraviolet microlaser. Optical Engineering, 2013, 52, 076102.	1.0	21
138	250 MW peak power ultrafast mid-IR OPCPA. , 2013, , .		0
139	Fundamental investigations in orientation control process for anisotropic laser ceramics. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 896-902.	0.8	7
140	Feature issue introduction: optical ceramics. Optical Materials Express, 2013, 3, 904.	3.0	0
141	Accurate interferometric evaluation of thermo-mechanical and -optical properties of YAG, YVO ₄ , and GdVO ₄ . , 2013, , .		0
142	Large-Aperture PPMgLN for High Energy Parametric Process. , 2013, , .		1
143	Widely and independently tunable cylindrical OPOs for difference frequency generation experiments. , 2013, , .		0
144	Characterization of 8 mol% Mg-doped congruent LiTaO ₃ for high-energy quasi-phase matching device. , 2013, , .		2

#	ARTICLE	IF	CITATIONS
145	Simultaneously 3-Point Ignitable, Nd:YAG/Cr:YAG Ceramic Micro-Lasers. The Review of Laser Engineering, 2013, 41, 119.	0.0	0
146	High Average Power Few-Cycle Pulses in the Mid-IR, Self-Compression and Continuum Generation. , 2013, , .		0
147	5-cycle, 160-kHz, 20- μ J mid-IR OPCPA. , 2013, , .		1
148	Characterization of 8 mol% Mg-doped congruent LiTaO ₃ crystal for high-energy quasi-phase matching device. , 2013, , .		2
149	All-parametric dual-wavelength source for difference frequency generation experiments. , 2013, , .		0
150	High Repetition Rate MW Peak Power at 532 nm Using Microchip Laser. , 2013, , .		0
151	Temperature dependences of stimulated emission cross section in Nd:YAG, Nd:YVO ₄ , and Nd:GdVO ₄ . , 2012, , .		0
152	High-peak-power and Narrow-linewidth Terahertz-wave Generation Pumped by a Microchip Nd:YAG Laser. , 2012, , .		0
153	Half-joule output optical-parametric oscillation by using 10-mm-thick periodically poled Mg-doped congruent LiNbO ₃ . Optics Express, 2012, 20, 20002.	3.4	77
154	> 3 MW peak power at 266 nm using Nd:YAG/ Cr ⁴⁺ :YAG microchip laser and fluxless-BBO. Optical Materials Express, 2012, 2, 907.	3.0	40
155	Temperature dependencies of stimulated emission cross section for Nd-doped solid-state laser materials. Optical Materials Express, 2012, 2, 1076.	3.0	70
156	Microchip laser, ceramic laser toward Giant Micro-photonics. , 2012, , .		1
157	Carrier-envelope-phase-stable, 12- μ J, 15 cycle laser pulses at 21- μ m. Optics Letters, 2012, 37, 4973.	3.3	150
158	Generation of Hermite-Gaussian modes and vortex arrays based on two-dimensional gain distribution controlled microchip laser. Optics Letters, 2012, 37, 2661.	3.3	27
159	Giant micro-photonics for laser ignitions. , 2012, , .		0
160	Model for the temperature dependent emission cross section of Nd laser media. , 2012, , .		0
161	Feature issue introduction: advances in optical materials. Optical Materials Express, 2012, 2, 1171.	3.0	1
162	Lens-less edge-pumped high power microchip laser. Applied Physics Letters, 2012, 100, 141105.	3.3	3

#	ARTICLE	IF	CITATIONS
163	High-power, single-longitudinal-mode terahertz-wave generation pumped by a microchip Nd:YAG laser [Invited]. Optics Express, 2012, 20, 2881.	3.4	82
164	Few-cycle Infrared OPCPA system and applications. , 2012, , .		0
165	High brightness microchip lasers for engine ignition. , 2012, , .		0
166	Lens-less edge-pumping design for high power single mode Yb:YAG microchip laser. , 2012, , .		0
167	Lens-less edge-pumping high power single-mode Yb:YAG microchip laser. , 2012, , .		0
168	Fabrication of 10-mm-thick periodically poled Mg-doped congruent LiNbO3 device for high-energy wavelength conversion. , 2012, , .		2
169	High Peak Power Micro-Laser for Ignition of Automobile Engines. , 2012, , .		1
170	High Peak Power Passively Q-switched Yb:YAG Micro-Lasers. , 2012, , .		1
171	Promise of the Giant Pulse Microchip Lasers. Nippon Laser Igakkaishi, 2012, 33, 152-157.	0.0	0
172	Laser performance of composite Nd:YAG/Cr:YAG ceramics for laser ignition. , 2011, , .		1
173	Laser Demonstration of Diode-Pumped Nd ³⁺ -Doped Fluorapatite Anisotropic Ceramics. Applied Physics Express, 2011, 4, 022703.	2.4	44
174	Micro-domain controlled anisotropic laser ceramics assisted by rare-earth trivalent. Proceedings of SPIE, 2011, , .	0.8	0
175	Composite, all-ceramics, high-peak power Nd:YAG/Cr ⁴⁺ :YAG monolithic micro-laser with multiple-beam output for engine ignition. Optics Express, 2011, 19, 9378.	3.4	174
176	> 6 MW peak power at 532 nm from passively Q-switched Nd:YAG/Cr ⁴⁺ :YAG microchip laser. Optics Express, 2011, 19, 19135.	3.4	92
177	Megawatt level UV output from [110] Cr ⁴⁺ :YAG passively Q-switched microchip laser. Optics Express, 2011, 19, 22510.	3.4	36
178	Continuous-wave diode-pumped laser action of Nd ³⁺ -doped photo-thermo-refractive glass. Optics Letters, 2011, 36, 2257.	3.3	22
179	Variation of the stimulated emission cross section in Nd:YAG caused by the structural changes of Russell-Saunders manifolds. Optical Materials Express, 2011, 1, 514.	3.0	7
180	Introduction: Advances in Optical Materials (AIOM) feature. Optical Materials Express, 2011, 1, 523.	3.0	0

#	ARTICLE	IF	CITATIONS
181	Domain-controlled laser ceramics toward Giant Micro-photonics [Invited]. Optical Materials Express, 2011, 1, 1040.	3.0	99
182	Large-aperture, axis-slant quasi-phase matching device using Mg-doped congruent LiNbO ₃ [Invited]. Optical Materials Express, 2011, 1, 1376.	3.0	21
183	Focus issue introduction: nonlinear optics. Optical Materials Express, 2011, 1, 1393.	3.0	0
184	Influence of Nd ³⁺ -concentration on laser transitions in Nd:YAG. , 2011, , .		0
185	Detailed fluorescent study of Nd:YAG dependent on doping concentration. , 2011, , .		0
186	Characterization of high-energy optical-parametric oscillation by using periodically poled Mg-doped congruent LiTaO ₃ . , 2011, , .		0
187	Comparative study on the temperature dependent emission cross section of Nd:YAG, Nd:YVO ₄ , and Nd:GdVO ₄ . , 2011, , .		0
188	Anisotropic Laser Ceramics toward Giant Micro-photonics. , 2011, , .		0
189	High-power, Single-longitudinal-mode Terahertz-wave Generation Pumped by a Microchip Nd:YAG Laser. , 2011, , .		2
190	Fabrication of slant quasi phase matching structure in Mg-doped congruent LiNbO ₃ . , 2011, , .		0
191	Continuously tunable, high-energy mid-infrared optical-parametric oscillation by angular tuning of PPMgLN with tilted QPM structures. , 2010, , .		0
192	High Brightness Microchip Laser and Engine Ignition. The Review of Laser Engineering, 2010, 38, 576-584.	0.0	4
193	High Peak Power, Passively Q-switched Microlaser for Ignition of Engines. IEEE Journal of Quantum Electronics, 2010, 46, 277-284.	1.9	147
194	Laser ignition of combustion engines for clean vehicles. , 2010, , .		1
195	Design of high average power mode-locked oscillator based on edge-pumped all ceramic Yb:YAG/YAG microchip. , 2010, , .		1
196	Diode Edge-Pumped, Composite Ceramic Nd:YAG/Sm:YAG Microchip Lasers. , 2010, , .		2
197	Efficient generation of highly squeezed light with periodically poled MgO:LiNbO ₃ . Optics Express, 2010, 18, 13114.	3.4	14
198	Enhancing performances of a passively Q-switched Nd:YAG ⁺ Cr ⁴⁺ :YAG microlaser with a volume Bragg grating output coupler. Optics Letters, 2010, 35, 1617.	3.3	17

#	ARTICLE	IF	CITATIONS
199	Laser ceramics with rare-earth-doped anisotropic materials. Optics Letters, 2010, 35, 3598.	3.3	64
200	High energy quasi-phase matched optical parametric oscillation using Mg-doped congruent LiTaO ₃ crystal. Optics Express, 2010, 18, 253.	3.4	43
201	Efficient ignition of a real automobile engine by a high brightness, passively Q-switched Cr:YAG/Nd:YAG micro-laser. , 2010, , .		1
202	Temperature and Polarization Dependences of Cr:YAG Transmission for Passive Q-switching. , 2009, , .		5
203	New fabrication process of anisotropic laser ceramics. , 2009, , .		0
204	Angular quasi-phase-matching: theory and first experiments. , 2009, , .		2
205	Effects of rare-earth doping on thermal conductivity in Y ₃ Al ₅ O ₁₂ crystals. Optical Materials, 2009, 31, 720-724.	3.6	52
206	Angular quasi-phase-matching experiments and determination of accurate Sellmeier equations for 5%MgO:PPLN. Optics Letters, 2009, 34, 2578.	3.3	18
207	Generation of carrier-envelope-phase-stable 2-cycle 740-fm pulses at 21-fm carrier wavelength. Optics Express, 2009, 17, 62.	3.4	126
208	Tunability enhancement of a terahertz-wave parametric generator pumped by a microchip Nd:YAG laser. Applied Optics, 2009, 48, 2899.	2.1	34
209	Isomer selective infrared spectroscopy of supersonically cooled cis- and trans-N-phenylamides in the region from the amide band to NH stretching vibration. Physical Chemistry Chemical Physics, 2009, 11, 6098.	2.8	41
210	The study of spectroscopic properties of Nd: PTR glass. , 2009, , .		0
211	Micro Solid-State Photonics - Review. The Review of Laser Engineering, 2009, 37, 227-234.	0.0	4
212	Micro-Lasers for Ignition Engines. The Review of Laser Engineering, 2009, 37, 283-289.	0.0	1
213	Development of Microchip Laser / Periodically Poled Stoichiometric LiTaO ₃ (PPSLT) for the Light Source of MALDI. The Review of Laser Engineering, 2009, 37, 290-295.	0.0	4
214	High peak-power passively Q-switched all-ceramics Nd:YAG/Cr ⁴⁺ :YAG lasers. Proceedings of SPIE, 2009, , .	0.8	1
215	Angular Quasi-Phase-Matched SHG and DFG in a 7%MgO:PPLN Crystal Sphere. , 2009, , .		0
216	Experimental validation of Angular Quasi-Phase-Matching. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
217	Mg-doped congruent LiTaO ₃ and LiNbO ₃ for highly efficient and high power/energy QPM optical-parametric systems. , 2009, , .		0
218	Generation of squeezed states of light at 860 nm with periodically poled MgO:LiNbO ₃ crystal. , 2009, , .		0
219	Characterization of nonlinear optical properties of periodically poled MgO:LiNbO ₃ crystal and generation of squeezed states of light at 860nm. , 2009, , .		0
220	High efficiency and high energy parametric wavelength conversion using a large aperture periodically poled MgO:LiNbO ₃ . Optics Communications, 2008, 281, 3902-3905.	2.1	14
221	A general model of a thermal conductivity for optical materials. , 2008, , .		0
222	High-energy, broadly tunable, narrow-bandwidth mid-infrared optical parametric system pumped by quasi-phase-matched devices. Optics Letters, 2008, 33, 1699.	3.3	42
223	Mg-doped congruent LiTaO ₃ crystal for large-aperture quasi-phase matching device. Optics Express, 2008, 16, 16963.	3.4	46
224	Nonlinear optical properties of Ca ₅ (BO ₃) ₃ F crystal. Optics Express, 2008, 16, 17735.	3.4	37
225	>1 MW peak power single-mode high-brightness passively Q-switched Nd ³⁺ :YAG microchip laser. Optics Express, 2008, 16, 19891.	3.4	197
226	High peak power, passively Q-switched Cr:YAG/Nd:YAG micro-laser for ignition of engines. , 2008, , .		9
227	Generation of High Efficiency 2 Åµm Laser Pulse from a Periodically Poled 5 mol % MgO-Doped LiNbO ₃ Optical Parametric Oscillator. Applied Physics Express, 2008, 1, 022007.	2.4	3
228	Over 10W single-pass second harmonic green light generation with periodically poled MgO doped congruent LiNbO ₃ . , 2008, , .		0
229	Thermally induced local-depolarization in thin YAG ceramics for high-power lasers. , 2008, , .		0
230	Angular quasi-phase-matching in MgO:PPLN. , 2008, , .		0
231	Thermal-birefringence-induced local depolarization in thin YAG ceramics. , 2008, , .		0
232	Novel Model of Thermal Conductivity for Optical Materials. The Review of Laser Engineering, 2008, 36, 1081-1084.	0.0	6
233	Laser-Induced Breakdown of Air with Double-Pulse Excitation. , 2008, , .		2
234	9.6-W cw green output from diode edge-pumped composite vanadate microchip laser with small packaged volume. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
235	Efficient Wavelength Conversion Based on Periodically Poled MgO:LiNbO ₃ Optical Parametric Oscillator. , 2008, , .		0
236	Compact, high peak power, passively Q-switched micro-laser for ignition of engines. , 2008, , .		4
237	Novel model on thermal conductivity in laser media: Dependence on rare-earth concentration. , 2008, , .		0
238	Angular quasi-phase-matching. Physical Review A, 2007, 76, .	2.5	24
239	High-power operation of diode edge-pumped, composite all-ceramic Yb:Y ₃ Al ₅ O ₁₂ microchip laser. Applied Physics Letters, 2007, 90, 121101.	3.3	89
240	High-power CW operation and beam quality of a diode edge-pumped, composite all-ceramic Yb:YAG microchip laser. , 2007, , .		0
241	High-energy, narrow-bandwidth periodically poled Mg-doped LiNbO ₃ optical parametric oscillator with a volume Bragg grating. Optics Letters, 2007, 32, 2996.	3.3	55
242	High power, tunable microchip lasers. , 2007, , .		5
243	Core-clad-type composites of Nd:GdVO ₄ single crystal grown by the double die EFG method. , 2007, , .		0
244	Ceramic YAG lasers. Comptes Rendus Physique, 2007, 8, 138-152.	0.9	67
245	Thermally-induced-birefringence effects of highly Nd ³⁺ -doped Y ₃ Al ₅ O ₁₂ ceramic lasers. Optical Materials, 2007, 29, 1271-1276.	3.6	33
246	Femtosecond Yb ³⁺ -doped Y ₃ (Sc _{0.5} Al _{0.5}) ₂ O ₁₂ ceramic laser. Optical Materials, 2007, 29, 1283-1288.	3.6	38
247	Characteristics of Nd ³⁺ -doped Y ₃ ScAl ₄ O ₁₂ ceramic laser. Optical Materials, 2007, 29, 1277-1282.	3.6	44
248	Tailored Spectral Designing of Layer-by-Layer Type Composite Nd:Y ₃ ScAl ₄ O ₁₂ /Nd:Y ₃ Al ₅ O ₁₂ Ceramics. IEEE Journal of Selected Topics in Quantum Electronics, 2007, 13, 838-843.	2.9	18
249	RE ³⁺ -Ion-Doped YAG Ceramic Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2007, 13, 798-809.	2.9	123
250	Design and Performance of Compact Heatsink for High-Power Diode Edge-Pumped, Microchip Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2007, 13, 619-625.	2.9	9
251	Diode-pumped Nd:GdVO ₄ microchip laser with a single-pass green generation in PPMgLN. , 2007, , .		0
252	>400 W CW operation of diode edge-pumped, composite all-ceramic Yb:YAG microchip laser. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
253	Spectroscopic properties and laser operation of RE ³⁺ -ion doped garnet materials. , 2006, , .		1
254	PROGRESS IN CERAMIC LASERS. Annual Review of Materials Research, 2006, 36, 397-429.	9.3	288
255	300 W continuous-wave operation of a diode edge-pumped, hybrid composite Yb:YAG microchip laser. Optics Letters, 2006, 31, 2003.	3.3	59
256	52 mJ narrow-bandwidth degenerated optical parametric system with a large-aperture periodically poled MgO:LiNbO ₃ device. Optics Letters, 2006, 31, 3149.	3.3	42
257	Second-harmonic generations of blue light in nonlinear optical crystals of Gd _{1-x} Lu _x Ca ₄ (BO ₃) ₃ and Gd _{1-x} Sc _x Ca ₄ (BO ₃) ₃ through noncritical phase matching. Journal of the Optical Society of America B: Optical Physics, 2006, 23, 1630.	2.1	20
258	Highly efficient pumping configuration for microchip solid-state laser. Optics Express, 2006, 14, 670.	3.4	22
259	The studies of thermal conductivity in GdVO ₄ , YVO ₄ , and Y ₃ Al ₅ O ₁₂ measured by quasi-one-dimensional flash method. Optics Express, 2006, 14, 10528.	3.4	166
260	Growth and noncritical phase matching second harmonic generation of Gd _{1-x} R _x Ca ₄ (BO ₃) ₃ (R =) Tj ETQq0 0 0 rgBT /Overlock 10		0
261	Continuous-wave high-power multi-pass pumped thin-disc Nd:GdVO ₄ laser. Optics Communications, 2006, 260, 271-276.	2.1	16
262	Neodymium concentration dependence of 0.94-, 1.06- and 1.34- μ m laser emission and of heating effects under 809- and 885-nm diode laser pumping of Nd:YAG. Applied Physics B: Lasers and Optics, 2006, 82, 599-605.	2.2	61
263	Comparison of thermal conductivity in YAG between polycrystalline ceramics and single crystals. , 2006, , FMK2.		1
264	Generation of 6 μ m Radiation by Optical Parametric Oscillator and Difference Frequency Generation in Periodically Poled LiNbO ₃ . Japanese Journal of Applied Physics, 2006, 45, 111-115.	1.5	4
265	High-power edge pumped Yb:YAG single crystal/YAG ceramics hybrid microchip laser. , 2006, , .		5
266	Passively Q-switched Nd:YAG microchip laser over 1-MW peak output power for micro drilling. , 2006, , .		4
267	Efficient, Water-Cooled Heat Sink for High-Power Edge-Pumped Microchip Lasers. The Review of Laser Engineering, 2006, 34, 181-187.	0.0	2
268	300 W CW operation of diode edge-pumped, composite single crystal Yb:YAG/ceramic YAG microchip laser. , 2006, , .		0
269	High-power continuous-wave intracavity frequency-doubled Nd:GdVO ₄ /sub 4/-LBO laser under diode pumping into the emitting level. IEEE Journal of Selected Topics in Quantum Electronics, 2005, 11, 631-637.	2.9	22
270	Comparative study on the spectroscopic properties of Nd:GdVO ₄ /sub 4/ and Nd:YVO ₄ /sub 4/ with hybrid process. IEEE Journal of Selected Topics in Quantum Electronics, 2005, 11, 613-620.	2.9	100

#	ARTICLE	IF	CITATIONS
271	Diode Edge-Pumped Microchip Composite Yb: YAG Laser. The Review of Laser Engineering, 2005, 33, 228-235.	0.0	0
272	High-Power Operation of Diode Edge-Pumped, Glue-Bonded, Composite Yb:Y3Al5O12 Microchip Laser with Ceramic, Undoped YAG Pump Light-Guide. Japanese Journal of Applied Physics, 2005, 44, L1164-L1167.	1.5	43
273	1.34- μ m efficient laser emission in highly-doped Nd:YAG under 885-nm diode pumping. Optics Express, 2005, 13, 7948.	3.4	70
274	High-energy quasi-phase-matched optical parametric oscillation in a periodically poled MgO:LiNbO ₃ device with a 57mm \times 57mm aperture. Optics Letters, 2005, 30, 2918.	3.3	132
275	High-power operation of diode edge-pumped, microchip Yb:YAG laser composed with YAG ceramic pump wave-guide. , 2005, , .		2
276	Generation of 5 W continuous-wave green power at 531 nm based on a frequency-doubled Nd:GdVO ₄ micro-laser pumped into the emitting level at 879 nm. , 2005, , .		0
277	Stark levels, selection rules, and polarized cross sections of Yb:GdVO ₄ single crystal. , 2005, , .		0
278	Continuous-wave 456-nm blue light generation in a bulk periodically poled MgO:LiNbO ₃ crystal. , 2005, , .		0
279	High-power operation of diode edge-pumped, composite microchip Yb:YAG laser with ceramic pump wave-guide. , 2005, , .		0
280	Efficient Green and Blue Light Generation Using SHG Devices with Periodically Poled Structures. The Review of Laser Engineering, 2005, 33, 671-675.	0.0	0
281	Continuous-Wave Deep Blue Generation in a Periodically Poled MgO:LiNbO ₃ Crystal by Single-Pass Frequency Doubling of a 912-nm Nd:GdVO ₄ Laser. Japanese Journal of Applied Physics, 2004, 43, L1293-L1295.	1.5	17
282	Passive mode locking of a mixed garnet Yb:Y3ScAl ₄ O ₁₂ ceramic laser. Applied Physics Letters, 2004, 85, 5845-5847.	3.3	37
283	Absorption, emission spectrum properties, and efficient laser performances of Yb:Y3ScAl ₄ O ₁₂ ceramics. Applied Physics Letters, 2004, 85, 1898-1900.	3.3	70
284	Optical pulse compression using cascaded quadratic nonlinearities in periodically poled lithium niobate. Applied Physics Letters, 2004, 84, 1055-1057.	3.3	49
285	Continuous-wave ultraviolet generation at 354nm in a periodically poled MgO:LiNbO ₃ by frequency tripling of a diode end-pumped Nd:GdVO ₄ microlaser. Applied Physics Letters, 2004, 85, 3959-3961.	3.3	26
286	Periodic Twinning in Crystal Quartz for Optical Quasi-Phase Matched Secondary Harmonic Conversion. Journal of Materials Research, 2004, 19, 969-972.	2.6	22
287	<title>Comparison of Nd:YAG single crystals and transparent ceramics as laser materials</title>. , 2004, 5581, 212.		7
288	Laser Emission under 4F _{5/2} and 4F _{3/2} Pumping in Nd:LSB Micro-Laser. Japanese Journal of Applied Physics, 2004, 43, L70-L72.	1.5	1

#	ARTICLE	IF	CITATIONS
289	Continuous-wave high-power Nd:YAG-KNbO ₃ laser at. Optics and Laser Technology, 2004, 36, 581-585.	4.6	4
290	Oscillation spectra and dynamic effects in a highly-doped microchip Nd:YAG ceramic laser. Optics Express, 2004, 12, 2293.	3.4	42
291	Room-temperature, continuous-wave 1-W green power by single-pass frequency doubling in a bulk periodically poled MgO:LiNbO ₃ crystal. Optics Letters, 2004, 29, 830.	3.3	52
292	High-energy quasi-phase-matched optical parametric oscillation in a 3-mm-thick periodically poled MgO:LiNbO ₃ device. Optics Letters, 2004, 29, 2527.	3.3	32
293	Saturation Factors of Pump Absorption in Solid-State Lasers. IEEE Journal of Quantum Electronics, 2004, 40, 270-280.	1.9	48
294	<title>All-solid-state diode and end-pumped Nd:YAG laser passively Q-switched by Cr⁴⁺:YAG saturable absorber</title>. , 2004, 5581, 170.		1
295	<title>Diode radial pumped composite microchip Yb:YAG laser: output performances and thermal effects</title>. , 2004, 5581, 128.		0
296	<title>Continuous-wave intracavity frequency-doubled Nd:YAG-KNbO ₃ blue laser at 473 nm</title>. , 2004, , .		0
297	<title>Basic enhancement of the global efficiency of frequency doubling devices for the one-micron continuous-wave Nd:YAG laser emission</title>. , 2004, , .		0
298	<title>Efficient quasi-three-level laser emission of Nd:YAG</title>. , 2004, , .		0
299	<title>Highly efficient laser operation of Nd-vanadates under direct pumping into the emitting level</title>. , 2004, , .		0
300	Spectroscopic properties and near quantum-limit laser-oscillation in Nd:GdVO ₄ single crystal. , 2004, , .		1
301	High power microchip composite Yb: YAG laser. , 2004, , .		0
302	Reduction of the thermal load by laser oscillation in highly Nd ³⁺ -doped ceramic YAG. , 2004, , .		0
303	Spectroscopic properties of disordered single crystals: solid-solution of Gd ₃ Ga ₅ O ₁₂ and Nd ₃ Ga ₅ O ₁₂ . , 2004, , .		0
304	High-power green generation at room temperature in a periodically poled MgO: LiNbO ₃ by frequency doubling of a diode end-pumped Nd: GdVO ₄ laser. , 2004, , .		1
305	Reduction of the thermal load in highly Nd ³⁺ -doped ceramic YAG by laser oscillation. , 2004, , .		1
306	Spectral Parameters of Nd ³⁺ -ion in the Polycrystalline Solid-Solution Composed of Y ₃ Al ₅ O ₁₂ and Y ₃ Sc ₂ Al ₃ O ₁₂ . Japanese Journal of Applied Physics, 2003, 42, 5071-5074.	1.5	49

#	ARTICLE	IF	CITATIONS
307	Group-velocity-matched cascaded quadratic nonlinearities of femtosecond pulses in periodically poled MgO:LiNbO ₃ . Optics Letters, 2003, 28, 1442.	3.3	8
308	Highly efficient 1063-nm continuous-wave laser emission in Nd:GdVO ₄ . Optics Letters, 2003, 28, 2366.	3.3	141
309	Efficient frequency doubling of a femtosecond pulse with simultaneous group-velocity matching and quasi phase matching in periodically poled, MgO-doped lithium niobate. Applied Physics Letters, 2003, 82, 3388-3390.	3.3	38
310	Periodic Poling in 3-mm-Thick MgO:LiNbO ₃ Crystals. Japanese Journal of Applied Physics, 2003, 42, L108-L110.	1.5	39
311	Basic enhancement of the overall optical efficiency of intracavity frequency-doubling devices for the 1.4-µm continuous-wave Nd:YAlO ₃ laser emission. Applied Physics Letters, 2003, 83, 3653-3655.	3.3	28
312	90 W continuous-wave diode edge-pumped microchip composite Yb:YAlO ₃ laser. Applied Physics Letters, 2003, 83, 4086-4088.	3.3	48
313	High-power blue generation from a periodically poled MgO:LiNbO ₃ ridge-type waveguide by frequency doubling of a diode end-pumped Nd:YAlO ₃ laser. Applied Physics Letters, 2003, 83, 3659-3661.	3.3	84
314	Laser operation with near quantum-defect slope efficiency in Nd:YVO ₄ under direct pumping into the emitting level. Applied Physics Letters, 2003, 82, 844-846.	3.3	165
315	Periodical poling characteristics of congruent MgO:LiNbO ₃ crystals at elevated temperature. Applied Physics Letters, 2003, 82, 4062-4064.	3.3	129
316	High-Power Continuous Wave Green Generation by Single-Pass Frequency Doubling of a Nd:GdVO ₄ Laser in a Periodically Poled MgO:LiNbO ₃ Operating at Room Temperature. Japanese Journal of Applied Physics, 2003, 42, L1296-L1298.	1.5	38
317	Second-Harmonic Nonlinear Mirror CW Mode Locking in Yb:YAG Microchip Lasers. Japanese Journal of Applied Physics, 2003, 42, L649-L651.	1.5	14
318	The spectroscopic properties and laser characteristics of polycrystalline Nd:Y ₃ Sc _x Al _(5-x) O ₁₂ laser media. , 2003, , 444.		2
319	Periodical poling characteristics of 5mol% MgO-doped congruent LiNbO ₃ crystals at elevated temperature. , 2003, , .		0
320	Intrinsic reduction of the depolarization loss in solid-state lasers by use of a (110)-cut YAlO ₃ crystal. Applied Physics Letters, 2002, 80, 3048-3050.	3.3	61
321	Diode Edge-Pumped Microchip Composite Yb:YAG Laser. Japanese Journal of Applied Physics, 2002, 41, L606-L608.	1.5	1
322	Improved lasing property of neodymium-doped lanthanum scandium borate microchip laser. , 2002, , .		0
323	Spectroscopic Properties of Neodymium-Doped Yttrium Orthovanadate Single Crystals with High-Resolution Measurement. Japanese Journal of Applied Physics, 2002, 41, 5999-6002.	1.5	39
324	Thermal-birefringence-induced depolarization in Nd:YAG ceramics. Optics Letters, 2002, 27, 234.	3.3	92

#	ARTICLE	IF	CITATIONS
325	Broadband quasi-phase-matched second-harmonic generation in MgO-doped periodically poled LiNbO ₃ at the communications band. <i>Optics Letters</i> , 2002, 27, 1046.	3.3	127
326	100-W quasi-continuous-wave diode radially pumped microchip composite Yb:YAG laser. <i>Optics Letters</i> , 2002, 27, 1791.	3.3	29
327	High-resolution spectroscopy and emission decay in concentrated Nd:YAG ceramics. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2002, 19, 360.	2.1	33
328	Efficient laser emission in concentrated Nd laser materials under pumping into the emitting level. <i>IEEE Journal of Quantum Electronics</i> , 2002, 38, 240-245.	1.9	34
329	Highly efficient continuous-wave 946-nm Nd:YAG laser emission under direct 885-nm pumping. <i>Applied Physics Letters</i> , 2002, 81, 2677-2679.	3.3	77
330	<title>Optical and lasing characteristics with Nd:LSB microchip device</title>. , 2002, 4813, 86.		0
331	1064 nm laser emission of highly doped Nd: Yttrium aluminum garnet under 885 nm diode laser pumping. <i>Applied Physics Letters</i> , 2002, 80, 4309-4311.	3.3	72
332	Tunable frequency-doubled Yb:YAG microchip lasers. <i>Optical Materials</i> , 2002, 19, 169-174.	3.6	54
333	Highly efficient laser emission in concentrated Nd:YVO ₄ components under direct pumping into the emitting level. <i>Optics Communications</i> , 2002, 201, 431-435.	2.1	45
334	Drastic Reduction of Depolarization Resulting from Thermally Induced Birefringence by Use of a (100)-Cut YAG Crystal. , 2002, , .		0
335	Laser emission in highly doped Nd:YAG crystals under ⁴ F _{5/2} and ⁴ F _{3/2} pumping. <i>Optics Letters</i> , 2001, 26, 1678.	3.3	65
336	Laser emission under resonant pump in the emitting level of concentrated Nd:YAG ceramics. <i>Applied Physics Letters</i> , 2001, 79, 590-592.	3.3	107
337	Highly trivalent neodymium ion doped YAG ceramic for microchip lasers. , 2001, , TuB3.		2
338	Thermal Birefringence in Nd:YAG Ceramics. , 2001, , ME14.		4
339	Microchip high-power radially pumped composite Yb:YAG laser. , 2001, , .		1
340	Comparative investigation of spectroscopic and laser emission characteristics under direct 885-nm pump of concentrated Nd:YAG ceramics and crystals. <i>Applied Physics B: Lasers and Optics</i> , 2001, 73, 757-762.	2.2	39
341	Spectroscopy and laser emission under hot band resonant pump in highly doped Nd:YAG ceramics. <i>Optics Communications</i> , 2001, 195, 225-232.	2.1	33
342	Diode end-pumped passively Q-switched Nd:YAG laser intra-cavity frequency doubled by LBO crystal. <i>Optics Communications</i> , 2001, 195, 233-240.	2.1	18

#	ARTICLE	IF	CITATIONS
343	Crystal growth and optical properties of Bi ₄ Si ₃ O ₁₂ :Nd. Journal of Crystal Growth, 2001, 229, 188-192.	1.5	15
344	High Average Power Diode End-Pumped Composite Nd:YAG Laser Passively Q-switched by Cr ⁴⁺ :YAG Saturable Absorber. Japanese Journal of Applied Physics, 2001, 40, 1253-1259.	1.5	95
345	Radial-Pumped Microchip High-Power Composite Yb:YAG Laser: Design and Power Characteristics. Japanese Journal of Applied Physics, 2001, 40, 146-152.	1.5	26
346	SHG Laser using YAG Ceramics for Light Source of Photofabrication.. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2000, 13, 687-689.	0.3	1
347	High-Performance Microchip Lasers Using Polycrystalline Nd:YAG Ceramics.. Journal of the Ceramic Society of Japan, 2000, 108, 428-430.	1.3	7
348	Optical properties and laser characteristics of highly Nd ³⁺ -doped Y ₃ Al ₅ O ₁₂ ceramics. Applied Physics Letters, 2000, 77, 939.	3.3	178
349	Optical Properties and Laser Oscillations of Highly Neodymium-doped YAG Ceramics. , 2000, , .		3
350	Report on CLEO/QELS 2000. The Review of Laser Engineering, 2000, 28, 526-547.	0.0	0
351	Development and Prospect of Ceramics Laser Elements.. The Review of Laser Engineering, 1999, 27, 593-598.	0.0	1
352	Pump-beam M^2 factor approximation for design of diode fiber-coupled end-pumped lasers. Optical Engineering, 1999, 38, 1806.	1.0	7
353	High-efficiency longitudinally-pumped miniature Nd:YVO ₄ laser. Optics and Laser Technology, 1998, 30, 275-280.	4.6	11
354	Output beam characteristics of a Nd:YVO 4 miniature laser. , 1998, , .		1
355	Influence of active-medium properties on high-power solid state laser beam characteristics. , 1998, , .		0
356	Concept for Measuring Laser Beam-Quality Parameters.. The Review of Laser Engineering, 1998, 26, 723-729.	0.0	9
357	Topical Papers on Microchip Lasers and Applications. Microchip Solid-State Lasers.. The Review of Laser Engineering, 1998, 26, 847-854.	0.0	2
358	Diode-Pumped Nd:YAG Ceramics Lasers. , 1998, , .		3
359	Output Characteristics of Coupled-Cavity Q-Switched Er, Yb: Glass Lasers.. The Review of Laser Engineering, 1998, 26, 272-276.	0.0	0
360	Q-Switching and Mode Selection of Coupled-Cavity Er,Yb:Glass Lasers. Japanese Journal of Applied Physics, 1997, 36, L206-L208.	1.5	6

#	ARTICLE	IF	CITATIONS
361	Modeling of quasi-three-level lasers and operation of cw Yb:YAG lasers. Applied Optics, 1997, 36, 1867.	2.1	163
362	Diode-pumped tunable Yb:YAG miniature lasers at room temperature: modeling and experiment. IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 100-104.	2.9	101
363	Report on Topical Meeting of 12th Advanced Solid State Laser(ASSL).. The Review of Laser Engineering, 1997, 25, 247-253.	0.0	0
364	Single axial mode operation of resonantly pumped Yb:YAG microchip lasers. Electronics and Communications in Japan, 1996, 79, 64-70.	0.2	2
365	Design Method of Efficient, Diode End-Pumped Solid-State Lasers Using M2 Factor.. The Review of Laser Engineering, 1996, 24, 360-366.	0.0	2
366	Intracavity frequency doubling and Q switching in diode-laser-pumped Nd:YVO ₄ lasers. Applied Optics, 1995, 34, 4298.	2.1	29
367	Q-switching and frequency doubling of solid-state lasers by a single intracavity KTP crystal. IEEE Journal of Quantum Electronics, 1994, 30, 800-804.	1.9	43
368	Single-mode selection in pulsed lasers by injection seeding. Electronics and Communications in Japan, 1993, 76, 23-30.	0.2	0
369	Polarization control of Q-switch solid-state lasers with intracavity SHG crystals. Electronics and Communications in Japan, 1992, 75, 1-12.	0.2	0
370	Single-mode oscillation of laser-diode-pumped Nd:YVO ₄ microchip lasers. Optics Letters, 1991, 16, 1955.	3.3	207
371	Comparative study on the linear thermal expansion coefficient of laser host crystals by first principles calculations. Optical Materials Express, 0, , .	3.0	4