

Jun Kwan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8384233/publications.pdf>

Version: 2024-02-01

50
papers

583
citations

759233

12
h-index

610901

24
g-index

50
all docs

50
docs citations

50
times ranked

1154
citing authors

#	ARTICLE	IF	CITATIONS
1	A Randomized, Open-Label, Multicenter Trial for the Safety and Efficacy of Adult Mesenchymal Stem Cells after Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2014, 29, 23.	2.5	141
2	Geometric changes of mitral annulus assessed by real-time 3-dimensional echocardiography: Becoming enlarged and less nonplanar in the anteroposterior direction during systole in proportion to global left ventricular systolic function. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 1179-1184.	2.8	51
3	3D geometry of a normal tricuspid annulus during systole: A comparison study with the mitral annulus using real-time 3D echocardiography. <i>European Journal of Echocardiography</i> , 2007, 8, 375-383.	2.3	48
4	Beneficial Effects of Bariatric Surgery on Cardiac Structure and Function in Obesity. <i>Obesity Surgery</i> , 2017, 27, 620-625.	2.1	41
5	A Phase III, Multicenter, Randomized, Double-blind, Active Comparator Clinical Trial to Compare the Efficacy and Safety of Combination Therapy With Ezetimibe and Rosuvastatin Versus Rosuvastatin Monotherapy in Patients With Hypercholesterolemia: I-ROSETTE (Ildong Rosuvastatin & Ezetimibe) Tj ETQq1 170.7843147fgBT /Ove	2.5	37
6	SURvey of Guideline Adherence for Treatment of Systolic Heart Failure in Real World (SUGAR): A Multi-Center, Retrospective, Observational Study. <i>PLoS ONE</i> , 2014, 9, e86596.	2.5	33
7	Clinical and Echocardiographic Factors Affecting Tricuspid Regurgitation Severity in the Patients with Lone Atrial Fibrillation. <i>Journal of Cardiovascular Imaging</i> , 2015, 23, 136.	0.8	27
8	Geometric predictor of significant mitral regurgitation in patients with severe ischemic cardiomyopathy, undergoing Dor procedure: A real-time 3D echocardiographic study. <i>European Journal of Echocardiography</i> , 2007, 8, 195-203.	2.3	22
9	Relation Between Neutrophil-to-Lymphocyte Ratio and Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 1323-1328.	1.6	22
10	Does The Mitral Annulus Shrink or Enlarge During Systole? A Real-Time 3D Echocardiography Study. <i>Journal of Korean Medical Science</i> , 2009, 24, 203.	2.5	15
11	The Relationship Between J Wave on the Surface Electrocardiography and Ventricular Fibrillation during Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2014, 29, 685.	2.5	14
12	A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2015, 37, 2581-2596.e3.	2.5	13
13	Prognostic Impact of Combined Contrast-Induced Acute Kidney Injury and Hypoxic Liver Injury in Patients with ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Results from INTERSTELLAR Registry. <i>PLoS ONE</i> , 2016, 11, e0159416.	2.5	11
14	Prognostic Impact of Left Atrial Minimal Volume on Clinical Outcome in Patients with Non-Obstructive Hypertrophic Cardiomyopathy. <i>International Heart Journal</i> , 2018, 59, 991-995.	1.0	10
15	Clinical and Angiographic Predictors of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2015, 56, 1235.	2.2	9
16	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 2.	2.4	9
17	Comparison of Fixed-dose Combinations of Amlodipine/Losartan Potassium/Chlorthalidone and Amlodipine/Losartan Potassium in Patients With Stage 2 Hypertension Inadequately Controlled With Amlodipine/Losartan Potassium: A Randomized, Double-blind, Multicenter, Phase III Study. <i>Clinical Therapeutics</i> , 2017, 39, 2049-2060.	2.5	9
18	Relationship between J Waves and Vagal Activity in Patients Who Do Not Have Structural Heart Disease. <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 464-473.	1.1	8

#	ARTICLE	IF	CITATIONS
19	Impact of gender on heart failure presentation in non-obstructive hypertrophic cardiomyopathy. <i>Heart and Vessels</i> , 2020, 35, 214-222.	1.2	8
20	Neutrophil-to-Lymphocyte Ratio at Emergency Room Predicts Mechanical Complications of ST-segment Elevation Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2021, 36, e131.	2.5	8
21	Acute Geometric Changes of the Mitral Annulus after Coronary Occlusion: A Real-Time 3D Echocardiographic Study. <i>Journal of Korean Medical Science</i> , 2006, 21, 217.	2.5	7
22	Three-dimensional echocardiography: a new paradigm shift. <i>Journal of Echocardiography</i> , 2014, 12, 1-11.	0.8	7
23	Prognostic Implications of Newly Developed T-Wave Inversion After Primary Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 119, 515-519.	1.6	6
24	Mechanical and Pharmacological Revascularization Strategies for Prevention of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction: Analysis from Index of Microcirculatory Resistance Registry Data. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-12.	1.2	6
25	Ivabradine-Induced Torsade de Pointes in Patients with Heart Failure Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 1044-1048.	1.0	4
26	Reverse redistribution: Revisited with myocardial contrast echocardiography. <i>Annals of Nuclear Medicine</i> , 2000, 14, 63-67.	2.2	3
27	Comparative effect on platelet function of a fixed-dose aspirin and clopidogrel combination versus separate formulations in patients with coronary artery disease: A phase IV, multicenter, prospective, 4-week non-inferiority trial. <i>International Journal of Cardiology</i> , 2016, 202, 331-335.	1.7	3
28	Comparison of the Efficacy and Safety of Atorvastatin 40 mg/1%-3 Fatty Acids 4 g Fixed-dose Combination and Atorvastatin 40 mg Monotherapy in Hypertriglyceridemic Patients who Poorly Respond to Atorvastatin 40 mg Monotherapy: An 8-week, Multicenter, Randomized, Double-blind Phase III Study. <i>Clinical Therapeutics</i> , 2021, 43, 1419-1430.	2.5	3
29	A Case of Left Atrial Myxoma Presenting with Myocardial Infarction. <i>Sunhwan'gi</i> , 2004, 34, 512.	0.3	2
30	Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, 1726-1739.	2.5	2
31	Functional Severity of Coronary Stenosis in Relation to Luminologic Severity in AMI: Comparison with Angina. <i>Sunhwan'gi</i> , 2002, 32, 38.	0.3	1
32	The Role of P Wave from Surface Electrocardiography for the Prediction of Atrial Fibrillation after Coronary Artery Bypass Graft Surgery. <i>Korean Circulation Journal</i> , 2005, 35, 677.	1.9	1
33	An analysis of vascular properties using pulse wave analysis in patients with vasovagal syncope. <i>Clinical Cardiology</i> , 2020, 43, 781-788.	1.8	1
34	Real-time Three Dimensional Echocardiography Clinical Implications and The Perspective. <i>Journal of the Korean Society of Echocardiography</i> , 2003, 11, 7.	0.0	1
35	The Evaluation of Diagnostic Validity of ECG for the Subendocardial Infarction by Myocardial Contrast Echocardiography. <i>Sunhwan'gi</i> , 2000, 30, 958.	0.3	0
36	A Case of Idiopathic Hypereosinophilic Syndrome Manifested by Massive Pericardial Effusion. <i>Sunhwan'gi</i> , 2002, 32, 76.	0.3	0

#	ARTICLE	IF	CITATIONS
37	A Case of Bacterial Aortitis with Splenic Abscess by E.coli. Sunhwan'gi, 2002, 32, 1100.	0.3	0
38	Relation of the Lesion Length and Eccentricity to the Fractional Flow Reserve. Sunhwan'gi, 2003, 33, 762.	0.3	0
39	Assessment of Left Ventricular Function by Analysis of Volume-Time Curves of 16 Segments with Real-Time Three Dimensional Echocardiography : Left Ventricular Asynchrony as a Clinical Parameter for Patients with Heart Failure. Korean Circulation Journal, 2006, 36, 669.	1.9	0
40	P5564Efficacy of manual thrombectomy in ST segment elevation myocardial infarction: special focus on its efficacy according to systemic inflammation estimated by neutrophil-to-lymphocyte ratio. European Heart Journal, 2017, 38, .	2.2	0
41	Valsartan Dosage on Ventriculo-Vascular Coupling Index Dose-Dependency in Heart Failure Patients. Yonsei Medical Journal, 2021, 62, 391.	2.2	0
42	Echocardiographic Assessment of Left Ventricular Systolic Function in Comparison with Automatic Quantification of 201TI Gated Perfusion SPECT. Journal of the Korean Society of Echocardiography, 2000, 8, 226.	0.0	0
43	Univentricular Heart: Natural Survival into the Second Decade of Life. Journal of the Korean Society of Echocardiography, 2001, 9, 62.	0.0	0
44	Correlation of Coronary Flow Reserve with Myocardial Perfusion Status and Contractility After Reperfusion of the Infarct-Related Artery in Patients with Acute Myocardial Infarction. Journal of the Korean Society of Echocardiography, 2001, 9, 125.	0.0	0
45	A Case of Coronary Artery Dissection After Blunt Chest Trauma Presented as Acute Myocardial Infarction. Journal of the Korean Society of Echocardiography, 2001, 9, 45.	0.0	0
46	Comparison between Fractional Flow Reserve and Intravascular Ultrasound for Evaluation of Optimal Coronary Angioplasty. Journal of the Korean Society of Echocardiography, 2002, 10, 11.	0.0	0
47	A Case of Double Right Coronary Artery with Arteriovenous Fisula. Journal of the Korean Society of Echocardiography, 2004, 12, 101.	0.0	0
48	A Case of Extensive Ventricular Wall Rupture from the Posterior Wall to the Ventricular Septum after Acute Myocardial Infarction Demonstrated by Real-Time 3D Echocardiography. Journal of the Korean Society of Echocardiography, 2005, 13, 121.	0.0	0
49	Comparison Study between Dobutamine Stress Echocardiography Using Real-Time Three Dimensional and Two Dimensional Echocardiography for Diagnosis of Coronary Artery Disease -Dobutamine Stress Echocardiography Using Real-Time Three Dimensional Echocardiography-. Korean Circulation Journal, 2006, 36, 737.	1.9	0
50	Contractile Reserve versus Cell Membrane Integrity for Predicting Contractile Recovery after Reperfusion in Acute Myocardial Infarction and Their Relationship. Journal of the Korean Society of Echocardiography, 1999, 7, 46.	0.0	0