

Masahiro Takeuchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8385796/publications.pdf>

Version: 2024-02-01

72
papers

726
citations

516710

16
h-index

610901

24
g-index

73
all docs

73
docs citations

73
times ranked

1354
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The combination of the tubulin binding small molecule PTC596 and proteasome inhibitors suppresses the growth of myeloma cells. <i>Scientific Reports</i> , 2021, 11, 2074. | 3.3 | 3 |
| 2 | A variant in human AIOLOS impairs adaptive immunity by interfering with IKAROS. <i>Nature Immunology</i> , 2021, 22, 893-903. | 14.5 | 33 |
| 3 | Identification of clonal immunoglobulin λ light-chain gene rearrangements in AL amyloidosis using next-generation sequencing. <i>Experimental Hematology</i> , 2021, 101-102, 34-41.e4. | 0.4 | 1 |
| 4 | Remarkable donor-derived T cell lymphocytosis before engraftment of a bone marrow transplant for acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 221-224. | 1.3 | 0 |
| 5 | Suppressive effects of anagrelide on cell cycle progression and the maturation of megakaryocyte progenitor cell lines in human induced pluripotent stem cells. <i>Haematologica</i> , 2020, 105, e216-e220. | 3.5 | 4 |
| 6 | Myeloid/Lymphoid Neoplasm with <i>PDGFRB</i> Rearrangement with t(5;10)(q33;q22) Harboring a Novel Breakpoint of the <i>CCDC6-PDGFRB</i> Fusion Gene. <i>Internal Medicine</i> , 2019, 58, 3449-3453. | 0.7 | 3 |
| 7 | Detection of MYD88 L265P mutation by next-generation deep sequencing in peripheral blood mononuclear cells of Waldenström's macroglobulinemia and IgM monoclonal gammopathy of undetermined significance. <i>PLoS ONE</i> , 2019, 14, e0221941. | 2.5 | 15 |
| 8 | Low incidence of thromboembolism in multiple myeloma patients receiving immunomodulatory drugs; a retrospective single-institution analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 141-148. | 2.1 | 6 |
| 9 | Efficacy and safety of oral deferasirox treatment for transfusional iron overload in pure red cell aplasia patients after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2019, 98, 1781-1783. | 1.8 | 8 |
| 10 | Immunomodulator-associated Epstein-Barr virus-positive mucocutaneous ulcer in a patient with refractory Crohn's disease. <i>Clinical Journal of Gastroenterology</i> , 2019, 12, 330-335. | 0.8 | 6 |
| 11 | T315I mutation with lymphoblasts in a newly diagnosed patient with chronic-phase chronic myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2019, 60, 1591-1594. | 1.3 | 0 |
| 12 | Genetic and transcriptional landscape of plasma cells in POEMS syndrome. <i>Leukemia</i> , 2019, 33, 1723-1735. | 7.2 | 28 |
| 13 | The Preclinical Activities of PTC596, a Novel Tubulin Binding Agent That Down-Regulates BMI1, Alone and in Combination with Bortezomib in Multiple Myeloma. <i>Blood</i> , 2019, 134, 4414-4414. | 1.4 | 2 |
| 14 | Identification of Clonal Immunoglobulin λ Light-Chain Gene Rearrangements in AL Amyloidosis Using Next Generation Sequencing. <i>Blood</i> , 2019, 134, 1748-1748. | 1.4 | 0 |
| 15 | Long-term efficacy of partial splenic embolization for the treatment of steroid-resistant chronic immune thrombocytopenia. <i>Annals of Hematology</i> , 2018, 97, 655-662. | 1.8 | 18 |
| 16 | Deferasirox for the treatment of iron overload after allogeneic hematopoietic cell transplantation: multicenter phase I study (KSGCT1302). <i>International Journal of Hematology</i> , 2018, 107, 578-585. | 1.6 | 6 |
| 17 | Long-term evaluation of physical improvement and survival of autologous stem cell transplantation in POEMS syndrome. <i>Blood</i> , 2018, 131, 2173-2176. | 1.4 | 36 |
| 18 | Ruxolitinib is effective and safe in Japanese patients with hydroxyurea-resistant or hydroxyurea-intolerant polycythemia vera with splenomegaly. <i>International Journal of Hematology</i> , 2018, 107, 173-184. | 1.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Long-term complete remission following tandem autologous stem cell transplantation and consolidative radiotherapy for refractory mediastinal gray-zone lymphoma. <i>International Journal of Hematology</i> , 2018, 108, 452-455. | 1.6 | 3 |
| 20 | Clonal immunoglobulin λ light chain gene rearrangements detected by next generation sequencing in POEMS syndrome. <i>American Journal of Hematology</i> , 2018, 93, 1161-1168. | 4.1 | 9 |
| 21 | Anagrelide Inhibits Proliferation and Platelet Generation in Immortalized Megakaryocyte Progenitor Cell Lines Established from Human Induced Pluripotent Stem Cells. <i>Blood</i> , 2018, 132, 1789-1789. | 1.4 | 0 |
| 22 | Safety and Efficacy of Granulocyte Colony-Stimulating Factor Monotherapy for Peripheral Blood Stem Cell Collection in POEMS Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 361-363. | 2.0 | 9 |
| 23 | EFFICACY AND SIGNIFICANCE OF A CONSULTING CLINIC FOR RELATED FAMILY DONORS IN ALLOGENEIC HEMATOPOIETIC CELL TRANSPLANTATION AT THE DEPARTMENT OF TRANSFUSION MEDICINE AND CELL THERAPY. <i>Japanese Journal of Transfusion and Cell Therapy</i> , 2017, 63, 592-598. | 0.2 | 0 |
| 24 | The Successful Treatment of a Cord Blood Transplant Recipient with Varicella Zoster Virus Meningitis, Radiculitis and Myelitis with Foscarnet. <i>Internal Medicine</i> , 2017, 56, 353-356. | 0.7 | 7 |
| 25 | Acutely deteriorated extravascular volume overload during peripheral blood stem cell mobilization in POEMS syndrome: A case series with cytokine analysis. <i>Transfusion and Apheresis Science</i> , 2016, 54, 276-281. | 1.0 | 3 |
| 26 | Possible role of intragenic DNA hypermethylation in gene silencing of the tumor suppressor gene NR4A3 in acute myeloid leukemia. <i>Leukemia Research</i> , 2016, 50, 85-94. | 0.8 | 15 |
| 27 | Prognostic impact of serum soluble LR11 in newly diagnosed diffuse large B-cell lymphoma: A multicenter prospective analysis. <i>Clinica Chimica Acta</i> , 2016, 463, 47-52. | 1.1 | 7 |
| 28 | Long-term complete remission by infusion of ex vivo-expanded donor-derived CD4+lymphocytes for treating an early relapse of Hodgkin lymphoma after cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2016, 57, 230-232. | 1.3 | 3 |
| 29 | Clonal Immunoglobulin λ Light-Chain Gene Rearrangements Detected By Next Generation Sequencing in POEMS Syndrome. <i>Blood</i> , 2016, 128, 4405-4405. | 1.4 | 0 |
| 30 | Distinctive Genetic Features of Plasma Cells in POEMS Syndrome. <i>Blood</i> , 2016, 128, 4404-4404. | 1.4 | 0 |
| 31 | Successful Allogeneic Stem Cell Transplantation for Severe Aplastic Anemia after Treatment of Lymphoproliferative Disorder Caused by Rabbit Antithymocyte Globulin. <i>Internal Medicine</i> , 2015, 54, 3197-3200. | 0.7 | 4 |
| 32 | Gradually-Deteriorating Liver Function due to Iron Overload Over Four Years after Allogeneic Stem Cell Transplantation. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2015, 55, 109-112. | 0.8 | 2 |
| 33 | Efficacy of myeloablative allogeneic hematopoietic stem cell transplantation in adult patients with MLL-ELL-positive acute myeloid leukemia. <i>International Journal of Hematology</i> , 2015, 102, 86-92. | 1.6 | 5 |
| 34 | Soluble LR11/SorLA represses thermogenesis in adipose tissue and correlates with BMI in humans. <i>Nature Communications</i> , 2015, 6, 8951. | 12.8 | 59 |
| 35 | Serum soluble LR11, a novel tumor derived biomarker associated with the outcome of patients with diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2015, 56, 2982-2985. | 1.3 | 4 |
| 36 | Diverse Role of DNA Hypermethylation in Reduced Expression of Tumor Suppressor NR4A3 in Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 3640-3640. | 1.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Reactivation of Hepatitis B Virus in Hematopoietic Stem Cell Transplant Recipients in Japan: Efficacy of Nucleos(t)ide Analogues for Prevention and Treatment. <i>International Journal of Molecular Sciences</i> , 2014, 15, 21455-21467. | 4.1 | 38 |
| 38 | Potential utility of serum soluble LR11 as a diagnostic biomarker for intravascular large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 2391-2394. | 1.3 | 7 |
| 39 | Tetraspanin CD9 modulates ADAM17-mediated shedding of LR11 in leukocytes. <i>Experimental and Molecular Medicine</i> , 2014, 46, e89-e89. | 7.7 | 25 |
| 40 | Successful treatment of Philadelphia chromosome-positive mixed phenotype acute leukemia by appropriate alternation of second-generation tyrosine kinase inhibitors according to BCR-ABL1 mutation status. <i>International Journal of Hematology</i> , 2014, 99, 513-518. | 1.6 | 15 |
| 41 | Circulating LR11 is a novel soluble-receptor marker for early-stage clinical conditions in patients with non-Hodgkin's lymphoma. <i>Clinica Chimica Acta</i> , 2014, 430, 48-54. | 1.1 | 13 |
| 42 | Acute Myeloid Leukemia Concurrent with Spinal Epidural Extramedullary Myeloid Sarcoma Accompanied by a High CD25 Expression and the <i>FLT3-ITD</i> Mutation. <i>Internal Medicine</i> , 2014, 53, 1159-1164. | 0.7 | 8 |
| 43 | Activation of Rac1 through FARP1 Induces Dexamethasone Resistance in Multiple Myeloma Cells. <i>Blood</i> , 2014, 124, 2248-2248. | 1.4 | 3 |
| 44 | Impact of Serum Soluble LR11 on Survival in Newly Diagnosed Diffuse Large B-Cell Lymphoma: A Multicenter Prospective Study. <i>Blood</i> , 2014, 124, 1661-1661. | 1.4 | 0 |
| 45 | Soluble LR11, GCSF-induced Migration Regulator from Myeloid Cells, Is Highly Increased in Chronic Myeloid Leukemia. <i>Blood</i> , 2014, 124, 4961-4961. | 1.4 | 0 |
| 46 | Successful treatment by azacitidine therapy of intestinal Behçet's disease associated with myelodysplastic syndrome. <i>International Journal of Hematology</i> , 2013, 97, 520-524. | 1.6 | 33 |
| 47 | Safety and efficacy of romiplostim in patients with eltrombopag-resistant or intolerant immune thrombocytopenia. <i>British Journal of Haematology</i> , 2013, 163, 286-289. | 2.5 | 10 |
| 48 | Extramedullary blast crisis of chronic myelogenous leukemia as an initial presentation. <i>Leukemia Research Reports</i> , 2013, 2, 67-69. | 0.4 | 16 |
| 49 | The Soluble Form of LR11 Protein Is a Regulator of Hypoxia-induced, Urokinase-type Plasminogen Activator Receptor (uPAR)-mediated Adhesion of Immature Hematological Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 11877-11886. | 3.4 | 27 |
| 50 | Outcome after first relapse in adult patients with Philadelphia chromosome-negative acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2013, 161, 95-103. | 2.5 | 16 |
| 51 | LR11: a novel biomarker identified in follicular lymphoma. <i>British Journal of Haematology</i> , 2013, 163, 277-280. | 2.5 | 13 |
| 52 | Tetraspanin CD9 Inhibits ADAM17-Mediated LR11 Shedding In Leukemia Cells. <i>Blood</i> , 2013, 122, 1035-1035. | 1.4 | 0 |
| 53 | Partial Splenic Embolization For The Treatment Of Steroid-Resistant Chronic Idiopathic Thrombocytopenic Purpura. <i>Blood</i> , 2013, 122, 3543-3543. | 1.4 | 1 |
| 54 | Circulating soluble LR11/SorLA levels are highly increased and ameliorated by chemotherapy in acute leukemias. <i>Clinica Chimica Acta</i> , 2012, 413, 1542-1548. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Posterior reversible encephalopathy syndrome in an adult patient with acute lymphoblastic leukemia after remission induction chemotherapy. <i>International Journal of Hematology</i> , 2012, 95, 204-208. | 1.6 | 11 |
| 56 | Allogeneic hematopoietic stem cell transplantation for primary and secondary myelofibrosis. <i>Journal of Hematopoietic Cell Transplantation</i> , 2012, 1, 15-23. | 0.1 | 0 |
| 57 | Soluble LR11, a Novel Acute Leukemia Marker, Drastically Induces WT1 mRNA Expression Together with Synergic Activation of Gatas, and the Migration Activity. <i>Blood</i> , 2012, 120, 4795-4795. | 1.4 | 8 |
| 58 | Serum Soluble LR11 Can Predict High FLIPI-2 Score in Follicular Lymphoma.. <i>Blood</i> , 2012, 120, 2673-2673. | 1.4 | 0 |
| 59 | LR11 Is a Potential Serum and Histological Biomarker for Intravascular Large B-Cell Lymphoma. <i>Blood</i> , 2012, 120, 5104-5104. | 1.4 | 0 |
| 60 | LR11 Plays a Critical Role in Leukemogenesis of Acute Myeloid Leukemia by Regulating Adhesion and Homing Ability to Bone Marrow.. <i>Blood</i> , 2012, 120, 2409-2409. | 1.4 | 0 |
| 61 | Direct activation of STAT5 by ETV6-FLN fusion protein promotes induction of myeloproliferative neoplasm with myelofibrosis. <i>British Journal of Haematology</i> , 2011, 153, 589-598. | 2.5 | 18 |
| 62 | Successful treatment with recombinant soluble thrombomodulin of two cases of sinusoidal obstructive syndrome/hepatic veno-occlusive disease after bone marrow transplantation. <i>American Journal of Hematology</i> , 2011, 86, 886-888. | 4.1 | 17 |
| 63 | Serum Soluble LR11 As a Novel Biomarker for B Cell Lymphoma. <i>Blood</i> , 2011, 118, 1581-1581. | 1.4 | 2 |
| 64 | Outcome After First Relapse In Adult Patients with Philadelphia Chromosome-Negative Acute Lymphoblastic Leukemia. <i>Blood</i> , 2011, 118, 3084-3084. | 1.4 | 0 |
| 65 | Soluble LR11/SorLA, a Potential Circulating Marker Indicating the G-CSF-Induced Mobilization of Hematopoietic Stem Cells, Is a Modulator of G-CSF-Mediated Migration of HL-60 Cells,. <i>Blood</i> , 2011, 118, 3210-3210. | 1.4 | 0 |
| 66 | Prognostic Impact of a Novel Biomarker, Serum Soluble LR11 on Acute Leukemia. <i>Blood</i> , 2010, 116, 2717-2717. | 1.4 | 0 |
| 67 | LR11 Is a Novel Surface Marker for Normal Leukocytes and Leukemia Cells. <i>Blood</i> , 2010, 116, 4834-4834. | 1.4 | 0 |
| 68 | Direct Activation of STAT5 by TEL-Lyn Fusion Protein Promotes Induction of Myeloproliferative Neoplasms with Myelofibrosis. <i>Blood</i> , 2010, 116, 4114-4114. | 1.4 | 0 |
| 69 | CD44 and hyaluronan engagement promotes dexamethasone resistance in human myeloma cells. <i>European Journal of Haematology</i> , 2008, 80, 245-250. | 2.2 | 35 |
| 70 | Restrictive usage of monoclonal immunoglobulin Î» light chain germline in POEMS syndrome. <i>Blood</i> , 2008, 112, 836-839. | 1.4 | 52 |
| 71 | Zoledronate has an antitumor effect and induces actin rearrangement in dexamethasone-resistant myeloma cells. <i>European Journal of Haematology</i> , 2007, 79, 382-391. | 2.2 | 19 |
| 72 | Acute fulminant myocarditis after allogeneic peripheral blood stem cell transplantation with reduced-intensity conditioning for acute myelogenous leukemia. <i>Annals of Hematology</i> , 2006, 86, 67-69. | 1.8 | 2 |