

Bernardo A Pons-Estel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8386664/publications.pdf>

Version: 2024-02-01

109
papers

7,235
citations

61984

43
h-index

58581

82
g-index

115
all docs

115
docs citations

115
times ranked

9014
citing authors

#	ARTICLE	IF	CITATIONS
1	A Critical Analysis of the First Latin American Clinical Practice Guidelines for the Treatment of Systemic Lupus Erythematosus. Journal of Clinical Rheumatology, 2022, 28, e312-e316.	0.9	0
2	Let's Talk About Lupus. Overview of an Innovative, High-Reach, Online Program to Fill the Education Gaps of Latin Americans Living With Lupus. Journal of Clinical Rheumatology, 2022, 28, e368-e374.	0.9	17
3	Global Rheumatology Research: Frontiers, Challenges, and Opportunities. Arthritis and Rheumatology, 2022, 74, 1-4.	5.6	10
4	Controversies in Systemic Lupus Erythematosus. Journal of Clinical Rheumatology, 2022, 28, e651-e658.	0.9	1
5	Multicenter lupus register from Argentina, the RELESSAR database: Influence of ethnicity on disease phenotype. Lupus, 2022, 31, 637-645.	1.6	2
6	Physician Global Assessment International Standardisation CONsensus in Systemic Lupus Erythematosus: the PISCOS study. Lancet Rheumatology, The, 2022, 4, e441-e449.	3.9	17
7	«Living with rheumatoid arthritis» in an indigenous qom population in Argentina. A qualitative study. Reumatología Clínica (English Edition), 2021, 17, 543-548.	0.3	1
8	Access to healthcare system of indigenous communities with musculoskeletal disorders and rheumatic disease in Chaco, Argentina: a qualitative study. Clinical Rheumatology, 2021, 40, 2407-2417.	2.2	2
9	A longitudinal multiethnic study of biomarkers in systemic lupus erythematosus: Launching the GLADEL 2.0 Study Group. Lupus, 2021, 30, 630-640.	1.6	2
10	Accelerated atherosclerosis and cardiovascular disease in systemic lupus erythematosus. Revista Colombiana De Reumatología, 2021, 28, 21-30.	0.1	4
11	Factors associated with neuropsychiatric involvement in Latin American patients with systemic lupus erythematosus. Lupus, 2021, 30, 096120332110203.	1.6	0
12	Correspondence on «New EULAR/ACR 2019 SLE classification criteria: defining ominosity in SLE» by Whittall Garcia et al. Annals of the Rheumatic Diseases, 2021, , annrheumdis-2021-220994.	0.9	1
13	Achieving remission or low disease activity is associated with better outcomes in patients with systemic lupus erythematosus: a systematic literature review. Lupus Science and Medicine, 2021, 8, e000542.	2.7	24
14	«Vivir con artritis reumatoide» en una población indígena qom en la Argentina. Un estudio cualitativo. Reumatología Clínica, 2021, 17, 543-548.	0.5	2
15	2021 DORIS definition of remission in SLE: final recommendations from an international task force. Lupus Science and Medicine, 2021, 8, e000538.	2.7	97
16	Impact of glucocorticoids on the incidence of lupus-related major organ damage: a systematic literature review and meta-regression analysis of longitudinal observational studies. Lupus Science and Medicine, 2021, 8, e000590.	2.7	31
17	Evaluación de las necesidades educativas de los pacientes con artritis reumatoide mediante el cuestionario SpENAT. Reumatología Clínica, 2020, 16, 386-390.	0.5	8
18	Clinical practice guidelines and recommendations for the management of patients with systemic lupus erythematosus: a critical comparison. Rheumatology, 2020, 59, e165-e168.	1.9	0

#	ARTICLE	IF	CITATIONS
19	25â€Refractory musculoskeletal manifestations. , 2020, , .		0
20	Syndemic and syndemogenesis of low back pain in Latin-American population: a network and cluster analysis. Clinical Rheumatology, 2020, 39, 2715-2726.	2.2	13
21	Clinical features, damage accrual, and survival in patients with familial systemic lupus erythematosus: data from a multi-ethnic, multinational Latin American lupus cohort. Lupus, 2020, 29, 1140-1145.	1.6	1
22	Applying the 2019 EULAR/ACR lupus criteria to patients from an established cohort: a Latin American perspective. RMD Open, 2020, 6, e001097.	3.8	26
23	Predictors of renal damage in systemic lupus erythematosus patients: data from a multiethnic, multinational Latin American lupus cohort (GLADEL). RMD Open, 2020, 6, e001299.	3.8	16
24	Differential Treatments Based on Drug-induced Gene Expression Signatures and Longitudinal Systemic Lupus Erythematosus Stratification. Scientific Reports, 2019, 9, 15502.	3.3	24
25	Clinical predictors of remission and low disease activity in Latin American early rheumatoid arthritis: data from the GLADAR cohort. Clinical Rheumatology, 2019, 38, 2737-2746.	2.2	10
26	Predictors of Remission and Low Disease Activity State in Systemic Lupus Erythematosus: Data from a Multiethnic, Multinational Latin American Cohort. Journal of Rheumatology, 2019, 46, 1299-1308.	2.0	21
27	Jaccoudâ€™s arthropathy in SLE: findings from a Latin American multiethnic population. Lupus Science and Medicine, 2019, 6, e000343.	2.7	4
28	Response to: â€˜Clinical evidence guidelines in systemic lupus erythematosus: revaluationâ€™ by Scheinberg. Annals of the Rheumatic Diseases, 2019, 78, e120-e120.	0.9	1
29	Remission or low disease activity as a target in systemic lupus erythematosus. Annals of the Rheumatic Diseases, 2019, 78, e3-e3.	0.9	7
30	Rheumatoid arthritis in the indigenous qom population of Rosario, Argentina: aggressive and disabling disease with inadequate adherence to treatment in a community-based cohort study. Clinical Rheumatology, 2018, 37, 2323-2330.	2.2	9
31	A plausibly causal functional lupus-associated risk variant in the STAT1â€“STAT4 locus. Human Molecular Genetics, 2018, 27, 2392-2404.	2.9	34
32	Therapeutic Guidelines for Latin American Lupus Patients. Journal of Clinical Rheumatology, 2018, 24, 41-44.	0.9	7
33	CS-08â€Effect of antimalarials over the different domains of the damage index in latin american SLE patients. , 2018, , .		0
34	Genetic contributions to lupus nephritis in a multi-ethnic cohort of systemic lupus erythematosus patients. PLoS ONE, 2018, 13, e0199003.	2.5	46
35	First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL, <i>Grupo Latino Americano de Estudio del Tj ETQq1 1 0.784314 rgBT /Overlook Diseases. 2018. 77. 1549-1557.	0.9	96
36	Epidemiology and socioeconomic impact of the rheumatic diseases on indigenous people: an invisible syndemic public health problem. Annals of the Rheumatic Diseases, 2018, 77, 1397-1404.	0.9	31

#	ARTICLE	IF	CITATIONS
37	Is Low Disease Activity Sufficient as a Target in Systemic Lupus Erythematosus? Comment on the Article by Petri et al. Arthritis and Rheumatology, 2018, 70, 2098-2099.	5.6	0
38	Factors predictive of high disease activity early in the course of SLE in patients from a Latin-American cohort. Seminars in Arthritis and Rheumatism, 2017, 47, 199-203.	3.4	11
39	Remission and Low Disease Activity Status (LDAS) protect lupus patients from damage occurrence: data from a multiethnic, multinational Latin American Lupus Cohort (GLADEL). Annals of the Rheumatic Diseases, 2017, 76, 2071-2074.	0.9	89
40	Transancestral mapping and genetic load in systemic lupus erythematosus. Nature Communications, 2017, 8, 16021.	12.8	314
41	Brief Report: Rare X Chromosome Abnormalities in Systemic Lupus Erythematosus and Sjögren's Syndrome. Arthritis and Rheumatology, 2017, 69, 2187-2192.	5.6	35
42	Effects of Amerindian Genetic Ancestry on Clinical Variables and Therapy in Patients with Rheumatoid Arthritis. Journal of Rheumatology, 2017, 44, 1804-1812.	2.0	1
43	X Chromosome Dose and Sex Bias in Autoimmune Diseases: Increased Prevalence of 47,XXX in Systemic Lupus Erythematosus and Sjögren's Syndrome. Arthritis and Rheumatology, 2016, 68, 1290-1300.	5.6	114
44	Disease features and outcomes in United States lupus patients of Hispanic origin and their Mestizo counterparts in Latin America: a commentary. Rheumatology, 2016, 55, kev280.	1.9	17
45	Genome-Wide Association Study in an Amerindian Ancestry Population Reveals Novel Systemic Lupus Erythematosus Risk Loci and the Role of European Admixture. Arthritis and Rheumatology, 2016, 68, 932-943.	5.6	138
46	Klinefelter's syndrome (47,XXY) is in excess among men with Sjögren's syndrome. Clinical Immunology, 2016, 168, 25-29.	3.2	68
47	Prevalence of rheumatic regional pain syndromes in Latin-American indigenous groups: a census study based on COPCORD methodology and syndrome-specific diagnostic criteria. Clinical Rheumatology, 2016, 35, 63-70.	2.2	12
48	Efficacy and Safety of Subcutaneous Golimumab in Methotrexate-Naïve Patients With Rheumatoid Arthritis: Five-Year Results of a Randomized Clinical Trial. Arthritis Care and Research, 2016, 68, 744-752.	3.4	32
49	Epidemiology of rheumatic diseases in indigenous populations in Latin-Americans. Clinical Rheumatology, 2016, 35, 1-3.	2.2	12
50	Prevalence of musculoskeletal disorders and rheumatic diseases in the indigenous Qom population of Rosario, Argentina. Clinical Rheumatology, 2016, 35, 5-14.	2.2	46
51	Features associated with hematologic abnormalities and their impact in patients with systemic lupus erythematosus: Data from a multiethnic Latin American cohort. Seminars in Arthritis and Rheumatism, 2016, 45, 675-683.	3.4	43
52	Association of Systemic Lupus Erythematosus With Decreased Immunosuppressive Potential of the IgG Glycome. Arthritis and Rheumatology, 2015, 67, 2978-2989.	5.6	211
53	REAL-PANLAR Project for the Implementation and Accreditation of Centers of Excellence in Rheumatoid Arthritis Throughout Latin America. Journal of Clinical Rheumatology, 2015, 21, 175-180.	0.9	25
54	Genomic Insights into the Ancestry and Demographic History of South America. PLoS Genetics, 2015, 11, e1005602.	3.5	198

#	ARTICLE	IF	CITATIONS
55	PXK locus in systemic lupus erythematosus: fine mapping and functional analysis reveals novel susceptibility gene ABHD6. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e14-e14.	0.9	24
56	The number of flares patients experience impacts on damage accrual in systemic lupus erythematosus: data from a multiethnic Latin American cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1019-1023.	0.9	100
57	Access to an optimal treatment. Current situation. <i>Clinical Rheumatology</i> , 2015, 34, 59-66.	2.2	18
58	Prolonged Remission in SLE Revisited: An Old Wine in a New Bottle. <i>Journal of Rheumatology</i> , 2014, 41, 1728-1731.	2.0	3
59	Allelic heterogeneity in NCF2 associated with systemic lupus erythematosus (SLE) susceptibility across four ethnic populations. <i>Human Molecular Genetics</i> , 2014, 23, 1656-1668.	2.9	67
60	Primary cardiac disease in systemic lupus erythematosus patients: protective and risk factors--data from a multi-ethnic Latin American cohort. <i>Rheumatology</i> , 2014, 53, 1431-1438.	1.9	33
61	Culture-sensitive adaptation and validation of the Community-Oriented Program for the Control of Rheumatic Diseases methodology for rheumatic disease in Latin American indigenous populations. <i>Rheumatology International</i> , 2014, 34, 1299-1309.	3.0	26
62	Characterization of Knee Osteoarthritis in Latin America. A Comparative Analysis of Clinical and Health Care Utilization in Argentina, Brazil, and Mexico. <i>Reumatología Clínica (English Edition)</i> , 2014, 10, 152-159.	0.3	0
63	Characterization of Knee Osteoarthritis in Latin America. A Comparative Analysis of Clinical and Health Care Utilization in Argentina, Brazil, and Mexico. <i>Reumatología Clínica</i> , 2014, 10, 152-159.	0.5	22
64	Rheumatoid Arthritis in Latin Americans Enriched for Amerindian Ancestry Is Associated With Loci in Chromosomes 1, 12, and 13, and the HLA Class II Region. <i>Arthritis and Rheumatism</i> , 2013, 65, 1457-1467.	6.7	37
65	Preferential Binding to Elk-1 by SLE-Associated IL10 Risk Allele Upregulates IL10 Expression. <i>PLoS Genetics</i> , 2013, 9, e1003870.	3.5	36
66	Trans-Ancestral Studies Fine Map the SLE-Susceptibility Locus TNFSF4. <i>PLoS Genetics</i> , 2013, 9, e1003554.	3.5	50
67	MicroRNA-3148 Modulates Allelic Expression of Toll-Like Receptor 7 Variant Associated with Systemic Lupus Erythematosus. <i>PLoS Genetics</i> , 2013, 9, e1003336.	3.5	107
68	ABIN1 Dysfunction as a Genetic Basis for Lupus Nephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1743-1754.	6.1	70
69	Golimumab, a Human Anti-Tumor Necrosis Factor Monoclonal Antibody, Injected Subcutaneously Every 4 Weeks in Patients With Active Rheumatoid Arthritis Who Had Never Taken Methotrexate: 1-Year and 2-Year Clinical, Radiologic, and Physical Function Findings of a Phase III, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study. <i>Arthritis Care and Research</i> , 2013, 65, 1732-1742.	3.4	33
70	PTPN22 Association in Systemic Lupus Erythematosus (SLE) with Respect to Individual Ancestry and Clinical Sub-Phenotypes. <i>PLoS ONE</i> , 2013, 8, e69404.	2.5	57
71	Genetic and physical interaction of the B-cell systemic lupus erythematosus-associated genes <i>BANK1</i> and <i>BLK</i> . <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 136-142.	0.9	67
72	Treatment of Early Rheumatoid Arthritis in a Multinational Inception Cohort of Latin American Patients. <i>Journal of Clinical Rheumatology</i> , 2012, 18, 327-335.	0.9	41

#	ARTICLE	IF	CITATIONS
73	Anti-malarials exert a protective effect while Mestizo patients are at increased risk of developing SLE renal disease: data from a Latin-American cohort. <i>Rheumatology</i> , 2012, 51, 1293-1298.	1.9	46
74	Fine mapping and conditional analysis identify a new mutation in the autoimmunity susceptibility gene BLK that leads to reduced half-life of the BLK protein. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1219-1226.	0.9	33
75	Impact of genetic ancestry and sociodemographic status on the clinical expression of systemic lupus erythematosus in American Indian–European populations. <i>Arthritis and Rheumatism</i> , 2012, 64, 3687-3694.	6.7	70
76	Association of two independent functional risk haplotypes in <i>TNIP1</i> with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012, 64, 3695-3705.	6.7	69
77	Variation in the <i>ICAM1</i> – <i>ICAM4</i> – <i>ICAM5</i> locus is associated with systemic lupus erythematosus susceptibility in multiple ancestries. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1809-1814.	0.9	60
78	Novel association of acid phosphatase locus 1* <i>C</i> allele with systemic lupus erythematosus. <i>Human Immunology</i> , 2012, 73, 107-110.	2.4	9
79	Unraveling Multiple MHC Gene Associations with Systemic Lupus Erythematosus: Model Choice Indicates a Role for HLA Alleles and Non-HLA Genes in Europeans. <i>American Journal of Human Genetics</i> , 2012, 91, 778-793.	6.2	140
80	Early rheumatoid arthritis in Latin America: Low socioeconomic status related to high disease activity at baseline. <i>Arthritis Care and Research</i> , 2012, 64, 1135-1143.	3.4	65
81	Evaluation of <i>TRAF6</i> in a large multiancestral lupus cohort. <i>Arthritis and Rheumatism</i> , 2012, 64, 1960-1969.	6.7	51
82	Identification of IRF8, TMEM39A, and IKZF3-ZBP2 as Susceptibility Loci for Systemic Lupus Erythematosus in a Large-Scale Multiracial Replication Study. <i>American Journal of Human Genetics</i> , 2012, 90, 648-660.	6.2	161
83	Rapidly progressive fatal interstitial lung disease in a patient with an overlap syndrome of systemic lupus erythematosus and systemic sclerosis. <i>Reumatología Clínica (English Edition)</i> , 2011, 7, 61-67.	0.3	1
84	Association of a functional variant downstream of TNFAIP3 with systemic lupus erythematosus. <i>Nature Genetics</i> , 2011, 43, 253-258.	21.4	242
85	Identification of a Systemic Lupus Erythematosus Susceptibility Locus at 11p13 between PDHX and CD44 in a Multiethnic Study. <i>American Journal of Human Genetics</i> , 2011, 88, 83-91.	6.2	72
86	Dual effect of the macrophage migration inhibitory factor gene on the development and severity of human systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011, 63, 3942-3951.	6.7	106
87	Phenotypic associations of genetic susceptibility loci in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1752-1757.	0.9	110
88	Association of Genetic Variants in Complement Factor H and Factor H-Related Genes with Systemic Lupus Erythematosus Susceptibility. <i>PLoS Genetics</i> , 2011, 7, e1002079.	3.5	181
89	Musculoskeletal Involvement. , 2011, , 149-155.		0
90	Antimalarial treatment may have a time–dependent effect on lupus survival: Data from a multinational Latin American inception cohort. <i>Arthritis and Rheumatism</i> , 2010, 62, 855-862.	6.7	177

#	ARTICLE	IF	CITATIONS
91	A 3' untranslated region variant is associated with impaired expression of <i>CD226</i> in T and natural killer T cells and is associated with susceptibility to systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2010, 62, 3404-3414.	6.7	48
92	Genetically determined Amerindian ancestry correlates with increased frequency of risk alleles for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2010, 62, 3722-3729.	6.7	70
93	Promoter Insertion/Deletion in the <i>IRF5</i> Gene Is Highly Associated with Susceptibility to Systemic Lupus Erythematosus in Distinct Populations, But Exerts a Modest Effect on Gene Expression in Peripheral Blood Mononuclear Cells. <i>Journal of Rheumatology</i> , 2010, 37, 574-578.	2.0	32
94	Identification of a new putative functional IL18 gene variant through an association study in systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2009, 18, 3739-3748.	2.9	54
95	Study of functional variants of the <i>BANK1</i> gene in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 372-379.	6.7	50
96	Replication of the TNFSF4 (OX40L) promoter region association with systemic lupus erythematosus. <i>Genes and Immunity</i> , 2009, 10, 248-253.	4.1	41
97	La historia de las enfermedades Órgano-específicas. La conexión endocrina. <i>Revista Colombiana De Reumatología</i> , 2009, 16, 276-299.	0.1	1
98	Management of Patients With Rheumatoid Arthritis in Latin America. <i>Journal of Clinical Rheumatology</i> , 2009, 15, 203-210.	0.9	44
99	Kallikrein genes are associated with lupus and glomerular basement membrane-specific antibody-induced nephritis in mice and humans. <i>Journal of Clinical Investigation</i> , 2009, 119, 911-923.	8.2	114
100	Functional variants in the B-cell gene BANK1 are associated with systemic lupus erythematosus. <i>Nature Genetics</i> , 2008, 40, 211-216.	21.4	436
101	A loss-of-function variant of PTPN22 is associated with reduced risk of systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2008, 18, 569-579.	2.9	106
102	Structural insertion/deletion variation in IRF5 is associated with a risk haplotype and defines the precise IRF5 isoforms expressed in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2007, 56, 1234-1241.	6.7	105
103	Argentine population genetic structure: Large variance in Amerindian contribution. <i>American Journal of Physical Anthropology</i> , 2007, 132, 455-462.	2.1	73
104	A common haplotype of interferon regulatory factor 5 (IRF5) regulates splicing and expression and is associated with increased risk of systemic lupus erythematosus. <i>Nature Genetics</i> , 2006, 38, 550-555.	21.4	593
105	Analysis of IRF5 gene functional polymorphisms in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 3815-3819.	6.7	53
106	Familial aggregation of systemic lupus erythematosus, rheumatoid arthritis, and other autoimmune diseases in 1,177 lupus patients from the GLADEL cohort. <i>Arthritis and Rheumatism</i> , 2005, 52, 1138-1147.	6.7	347
107	The GLADEL Multinational Latin American Prospective Inception Cohort of 1,214 Patients With Systemic Lupus Erythematosus. <i>Medicine (United States)</i> , 2004, 83, 1-17.	1.0	372
108	Chromosome 17p12-q11 harbors susceptibility loci for systemic lupus erythematosus. <i>Human Genetics</i> , 2004, 115, 230-8.	3.8	34

#	ARTICLE	IF	CITATIONS
109	The Tumor-Necrosis-Factor Receptor-Associated Periodic Syndrome: New Mutations in TNFRSF1A, Ancestral Origins, Genotype-Phenotype Studies, and Evidence for Further Genetic Heterogeneity of Periodic Fevers. American Journal of Human Genetics, 2001, 69, 301-314.	6.2	328