

David Osborn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8387203/publications.pdf>

Version: 2024-02-01

100
papers

7,343
citations

61984

43
h-index

56724

83
g-index

107
all docs

107
docs citations

107
times ranked

9069
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A systematic review of mental disorder, suicide, and deliberate self harm in lesbian, gay and bisexual people. <i>BMC Psychiatry</i> , 2008, 8, 70. | 2.6 | 1,554 |
| 2 | Relative Risk of Cardiovascular and Cancer Mortality in People With Severe Mental Illness From the United Kingdom's General Practice Research Database. <i>Archives of General Psychiatry</i> , 2007, 64, 242. | 12.3 | 527 |
| 3 | Effects of suicide bereavement on mental health and suicide risk. <i>Lancet Psychiatry</i> , 2014, 1, 86-94. | 7.4 | 322 |
| 4 | Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000-2014. <i>British Journal of Psychiatry</i> , 2017, 211, 175-181. | 2.8 | 302 |
| 5 | A systematic review and meta-analysis of premature mortality in bipolar affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 417-425. | 4.5 | 270 |
| 6 | BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. <i>Journal of Psychopharmacology</i> , 2016, 30, 717-748. | 4.0 | 200 |
| 7 | Physical activity, dietary habits and Coronary Heart Disease risk factor knowledge amongst people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 787-793. | 3.1 | 163 |
| 8 | Relative risk of diabetes, dyslipidaemia, hypertension and the metabolic syndrome in people with severe mental illnesses: Systematic review and metaanalysis. <i>BMC Psychiatry</i> , 2008, 8, 84. | 2.6 | 161 |
| 9 | Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. <i>BMJ Open</i> , 2016, 6, e009948. | 1.9 | 161 |
| 10 | Domestic and sexual violence against patients with severe mental illness. <i>Psychological Medicine</i> , 2015, 45, 875-886. | 4.5 | 156 |
| 11 | Generalized Anxiety Disorder, Major Depressive Disorder, and Their Comorbidity as Predictors of All-Cause and Cardiovascular Mortality: The Vietnam Experience Study. <i>Psychosomatic Medicine</i> , 2009, 71, 395-403. | 2.0 | 149 |
| 12 | The poor physical health of people with mental illness. <i>Western Journal of Medicine</i> , 2001, 175, 329-332. | 0.3 | 147 |
| 13 | Prescribing of antipsychotics in UK primary care: a cohort study. <i>BMJ Open</i> , 2014, 4, e006135. | 1.9 | 144 |
| 14 | Cardiovascular Risk Prediction Models for People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2015, 72, 143. | 11.0 | 127 |
| 15 | Suicide in young men. <i>Lancet</i> , 2012, 379, 2383-2392. | 13.7 | 125 |
| 16 | Depression as a Risk Factor for the Initial Presentation of Twelve Cardiac, Cerebrovascular, and Peripheral Arterial Diseases: Data Linkage Study of 1.9 Million Women and Men. <i>PLoS ONE</i> , 2016, 11, e0153838. | 2.5 | 121 |
| 17 | Family Size in White Gay and Heterosexual Men. <i>Archives of Sexual Behavior</i> , 2005, 34, 117-122. | 1.9 | 117 |
| 18 | Prescribing Trends in Bipolar Disorder: Cohort Study in the United Kingdom THIN Primary Care Database 1995-2009. <i>PLoS ONE</i> , 2011, 6, e28725. | 2.5 | 100 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Risk for coronary heart disease in people with severe mental illness. <i>British Journal of Psychiatry</i> , 2006, 188, 271-277. | 2.8 | 99 |
| 20 | The stigma perceived by people bereaved by suicide and other sudden deaths: A cross-sectional UK study of 3432 bereaved adults. <i>Journal of Psychosomatic Research</i> , 2016, 87, 22-29. | 2.6 | 96 |
| 21 | Factors associated with depression in a representative sample of 14 217 people aged 75 and over in the United Kingdom: results from the MRC trial of assessment and management of older people in the community. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 623-630. | 2.7 | 92 |
| 22 | Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a population-based UK cohort study using electronic health records. <i>World Psychiatry</i> , 2016, 15, 53-58. | 10.4 | 91 |
| 23 | Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. <i>JAMA Psychiatry</i> , 2016, 73, 630. | 11.0 | 88 |
| 24 | Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002058. | 8.4 | 88 |
| 25 | Recent physical and sexual violence against adults with severe mental illness: a systematic review and meta-analysis. <i>International Review of Psychiatry</i> , 2016, 28, 433-451. | 2.8 | 83 |
| 26 | Mental Disorders Across the Adult Life Course and Future Coronary Heart Disease. <i>Circulation</i> , 2014, 129, 186-193. | 1.6 | 72 |
| 27 | Violent and non-violent crime against adults with severe mental illness. <i>British Journal of Psychiatry</i> , 2015, 206, 275-282. | 2.8 | 71 |
| 28 | Suicide and severe mental illnesses. Cohort study within the UK general practice research database. <i>Schizophrenia Research</i> , 2008, 99, 134-138. | 2.0 | 69 |
| 29 | Recording of Severe Mental Illness in United Kingdom Primary Care, 2000-2010. <i>PLoS ONE</i> , 2013, 8, e82365. | 2.5 | 69 |
| 30 | The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e100153. | 2.5 | 66 |
| 31 | Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 145-154. | 7.4 | 66 |
| 32 | Geriatric Depression Scale Scores in a representative sample of 14 545 people aged 75 and over in the United Kingdom: results from the MRC Trial of Assessment and Management of Older People in the Community. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 375-382. | 2.7 | 65 |
| 33 | Movement side effects of antipsychotic drugs in adults with and without intellectual disability: UK population-based cohort study. <i>BMJ Open</i> , 2017, 7, e017406. | 1.9 | 63 |
| 34 | The development, validity and reliability of a multimodality objective structured clinical examination in psychiatry. <i>Medical Education</i> , 2005, 39, 292-298. | 2.1 | 62 |
| 35 | In-patient and residential alternatives to standard acute psychiatric wards in England. <i>British Journal of Psychiatry</i> , 2009, 194, 456-463. | 2.8 | 60 |
| 36 | Assessment of an incentivised scheme to provide annual health checks in primary care for adults with intellectual disability: a longitudinal cohort study. <i>Lancet Psychiatry</i> , 2014, 1, 522-530. | 7.4 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Inequalities in the provision of cardiovascular screening to people with severe mental illnesses in primary care. <i>Schizophrenia Research</i> , 2011, 129, 104-110. | 2.0 | 55 |
| 38 | Violence against People with Disability in England and Wales: Findings from a National Cross-Sectional Survey. <i>PLoS ONE</i> , 2013, 8, e55952. | 2.5 | 54 |
| 39 | Support received after bereavement by suicide and other sudden deaths: a cross-sectional UK study of 3432 young bereaved adults. <i>BMJ Open</i> , 2017, 7, e014487. | 1.9 | 53 |
| 40 | Association of Late Adolescent Personality With Risk for Subsequent Serious Mental Illness Among Men in a Swedish Nationwide Cohort Study. <i>JAMA Psychiatry</i> , 2017, 74, 703. | 11.0 | 52 |
| 41 | Discontinuation of antipsychotic medication in pregnancy: A cohort study. <i>Schizophrenia Research</i> , 2014, 159, 218-225. | 2.0 | 51 |
| 42 | Prevalence and risk factors for HIV, hepatitis B, and hepatitis C in people with severe mental illness: a total population study of Sweden. <i>Lancet Psychiatry</i> , 2017, 4, 685-693. | 7.4 | 50 |
| 43 | Morale in the English mental health workforce: questionnaire survey. <i>British Journal of Psychiatry</i> , 2012, 201, 239-246. | 2.8 | 48 |
| 44 | Relative incidence of common cancers in people with severe mental illness. Cohort study in the United Kingdom THIN primary care database. <i>Schizophrenia Research</i> , 2013, 143, 44-49. | 2.0 | 36 |
| 45 | Risks associated with antipsychotic treatment in pregnancy: Comparative cohort studies based on electronic health records. <i>Schizophrenia Research</i> , 2016, 176, 349-356. | 2.0 | 36 |
| 46 | Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. <i>Lancet Psychiatry</i> , 2017, 4, 49-56. | 7.4 | 36 |
| 47 | Tomorrow's world: current developments in the therapeutic use of technology for psychosis. <i>BJ Psych Advances</i> , 2016, 22, 301-310. | 0.7 | 32 |
| 48 | Factors associated with anxiety in patients attending a sexually transmitted infection clinic: qualitative survey. <i>International Journal of STD and AIDS</i> , 2006, 17, 299-303. | 1.1 | 31 |
| 49 | Impact of mental health problems on case fatality in male cancer patients. <i>British Journal of Cancer</i> , 2012, 106, 1842-1845. | 6.4 | 31 |
| 50 | Severe mental illness and chronic kidney disease: a cross-sectional study in the United Kingdom. <i>Clinical Epidemiology</i> , 2018, Volume 10, 421-429. | 3.0 | 31 |
| 51 | Antiepileptic drugs prescribed in pregnancy and prevalence of major congenital malformations: comparative prevalence studies. <i>Clinical Epidemiology</i> , 2017, Volume 9, 95-103. | 3.0 | 30 |
| 52 | Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. <i>Psychological Medicine</i> , 2017, 47, 23-33. | 4.5 | 28 |
| 53 | National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 161-169. | 1.9 | 27 |
| 54 | The Camden & Islington Research Database: Using electronic mental health records for research. <i>PLoS ONE</i> , 2018, 13, e0190703. | 2.5 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Underuse of clozapine in treatment-resistant schizophrenia. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 250-255. | 0.5 | 25 |
| 56 | Demands, control, supportive relationships and well-being amongst British mental health workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1055-1068. | 3.1 | 24 |
| 57 | Cross-cultural attitudes to help-seeking among individuals who are suicidal: new perspective for policy-makers. <i>British Journal of Psychiatry</i> , 2011, 199, 8-10. | 2.8 | 23 |
| 58 | Lowering Cardiovascular Disease Risk for People with Severe Mental Illnesses in Primary Care: A Focus Group Study. <i>PLoS ONE</i> , 2015, 10, e0136603. | 2.5 | 22 |
| 59 | The use of internet-mediated cross-sectional studies in mental health research. <i>BJ Psych Advances</i> , 2015, 21, 175-184. | 0.7 | 21 |
| 60 | Individual and area-level risk factors for suicidal ideation and attempt in people with severe depression. <i>Journal of Affective Disorders</i> , 2016, 205, 387-392. | 4.1 | 20 |
| 61 | Psychiatric health in a sexually transmitted infections clinic. <i>Journal of Psychosomatic Research</i> , 2002, 52, 267-272. | 2.6 | 19 |
| 62 | Lithium Prescribing during Pregnancy: A UK Primary Care Database Study. <i>PLoS ONE</i> , 2015, 10, e0121024. | 2.5 | 19 |
| 63 | Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. <i>British Journal of Psychiatry</i> , 2021, 219, 383-391. | 2.8 | 16 |
| 64 | Moderating factors for the effectiveness of group art therapy for schizophrenia: secondary analysis of data from the MATISSE randomised controlled trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1703-1710. | 3.1 | 15 |
| 65 | Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). <i>BMJ Open</i> , 2017, 7, e018181. | 1.9 | 13 |
| 66 | Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 665-673. | 3.7 | 13 |
| 67 | Statin prescribing for people with severe mental illnesses: a staggered cohort study of "real-world" impacts. <i>BMJ Open</i> , 2017, 7, e013154. | 1.9 | 12 |
| 68 | Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 175-185. | 3.9 | 11 |
| 69 | Assessing the physical health of psychiatric patients. <i>Psychiatric Bulletin</i> , 1998, 22, 695-697. | 0.3 | 11 |
| 70 | Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: a scoping review. <i>BMJ Open</i> , 2021, 11, e041102. | 1.9 | 10 |
| 71 | A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-116. | 2.8 | 10 |
| 72 | Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-102. | 1.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Priorities for the development and evaluation of support after suicide bereavement in the UK: results of a discussion group. <i>Bereavement Care</i> , 2016, 35, 109-116. | 0.3 | 9 |
| 74 | Statin prescribing for prevention of cardiovascular disease amongst people with severe mental illness: Cohort study in UK primary care. <i>Schizophrenia Research</i> , 2018, 192, 219-225. | 2.0 | 9 |
| 75 | Weight change over two years in people prescribed olanzapine, quetiapine and risperidone in UK primary care: Cohort study in THIN, a UK primary care database. <i>Journal of Psychopharmacology</i> , 2018, 32, 1098-1103. | 4.0 | 9 |
| 76 | Research and ethics: leaving exclusion behind. <i>Current Opinion in Psychiatry</i> , 1999, 12, 601-604. | 6.3 | 9 |
| 77 | Psychiatric research: what ethical concerns do LRECs encounter? A postal survey. <i>Journal of Medical Ethics</i> , 2003, 29, 55-56. | 1.8 | 8 |
| 78 | Performance of a single screening question for depression in a representative sample of 13 670 people aged 75 and over in the UK: results from the MRC trial of assessment and management of older people in the community. <i>Family Practice</i> , 2003, 20, 682-684. | 1.9 | 8 |
| 79 | Relative risks of cardiovascular disease in people prescribed olanzapine, risperidone and quetiapine. <i>Schizophrenia Research</i> , 2017, 183, 116-123. | 2.0 | 8 |
| 80 | Childhood sexual abuse in patients with severe mental illness: Demographic, clinical and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 495-502. | 4.5 | 8 |
| 81 | Recent physical conditions and health service utilization in people with common mental disorders and severe mental illness in England: Comparative cross-sectional data from a nationally representative sample. <i>European Psychiatry</i> , 2020, 63, e19. | 0.2 | 7 |
| 82 | Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Trainees'™ Experiences, Views, and Understanding. <i>JMIR Mental Health</i> , 2020, 7, e19008. | 3.3 | 7 |
| 83 | A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68. | 0.7 | 6 |
| 84 | Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-98. | 1.0 | 6 |
| 85 | Developing and comparing methods for measuring the content of care in mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 219-229. | 3.1 | 5 |
| 86 | Factors prospectively associated with physical activity and dietary related outcomes in people with severe mental illness: A systematic review of longitudinal studies. <i>Psychiatry Research</i> , 2019, 273, 181-191. | 3.3 | 5 |
| 87 | Effectiveness of audit in improving interview room safety. <i>Psychiatric Bulletin</i> , 2001, 25, 92-94. | 0.3 | 5 |
| 88 | Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122. | 1.4 | 5 |
| 89 | Psychiatric hospitalization following antipsychotic medication cessation in first episode psychosis. <i>Journal of Psychopharmacology</i> , 2019, 33, 532-534. | 4.0 | 4 |
| 90 | Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Trajectories of housing affordability and mental health problems: a population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 769-778. | 3.1 | 3 |
| 92 | Insight and other predictors of physical examination refusal in psychotic illness. <i>Journal of Mental Health</i> , 2011, 20, 319-327. | 1.9 | 2 |
| 93 | Activity groups for people with schizophrenia: a randomized controlled trial. <i>Journal of Mental Health</i> , 2014, 23, 171-175. | 1.9 | 2 |
| 94 | Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. <i>International Journal of Population Data Science</i> , 2020, 5, 1355. | 0.1 | 2 |
| 95 | Household Tenure and Its Associations with Multiple Long-Term Conditions amongst Working-Age Adults in East London: A Cross-Sectional Analysis Using Linked Primary Care and Local Government Records. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4155. | 2.6 | 2 |
| 96 | Observational BALANCE. <i>British Journal of Psychiatry</i> , 2011, 199, 341-342. | 2.8 | 1 |
| 97 | Antipsychotic polypharmacy and adverse drug reactions among adults in a London mental health service, 2008â€“2018. <i>Psychological Medicine</i> , 2023, 53, 4220-4227. | 4.5 | 1 |
| 98 | Placebos and research ethics: an absolute dilemma?. <i>Current Opinion in Psychiatry</i> , 2001, 14, 507-511. | 6.3 | 0 |
| 99 | Professor Michael King 1950â€“2021. <i>Psychological Medicine</i> , 0, , 1-1. | 4.5 | 0 |
| 100 | 24-hour movement behaviours and the risk of common mental health symptoms: A compositional analysis in the UK biobank. <i>European Psychiatry</i> , 2021, 64, S120-S121. | 0.2 | 0 |