

# David Osborn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8387203/publications.pdf>

Version: 2024-02-01

100  
papers

7,343  
citations

61984

43  
h-index

56724

83  
g-index

107  
all docs

107  
docs citations

107  
times ranked

9069  
citing authors

#	ARTICLE	IF	CITATIONS
1	Antipsychotic polypharmacy and adverse drug reactions among adults in a London mental health service, 2008â€“2018. <i>Psychological Medicine</i> , 2023, 53, 4220-4227.	4.5	1
2	Trajectories of housing affordability and mental health problems: a population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 769-778.	3.1	3
3	Household Tenure and Its Associations with Multiple Long-Term Conditions amongst Working-Age Adults in East London: A Cross-Sectional Analysis Using Linked Primary Care and Local Government Records. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4155.	2.6	2
4	Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. <i>British Journal of Psychiatry</i> , 2021, 219, 383-391.	2.8	16
5	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.	0.7	6
6	Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: a scoping review. <i>BMJ Open</i> , 2021, 11, e041102.	1.9	10
7	Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 665-673.	3.7	13
8	Childhood sexual abuse in patients with severe mental illness: Demographic, clinical and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 495-502.	4.5	8
9	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136.	0.7	4
10	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122.	1.4	5
11	24-hour movement behaviours and the risk of common mental health symptoms: A compositional analysis in the UK biobank. <i>European Psychiatry</i> , 2021, 64, S120-S121.	0.2	0
12	Recent physical conditions and health service utilization in people with common mental disorders and severe mental illness in England: Comparative cross-sectional data from a nationally representative sample. <i>European Psychiatry</i> , 2020, 63, e19.	0.2	7
13	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Traineesâ€™ Experiences, Views, and Understanding. <i>JMIR Mental Health</i> , 2020, 7, e19008.	3.3	7
14	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. <i>International Journal of Population Data Science</i> , 2020, 5, 1355.	0.1	2
15	Factors prospectively associated with physical activity and dietary related outcomes in people with severe mental illness: A systematic review of longitudinal studies. <i>Psychiatry Research</i> , 2019, 273, 181-191.	3.3	5
16	Psychiatric hospitalization following antipsychotic medication cessation in first episode psychosis. <i>Journal of Psychopharmacology</i> , 2019, 33, 532-534.	4.0	4
17	A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-116.	2.8	10
18	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-102.	1.0	10

#	ARTICLE	IF	CITATIONS
19	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. Programme Grants for Applied Research, 2019, 7, 1-98.	1.0	6
20	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. Lancet Psychiatry, 2018, 5, 145-154.	7.4	66
21	Statin prescribing for prevention of cardiovascular disease amongst people with severe mental illness: Cohort study in UK primary care. Schizophrenia Research, 2018, 192, 219-225.	2.0	9
22	Severe mental illness and chronic kidney disease: a cross-sectional study in the United Kingdom. Clinical Epidemiology, 2018, Volume 10, 421-429.	3.0	31
23	Weight change over two years in people prescribed olanzapine, quetiapine and risperidone in UK primary care: Cohort study in THIN, a UK primary care database. Journal of Psychopharmacology, 2018, 32, 1098-1103.	4.0	9
24	The Camden & Islington Research Database: Using electronic mental health records for research. PLoS ONE, 2018, 13, e0190703.	2.5	27
25	Association of Late Adolescent Personality With Risk for Subsequent Serious Mental Illness Among Men in a Swedish Nationwide Cohort Study. JAMA Psychiatry, 2017, 74, 703.	11.0	52
26	Statin prescribing for people with severe mental illnesses: a staggered cohort study of "real-world" impacts. BMJ Open, 2017, 7, e013154.	1.9	12
27	Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. Lancet Psychiatry, 2017, 4, 49-56.	7.4	36
28	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. Psychological Medicine, 2017, 47, 23-33.	4.5	28
29	Movement side effects of antipsychotic drugs in adults with and without intellectual disability: UK population-based cohort study. BMJ Open, 2017, 7, e017406.	1.9	63
30	Support received after bereavement by suicide and other sudden deaths: a cross-sectional UK study of 3432 young bereaved adults. BMJ Open, 2017, 7, e014487.	1.9	53
31	Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). BMJ Open, 2017, 7, e018181.	1.9	13
32	Prevalence and risk factors for HIV, hepatitis B, and hepatitis C in people with severe mental illness: a total population study of Sweden. Lancet Psychiatry, 2017, 4, 685-693.	7.4	50
33	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000-2014. British Journal of Psychiatry, 2017, 211, 175-181.	2.8	302
34	Relative risks of cardiovascular disease in people prescribed olanzapine, risperidone and quetiapine. Schizophrenia Research, 2017, 183, 116-123.	2.0	8
35	Antiepileptic drugs prescribed in pregnancy and prevalence of major congenital malformations: comparative prevalence studies. Clinical Epidemiology, 2017, Volume 9, 95-103.	3.0	30
36	Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. BMJ Open, 2016, 6, e009948.	1.9	161

#	ARTICLE	IF	CITATIONS
37	BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. <i>Journal of Psychopharmacology</i> , 2016, 30, 717-748.	4.0	200
38	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. <i>JAMA Psychiatry</i> , 2016, 73, 630.	11.0	88
39	Individual and area-level risk factors for suicidal ideation and attempt in people with severe depression. <i>Journal of Affective Disorders</i> , 2016, 205, 387-392.	4.1	20
40	Risks associated with antipsychotic treatment in pregnancy: Comparative cohort studies based on electronic health records. <i>Schizophrenia Research</i> , 2016, 176, 349-356.	2.0	36
41	Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a population-based UK cohort study using electronic health records. <i>World Psychiatry</i> , 2016, 15, 53-58.	10.4	91
42	The stigma perceived by people bereaved by suicide and other sudden deaths: A cross-sectional UK study of 3432 bereaved adults. <i>Journal of Psychosomatic Research</i> , 2016, 87, 22-29.	2.6	96
43	Recent physical and sexual violence against adults with severe mental illness: a systematic review and meta-analysis. <i>International Review of Psychiatry</i> , 2016, 28, 433-451.	2.8	83
44	Tomorrow's world: current developments in the therapeutic use of technology for psychosis. <i>BJ Psych Advances</i> , 2016, 22, 301-310.	0.7	32
45	Priorities for the development and evaluation of support after suicide bereavement in the UK: results of a discussion group. <i>Bereavement Care</i> , 2016, 35, 109-116.	0.3	9
46	Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002058.	8.4	88
47	Depression as a Risk Factor for the Initial Presentation of Twelve Cardiac, Cerebrovascular, and Peripheral Arterial Diseases: Data Linkage Study of 1.9 Million Women and Men. <i>PLoS ONE</i> , 2016, 11, e0153838.	2.5	121
48	The use of internet-mediated cross-sectional studies in mental health research. <i>BJ Psych Advances</i> , 2015, 21, 175-184.	0.7	21
49	Lithium Prescribing during Pregnancy: A UK Primary Care Database Study. <i>PLoS ONE</i> , 2015, 10, e0121024.	2.5	19
50	Lowering Cardiovascular Disease Risk for People with Severe Mental Illnesses in Primary Care: A Focus Group Study. <i>PLoS ONE</i> , 2015, 10, e0136603.	2.5	22
51	Violent and non-violent crime against adults with severe mental illness. <i>British Journal of Psychiatry</i> , 2015, 206, 275-282.	2.8	71
52	Cardiovascular Risk Prediction Models for People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2015, 72, 143.	11.0	127
53	Domestic and sexual violence against patients with severe mental illness. <i>Psychological Medicine</i> , 2015, 45, 875-886.	4.5	156
54	A systematic review and meta-analysis of premature mortality in bipolar affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 417-425.	4.5	270

#	ARTICLE	IF	CITATIONS
55	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. PLoS ONE, 2014, 9, e100153.	2.5	66
56	Prescribing of antipsychotics in UK primary care: a cohort study. BMJ Open, 2014, 4, e006135.	1.9	144
57	Activity groups for people with schizophrenia: a randomized controlled trial. Journal of Mental Health, 2014, 23, 171-175.	1.9	2
58	Discontinuation of antipsychotic medication in pregnancy: A cohort study. Schizophrenia Research, 2014, 159, 218-225.	2.0	51
59	Mental Disorders Across the Adult Life Course and Future Coronary Heart Disease. Circulation, 2014, 129, 186-193.	1.6	72
60	Effects of suicide bereavement on mental health and suicide risk. Lancet Psychiatry, the, 2014, 1, 86-94.	7.4	322
61	Moderating factors for the effectiveness of group art therapy for schizophrenia: secondary analysis of data from the MATISSE randomised controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1703-1710.	3.1	15
62	Assessment of an incentivised scheme to provide annual health checks in primary care for adults with intellectual disability: a longitudinal cohort study. Lancet Psychiatry, the, 2014, 1, 522-530.	7.4	58
63	Relative incidence of common cancers in people with severe mental illness. Cohort study in the United Kingdom THIN primary care database. Schizophrenia Research, 2013, 143, 44-49.	2.0	36
64	Violence against People with Disability in England and Wales: Findings from a National Cross-Sectional Survey. PLoS ONE, 2013, 8, e55952.	2.5	54
65	Recording of Severe Mental Illness in United Kingdom Primary Care, 2000-2010. PLoS ONE, 2013, 8, e82365.	2.5	69
66	Impact of mental health problems on case fatality in male cancer patients. British Journal of Cancer, 2012, 106, 1842-1845.	6.4	31
67	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. Epidemiology and Psychiatric Sciences, 2012, 21, 175-185.	3.9	11
68	Morale in the English mental health workforce: questionnaire survey. British Journal of Psychiatry, 2012, 201, 239-246.	2.8	48
69	Suicide in young men. Lancet, The, 2012, 379, 2383-2392.	13.7	125
70	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom. Pharmacoepidemiology and Drug Safety, 2012, 21, 161-169.	1.9	27
71	Inequalities in the provision of cardiovascular screening to people with severe mental illnesses in primary care. Schizophrenia Research, 2011, 129, 104-110.	2.0	55
72	Underuse of clozapine in treatment-resistant schizophrenia. Advances in Psychiatric Treatment, 2011, 17, 250-255.	0.5	25

#	ARTICLE	IF	CITATIONS
73	Cross-cultural attitudes to help-seeking among individuals who are suicidal: new perspective for policy-makers. <i>British Journal of Psychiatry</i> , 2011, 199, 8-10.	2.8	23
74	Prescribing Trends in Bipolar Disorder: Cohort Study in the United Kingdom THIN Primary Care Database 1995–2009. <i>PLoS ONE</i> , 2011, 6, e28725.	2.5	100
75	Observational BALANCE. <i>British Journal of Psychiatry</i> , 2011, 199, 341-342.	2.8	1
76	Developing and comparing methods for measuring the content of care in mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 219-229.	3.1	5
77	Demands, control, supportive relationships and well-being amongst British mental health workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1055-1068.	3.1	24
78	Insight and other predictors of physical examination refusal in psychotic illness. <i>Journal of Mental Health</i> , 2011, 20, 319-327.	1.9	2
79	In-patient and residential alternatives to standard acute psychiatric wards in England. <i>British Journal of Psychiatry</i> , 2009, 194, 456-463.	2.8	60
80	Generalized Anxiety Disorder, Major Depressive Disorder, and Their Comorbidity as Predictors of All-Cause and Cardiovascular Mortality: The Vietnam Experience Study. <i>Psychosomatic Medicine</i> , 2009, 71, 395-403.	2.0	149
81	A systematic review of mental disorder, suicide, and deliberate self harm in lesbian, gay and bisexual people. <i>BMC Psychiatry</i> , 2008, 8, 70.	2.6	1,554
82	Relative risk of diabetes, dyslipidaemia, hypertension and the metabolic syndrome in people with severe mental illnesses: Systematic review and metaanalysis. <i>BMC Psychiatry</i> , 2008, 8, 84.	2.6	161
83	Suicide and severe mental illnesses. Cohort study within the UK general practice research database. <i>Schizophrenia Research</i> , 2008, 99, 134-138.	2.0	69
84	Relative Risk of Cardiovascular and Cancer Mortality in People With Severe Mental Illness From the United Kingdom's General Practice Research Database. <i>Archives of General Psychiatry</i> , 2007, 64, 242.	12.3	527
85	Physical activity, dietary habits and Coronary Heart Disease risk factor knowledge amongst people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 787-793.	3.1	163
86	Risk for coronary heart disease in people with severe mental illness. <i>British Journal of Psychiatry</i> , 2006, 188, 271-277.	2.8	99
87	Factors associated with anxiety in patients attending a sexually transmitted infection clinic: qualitative survey. <i>International Journal of STD and AIDS</i> , 2006, 17, 299-303.	1.1	31
88	The development, validity and reliability of a multimodality objective structured clinical examination in psychiatry. <i>Medical Education</i> , 2005, 39, 292-298.	2.1	62
89	Family Size in White Gay and Heterosexual Men. <i>Archives of Sexual Behavior</i> , 2005, 34, 117-122.	1.9	117
90	Factors associated with depression in a representative sample of 14 217 people aged 75 and over in the United Kingdom: results from the MRC trial of assessment and management of older people in the community. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 623-630.	2.7	92

#	ARTICLE	IF	CITATIONS
91	Psychiatric research: what ethical concerns do LRECs encounter? A postal survey. <i>Journal of Medical Ethics</i> , 2003, 29, 55-56.	1.8	8
92	Performance of a single screening question for depression in a representative sample of 13 670 people aged 75 and over in the UK: results from the MRC trial of assessment and management of older people in the community. <i>Family Practice</i> , 2003, 20, 682-684.	1.9	8
93	Psychiatric health in a sexually transmitted infections clinic. <i>Journal of Psychosomatic Research</i> , 2002, 52, 267-272.	2.6	19
94	Geriatric Depression Scale Scores in a representative sample of 14 545 people aged 75 and over in the United Kingdom: results from the MRC Trial of Assessment and Management of Older People in the Community. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 375-382.	2.7	65
95	Placebos and research ethics: an absolute dilemma?. <i>Current Opinion in Psychiatry</i> , 2001, 14, 507-511.	6.3	0
96	The poor physical health of people with mental illness. <i>Western Journal of Medicine</i> , 2001, 175, 329-332.	0.3	147
97	Effectiveness of audit in improving interview room safety. <i>Psychiatric Bulletin</i> , 2001, 25, 92-94.	0.3	5
98	Research and ethics: leaving exclusion behind. <i>Current Opinion in Psychiatry</i> , 1999, 12, 601-604.	6.3	9
99	Assessing the physical health of psychiatric patients. <i>Psychiatric Bulletin</i> , 1998, 22, 695-697.	0.3	11
100	Professor Michael King 1950â€“2021. <i>Psychological Medicine</i> , 0, , 1-1.	4.5	0