

Javier Mallol

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8391800/publications.pdf>

Version: 2024-02-01

68
papers

4,356
citations

236925

25
h-index

106344

65
g-index

75
all docs

75
docs citations

75
times ranked

4411
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide trends in the prevalence of asthma symptoms: phase III of the International Study of Asthma and Allergies in Childhood (ISAAC). <i>Thorax</i> , 2007, 62, 758-766.	5.6	988
2	Worldwide variations in the prevalence of symptoms of atopic eczema in the international study of asthma and allergies in childhood. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 103, 125-138.	2.9	831
3	Worldwide variations in prevalence of symptoms of allergic rhinoconjunctivitis in children: the International Study of Asthma and Allergies in Childhood (ISAAC). <i>Pediatric Allergy and Immunology</i> , 1997, 8, 161-168.	2.6	513
4	Worldwide trends in the burden of asthma symptoms in school-aged children: Global Asthma Network Phase I cross-sectional study. <i>Lancet</i> , The, 2021, 398, 1569-1580.	13.7	169
5	Prevalence of asthma symptoms in Latin America: The international study of asthma and allergies in childhood (ISAAC). <i>Pediatric Pulmonology</i> , 2000, 30, 439-444.	2.0	131
6	International prevalence of recurrent wheezing during the first year of life: variability, treatment patterns and use of health resources. <i>Thorax</i> , 2010, 65, 1004-1009.	5.6	129
7	Antibiotic use in infancy and symptoms of asthma, rhinoconjunctivitis, and eczema in children 6 and 7 years old: International Study of Asthma and Allergies in Childhood Phase III. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 982-989.	2.9	123
8	The Global Asthma Network rationale and methods for Phase I global surveillance: prevalence, severity, management and risk factors. <i>European Respiratory Journal</i> , 2017, 49, 1601605.	6.7	113
9	International study of wheezing in infants: risk factors in affluent and non-affluent countries during the first year of life. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 878-888.	2.6	110
10	Which population level environmental factors are associated with asthma, rhinoconjunctivitis and eczema? Review of the ecological analyses of ISAAC Phase One. <i>Respiratory Research</i> , 2010, 11, 8.	3.6	100
11	Aerosol deposition in infants with cystic fibrosis. <i>Pediatric Pulmonology</i> , 1996, 21, 276-281.	2.0	72
12	Regional Variation in Asthma Symptom Prevalence in Latin American Children. <i>Journal of Asthma</i> , 2010, 47, 644-650.	1.7	69
13	International comparison of asthma prevalence in children: Australia, Switzerland, Chile. <i>Pediatric Pulmonology</i> , 1993, 16, 219-226.	2.0	65
14	The International Study of Wheezing in Infants: Questionnaire Validation. <i>International Archives of Allergy and Immunology</i> , 2007, 144, 44-50.	2.1	64
15	Use of nebulized bronchodilators in infants under 1 year of age: Analysis of four forms of therapy. <i>Pediatric Pulmonology</i> , 1987, 3, 298-303.	2.0	59
16	Olive oil during pregnancy is associated with reduced wheezing during the first year of life of the offspring. <i>Pediatric Pulmonology</i> , 2010, 45, 395-402.	2.0	53
17	Effect of chloral hydrate on arterial oxygen saturation in wheezy infants. <i>Pediatric Pulmonology</i> , 1988, 5, 96-99.	2.0	52
18	Bronchodilator effect of fenoterol and ipratropium bromide in infants with acute wheezing: Use of MDI with a spacer device. <i>Pediatric Pulmonology</i> , 1987, 3, 352-356.	2.0	48

#	ARTICLE	IF	CITATIONS
19	Prevalence of asthma and allergic diseases in adolescents: nine-year follow-up study (2003-2012). <i>Jornal De Pediatria</i> , 2015, 91, 30-35.	2.0	46
20	Inherent variability of pulmonary function tests in infants with bronchiolitis. <i>Pediatric Pulmonology</i> , 1988, 5, 152-157.	2.0	41
21	Função pulmonar de crianças e adolescentes com bronquiolite obliterante pós-infecciosa. <i>Jornal Brasileiro De Pneumologia</i> , 2010, 36, 453-459.	0.7	37
22	Post-infectious bronchiolitis obliterans: Can CT scan findings at early age anticipate lung function?. <i>Pediatric Pulmonology</i> , 2010, 45, 315-319.	2.0	31
23	Prevalence and factors associated with smoking among adolescents. <i>Jornal De Pediatria</i> , 2017, 93, 230-237.	2.0	31
24	A multinational study to compare prevalence of atopic dermatitis in the first year of life. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 359-366.	2.6	30
25	Prevalência e gravidade da sibilância no primeiro ano de vida. <i>Jornal Brasileiro De Pneumologia</i> , 2010, 36, 402-409.	0.7	29
26	Prevalence, Severity, and Treatment of Recurrent Wheezing During the First Year of Life: A Cross-Sectional Study of 12,405 Latin American Infants. <i>Allergy, Asthma and Immunology Research</i> , 2016, 8, 22.	2.9	26
27	Prevalence of recurrent wheezing in infants. <i>Jornal De Pediatria</i> , 2007, 83, 357-362.	2.0	23
28	The determinants of dust mite allergen and its relationship to the prevalence of symptoms of asthma in the Asia-Pacific region. <i>Pediatric Allergy and Immunology</i> , 2004, 15, 55-61.	2.6	22
29	Prevalence of rhinitis-related symptoms in Latin American children – Results of the International Study of Asthma and Allergies in Childhood (ISAAC) phase three. <i>Pediatric Allergy and Immunology</i> , 2010, 21, e127-36.	2.6	21
30	Asthma in the global NCD agenda: a neglected epidemic. <i>Lancet Respiratory Medicine</i> , 2013, 1, 96-98.	10.7	20
31	Heightened bronchial hyperresponsiveness in the absence of heightened atopy in children with current wheezing and low-income status. <i>Thorax</i> , 2008, 63, 167-71.	5.6	19
32	Differences in prevalence of asthma, rhinitis, and eczema between parental and self-completed questionnaires in adolescents. <i>Pediatric Pulmonology</i> , 2006, 41, 482-487.	2.0	18
33	Prevalência de sibilância recorrente em lactentes. <i>Jornal De Pediatria</i> , 2007, 83, 357-362.	2.0	18
34	Prevalence and risk factors associated with wheezing in the first year of life. <i>Jornal De Pediatria</i> , 2014, 90, 190-196.	2.0	17
35	Beclomethasone dipropionate and salbutamol by metered dose inhaler in infants and small children with recurrent wheezing. <i>Pediatric Pulmonology</i> , 2002, 34, 52-57.	2.0	14
36	Effects of nebulized fenoterol, associated with ipratropium or steroids, on the heart rate of infants under one year of age with acute wheezing. <i>Pediatric Pulmonology</i> , 1987, 3, 83-85.	2.0	12

#	ARTICLE	IF	CITATIONS
37	Risk Factors for Wheezing Disorders in Infants in the First Year of Life Living in Sao Paulo, Brazil. <i>Journal of Tropical Pediatrics</i> , 2012, 58, 501-504.	1.5	12
38	Risk factors associated with wheezing in infants. <i>Jornal De Pediatria</i> , 2013, 89, 559-566.	2.0	12
39	Changes in the prevalence and severity of recurrent wheezing in infants: The results of two surveys administered 7 years apart. <i>Journal of Asthma</i> , 2018, 55, 1214-1222.	1.7	12
40	Prevalence and Determinants of Tobacco Smoking Among Low-Income Urban Adolescents. <i>Pediatric, Allergy, Immunology, and Pulmonology</i> , 2021, 34, 60-67.	0.8	12
41	Effect of inhaled fluticasone on lung function in infants with recurrent wheezing: a randomised controlled trial. <i>Allergologia Et Immunopathologia</i> , 2009, 37, 57-62.	1.7	11
42	Effects of active tobacco smoking on the prevalence of asthma-like symptoms in adolescents. <i>International Journal of COPD</i> , 2007, 2, 65-69.	2.3	11
43	Pneumonia and wheezing in the first year: An international perspective. <i>Pediatric Pulmonology</i> , 2015, 50, 1277-1285.	2.0	10
44	Factors associated with the time to the first wheezing episode in infants: a cross-sectional study from the International Study of Wheezing in Infants (EISL). <i>Npj Primary Care Respiratory Medicine</i> , 2016, 26, 15077.	2.6	10
45	ISAAC Findings In Children Aged 13-14 Years - An Overview. <i>Allergy and Clinical Immunology International</i> , 1999, 11, 0176-0182.	0.3	10
46	Therapeutic equivalence of three metered-dose inhalers containing salbutamol (Albuterol) in protecting against methacholine-induced bronchoconstriction in children with asthma. <i>Pediatric Pulmonology</i> , 2001, 32, 447-452.	2.0	8
47	Risk factors for wheezing in primary health care settings in the tropics. <i>Annals of Allergy, Asthma and Immunology</i> , 2020, 124, 179-184.e1.	1.0	8
48	Value of bronchial reversibility to salbutamol, exhaled nitric oxide and responsiveness to methacholine to corroborate the diagnosis of asthma in children. <i>Allergologia Et Immunopathologia</i> , 2020, 48, 214-222.	1.7	7
49	Particle Size Distribution for Jet Nebulizers Commonly Employed in the Pediatric Clinical Setting. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 1993, 6, 213-219.	1.2	6
50	Early effects of inhaled steroids on airway hyperreactivity and pulmonary function in asthma. , 1999, 27, 376-382.		6
51	Latitude modifies the effect size of factors related to recurrent wheeze in the first year of life. <i>Respiratory Medicine</i> , 2013, 107, 665-672.	2.9	6
52	Nebulized Gentamicin in Children with Cystic Fibrosis: Enhancing Antibiotic Lung Deposition by Increasing Flow Rate and Fill Volume. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 1997, 10, 331-340.	1.2	5
53	Treatment of wheezing in Brazilian infants in the first year of life. <i>Pediatric Allergy and Immunology</i> , 2014, 25, 201-203.	2.6	5
54	Effect of different inhaled bronchodilators on recovery from methacholine-induced bronchoconstriction in asthmatic children. , 1999, 28, 125-129.		4

#	ARTICLE	IF	CITATIONS
55	Comparison of tuberculin skin test response after three modalities of neonatal BCG vaccination. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2007, 101, 493-496.	1.8	4
56	Wheezing and low birthweight. Pediatric Allergy and Immunology, 2015, 26, 82-85.	2.6	4
57	Influence of duration mechanics measured of occlusion time on respiratory with the single-breath technique in infants. Pediatric Pulmonology, 1994, 17, 250-257.	2.0	3
58	ASMA DEL LACTANTE: ACTUALIZACIÃO. Revista Médica Clínica Las Condes, 2017, 28, 37-44.	0.2	2
59	Prevalence of recurrent wheezing during the first year of life in Setúbal district, Portugal. Allergologia Et Immunopathologia, 2019, 47, 122-127.	1.7	2
60	Risk factors associated with wheezing in infants. Jornal De Pediatria (Versão Em Português), 2013, 89, 559-566.	0.2	1
61	Prevalence and clinical characteristics of wheezing in children in the first year of life, living in Cuiabá, Mato Grosso, Brazil. Revista Paulista De Pediatria, 2014, 32, 313-319.	1.0	1
62	Associated factors with recurrent wheezing in infants: is there difference between the sexes?. Jornal De Pediatria, 2021, 97, 629-636.	2.0	1
63	Prevalence of asthma symptoms in Latin America: The international study of asthma and allergies in childhood (ISAAC). , 2000, 30, 439.		1
64	Prevalence of asthma symptoms in Latin America: The international study of asthma and allergies in childhood (ISAAC). Pediatric Pulmonology, 2000, 30, 439-444.	2.0	1
65	Prevalence and risk factors associated with wheezing in the first year of life. Jornal De Pediatria (Versão Em Português), 2014, 90, 190-196.	0.2	0
66	Prevalence and clinical characteristics of wheezing in children in the first year of life, living in Cuiabá, Mato Grosso, Brazil* *Study conducted at Escola Paulista de Medicina, Universidade Federal de São Paulo, São Paulo, SP, Brazil.. Revista Paulista De Pediatria (English Edition), 2014, 32, 313-319.	0.3	0
67	Prevalence of asthma and allergic diseases in adolescents: nine-year follow-up study (2003-2012). Jornal De Pediatria (Versão Em Português), 2015, 91, 30-35.	0.2	0
68	Wheezing and the first thousand days of life. Pediatric Allergy and Immunology, 2017, 28, 397-400.	2.6	0