
## Javier Mallol

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8391800/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Associated factors with recurrent wheezing in infants: is there difference between the sexes?. Jornal De Pediatria, 2021, 97, 629-636.	2.0	1
2	Prevalence and Determinants of Tobacco Smoking Among Low-Income Urban Adolescents. Pediatric, Allergy, Immunology, and Pulmonology, 2021, 34, 60-67.	0.8	12
3	Worldwide trends in the burden of asthma symptoms in school-aged children: Global Asthma Network Phase I cross-sectional study. Lancet, The, 2021, 398, 1569-1580.	13.7	169
4	Risk factors for wheezing in primary health care settings in the tropics. Annals of Allergy, Asthma and Immunology, 2020, 124, 179-184.e1.	1.0	8
5	Value of bronchial reversibility to salbutamol, exhaled nitric oxide and responsiveness to methacholine to corroborate the diagnosis of asthma in children. Allergologia Et Immunopathologia, 2020, 48, 214-222.	1.7	7
6	Prevalence of recurrent wheezing during the first year of life in Setúbal district, Portugal. Allergologia Et Immunopathologia, 2019, 47, 122-127.	1.7	2
7	Changes in the prevalence and severity of recurrent wheezing in infants: The results of two surveys administered 7Ayears apart. Journal of Asthma, 2018, 55, 1214-1222.	1.7	12
8	ASMA DEL LACTANTE: ACTUALIZACIÓN. Revista Médica ClÃnica Las Condes, 2017, 28, 37-44.	0.2	2
9	Wheezing and the first thousand days of life. Pediatric Allergy and Immunology, 2017, 28, 397-400.	2.6	0
10	The Global Asthma Network rationale and methods for Phase I global surveillance: prevalence, severity, management and risk factors. European Respiratory Journal, 2017, 49, 1601605.	6.7	113
11	Prevalence and factors associated with smoking among adolescents. Jornal De Pediatria, 2017, 93, 230-237.	2.0	31
12	Prevalence, Severity, and Treatment of Recurrent Wheezing During the First Year of Life: A Cross-Sectional Study of 12,405 Latin American Infants. Allergy, Asthma and Immunology Research, 2016, 8, 22.	2.9	26
13	Factors associated with the time to the first wheezing episode in infants: a cross-sectional study from the International Study of Wheezing in Infants (EISL). Npj Primary Care Respiratory Medicine, 2016, 26, 15077.	2.6	10
14	Wheezing and low birthweight. Pediatric Allergy and Immunology, 2015, 26, 82-85.	2.6	4
15	Prevalence of asthma and allergic diseases in adolescents: nine-year follow-up study (2003-2012). Jornal De Pediatria, 2015, 91, 30-35.	2.0	46
16	Prevalence of asthma and allergic diseases in adolescents: nineâ€year followâ€up study (2003â€2012). Jornal De Pediatria (Versão Em Português), 2015, 91, 30-35.	0.2	0
17	Pneumonia and wheezing in the first year: An international perspective. Pediatric Pulmonology, 2015, 50, 1277-1285.	2.0	10
18	A multinational study to compare prevalence of atopic dermatitis in the first year of life. Pediatric Allergy and Immunology, 2015, 26, 359-366.	2.6	30

JAVIER MALLOL

#	Article	IF	CITATIONS
19	Prevalence and clinical characteristics of wheezing in children in the first year of life, living in CuiabÃį, Mato Grosso, Brazil. Revista Paulista De Pediatria, 2014, 32, 313-319.	1.0	1
20	Prevalence and risk factors associated with wheezing in the first year of life. Jornal De Pediatria, 2014, 90, 190-196.	2.0	17
21	Treatment of wheezing in <scp>B</scp> razilian infants in the first year of life. Pediatric Allergy and Immunology, 2014, 25, 201-203.	2.6	5
22	Prevalence and risk factors associated with wheezing in the first year of life. Jornal De Pediatria (Versão Em Português), 2014, 90, 190-196.	0.2	0
23	Prevalence and clinical characteristics of wheezing in children in the first year of life, living in CuiabÃį, Mato Grosso, Brazil* *Study conducted at Escola Paulista de Medicina, Universidade Federal de São Paulo, São Paulo, SP, Brazil Revista Paulista De Pediatria (English Edition), 2014, 32, 313-319.	0.3	0
24	Risk factors associated with wheezing in infants. Jornal De Pediatria (Versão Em Português), 2013, 89, 559-566.	0.2	1
25	Latitude modifies the effect size of factors related to recurrent wheeze in the first year of life. Respiratory Medicine, 2013, 107, 665-672.	2.9	6
26	Asthma in the global NCD agenda: a neglected epidemic. Lancet Respiratory Medicine,the, 2013, 1, 96-98.	10.7	20
27	Risk factors associated with wheezing in infants. Jornal De Pediatria, 2013, 89, 559-566.	2.0	12
28	Risk Factors for Wheezing Disorders in Infants in the First Year of Life Living in Sao Paulo, Brazil. Journal of Tropical Pediatrics, 2012, 58, 501-504.	1.5	12
29	Which population level environmental factors are associated with asthma, rhinoconjunctivitis and eczema? Review of the ecological analyses of ISAAC Phase One. Respiratory Research, 2010, 11, 8.	3.6	100
30	Postâ€infectious bronchiolitis obliterans: Can CT scan findings at early age anticipate lung function?. Pediatric Pulmonology, 2010, 45, 315-319.	2.0	31
31	Olive oil during pregnancy is associated with reduced wheezing during the first year of life of the offspring. Pediatric Pulmonology, 2010, 45, 395-402.	2.0	53
32	Prevalence of rhinitisâ€related symptoms in Latin American children – Results of the International Study of Asthma and Allergies in Childhood (ISAAC) phase three. Pediatric Allergy and Immunology, 2010, 21, e127-36.	2.6	21
33	International study of wheezing in infants: risk factors in affluent and non-affluent countries during the first year of life. Pediatric Allergy and Immunology, 2010, 21, 878-888.	2.6	110
34	Função pulmonar de crianças e adolescentes com bronquiolite obliterante pÃ3s-infecciosa. Jornal Brasileiro De Pneumologia, 2010, 36, 453-459.	0.7	37
35	Prevalência e gravidade da sibilância no primeiro ano de vida. Jornal Brasileiro De Pneumologia, 2010, 36, 402-409.	0.7	29
36	Regional Variation in Asthma Symptom Prevalence in Latin American Children. Journal of Asthma, 2010, 47, 644-650.	1.7	69

JAVIER MALLOL

#	Article	IF	CITATIONS
37	International prevalence of recurrent wheezing during the first year of life: variability, treatment patterns and use of health resources. Thorax, 2010, 65, 1004-1009.	5.6	129
38	Antibiotic use in infancy and symptoms of asthma, rhinoconjunctivitis, and eczema in children 6 and 7 years old: International Study of Asthma and Allergies in Childhood Phase III. Journal of Allergy and Clinical Immunology, 2009, 124, 982-989.	2.9	123
39	Effect of inhaled fluticasone on lung function in infants with recurrent wheezing: a randomised controlled trial. Allergologia Et Immunopathologia, 2009, 37, 57-62.	1.7	11
40	Heightened bronchial hyperresponsiveness in the absence of heightened atopy in children with current wheezing and low-income status Thorax, 2008, 63, 167-71.	5.6	19
41	Worldwide trends in the prevalence of asthma symptoms: phase III of the International Study of Asthma and Allergies in Childhood (ISAAC). Thorax, 2007, 62, 758-766.	5.6	988
42	The International Study of Wheezing in Infants: Questionnaire Validation. International Archives of Allergy and Immunology, 2007, 144, 44-50.	2.1	64
43	Prevalência de sibilância recorrente em lactentes. Jornal De Pediatria, 2007, 83, 357-362.	2.0	18
44	Comparison of tuberculin skin test response after three modalities of neonatal BCG vaccination. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2007, 101, 493-496.	1.8	4
45	Effects of active tobacco smoking on the prevalence of asthma-like symptoms in adolescents. International Journal of COPD, 2007, 2, 65-69.	2.3	11
46	Prevalence of recurrent wheezing in infants. Jornal De Pediatria, 2007, 83, 357-362.	2.0	23
47	Differences in prevalence of asthma, rhinitis, and eczema between parental and self-completed questionnaires in adolescents. Pediatric Pulmonology, 2006, 41, 482-487.	2.0	18
48	The determinants of dust mite allergen and its relationship to the prevalence of symptoms of asthma in the Asia-Pacific region. Pediatric Allergy and Immunology, 2004, 15, 55-61.	2.6	22
49	Beclomethasone dipropionate and salbutamol by metered dose inhaler in infants and small children with recurrent wheezing. Pediatric Pulmonology, 2002, 34, 52-57.	2.0	14
50	Therapeutic equivalence of three meteredâ€dose inhalers containing salbutamol (Albuterol) in protecting against methacholineâ€induced bronchoconstriction in children with asthma. Pediatric Pulmonology, 2001, 32, 447-452.	2.0	8
51	Prevalence of asthma symptoms in Latin America: The international study of asthma and allergies in childhood (ISAAC). Pediatric Pulmonology, 2000, 30, 439-444.	2.0	131
52	Prevalence of asthma symptoms in Latin America: The international study of asthma and allergies in childhood (ISAAC). , 2000, 30, 439.		1
53	Prevalence of asthma symptoms in Latin America: The international study of asthma and allergies in childhood (ISAAC). Pediatric Pulmonology, 2000, 30, 439-444.	2.0	1
54	Early effects of inhaled steroids on airway hyperreactivity and pulmonary function in asthma. , 1999, 27, 376-382.		6

JAVIER MALLOL

#	Article	IF	CITATIONS
55	Effect of different inhaled bronchodilators on recovery from methacholine-induced bronchoconstriction in asthmatic children. , 1999, 28, 125-129.		4
56	Worldwide variations in the prevalence of symptoms of atopic eczema in the international study of asthma and allergies in childhood. Journal of Allergy and Clinical Immunology, 1999, 103, 125-138.	2.9	831
57	ISAAC Findings In Children Aged 13-14 Years - An Overview. Allergy and Clinical Immunology International, 1999, 11, 0176-0182.	0.3	10
58	Nebulized Gentamicin in Children with Cystic Fibrosis: Enhancing Antibiotic Lung Deposition by Increasing Flow Rate and Fill Volume. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 1997, 10, 331-340.	1.2	5
59	Worldwide variations in prevalence of symptoms of allergic rhinoconjunctivitis in children: the International Study of Asthma and Allergies in Childhood (ISAAC). Pediatric Allergy and Immunology, 1997, 8, 161-168.	2.6	513
60	Aerosol deposition in infants with cystic fibrosis. Pediatric Pulmonology, 1996, 21, 276-281.	2.0	72
61	Influence of duration mechanics measured of occlusion time on respiratory with the single-breath technique in infants. Pediatric Pulmonology, 1994, 17, 250-257.	2.0	3
62	International comparison of asthma prevalence in children: Australia, Switzerland, Chile. Pediatric Pulmonology, 1993, 16, 219-226.	2.0	65
63	Particle Size Distribution for Jet Nebulizers Commonly Employed in the Pediatric Clinical Setting. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 1993, 6, 213-219.	1.2	6
64	Effect of chloral hydrate on arterial oxygen saturation in wheezy infants. Pediatric Pulmonology, 1988, 5, 96-99.	2.0	52
65	Inherent variability of pulmonary function tests in infants with bronchiolitis. Pediatric Pulmonology, 1988, 5, 152-157.	2.0	41
66	Effects of nebulized fenoterol, associated with ipratropium or steroids, on the heart rate of infants under one year of age with acute wheezing. Pediatric Pulmonology, 1987, 3, 83-85.	2.0	12
67	Use of nebulized bronchodilators in infants under 1 year of age: Analysis of four forms of therapy. Pediatric Pulmonology, 1987, 3, 298-303.	2.0	59
68	Bronchodilator effect of fenoterol and ipratropium bromide in infants with acute wheezing: Use of MDI with a spacer device. Pediatric Pulmonology, 1987, 3, 352-356.	2.0	48