

# Antonio Fontdevila

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8393268/publications.pdf>

Version: 2024-02-01

79

papers

1,965

citations

218677

26

h-index

289244

40

g-index

81

all docs

81

docs citations

81

times ranked

1019

citing authors

#	ARTICLE	IF	CITATIONS
1	Hybrid Genome Evolution by Transposition: An Update. <i>Journal of Heredity</i> , 2019, 110, 124-136.	2.4	11
2	<i>Drosophila</i> Females Undergo Genome Expansion after Interspecific Hybridization. <i>Genome Biology and Evolution</i> , 2016, 8, 556-561.	2.5	10
3	A Genome-Wide Survey of Genetic Instability by Transposition in Drosophila Hybrids. <i>PLoS ONE</i> , 2014, 9, e88992.	2.5	35
4	Genome-Wide Dissection of Hybrid Sterility in Drosophila Confirms a Polygenic Threshold Architecture. <i>Journal of Heredity</i> , 2014, 105, 381-396.	2.4	20
5	Adaptation of the AFLP technique as a new tool to detect genetic instability and transposition in interspecific hybrids. <i>BioTechniques</i> , 2011, 50, 247-250.	1.8	12
6	Osvaldo and Isis retrotransposons as markers of the <i>Drosophila buzzatii</i> colonisation in Australia. <i>BMC Evolutionary Biology</i> , 2011, 11, 111.	3.2	11
7	Tracking the origin of an invasive species: <i>Drosophila subobscura</i> in Argentina. <i>Journal of Evolutionary Biology</i> , 2009, 22, 650-658.	1.7	7
8	Distribution of the transposable elements bilbo and gypsy in original and colonizing populations of <i>Drosophila subobscura</i> . <i>BMC Evolutionary Biology</i> , 2008, 8, 234.	3.2	25
9	The Evolutionary History of <i>Drosophila buzzatii</i> . XXXVI. Molecular Structural Analysis of Osvaldo Retrotransposon Insertions in Colonizing Populations Unveils Drift Effects in Founder Events. <i>Genetics</i> , 2007, 175, 301-310.	2.9	9
10	On the phylogeny of the <i>Drosophila hydei</i> subgroup: New insights from combined analyses of nuclear and mitochondrial data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1198-1205.	2.7	2
11	Molecular characterization and genomic distribution of Isis: a new retrotransposon of <i>Drosophila buzzatii</i> . <i>Molecular Genetics and Genomics</i> , 2007, 277, 83-95.	2.1	7
12	Phylogeny and molecular evolution of the <i>Drosophila hydei</i> subgroup ( <i>Drosophila repleta</i> group) inferred from the Xanthine dehydrogenase gene. <i>Molecular Phylogenetics and Evolution</i> , 2005, 36, 695-705.	2.7	4
13	Temperature-Related Genetic Changes in Laboratory Populations of <i>Drosophila subobscura</i> : Evidence against Simple Climatic-Based Explanations for Latitudinal Clines. <i>American Naturalist</i> , 2005, 165, 258-273.	2.1	69
14	Hybrid genome evolution by transposition. <i>Cytogenetic and Genome Research</i> , 2005, 110, 49-55.	1.1	89
15	Swift laboratory thermal evolution of wing shape (but not size) in <i>Drosophila subobscura</i> and its relationship with chromosomal inversion polymorphism. <i>Journal of Evolutionary Biology</i> , 2004, 17, 841-855.	1.7	51
16	The Evolutionary History of <i>Drosophila buzzatii</i> . XXXV. Inversion Polymorphism and Nucleotide Variability in Different Regions of the Second Chromosome. <i>Molecular Biology and Evolution</i> , 2003, 20, 931-944.	8.9	39
17	Chromosomal distribution of the transposable elements Osvaldo and blanco in original and colonizer populations of <i>Drosophila buzzatii</i> . <i>Genetical Research</i> , 2001, 77, 227-38.	0.9	10
18	Molecular Evolution and Phylogeny of the buzzatii Complex ( <i>Drosophila repleta</i> Group): A Maximum-Likelihood Approach. <i>Molecular Biology and Evolution</i> , 2000, 17, 1112-1122.	8.9	34

#	ARTICLE	IF	CITATIONS
19	Toward a Physical Map of <i>Drosophila buzzatii</i> : Use of Randomly Amplified Polymorphic DNA Polymorphisms and Sequence-Tagged Site Landmarks. <i>Genetics</i> , 2000, 156, 1797-1816.	2.9	23
20	Oviposition preference and life history traits in cactophilic <i>Drosophila koepferae</i> and <i>D. buzzatii</i> in association with their natural hosts. <i>Evolutionary Ecology</i> , 1999, 13, 173-190.	1.2	58
21	Competition and Genotype-by-Environment Interaction in Natural Breeding Substrates of <i>Drosophila</i> . <i>Evolution; International Journal of Organic Evolution</i> , 1999, 53, 175.	2.3	6
22	Interspecific hybridization increases transposition rates of Osvaldo. <i>Molecular Biology and Evolution</i> , 1999, 16, 931-937.	8.9	107
23	The retrotransposon Osvaldo from <i>Drosophila buzzatii</i> displays all structural features of a functional retrovirus. <i>Molecular Biology and Evolution</i> , 1999, 16, 909-921.	8.9	36
24	Brief communication. Stable <i>Drosophila buzzatii</i> - <i>Drosophila koepferae</i> hybrids. , 1998, 89, 336-339.		6
25	The Evolutionary History of <i>Drosophila buzzatii</i> XXXIV. The Distribution of the Retrotansposon Osvaldo in Original and Colonizing Populations. <i>Molecular Biology and Evolution</i> , 1998, 15, 1532-1547.	8.9	26
26	Evolutionary Relationships Among the Members of an Ancient Class of Non-LTR Retrotransposons Found in the Nematode <i>Caenorhabditis elegans</i> . <i>Molecular Biology and Evolution</i> , 1998, 15, 1390-1402.	8.9	26
27	Breeding structure of <i>Drosophila buzzatii</i> in relation to competition in prickly pears ( <i>Opuntia</i> ) Tj ETQq1 1 0.784314 <sub>3.0</sub> rgBT /Overlock 10 T		
28	The evolutionary history of <i>Drosophila buzzatii</i> . XXX. Mitochondrial DNA polymorphism in original and colonizing populations. <i>Molecular Biology and Evolution</i> , 1996, 13, 314-323.	8.9	32
29	The evolutionary history of <i>Drosophila buzzatii</i> . XXXIII. Are <i>Opuntia</i> hosts a selective factor for the inversion polymorphism?. <i>Heredity</i> , 1996, 77, 500-508.	2.6	16
30	Evolutionary conservation and molecular characteristics of repetitive sequences of <i>Drosophila koepferae</i> . <i>Heredity</i> , 1996, 76, 355-366.	2.6	9
31	Characterization of Gandalf, a new inverted-repeat transposable element of <i>Drosophila koepferae</i> . <i>Molecular Genetics and Genomics</i> , 1995, 248, 423-433.	2.4	11
32	The evolutionary history of <i>Drosophila buzzatti</i> . XXVI. Macrogeographic patterns of inversion polymorphism in New World populations. <i>Journal of Evolutionary Biology</i> , 1995, 8, 369-384.	1.7	63
33	The evolutionary history of <i>Drosophila buzzatii</i> . XXXII. Linkage disequilibrium between allozymes and chromosome inversions in two colonizing populations. <i>Heredity</i> , 1995, 74, 188-199.	2.6	19
34	High transposition rates of Osvaldo, a new <i>Drosophila buzzatii</i> retrotransposon. <i>Molecular Genetics and Genomics</i> , 1994, 245, 661-674.	2.4	41
35	Mating Pattern and Fitness-Component Analysis Associated with Inversion Polymorphism in a Natural Population of <i>Drosophila buzzatii</i> . <i>Evolution; International Journal of Organic Evolution</i> , 1994, 48, 767.	2.3	4
36	MATING PATTERN AND FITNESS-COMPONENT ANALYSIS ASSOCIATED WITH INVERSION POLYMORPHISM IN A NATURAL POPULATION OF <i>DROSOPHILA BUZZATII</i> . <i>Evolution; International Journal of Organic Evolution</i> , 1994, 48, 767-780.	2.3	12

#	ARTICLE	IF	CITATIONS
37	The evolutionary history of <i>Drosophila buzzatii</i> XXVII. <i>Genetica</i> , 1993, 92, 61-65.	1.1	40
38	Reproductive Relationships among Ten Species of the <i>Drosophila repleta</i> Group from South America and the West Indies. <i>Evolution; International Journal of Organic Evolution</i> , 1993, 47, 1616.	2.3	11
39	REPRODUCTIVE RELATIONSHIPS AMONG TEN SPECIES OF THE< i>DROSOPHILA REPLETA</i> GROUP FROM SOUTH AMERICA AND THE WEST INDIES. <i>Evolution; International Journal of Organic Evolution</i> , 1993, 47, 1616-1624.	2.3	22
40	Genetic instability and rapid speciation: are they coupled?. <i>Genetica</i> , 1992, 86, 247-258.	1.1	46
41	The evolutionary history of <i>Drosophila buzzatii</i> . XX. Positive phenotypic covariance between field adult fitness components and body size. <i>Journal of Evolutionary Biology</i> , 1992, 5, 403-422.	1.7	83
42	The evolutionary history of <i>Drosophila buzzatii</i> . XXV. Random mating in nature. <i>Heredity</i> , 1992, 68, 373-379.	2.6	17
43	The evolutionary history of <i>Drosophila buzzatii</i> . XXIV. Second chromosome inversions have different average effects on thorax length. <i>Heredity</i> , 1992, 68, 557-563.	2.6	50
44	The evolutionary history of <i>D. buzzatii</i> . XXII. Chromosomal and genic sterility in male hybrids of <i>Drosophila buzzatii</i> and <i>Drosophila koepferae</i> . <i>Heredity</i> , 1991, 66, 233-239.	2.6	26
45	The evolutionary history of <i>Drosophila buzzatii</i> . XXI. Cumulative action of multiple sterility factors on spermatogenesis in hybrids of <i>D. buzzatii</i> and <i>D. koepferae</i> . <i>Heredity</i> , 1991, 67, 57-72.	2.6	33
46	The evolutionary history of <i>Drosophila buzzatii</i> . XVI. Fitness component analysis in an original natural population from Argentina. <i>Journal of Evolutionary Biology</i> , 1991, 4, 209-225.	1.7	38
47	Colonizing Species of <i>Drosophila</i> . , 1991, , 249-269.		9
48	The evolutionary history of <i>Drosophila buzzatii</i> . XVII. Double mating and sperm predominance. <i>Genetique, Selection, Evolution</i> , 1991, 23, 133-140.	0.0	0
49	Description and Evolutionary Relationships of Two Species of the <i>Drosophila mulleri</i> Cluster (Diptera: Drosophilidae). <i>Annals of the Entomological Society of America</i> , 1990, 83, 444-452.	2.5	13
50	Genetic Mapping of the Adh Locus in the Repleta Group of <i>Drosophila</i> by in situ Hybridization. <i>Journal of Heredity</i> , 1990, 81, 83-86.	2.4	28
51	The Evolutionary History of <i>Drosophila buzzatii</i> . XIII. Random Differentiation as a Partial Explanation of Chromosomal Variation in a Structured Natural Population. <i>American Naturalist</i> , 1989, 133, 183-197.	2.1	31
52	The evolutionary history of <i>Drosophila buzzatii</i> . XIV. Larger flies mate more often in nature. <i>Heredity</i> , 1988, 61, 255-262.	2.6	118
53	The transmission of yeasts by <i>Drosophila buzzatii</i> during courtship and mating. <i>Animal Behaviour</i> , 1988, 36, 1691-1695.	1.9	41
54	Rapid isolation of <i>Drosophila</i> high molecular weight DNA to obtain genomic libraries. <i>Nucleic Acids Research</i> , 1988, 16, 2736-2736.	14.5	28

#	ARTICLE	IF	CITATIONS
55	Drosophila koepferae: a New Member of the Drosophila serido (Diptera: Drosophilidae) Superspecies Taxon1. Annals of the Entomological Society of America, 1988, 81, 380-385.	2.5	63
56	Adh expression in species of themulleri subgroup ofDrosophila. Biochemical Genetics, 1987, 25, 729-738.	1.7	10
57	Differential response to environmental alcohol among second-chromosome arrangements in experimental populations of Drosophila buzzatii. Genetica, 1987, 75, 219-229.	1.1	2
58	The Evolutionary History of Drosophila buzzatii. VIII. Evidence for Endocyclic Selection Acting on the Inversion Polymorphism in a Natural Population. Evolution; International Journal of Organic Evolution, 1986, 40, 740.	2.3	7
59	The evolutionary history of Drosophila buzzatii XI. A new method for cytogenetic localization based on asynapsis of polytene chromosomes in interspecific hybrids of Drosophila. Genetica, 1986, 71, 199-212.	1.1	18
60	Genetic coadaptation in the chromosomal polymorphism of Drosophila subobscura II. Changes of gametic disequilibrium in experimental populations. Genetica, 1986, 71, 149-160.	1.1	7
61	THE EVOLUTIONARY HISTORY OF <i>DROSOPHILA BUZZATII</i>. XII. THE GENETIC BASIS OF STERILITY IN HYBRIDS BETWEEN <i>D. BUZZATII</i> AND ITS SIBLING <i>D. SERIDO</i> FROM ARGENTINA. Genetics, 1986, 114, 841-857.	2.9	76
62	The evolutionary history of Drosophila buzzatii. Chromosoma, 1985, 91, 87-94.	2.2	71
63	The evolutionary history of Drosophila buzzatii VI. Adaptive chromosomal changes in experimental populations with natural substrates. Genetica, 1985, 66, 63-71.	1.1	15
64	Chromosomal localization of the locus PGM (phosphoglucomutase) inDrosophila buzzatii. Experientia, 1985, 41, 507-508.	1.2	2
65	The evolutionary history ofDrosophila buzzatii. V. Differential survivorship onOpuntia betweenD. buzzatii andD. serido. Experientia, 1985, 41, 129-131.	1.2	3
66	Spermiogenesis of inversion heterozygotes in backcross hybrids between Drosophila buzzatii and D. serido. Genetica, 1984, 65, 205-214.	1.1	9
67	On the Distribution and the Cactiphilic Niche of Drosophila martensis in Venezuela. Biotropica, 1984, 16, 120.	1.6	1
68	Potential Gene Exchange between South American Drosophila Species, with Description of a New Species in the D. repleta (Diptera: Drosophilidae) Group1. Annals of the Entomological Society of America, 1983, 76, 675-677.	2.5	5
69	Genetic analysis of modifier variability inDrosophila subobscura. Experientia, 1981, 37, 1150-1152.	1.2	6
70	EFFECT OF THE SINGED LOCUS ON THE EGG PRODUCTION CURVE OF DROSOPHILA MELANOGASTER. Genome, 1981, 23, 327-336.	0.7	3
71	Genotype-isopropanol interaction in theAdh locus ofDrosophila buzzatii. Experientia, 1980, 36, 398-400.	1.2	11
72	Density and frequency-dependent selection on the singed locus of Drosophila melanogaster. Genetica, 1979, 50, 161-166.	1.1	6

#	ARTICLE	IF	CITATIONS
73	Frequency-Dependent Mating in a Modified Allozyme Locus of <i>Drosophila pseudoobscura</i> . Evolution; International Journal of Organic Evolution, 1979, 33, 634.	2.3	1
74	FREQUENCY-DEPENDENT MATING IN A MODIFIED ALLOZYME LOCUS OF <i>DROSOPHILA PSEUDOBOBSCURA</i> . Evolution; International Journal of Organic Evolution, 1979, 33, 634-640.	2.3	10
75	Spatial Distribution and Dispersal in a Population of <i>Drosophila</i> . American Naturalist, 1978, 112, 365-380.	2.1	19
76	Migrant selection in a natural population of <i>Drosophila</i> . Experientia, 1977, 33, 1447-1448.	1.2	2
77	Maintenance of allozyme polymorphisms in experimental populations of <i>Drosophila</i> . Nature, 1975, 255, 149-151.	27.8	13
78	GENOTYPE-TEMPERATURE INTERACTION IN <i>DROSOPHILA MELANOGASTER</i> . II. BODY WEIGHT. Genetics, 1973, 73, 125-134.	2.9	2
79	Genotype-temperature interaction in <i>Drosophila melanogaster</i> . I. Viability. Genetica, 1970, 41, 257-264.	1.1	6