
Sarah E Hetrick

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8393313/publications.pdf Version: 2024-02-01



SADAH F HETDICK

#	Article	IF	CITATIONS
1	Mental health of young people: a global public-health challenge. Lancet, The, 2007, 369, 1302-1313.	13.7	2,241
2	Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis. Lancet, The, 2016, 388, 881-890.	13.7	513
3	Serious Games and Gamification for Mental Health: Current Status and Promising Directions. Frontiers in Psychiatry, 2016, 7, 215.	2.6	370
4	The impact of stress on students in secondary school and higher education. International Journal of Adolescence and Youth, 2020, 25, 104-112.	1.8	370
5	Non-pharmacological management of antipsychotic-induced weight gain: Systematic review and meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2008, 193, 101-107.	2.8	272
6	Comparative efficacy and acceptability of psychotherapies for depression in children and adolescents: A systematic review and network meta-analysis. World Psychiatry, 2015, 14, 207-222.	10.4	234
7	Antipsychotic-Induced Weight Gain in Chronic and First-Episode Psychotic Disorders. CNS Drugs, 2008, 22, 547-562.	5.9	229
8	Social media and suicide prevention: a systematic review. Microbial Biotechnology, 2016, 10, 103-121.	1.7	217
9	Preventing the Second Episode: A Systematic Review and Meta-analysis of Psychosocial and Pharmacological Trials in First-Episode psychosis. Schizophrenia Bulletin, 2011, 37, 619-630.	4.3	196
10	Co-design of eHealth Interventions With Children and Young People. Frontiers in Psychiatry, 2018, 9, 481.	2.6	178
11	Comparative efficacy and acceptability of antidepressants, psychotherapies, and their combination for acute treatment of children and adolescents with depressive disorder: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2020, 7, 581-601.	7.4	176
12	Psychological and educational interventions for preventing depression in children and adolescents. , 2011, , CD003380.		174
13	Psychological and/or educational interventions for the prevention of depression in children and adolescents. , 2004, , CD003380.		166
14	Newer generation antidepressants for depressive disorders in children and adolescents. The Cochrane Library, 2021, 2021, CD004851.	2.8	163
15	Cognitive behavioural therapy (CBT), third-wave CBT and interpersonal therapy (IPT) based interventions for preventing depression in children and adolescents. The Cochrane Library, 2016, 2016, CD003380.	2.8	155
16	School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2019, 6, 1011-1020.	7.4	155
17	Parents in prevention: A meta-analysis of randomized controlled trials of parenting interventions to prevent internalizing problems in children from birth to age 18. Clinical Psychology Review, 2016, 50, 138-158.	11.4	154
18	Online and Social Networking Interventions for the Treatment of Depression in Young People: A Systematic Review. Journal of Medical Internet Research, 2014, 16, e206.	4.3	154

#	Article	IF	CITATIONS
19	Early Identification and Intervention in Depressive Disorders: Towards a Clinical Staging Model. Psychotherapy and Psychosomatics, 2008, 77, 263-270.	8.8	145
20	What Works in Youth Suicide Prevention? A Systematic Review and Meta-Analysis. EClinicalMedicine, 2018, 4-5, 52-91.	7.1	137
21	Effectiveness of online and mobile telephone applications (â€~apps') for the self-management of suicidal ideation and self-harm: a systematic review and meta-analysis. BMC Psychiatry, 2017, 17, 297.	2.6	127
22	Selective serotonin reuptake inhibitors (SSRIs) for depressive disorders in children and adolescents. , 2007, , CD004851.		119
23	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. Australian and New Zealand Journal of Psychiatry, 2016, 50, 939-1000.	2.3	118
24	Preventing Suicide in Young People: Systematic Review. Australian and New Zealand Journal of Psychiatry, 2011, 45, 3-26.	2.3	104
25	Moderated online social therapy for depression relapse prevention in young people: pilot study of a †̃next generation' online intervention. Microbial Biotechnology, 2018, 12, 613-625.	1.7	102
26	Youth Codesign of a Mobile Phone App to Facilitate Self-Monitoring and Management of Mood Symptoms in Young People With Major Depression, Suicidal Ideation, and Self-Harm. JMIR Mental Health, 2018, 5, e9.	3.3	102
27	Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents. The Cochrane Library, 2014, 2014, CD008324.	2.8	100
28	Relaxation for depression. The Cochrane Library, 2008, , CD007142.	2.8	95
29	Evidence mapping: illustrating an emerging methodology to improve evidenceâ€based practice in youth mental health. Journal of Evaluation in Clinical Practice, 2010, 16, 1025-1030.	1.8	87
30	Internet-based cognitive behavioural therapy for young people with suicide-related behaviour (Reframe-IT): a randomised controlled trial. Evidence-Based Mental Health, 2017, 20, 76-82.	4.5	85
31	Family therapy for anorexia nervosa. The Cochrane Library, 2010, , CD004780.	2.8	79
32	Preventive digital mental health interventions for children and young people: a review of the design and reporting of research. Npj Digital Medicine, 2020, 3, 133.	10.9	76
33	Can an <scp>I</scp> nternetâ€based intervention reduce suicidal ideation, depression and hopelessness among secondary school students: results from a pilot study. Microbial Biotechnology, 2016, 10, 28-35.	1.7	73
34	Neurocognitive Functioning in Depressed Young People: A Systematic Review and Meta-Analysis. Neuropsychology Review, 2018, 28, 216-231.	4.9	67
35	Characterizing neurocognitive impairment in young people with major depression: state, trait, or scar?. Brain and Behavior, 2016, 6, e00527.	2.2	65
36	Shared Decision-Making: Benefits, Barriers and Current Opportunities for Application. Australasian Psychiatry, 2010, 18, 394-397.	0.7	64

#	Article	IF	CITATIONS
37	Juegos serios para el tratamiento o la prevención de la depresión: una revisión sistemática. Revista De Psicopatologia Y Psicologia Clinica, 2015, 19, 227.	0.2	63
38	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): a randomised, double-blind, placebo-controlled, multicentre clinical trial. Lancet Psychiatry,the, 2019, 6, 735-744.	7.4	63
39	A systematic review of relapse measurement in randomized controlled trials of relapse prevention in first-episode psychosis. Schizophrenia Research, 2010, 119, 79-88.	2.0	61
40	Different Types and Acceptability of Psychotherapies for Acute Anxiety Disorders in Children and Adolescents. JAMA Psychiatry, 2019, 76, 41.	11.0	57
41	Developing Social Media-Based Suicide Prevention Messages in Partnership With Young People: Exploratory Study. JMIR Mental Health, 2017, 4, e40.	3.3	57
42	Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents. , 2012, 11, CD008324.		56
43	The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. Journal of Affective Disorders, 2016, 196, 200-209.	4.1	54
44	Effective psychological and psychosocial approaches to reduce repetition of self-harm: a systematic review, meta-analysis and meta-regression. BMJ Open, 2016, 6, e011024.	1.9	53
45	Experiences of treatment decision making for young people diagnosed with depressive disorders: a qualitative study in primary care and specialist mental health settings. BMC Psychiatry, 2011, 11, 194.	2.6	51
46	Youth Depression Alleviation with Anti-inflammatory Agents (YoDA-A): a randomised clinical trial of rosuvastatin and aspirin. BMC Medicine, 2020, 18, 16.	5.5	49
47	Where to Go from Here? An Exploratory Meta-Analysis of the Most Promising Approaches to Depression Prevention Programs for Children and Adolescents. International Journal of Environmental Research and Public Health, 2015, 12, 4758-4795.	2.6	47
48	Psychosocial interventions for self-harm in adults. The Cochrane Library, 2021, 2021, CD013668.	2.8	47
49	Family therapy approaches for anorexia nervosa. The Cochrane Library, 2019, 2019, CD004780.	2.8	47
50	The safety and acceptability of delivering an online intervention to secondary students at risk of suicide: findings from a pilot study. Microbial Biotechnology, 2015, 9, 498-506.	1.7	45
51	Population attributable risk of factors associated with the repetition of self-harm behaviour in young people presenting to clinical services: a systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2019, 28, 5-18.	4.7	45
52	Mapping the Evidence of Prevention and Intervention Studies for Suicidal and Self-Harming Behaviors in Young People. Crisis, 2013, 34, 223-232.	1.2	45
53	Mapping the evidence for the prevention and treatment of eating disorders in young people. Journal of Eating Disorders, 2014, 2, 5.	2.7	44
54	Predicting Suicidal Risk in a Cohort of Depressed Children and Adolescents. Crisis, 2012, 33, 13-20.	1.2	43

#	Article	IF	CITATIONS
55	Interventions for self-harm in children and adolescents. The Cochrane Library, 2021, 2021, CD013667.	2.8	42
56	Evidence Map of Prevention and Treatment Interventions for Depression in Young People. Depression Research and Treatment, 2012, 2012, 1-11.	1.3	39
57	Right choice, right time: Evaluation of an online decision aid for youth depression. Health Expectations, 2017, 20, 714-723.	2.6	34
58	Caring for Young People Who Self-Harm: A Review of Perspectives from Families and Young People. International Journal of Environmental Research and Public Health, 2018, 15, 950.	2.6	33
59	New generation antidepressants for depression in children and adolescents: a network meta-analysis. The Cochrane Library, 2021, 2021, CD013674.	2.8	33
60	Online and Social Media Suicide Prevention Interventions for Young People: A Focus on Implementation and Moderation. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2016, 25, 80-6.	0.6	33
61	Promoting Physical Health In Youth Mental Health Services: Ensuring Routine Monitoring of Weight and Metabolic Indices in a First Episode Psychosis Clinic. Australasian Psychiatry, 2010, 18, 451-455.	0.7	32
62	SSRIs and Depression in Children and Adolescents: The Imperative for Shared Decision-Making. Australasian Psychiatry, 2008, 16, 354-358.	0.7	31
63	The use of SSRIs in children and adolescents. Current Opinion in Psychiatry, 2010, 23, 53-57.	6.3	30
64	An evidence map of interventions across premorbid, ultra-high risk and first episode phases of psychosis. Schizophrenia Research, 2010, 123, 37-44.	2.0	30
65	Psychosocial interventions for self-harm, suicidal ideation and suicide attempt in children and young people: What? How? Who? and Where?. Evidence-Based Mental Health, 2017, 20, 35-40.	4.5	30
66	Comprehensive Online Self-Monitoring to Support Clinicians Manage Risk of Suicide in Youth Depression. Crisis, 2017, 38, 147-157.	1.2	30
67	Back to basics: could behavioural therapy be a good treatment option for youth depression? A critical review. Microbial Biotechnology, 2015, 9, 93-99.	1.7	29
68	Maintenance antipsychotic treatment versus discontinuation strategies following remission from first episode psychosis: systematic review. BJPsych Open, 2018, 4, 215-225.	0.7	29
69	Prevention and early intervention for mental health problems in 0–25 year olds: Are there evidence-based models of care?. Advances in Mental Health, 2011, 10, 6-19.	0.7	27
70	Interventions for preventing relapse and recurrence of a depressive disorder in children and adolescents. The Cochrane Library, 2014, 2014, CD007504.	2.8	26
71	Understanding the Needs of Young People Who Engage in Self-Harm: A Qualitative Investigation. Frontiers in Psychology, 2019, 10, 2916.	2.1	26
72	Treatment-resistant depression in adolescents: is the addition of cognitive behavioral therapy of benefit?. Psychology Research and Behavior Management, 2011, 4, 97.	2.8	25

#	Article	IF	CITATIONS
73	The development of a randomised controlled trial testing the effects of an online intervention among school students at risk of suicide. BMC Psychiatry, 2014, 14, 155.	2.6	24
74	Users' experiences of trauma-focused cognitive behavioural therapy for children and adolescents: a systematic review and metasynthesis of qualitative research. European Child and Adolescent Psychiatry, 2019, 28, 877-897.	4.7	23
75	Best practice when working with suicidal behaviour and self-harm in primary care: a qualitative exploration of young people's perspectives. BMJ Open, 2020, 10, e038855.	1.9	23
76	Making decisions about treatment for young people diagnosed with depressive disorders: a qualitative study of clinicians' experiences. BMC Psychiatry, 2013, 13, 335.	2.6	22
77	Relationships Between Different Dimensions of Social Support and Suicidal Ideation in Young People with Major Depressive Disorder. Journal of Affective Disorders, 2021, 281, 714-720.	4.1	21
78	What are Specialist Mental Health Clinician Attitudes to Guideline Recommendations for the Treatment of Depression in Young People?. Australian and New Zealand Journal of Psychiatry, 2011, 45, 993-1001.	2.3	20
79	Subjective experiences of neurocognitive functioning in young people with major depression. BMC Psychiatry, 2019, 19, 209.	2.6	20
80	Use of Web Conferencing Technology for Conducting Online Focus Groups Among Young People With Lived Experience of Suicidal Thoughts: Mixed Methods Research. JMIR Mental Health, 2019, 6, e14191.	3.3	20
81	Is there a gap between recommended and â€~real world' practice in the management of depression in young people? A medical file audit of practice. BMC Health Services Research, 2012, 12, 178.	2.2	19
82	Development and pilot testing of an online monitoring tool of depression symptoms and side effects for young people being treated for depression. Microbial Biotechnology, 2015, 9, 66-69.	1.7	18
83	Comparative efficacy and acceptability of antidepressants, psychological interventions, and their combination for depressive disorder in children and adolescents: protocol for a network meta-analysis. BMJ Open, 2017, 7, e016608.	1.9	18
84	Family therapy approaches for anorexia nervosa. The Cochrane Library, 2018, 10, CD004780.	2.8	18
85	The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. Trials, 2011, 12, 76.	1.6	17
86	Parents' Experience and Psychoeducation Needs When Supporting a Young Person Who Self-Harms. International Journal of Environmental Research and Public Health, 2020, 17, 3662.	2.6	17
87	Youth depression alleviation: the Fish Oil Youth Depression Study (<scp>YoDA</scp> â€F): A randomized, doubleâ€blind, placeboâ€controlled treatment trial. Microbial Biotechnology, 2016, 10, 290-299.	1.7	16
88	Adapting a codesign process with young people to prioritize outcomes for a systematic review of interventions to prevent selfâ€harm and suicide. Health Expectations, 2022, 25, 1393-1404.	2.6	16
89	Youth Depression Alleviationâ€Augmentation with an antiâ€inflammatory agent (<scp>YoDAâ€A</scp>): protocol and rationale for a placeboâ€controlled randomized trial of rosuvastatin and aspirin. Microbial Biotechnology, 2018, 12, 45-54.	1.7	15
90	What is the Scientific Evidence for the Use of Antipsychotic Medication in Anorexia Nervosa?. Eating Disorders, 2008, 16, 217-223.	3.0	14

#	Article	IF	CITATIONS
91	Openâ€access evidence database of controlled trials and systematic reviews in youth mental health. Microbial Biotechnology, 2018, 12, 474-477.	1.7	14
92	Debate: Supporting the mental health of school students in the COVIDâ€19 pandemic in New Zealand – a digital ecosystem approach. Child and Adolescent Mental Health, 2020, 25, 267-269.	3.5	14
93	A Chatbot Architecture for Promoting Youth Resilience. Studies in Health Technology and Informatics, 2021, , .	0.3	14
94	Does cognitive behavioural therapy have a role in improving problem solving and coping in adolescents with suicidal ideation?. The Cognitive Behaviour Therapist, 2014, 7, .	1.0	13
95	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. Trials, 2014, 15, 425.	1.6	11
96	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. Public Health Research, 2021, 9, 1-284.	1.3	11
97	The Use of Helplines and Telehealth Support in Aotearoa/New Zealand During COVID-19 Pandemic Control Measures: A Mixed-Methods Study. Frontiers in Psychiatry, 2021, 12, 791209.	2.6	11
98	Development of an implementation guide to facilitate the rollâ€out of early intervention services for psychosis. Microbial Biotechnology, 2018, 12, 1100-1111.	1.7	10
99	Subjective cognitive functioning in relation to changes in levels of depression and anxiety in youth over 3 months of treatment. BJPsych Open, 2020, 6, e84.	0.7	10
100	Comparative efficacy and tolerability of new-generation antidepressants for major depressive disorder in children and adolescents: protocol of an individual patient data meta-analysis. BMJ Open, 2018, 8, e018357.	1.9	9
101	A Survey of People With Lived Experience of Suicide-Related Behavior in Queensland, Australia. Crisis, 2020, 41, 39-46.	1.2	9
102	Comparative efficacy and acceptability of psychotherapies for post-traumatic stress disorder in children and adolescents: study protocol for a systematic review and network meta-analysis. BMJ Open, 2018, 8, e020198.	1.9	8
103	Neuropsychology and Youth Mental Health in Victoria: The Results of a Clinical Service Audit. Australian Psychologist, 2017, 52, 453-460.	1.6	7
104	Subjective ratings of neurocognitive functioning in depressed young people undergoing treatment: utility of a brief screening tool. Microbial Biotechnology, 2016, 10, 252-257.	1.7	6
105	Primary care monitoring of depressive symptoms in young people. Australian Family Physician, 2014, 43, 147-50.	0.5	6
106	Understanding the Experience and Needs of School Counsellors When Working with Young People Who Engage in Self-Harm. International Journal of Environmental Research and Public Health, 2019, 16, 4844.	2.6	5
107	Improving child and youth mental health: Stakeholder perspectives from a cross-sectional survey to inform research priorities. Mental Health and Prevention, 2021, 22, 200201.	1.3	5
108	Association of parenting with suicidal ideation and attempts in children and youth: protocol for a systematic review and meta-analysis of observational studies. Systematic Reviews, 2021, 10, 232.	5.3	5

#	Article	IF	CITATIONS
109	Validation of a brief tool to assess and monitor suicidal ideation: The Youth Suicide Ideation Screen (YSIS-3). Journal of Affective Disorders, 2021, 295, 235-242.	4.1	5
110	Building a Digital Platform for Behavioral Intervention Technology Research and Deployment. , 2020, ,		5
111	Time-Out with Young Children: A Parent-Child Interaction Therapy (PCIT) Practitioner Review. International Journal of Environmental Research and Public Health, 2022, 19, 145.	2.6	5
112	Barriers to Clinician Implementation of Parent-Child Interaction Therapy (PCIT) in New Zealand and Australia: What Role for Time-Out?. International Journal of Environmental Research and Public Health, 2021, 18, 13116.	2.6	5
113	In young people with a depressive disorder, does diagnostic specificity matter in the prediction of suicidality?. Australian E-Journal for the Advancement of Mental Health, 2008, 7, 143-149.	0.2	4
114	Newer generation antidepressants for depressive disorders in children and adolescents. BJ Psych Advances, 2017, 23, 74-74.	0.7	4
115	Study protocol for the Multimodal Approach to Preventing Suicide in Schools (MAPSS) project: a regionally based randomised trial of an integrated response to suicide risk among secondary school students. Trials, 2022, 23, 186.	1.6	4
116	Suicide risk assessments: Why are we still relying on these a decade after the evidence showed they perform poorly?. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1529-1534.	2.3	4
117	Monitoring of suicide risk throughout the course of treatment with antidepressants for depression is required, but vigilance is required for those on some particular antidepressant agents. Evidence-Based Mental Health, 2015, 18, 86-86.	4.5	3
118	Support for people bereaved or affected by suicide and forÂtheir careers in Queensland: quality of resources and aÂclassification framework. Advances in Mental Health, 2019, 17, 178-195.	0.7	3
119	Improving Mood with Physical ACTivity (IMPACT) trial: a cluster randomised controlled trial to determine the effectiveness of a brief physical activity behaviour change intervention on depressive symptoms in young people, compared with psychoeducation, in addition to routine clinical care within youth mental health services—a protocol study. BMJ Open, 2019, 9, e034002.	1.9	3
120	Pharmacological interventions for self-harm in adults. The Cochrane Library, 0, , .	2.8	3
121	Trajectories of change in depression symptoms and suicidal ideation over the course of evidence-based treatment for depression: Secondary analysis of a randomised controlled trial of cognitive behavioural therapy plus fluoxetine in young people. Australian and New Zealand Journal of Psychiatry, 2021, 55, 506-516.	2.3	3
122	Relative efficacy of psychological interventions following interpersonal trauma on anxiety, depression, substance use, and PTSD symptoms in young people: A metaâ€analysis. Microbial Biotechnology, 2022, 16, 1175-1184.	1.7	3
123	IDI trends in antidepressant dispensing to New Zealand children and young people between 2007/08 and 2015/16. New Zealand Medical Journal, 2019, 132, 48-61.	0.5	3
124	Hazardous drinking and general practitioner visits in the past year. New Zealand Medical Journal, 2020, 133, 43-53.	0.5	3
125	Clinician adoption of Parent–Child Interaction Therapy: A systematic review of implementation interventions. Implementation Research and Practice, 2022, 3, 263348952210823.	1.9	3
126	Working with Young People at Risk of Suicidal Behaviour and Self-Harm: A Qualitative Study of Australian General Practitioners' Perspectives. International Journal of Environmental Research and Public Health, 2021, 18, 12926.	2.6	3

#	Article	IF	CITATIONS
127	Evidence Translation in a Youth Mental Health Service. SAGE Open, 2016, 6, 215824401663138.	1.7	2
128	Prevention of depression and anxiety: is the whole better than the sum of the parts?. Evidence-Based Mental Health, 2017, 20, e1-e1.	4.5	2
129	Psychosocial interventions for self-harm in adults. The Cochrane Library, 0, , .	2.8	2
130	Interventions for self-harm in children and adolescents. The Cochrane Library, 0, , .	2.8	2
131	Debate: Gold standard or go for gold? The pros and cons of waiting for gold standard evidence of effectiveness for adolescent depression and selfâ€harm interventions versus acting with the precautionary principle in current political times. Child and Adolescent Mental Health, 2021, 26, 83-85.	3.5	2
132	Updated reporting guidance for systematic reviews: Introducing PRISMA 2020 to readers of the Journal of Affective Disorders. Journal of Affective Disorders, 2021, 292, 56-57.	4.1	2
133	The experience of young people receiving cognitive behavioural therapy for major depression: A qualitative study. Microbial Biotechnology, 2022, , .	1.7	2
134	First responder, clinician, and non-clinical support staff knowledge, attitudes, and behaviours towards people presenting for emergency care following self-harm: a mixed evidence synthesis. The Cochrane Library, 2021, 2021, .	2.8	2
135	Service users' experiences of emergency care following an episode of self-harm: a mixed evidence synthesis. The Cochrane Library, 2021, 2021, .	2.8	2
136	Sociodemographic correlates of antidepressant utilisation in Australia. Medical Journal of Australia, 2009, 191, 471-471.	1.7	1
137	New generation antidepressants for depression in children and adolescents: a network meta-analysis. The Cochrane Library, 0, , .	2.8	1
138	The Neuropsychological Symptoms Selfâ€Report: psychometric properties in an adolescent and young adult mental health cohort. Child and Adolescent Mental Health, 2021, , .	3.5	1
139	Self-help tool: risk management and improving mental wellbeing of New Zealand adolescents. Advances in Mental Health, 0, , 1-12.	0.7	1
140	Prevalence and Correlates of Tobacco Use in Young People Presenting to Australian Primary Mental Health Services. Nicotine and Tobacco Research, 2023, 25, 682-691.	2.6	1
141	Community Based Support for People at Risk for Suicide and Those Who Care for them – Areas for Improvement. Archives of Suicide Research, 2020, 24, 125-157.	2.3	0
142	Prevention of self-harm and suicide in young people up to the age of 25 in education settings. The Cochrane Library, 0, , .	2.8	0
143	Medication dispensing for attention-deficit/hyperactivity disorder to New Zealand youth. New Zealand Medical Journal, 2020, 133, 84-95.	0.5	0