

Xavier Ramis Juan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8402347/publications.pdf>

Version: 2024-02-01

200
papers

5,537
citations

70961

41
h-index

133063

59
g-index

202
all docs

202
docs citations

202
times ranked

3577
citing authors

#	ARTICLE	IF	CITATIONS
1	Corrosion protection with polyaniline and polypyrrole as anticorrosive additives for epoxy paint. <i>Corrosion Science</i> , 2008, 50, 721-728.	3.0	240
2	Thermal degradation of polypropylene/starch-based materials with enhanced biodegradability. <i>Polymer Degradation and Stability</i> , 2004, 86, 483-491.	2.7	119
3	Curing of a thermosetting powder coating by means of DMTA, TMA and DSC. <i>Polymer</i> , 2003, 44, 2067-2079.	1.8	113
4	New improved thermosets obtained from DGEBA and a hyperbranched poly(ester-amide). <i>Polymer</i> , 2009, 50, 5374-5383.	1.8	99
5	Sequential curing of off-stoichiometric thiol-epoxy thermosets with a custom-tailored structure. <i>Polymer Chemistry</i> , 2016, 7, 2280-2290.	1.9	96
6	Study on the chemical modification of epoxy/anhydride thermosets using a hydroxyl terminated hyperbranched polymer. <i>European Polymer Journal</i> , 2009, 45, 1454-1466.	2.6	92
7	Oxidation-induced strength degradation of WC-Co hardmetals. <i>International Journal of Refractory Metals and Hard Materials</i> , 2001, 19, 303-309.	1.7	90
8	State of the Art in Dual-Curing Acrylate Systems. <i>Polymers</i> , 2018, 10, 178.	2.0	81
9	Environmentally-friendly processing of thermosets by two-stage sequential aza-Michael addition and free-radical polymerization of amine-acrylate mixtures. <i>Polymer Chemistry</i> , 2015, 6, 6987-6997.	1.9	79
10	Simulation of isothermal cure of A powder coating. <i>Journal of Thermal Analysis and Calorimetry</i> , 2003, 72, 707-718.	2.0	73
11	Polyurethane-unsaturated polyester interpenetrating polymer networks: thermal and dynamic mechanical thermal behaviour. <i>Polymer</i> , 2001, 42, 9469-9479.	1.8	69
12	Comparative study of the cure kinetics of an unsaturated polyester resin using different procedures. <i>Polymer Engineering and Science</i> , 1996, 36, 835-851.	1.5	68
13	Determination of gel and vitrification times of thermoset curing process by means of TMA, DMTA and DSC techniques. <i>Journal of Theoretical Biology</i> , 1997, 49, 269-279.	0.8	67
14	New epoxy thermosets modified with hyperbranched poly(ester-amide) of different molecular weight. <i>European Polymer Journal</i> , 2010, 46, 1498-1509.	2.6	66
15	New catalysts for diglycidyl ether of bisphenol A curing based on thiol-epoxy click reaction. <i>European Polymer Journal</i> , 2014, 59, 377-386.	2.6	66
16	Kinetic study by FTIR, TMA, and DSC of the curing of a mixture of DGEBA resin and \hat{I}^3 -butyrolactone catalyzed by ytterbium triflate. <i>Journal of Applied Polymer Science</i> , 2004, 92, 381-393.	1.3	65
17	Copolymerization of diglycidyl ether of bisphenol A with \hat{I}^3 -butyrolactone catalyzed by ytterbium triflate: Shrinkage during curing. <i>Journal of Polymer Science Part A</i> , 2003, 41, 2794-2808.	2.5	64
18	Analysis of the reaction mechanism of the thiol-epoxy addition initiated by nucleophilic tertiary amines. <i>Polymer Chemistry</i> , 2017, 8, 5934-5947.	1.9	64

#	ARTICLE	IF	CITATIONS
19	Novel thermosets based on DGEBA and hyperbranched polymers modified with vinyl and epoxy end groups. <i>Reactive and Functional Polymers</i> , 2010, 70, 798-806.	2.0	62
20	Comparative curing kinetics and thermal-mechanical properties of DGEBA thermosets cured with a hyperbranched poly(ethyleneimine) and an aliphatic triamine. <i>Thermochimica Acta</i> , 2011, 526, 9-21.	1.2	61
21	Efficient impact resistance improvement of epoxy/anhydride thermosets by adding hyperbranched polyesters partially modified with undecenoyl chains. <i>Polymer</i> , 2012, 53, 5232-5241.	1.8	60
22	Time-temperature transformation (TTT) cure diagram of an unsaturated polyester resin. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1997, 35, 371-388.	2.4	57
23	Application of a polythiophene derivative as anticorrosive additive for paints. <i>Progress in Organic Coatings</i> , 2005, 53, 217-224.	1.9	57
24	Study of lanthanide triflates as new curing initiators for DGEBA. <i>Polymer</i> , 2000, 41, 8465-8474.	1.8	55
25	A new strategy for controlling shrinkage of DGEBA resins cured by cationic copolymerization with hydroxyl-terminated hyperbranched polymers and ytterbium triflate as an initiator. <i>Journal of Applied Polymer Science</i> , 2009, 111, 2822-2929.	1.3	54
26	A new class of vitrimers based on aliphatic poly(thiourethane) networks with shape memory and permanent shape reconfiguration. <i>European Polymer Journal</i> , 2020, 122, 109361.	2.6	53
27	Latent curing of epoxy-thiol thermosets. <i>Polymer</i> , 2017, 116, 191-203.	1.8	51
28	Avocado Seed: A Comparative Study of Antioxidant Content and Capacity in Protecting Oil Models from Oxidation. <i>Molecules</i> , 2018, 23, 2421.	1.7	51
29	Calorimetric and thermogravimetric studies of UV-irradiated polypropylene/starch-based materials aged in soil. <i>Polymer Degradation and Stability</i> , 2006, 91, 44-51.	2.7	50
30	UV generation of a multifunctional hyperbranched thermal crosslinker to cure epoxy resins. <i>Polymer</i> , 2011, 52, 3269-3276.	1.8	49
31	Epoxy Sol-Gel Hybrid Thermosets. <i>Coatings</i> , 2016, 6, 8.	1.2	49
32	New bio-based materials obtained by thiol-ene/thiol-epoxy dual curing click procedures from eugenol derivatives. <i>European Polymer Journal</i> , 2017, 93, 530-544.	2.6	49
33	Network structure and thermomechanical properties of hybrid DGEBA networks cured with 1-methylimidazole and hyperbranched poly(ethyleneimine)s. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 1489-1503.	2.4	48
34	From curing kinetics to network structure: A novel approach to the modeling of the network buildup of epoxy-anhydride thermosets. <i>Journal of Polymer Science Part A</i> , 2014, 52, 61-75.	2.5	48
35	Study of epoxy and alkyd coatings modified with emeraldine base form of polyaniline. <i>Progress in Organic Coatings</i> , 2007, 58, 316-322.	1.9	47
36	Preparation of click thiol-ene/thiol-epoxy thermosets by controlled photo/thermal dual curing sequence. <i>RSC Advances</i> , 2015, 5, 101623-101633.	1.7	47

#	ARTICLE	IF	CITATIONS
37	Preparation of new biobased coatings from a triglycidyl eugenol derivative through thiol-epoxy click reaction. <i>Progress in Organic Coatings</i> , 2018, 114, 259-267.	1.9	46
38	New degradable thermosets obtained by cationic copolymerization of DGEBA with an s(β -butyrolactone). <i>Polymer</i> , 2005, 46, 10637-10647.	1.8	45
39	Crosslinking of mixtures of DGEBA with 1,6-dioxaspiro[4,4]nonan-2,7-dione initiated by tertiary amines. Part IV. Effect of hydroxyl groups on initiation and curing kinetics. <i>Polymer</i> , 2010, 51, 26-34.	1.8	45
40	A new two-stage curing system: Thiol-ene/epoxy homopolymerization using an allyl terminated hyperbranched polyester as reactive modifier. <i>Polymer</i> , 2013, 54, 5473-5481.	1.8	45
41	Recyclable poly(thiourethane) vitrimers with high Tg. Influence of the isocyanate structure. <i>Reactive and Functional Polymers</i> , 2020, 151, 104574.	2.0	43
42	The degradation of new thermally degradable thermosets obtained by cationic curing of mixtures of DGEBA and 6,6-dimethyl (4,8-dioxaspiro[2.5]octane-5,7-dione). <i>Polymer Degradation and Stability</i> , 2007, 92, 596-604.	2.7	42
43	Effect of polymer topology on the curing process and mechanical characteristics of epoxy thermosets modified with linear or multiarm star poly(μ -caprolactone). <i>Polymer</i> , 2011, 52, 4694-4702.	1.8	42
44	New aromatic α -aliphatic hyperbranched polyesters with vinylic end groups of different length as modifiers of epoxy/anhydride thermosets. <i>Reactive and Functional Polymers</i> , 2012, 72, 556-563.	2.0	41
45	The use of dihydrazides as latent curing agents in diglycidyl ether of bisphenol A coatings. <i>Progress in Organic Coatings</i> , 2012, 74, 59-66.	1.9	41
46	Effect of the inhibitor on the curing of an unsaturated polyester resin. <i>Polymer</i> , 1995, 36, 3511-3521.	1.8	38
47	New BN-epoxy composites obtained by thermal latent cationic curing with enhanced thermal conductivity. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 103, 35-47.	3.8	38
48	Comparative kinetic study of the non-isothermal thermal curing of bis-GMA/TEGDMA systems. <i>Journal of Thermal Analysis and Calorimetry</i> , 2007, 89, 233-244.	2.0	37
49	New pegylated hyperbranched polyester as chemical modifier of epoxy resins in UV cationic photocuring. <i>Reactive and Functional Polymers</i> , 2011, 71, 417-424.	2.0	37
50	Modification of epoxy α -anhydride thermosets using a hyperbranched poly(ester α -amide): I. Kinetic study. <i>Polymer International</i> , 2012, 61, 1710-1725.	1.6	37
51	Isoconversional kinetic analysis of a carboxyl terminated polyester resin crosslinked with triglycidyl isocyanurate (TGIC) used in powder coatings from experimental results obtained by DSC and TMDSC. <i>Thermochimica Acta</i> , 2002, 388, 355-370.	1.2	36
52	A study of the degradation of ester-modified epoxy resins obtained by cationic copolymerization of DGEBA with β -lactones initiated by rare earth triflates. <i>Polymer Degradation and Stability</i> , 2007, 92, 2214-2222.	2.7	36
53	New hyperbranched polyester modified DGEBA thermosets with improved chemical reworkability. <i>Polymer Degradation and Stability</i> , 2010, 95, 445-452.	2.7	36
54	Novel epoxy-anhydride thermosets modified with a hyperbranched polyester as toughness enhancer. I. Kinetics study. <i>Thermochimica Acta</i> , 2012, 544, 17-26.	1.2	36

#	ARTICLE	IF	CITATIONS
55	Enhancement in the Glass Transition Temperature in Latent Thiol-Epoxy Click Cured Thermosets. <i>Polymers</i> , 2015, 7, 680-694.	2.0	36
56	Thermoset Cure Kinetics by Isoconversional Methods. <i>Magyar Árvad Kzlemnyek</i> , 1999, 56, 771-781.	1.4	35
57	Influence of lanthanide triflate compounds on formation of networks from DGEBA and β -butyrolactone. <i>Journal of Polymer Science Part A</i> , 2004, 42, 3782-3791.	2.5	35
58	Multiair star poly(glycidol)-block-poly(β -caprolactone) of different arm lengths and their use as modifiers of diglycidylether of bisphenol a thermosets. <i>Journal of Polymer Science Part A</i> , 2011, 49, 2395-2406.	2.5	35
59	Preparation and characterization of dual-curable off-stoichiometric amine-epoxy thermosets with latent reactivity. <i>Polymer</i> , 2018, 146, 42-52.	1.8	33
60	Effect of the initiator content and temperature on the curing of an unsaturated polyester resin. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1999, 37, 751-768.	2.4	32
61	FTIR/ATR study of the copolymerization of diglycidyl ether of Bisphenol A with methyl-substituted β -lactones catalyzed by rare earth triflate initiators. <i>Journal of Polymer Science Part A</i> , 2007, 45, 2129-2141.	2.5	32
62	Novel epoxy-silica hybrid coatings by using ethoxysilyl-modified hyperbranched poly(ethyleneimine) with improved scratch resistance. <i>Polymer</i> , 2014, 55, 5028-5035.	1.8	31
63	Study of Lanthanide Triflates as New Curing Initiators for Cycloaliphatic Epoxy Resins. <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 2554-2564.	1.1	30
64	Improvement of epoxy thermosets using a thiol-ene based polyester hyperbranched polymer as modifier. <i>Polymer International</i> , 2012, 61, 727-734.	1.6	30
65	Novel thermal curing of cycloaliphatic resins by thiol-epoxy click process with several multifunctional thiols. <i>Polymer International</i> , 2017, 66, 1697-1707.	1.6	30
66	A kinetic study of the effect of three catalytic systems on the curing of an unsaturated polyester resin. <i>Journal of Applied Polymer Science</i> , 1994, 51, 453-462.	1.3	29
67	Fully renewable thermosets based on bis-eugenol prepared by thiol-click chemistry. <i>Reactive and Functional Polymers</i> , 2019, 136, 153-166.	2.0	29
68	Characterization of new reworkable thermosetting coatings obtained by cationic and anionic curing of DGEBA and some Meldrum acid derivatives. <i>Progress in Organic Coatings</i> , 2009, 65, 175-181.	1.9	28
69	Thermoconductive Thermosetting Composites Based on Boron Nitride Fillers and Thiol-Epoxy Matrices. <i>Polymers</i> , 2018, 10, 277.	2.0	28
70	Influence of the initiating mechanism on the cationic photopolymerization of a cycloaliphatic epoxy resin with arylsulfonium salts. <i>Journal of Polymer Science Part A</i> , 2007, 45, 16-25.	2.5	27
71	Synthesis of a new multiair star polymer based on hyperbranched poly(styrene) core and poly(β -caprolactone) arms and its use as reactive modifier of epoxy thermosets. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4639-4649.	2.5	27
72	Synthesis of a new hyperbranched-linear-hyperbranched triblock copolymer and its use as a chemical modifier for the cationic photo and thermal curing of epoxy resins. <i>Journal of Polymer Science Part A</i> , 2012, 50, 1133-1142.	2.5	27

#	ARTICLE	IF	CITATIONS
73	Sequential curing of amine-acrylate-methacrylate mixtures based on selective aza-Michael addition followed by radical photopolymerization. <i>European Polymer Journal</i> , 2016, 84, 256-267.	2.6	27
74	Comparative study of the degradation kinetics of three powder thermoset coatings. <i>Thermochimica Acta</i> , 2004, 419, 181-187.	1.2	26
75	Cationic copolymerization of cycloaliphatic epoxy resin with a spirobis lactone with lanthanum triflate as initiator: I. Characterization and shrinkage. <i>Journal of Polymer Science Part A</i> , 2005, 43, 3421-3432.	2.5	26
76	Synthesis of a New Hyperbranched Polyaminoester and Its Use as a Reactive Modifier in Anionic Curing of DGEBA Thermosets. <i>Macromolecular Chemistry and Physics</i> , 2010, 211, 1879-1889.	1.1	26
77	Thermal curing and photocuring of an epoxy resin modified with a hyperbranched polymer. <i>Thermochimica Acta</i> , 2010, 510, 1-8.	1.2	26
78	Simultaneous Monitoring of Curing Shrinkage and Degree of Cure of Thermosets by Attenuated Total Reflection Fourier Transform Infrared (ATR FT-IR) Spectroscopy. <i>Applied Spectroscopy</i> , 2013, 67, 1427-1436.	1.2	26
79	Structural analysis of the curing of epoxy thermosets crosslinked with hyperbranched poly(ethyleneimine)s. <i>European Polymer Journal</i> , 2015, 70, 286-305.	2.6	26
80	Non-isothermal degradation of a thermoset powder coating in inert and oxidant atmospheres. <i>Journal of Thermal Analysis and Calorimetry</i> , 2003, 72, 719-728.	2.0	25
81	Isothermal kinetics of photopolymerization and thermal polymerization of bis-GMA/TEGDMA resins. <i>Journal of Thermal Analysis and Calorimetry</i> , 2008, 92, 513-522.	2.0	25
82	New thermosets obtained by cationic copolymerization of DGEBA with $\hat{1}^3$ -caprolactone with improvement in the shrinkage. II. Time-temperature-transformation (TTT) cure diagram. <i>Journal of Applied Polymer Science</i> , 2007, 104, 3406-3416.	1.3	24
83	Crosslinking of mixtures of DGEBA with 1,6-dioxaspiro[4,4]nonan-2,7-dione initiated by tertiary amines. I. Study of the reaction and kinetic analysis. <i>Journal of Applied Polymer Science</i> , 2008, 109, 2304-2315.	1.3	24
84	Kinetic studies of the degradation of poly(vinyl alcohol)-based proton-conducting membranes at low temperatures. <i>Thermochimica Acta</i> , 2011, 521, 139-147.	1.2	24
85	Multifunctional allyl-terminated hyperbranched poly(ethyleneimine) as component of new thiol-ene/thiol-epoxy materials. <i>Reactive and Functional Polymers</i> , 2016, 99, 17-25.	2.0	24
86	Preparation of poly(thiourethane) thermosets by controlled thiol-isocyanate click reaction using a latent organocatalyst. <i>Reactive and Functional Polymers</i> , 2019, 134, 174-182.	2.0	24
87	The Use of Click-Type Reactions in the Preparation of Thermosets. <i>Polymers</i> , 2020, 12, 1084.	2.0	24
88	Thermal analysis characterization of the degradation of biodegradable starch blends in soil. <i>Journal of Applied Polymer Science</i> , 2005, 96, 358-371.	1.3	23
89	Reduction of the shrinkage of thermosets by the cationic curing of mixtures of diglycidyl ether of bisphenol A and 6,6-dimethyl-(4,8-dioxaspiro[2.5]octane-5,7-dione). <i>Journal of Polymer Science Part A</i> , 2006, 44, 6869-6879.	2.5	23
90	Sequential curing of thiol-acetoacetate-acrylate thermosets by latent Michael addition reactions. <i>Polymer</i> , 2017, 113, 193-199.	1.8	23

#	ARTICLE	IF	CITATIONS
91	Kinetic studies on the thermal polymerization of N-chloroacetyl-11-aminoundecanoate potassium salt. <i>Journal of Polymer Science Part A</i> , 2005, 43, 1166-1176.	2.5	22
92	Multiarmed star with poly(ethyleneimine) core and poly(ϵ -caprolactone) arms as modifiers of diglycidylether of bisphenol A thermosets cured by 1-methylimidazole. <i>Reactive and Functional Polymers</i> , 2013, 73, 431-441.	2.0	22
93	Theoretical and experimental conversion in the curing of unsaturated polyester resins with styrene as a crosslinking agent. <i>Journal of Applied Polymer Science</i> , 1992, 45, 227-236.	1.3	21
94	Crosslinking of mixtures of diglycidylether of bisphenol A with 1,6-dioxaspiro[4.4]nonan-2,7-dione initiated by tertiary amines: III. Effect of hydroxyl groups on network formation. <i>Polymer International</i> , 2009, 58, 1401-1410.	1.6	21
95	Sequential dual curing by selective Michael addition and free radical polymerization of acetoacetate-acrylate-methacrylate mixtures. <i>European Polymer Journal</i> , 2018, 98, 39-46.	2.6	21
96	Recyclable Organocatalyzed Poly(Thiourethane) Covalent Adaptable Networks. <i>Polymers</i> , 2020, 12, 2913.	2.0	21
97	Improved thermosets obtained from cycloaliphatic epoxy resins and ϵ -butyrolactone with lanthanide triflates as initiators. I. Study of curing by differential scanning calorimetry and Fourier transform infrared. <i>Journal of Polymer Science Part A</i> , 2005, 43, 2337-2347.	2.5	20
98	Effect of hydroxyl ended and end-capped multiarmed star polymers on the curing process and mechanical characteristics of epoxy/anhydride thermosets. <i>Progress in Organic Coatings</i> , 2014, 77, 1288-1298.	1.9	20
99	Cure kinetics modeling and thermomechanical properties of cycloaliphatic epoxy-anhydride thermosets modified with hyperstar polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1227-1242.	2.4	20
100	Curing kinetics and characterization of dual-curable thiol-acrylate-epoxy thermosets with latent reactivity. <i>Reactive and Functional Polymers</i> , 2018, 122, 60-67.	2.0	20
101	Calorimetric analysis of the curing behavior of an unsaturated polyester resin using different catalytic systems. <i>Thermochimica Acta</i> , 1988, 134, 261-267.	1.2	19
102	Combined use of sepiolite and a hyperbranched polyester in the modification of epoxy/anhydride coatings: A study of the curing process and the final properties. <i>Progress in Organic Coatings</i> , 2012, 75, 364-372.	1.9	19
103	The Effect of the Degree of Branching in Hyperbranched Polyesters Used as Reactive Modifiers in Epoxy Thermosets. <i>Macromolecular Materials and Engineering</i> , 2012, 297, 85-94.	1.7	19
104	New Epoxy Thermosets Derived from Clove Oil Prepared by Epoxy-Amine Curing. <i>Polymers</i> , 2020, 12, 44.	2.0	19
105	New thermosets obtained by the cationic copolymerization of diglycidyl ether of bisphenol A with ϵ -caprolactone with an improvement in the shrinkage. I. Study of the chemical processes and physical characteristics. <i>Journal of Polymer Science Part A</i> , 2007, 45, 1968-1979.	2.5	18
106	Influence of the end groups of hyperbranched poly(glycidol) on the cationic curing and morphology of diglycidylether of bisphenol A thermosets. <i>Reactive and Functional Polymers</i> , 2011, 71, 380-389.	2.0	18
107	Ytterbium triflate as a new catalyst on the curing of epoxy-isocyanate based thermosets. <i>Thermochimica Acta</i> , 2012, 543, 188-196.	1.2	18
108	New anhydride/epoxy thermosets based on diglycidyl ether of bisphenol A and 10-undecenoyl modified poly(ethyleneimine) with improved impact resistance. <i>Progress in Organic Coatings</i> , 2015, 85, 52-59.	1.9	18

#	ARTICLE	IF	CITATIONS
109	Thermal curing of an epoxy-anhydride system modified with hyperbranched poly(ethylene imine)s with different terminal groups. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017, 127, 645-654.	2.0	18
110	Cationic copolymerization of cycloaliphatic epoxy resin with an spirobis lactone with lanthanum triflate as initiator. <i>Thermochimica Acta</i> , 2005, 438, 144-154.	1.2	17
111	Influence of the proportion of ytterbium triflate as initiator on the mechanism of copolymerization of DGEBA epoxy resin and β -butyrolactone. <i>Journal of Thermal Analysis and Calorimetry</i> , 2008, 91, 385-393.	2.0	17
112	Modification of epoxy-anhydride thermosets with a hyperbranched poly(ester amide). II. Thermal, dynamic mechanical, and dielectric properties and thermal reworkability. <i>Journal of Applied Polymer Science</i> , 2013, 128, 4001-4013.	1.3	17
113	Isothermal degradation and thermooxidative degradation of an epoxy powder coating. <i>Journal of Thermal Analysis and Calorimetry</i> , 2005, 80, 163-169.	2.0	16
114	Cationic crosslinking of solid dgeba resins with ytterbium(III) trifluoromethanesulfonate as initiator. <i>Journal of Thermal Analysis and Calorimetry</i> , 2006, 83, 429-438.	2.0	16
115	Curing and characterization of oxazolidone-isocyanurate-ether networks. <i>Journal of Applied Polymer Science</i> , 2012, 125, 2779-2789.	1.3	16
116	Tailor-made thermosets obtained by sequential dual-curing combining isocyanate-thiol and epoxy-thiol click reactions. <i>Polymer</i> , 2019, 174, 200-209.	1.8	16
117	Crosslinking study of mixtures of DGEBA and 1,3-dioxan-2-one catalyzed by lanthanide triflates. <i>Journal of Polymer Science Part A</i> , 2005, 43, 5799-5813.	2.5	15
118	Synthesis, characterization, and rheological properties of multiarm stars with poly(glycidol) core and poly(methyl methacrylate) arms by AGET ATRP. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3138-3151.	2.5	15
119	New epoxy thermosets modified with multiarm star poly(lactide) with poly(ethyleneimine) as core of different molecular weight. <i>European Polymer Journal</i> , 2013, 49, 2316-2326.	2.6	15
120	Hard epoxy thermosets obtained via two sequential epoxy-amine condensations. <i>European Polymer Journal</i> , 2019, 116, 222-231.	2.6	15
121	Dual-cured thermosets from glycidyl methacrylate obtained by epoxy-amine reaction and methacrylate homopolymerization. <i>Reactive and Functional Polymers</i> , 2021, 159, 104822.	2.0	15
122	Enhancement of 3D-Printable Materials by Dual-Curing Procedures. <i>Materials</i> , 2021, 14, 107.	1.3	15
123	Synthesis and characterization of new bio-based poly(acylhydrazone) vanillin vitrimers. <i>Polymer Chemistry</i> , 2022, 13, 1510-1519.	1.9	15
124	New thermosets obtained by copolymerization of DGEBA with 1,5,7,11-tetraoxaspiro[5,5]undecane catalyzed by lanthanide triflates. <i>Polymer</i> , 2005, 46, 6878-6887.	1.8	14
125	Study on the effect of rare earth metal triflates as initiators in the cationic curing of DGEBA/ β -valerolactone mixtures and characterization of the thermosets obtained. <i>European Polymer Journal</i> , 2009, 45, 1282-1292.	2.6	14
126	Multiarm star poly(glycidol)-block-poly(styrene) as modifier of anionically cured diglycidylether of bisphenol A thermosetting coatings. <i>Progress in Organic Coatings</i> , 2012, 73, 62-69.	1.9	14

#	ARTICLE	IF	CITATIONS
127	Epoxy/anhydride networks modified with polyhedral oligomeric silsesquioxanes. <i>Polymer Composites</i> , 2013, 34, 96-108.	2.3	14
128	Epoxy/anhydride thermosets modified with end-capped star polymers with poly(ethyleneimine) cores of different molecular weight and poly(ϵ -caprolactone) arms. <i>EXPRESS Polymer Letters</i> , 2015, 9, 809-823.	1.1	14
129	Anionic copolymerization of DGEBA with two bicyclic bis(β -lactone) derivatives using tertiary amines as initiators. <i>Polymer</i> , 2009, 50, 2228-2236.	1.8	13
130	Study of the thermal degradation of bioactive sol-gel coatings for the optimization of its curing process. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012, 107, 499-508.	2.0	13
131	Enhancement of the impact strength of cationically cured cycloaliphatic diepoxide by adding hyperbranched poly(glycidol) partially modified with 10-undecenoyl chains. <i>European Polymer Journal</i> , 2013, 49, 1610-1620.	2.6	13
132	New epoxy thermosets modified with amphiphilic multiarm star polymers as toughness enhancer. <i>Reactive and Functional Polymers</i> , 2014, 83, 132-143.	2.0	13
133	Thiol-yne/thiol-epoxy hybrid crosslinked materials based on propargyl modified hyperbranched poly(ethyleneimine) and diglycidylether of bisphenol A resins. <i>RSC Advances</i> , 2016, 6, 61576-61584.	1.7	13
134	Kinetic study by FTIR and DSC on the cationic curing of a DGEBA/ β -valerolactone mixture with ytterbium triflate as an initiator. <i>Thermochimica Acta</i> , 2008, 479, 37-44.	1.2	12
135	New thermosets obtained from bisphenol A diglycidyl ether and hydroxyl-terminated hyperbranched polymers partially blocked with benzoyl and trimethylsilyl groups. <i>Polymer International</i> , 2011, 60, 389-397.	1.6	12
136	New allyl-functional catalytic comonomers for sequential thiol-Michael and radical thiol-ene reactions. <i>Polymer</i> , 2018, 138, 369-377.	1.8	12
137	Time-temperature-transformation (TTT) diagram of a dual-curable off-stoichiometric epoxy-amine system with latent reactivity. <i>Thermochimica Acta</i> , 2018, 666, 124-134.	1.2	12
138	Crosslinking of mixtures of DGEBA with 1,6-dioxaspiro[4.4]nonan-2,7-dione initiated by tertiary amines, Part II: Thermo-mechanical properties and reworkability. <i>Polymer Degradation and Stability</i> , 2008, 93, 760-769.	2.7	11
139	DGEBA thermosets modified with an amphiphilic star polymer. Study on the effect of the initiator on the curing process and morphology. <i>Polymer</i> , 2011, 52, 5009-5017.	1.8	11
140	New Improved Thermosets Obtained From Diglycidylether of Bisphenol A and a Multiarm Star Copolymer Based on Hyperbranched Poly(glycidol) Core and Poly(methyl methacrylate) Arms. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 335-343.	1.1	11
141	New chemically reworkable epoxy coatings obtained by the addition of polyesters with star topologies to diglycidyl ether of bisphenol A resins. <i>Progress in Organic Coatings</i> , 2013, 76, 1616-1624.	1.9	11
142	Sequential heat release: an innovative approach for the control of curing profiles during composite processing based on dual-curing systems. <i>Polymer International</i> , 2019, 68, 527-545.	1.6	11
143	Cationic copolymerization of diglycidyl ether of bisphenol A with phthalide or 3,3'-diphtalide catalyzed by lanthanide triflates. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1711-1721.	2.5	10
144	Kinetic analysis by DSC of the cationic curing of mixtures of DGEBA and 6,6-dimethyl (4,8-dioxaspiro[2.5]octane-5,7-dione). <i>Thermochimica Acta</i> , 2007, 464, 35-41.	1.2	10

#	ARTICLE	IF	CITATIONS
145	Effect of oxygen on the photopolymerization of a mixture of two dimethacrylates. <i>Thermochimica Acta</i> , 2007, 463, 81-86.	1.2	10
146	Influence of the addition of erbium and ytterbium triflates in the curing kinetics of a DGEBA/o-tolybiguanide powder mixture. <i>Journal of Thermal Analysis and Calorimetry</i> , 2007, 89, 223-231.	2.0	10
147	New Thermosets Obtained by Thermal and UV-Induced Cationic Copolymerization of DGEBA with 4-Phenylbutyrolactone. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 1450-1460.	1.1	10
148	Dielectric, Thermal, and Mechanical Properties of Acrylonitrile Butadiene Styrene Reinforced with Used Tires. <i>Advances in Polymer Technology</i> , 2013, 32, .	0.8	10
149	Electrical application of polyamide reinforced with old tire rubber (ground tire rubber). <i>Journal of Thermoplastic Composite Materials</i> , 2014, 27, 1209-1231.	2.6	10
150	Mechanical characterization of sol-gel epoxy-silylated hyperbranched poly(ethyleneimine) coatings by means of Depth Sensing Indentation methods. <i>Progress in Organic Coatings</i> , 2016, 92, 16-22.	1.9	10
151	Thermomechanical Properties and Shape-Memory Behavior of Bisphenol A Diacrylate-Based Shape-Memory Polymers. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 39-50.	1.1	10
152	Behavior of nonazeotropic compositions of a styrene-unsaturated polyester resin analyzed through FTIR spectroscopy and dynamic mechanical thermal analysis. <i>Journal of Applied Polymer Science</i> , 2003, 89, 3618-3625.	1.3	9
153	Novel thermosets obtained by UV-induced cationic copolymerization of DGEBA with an spirobis lactone. <i>Journal of Polymer Science Part A</i> , 2007, 45, 5446-5458.	2.5	9
154	Unexpected differences between thermal and photoinitiated cationic curing of a diglycidyl ether of bisphenol A modified with a multiarm star poly(styrene)-b-poly(μ -caprolactone) polymer. <i>EXPRESS Polymer Letters</i> , 2013, 7, 565-576.	1.1	9
155	Highly exfoliated nanostructure in trifunctional epoxy/clay nanocomposites using boron trifluoride as initiator. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	9
156	Photocuring of cycloaliphatic epoxy formulations using polyesters with multiarm star topology as additives. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	9
157	Kinetics analysis and simulation of sequential epoxy dual-curing systems with independent thermal activation. <i>Thermochimica Acta</i> , 2019, 673, 158-168.	1.2	9
158	Addition effect of erbium(III) trifluoromethanesulfonate in the homopolymerization kinetics of a DGEBA resin. <i>Thermochimica Acta</i> , 2006, 441, 45-52.	1.2	8
159	Poly[(4-hydroxybutyric acid)-alt-(glycolic acid)]: Synthesis by Thermal Polycondensation of Metal Salts of 4-Chlorobutyric Acid Carboxymethyl Ester. <i>Macromolecular Chemistry and Physics</i> , 2006, 207, 90-103.	1.1	8
160	New epoxy thermosets obtained from diglycidylether of bisphenol a and modified hyperbranched polyesters with long aliphatic chains cured by diisocyanates. <i>Polymer Engineering and Science</i> , 2012, 52, 2597-2610.	1.5	8
161	Thermal analysis of enhanced poly(vinyl alcohol)-based proton-conducting membranes crosslinked with sulfonation agents for direct methanol fuel cells. <i>Journal of Applied Polymer Science</i> , 2012, 124, E57.	1.3	8
162	Enhanced chemical reworkability of DGEBA thermosets cured with rare earth triflates using aromatic hyperbranched polyesters (HBP) and multiarm star HBP-poly(μ -caprolactone) as modifiers. <i>Polymers for Advanced Technologies</i> , 2013, 24, 962-970.	1.6	8

#	ARTICLE	IF	CITATIONS
163	Influence of end groups in hyperbranched polyesters used as modifiers in the characteristics of epoxy thermosets cured by adipic dihydrazide. <i>EXPRESS Polymer Letters</i> , 2013, 7, 595-606.	1.1	8
164	New Epoxy-Anhydride Thermosets Modified with Multiarm Stars with Hyperbranched Polyester Cores and Poly(μ -caprolactone) Arms. <i>Polymer-Plastics Technology and Engineering</i> , 2014, 53, 645-654.	1.9	8
165	Hybrid epoxy networks from ethoxysilyl-modified hyperbranched poly(ethyleneimine) and inorganic reactive precursors. <i>European Polymer Journal</i> , 2015, 70, 18-27.	2.6	8
166	Photocuring and thermal post-curing of a cycloaliphatic epoxide resin with a trithiol and a vinyl epoxy compound. <i>Journal of Thermal Analysis and Calorimetry</i> , 2015, 121, 389-395.	2.0	8
167	Curing kinetics of acrylate-based and 3D printable IPNs. <i>Thermochimica Acta</i> , 2020, 692, 178754.	1.2	8
168	Novel hybrid organic/inorganic poly(thiourethane) covalent adaptable networks. <i>European Polymer Journal</i> , 2022, 174, 111337.	2.6	8
169	Effects of experimental sample mass on the calorimetric study of thermoset resins. <i>Journal of Thermal Analysis</i> , 1992, 38, 917-927.	0.7	7
170	N,N-dimethylaminopyridine as initiator in the copolymerization of diglycidylether of bisphenol A with six-membered cyclic carbonates. <i>Journal of Polymer Science Part A</i> , 2006, 44, 2873-2882.	2.5	7
171	Kinetic study of the curing of mixtures of DGEBA and five-membered cyclic carbonates with lanthanum triflate as cationic initiator. <i>Journal of Applied Polymer Science</i> , 2007, 103, 2875-2884.	1.3	7
172	New poly(ether-ester) thermosets obtained by cationic curing of DGEBA and 7,7-dimethyl-6,8-dioxaspiro[3.5] nonane-5,9-dione with several Lewis acids as initiators. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1229-1239.	2.5	7
173	New thermosets obtained from DGEBA and Meldrum acid with lanthanum and ytterbium triflates as cationic initiators. <i>European Polymer Journal</i> , 2008, 44, 1535-1547.	2.6	7
174	Cationic copolymerization of DGEBA with two bicyclic bis(β -lactone) derivatives using rare earth metal triflates as initiators. <i>Polymer</i> , 2009, 50, 1838-1845.	1.8	7
175	Effect of a hyperbranched polymer over the thermal curing and the photocuring of an epoxy resin. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011, 105, 479-488.	2.0	7
176	Thermal curing and photocuring of a DGEBA modified with multiarm star poly(glycidol)-b-poly(μ -caprolactone) polymers of different arm lengths. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013, 114, 409-416.	2.0	7
177	Comparative analysis of stochastic network build-up methods for the curing of epoxy-anhydride thermosets. <i>European Polymer Journal</i> , 2014, 53, 22-36.	2.6	7
178	Mechanical, dielectric and enthalpic relaxation of a thermosetting powder coating based on carboxyl-terminated polyester and triglycidylisocyanurate. <i>Progress in Organic Coatings</i> , 2004, 51, 139-144.	1.9	6
179	Calorimetric studies of PP/Mater-Bi blends aged in soil. <i>Journal of Applied Polymer Science</i> , 2006, 100, 3446-3453.	1.3	6
180	Cationic curing of diglycidyl ether of bisphenol A and 2,2,5,5-tetramethyl-4,6-dioxo-1,3-dioxane and degradation of the thermosets obtained. <i>Journal of Applied Polymer Science</i> , 2008, 108, 1229-1237.	1.3	6

#	ARTICLE	IF	CITATIONS
181	Electrical application of polystyrene (PS) reinforced with old tire rubber (GTR): dielectric, thermal, and mechanical properties. <i>Science and Engineering of Composite Materials</i> , 2013, 20, 233-244.	0.6	6
182	Time-temperature-transformation (TTT) diagram of dual-curable epoxy thermosets obtained via two sequential epoxy-amine condensations. <i>Thermochimica Acta</i> , 2019, 678, 178305.	1.2	6
183	Study Analysis of Thermal, Dielectric, and Functional Characteristics of an Ethylene Polyethylene Diene Monomer Blended with End-of-Life Tire Microparticles Amounts. <i>Polymers</i> , 2021, 13, 509.	2.0	6
184	Curing kinetics of dually-processed acrylate-epoxy 3D printing resins. <i>Thermochimica Acta</i> , 2021, 701, 178963.	1.2	6
185	A Versatile Thiol-ene- <i>S</i> - <i>G</i> -el Two-Stage Curing Process Based on a Hyperbranched Polyester with Different Degrees of 10-undecenoyl Modification. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 495-503.	1.7	5
186	Fluorescent thiol-epoxy thermosets obtained from diglycidylether of bisphenol A and carbazole based diepoxy monomer. <i>Reactive and Functional Polymers</i> , 2017, 116, 107-113.	2.0	5
187	Acetoacetate Based Thermosets Prepared by Dual-Michael Addition Reactions. <i>Polymers</i> , 2019, 11, 1408.	2.0	5
188	Synthesis of poly(glycolic acid-alt-12-aminododecanoic acid): The thermal polymerization kinetics of sodium-N-chloroacetyl-12-aminododecanoate. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1199-1213.	2.5	4
189	Improved epoxy thermosets by the use of poly(ethyleneimine) derivatives. <i>Physical Sciences Reviews</i> , 2017, 2, .	0.8	4
190	Actuator Behaviour of Tailored Poly(thiourethane) Shape Memory Thermosets. <i>Polymers</i> , 2021, 13, 1571.	2.0	4
191	Cost-Effectively 3D-Printed Rigid and Versatile Interpenetrating Polymer Networks. <i>Materials</i> , 2021, 14, 4544.	1.3	4
192	Sequential photo-thermal curing of (meth)acrylate-epoxy thiol formulations. <i>Polymer</i> , 2021, 230, 124073.	1.8	4
193	Structural and phenomenological study on the cationic curing of mixtures of epoxy resin and 5,5-dimethyl-1,3-dioxane-2-one. <i>Journal of Polymer Science Part A</i> , 2006, 44, 4546-4558.	2.5	3
194	Curing of mixtures of epoxy resins and 4-methyl-1,3-dioxolan-2-one with several initiators. <i>Journal of Applied Polymer Science</i> , 2006, 102, 2086-2093.	1.3	3
195	Anionic copolymerization of diglycidyl ether of bisphenol A with Meldrum's acid derivatives initiated by 4-(<i>N,N</i> -dimethylamino) pyridine. <i>Journal of Applied Polymer Science</i> , 2009, 111, 1805-1815.	1.3	2
196	Synthesis of 1,2,3-triazole functionalized hyperbranched poly(ethyleneimine) and its use as multifunctional anionic macroinitiator for diglycidyl ether of bisphenol A curing. <i>European Polymer Journal</i> , 2016, 85, 390-400.	2.6	2
197	Epoxy Doped, Nano-scale Phase-separated Polyacrylates with Potential in 3D Printing. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2000558.	1.7	2
198	Synthesis of a new diglycidyl Meldrum acid derivative and study of the curing with lanthanide triflates as initiators. <i>Journal of Polymer Science Part A</i> , 2008, 46, 3088-3097.	2.5	1

#	ARTICLE	IF	CITATIONS
199	Mechanical relaxations of poly(L-aspartate)s. Journal of Applied Polymer Science, 2006, 99, 994-1003.	1.3	0
200	Copolymerization of diglycidylether of bisphenol A and bicyclic bis(lactone)s using rare earth metal triflates as initiators studied with infrared spectroscopy. Polymer International, 2010, 59, 1039-1045.	1.6	0