

Timothy Card

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8404495/publications.pdf>

Version: 2024-02-01

124
papers

9,587
citations

38742

50
h-index

37204

96
g-index

131
all docs

131
docs citations

131
times ranked

11699
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and management of adult coeliac disease: guidelines from the British Society of Gastroenterology. <i>Gut</i> , 2014, 63, 1210-1228.	12.1	870
2	The epidemiology of irritable bowel syndrome. <i>Clinical Epidemiology</i> , 2014, 6, 71.	3.0	606
3	Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. <i>Lancet</i> , The, 2010, 375, 657-663.	13.7	591
4	Incidence of venous thromboembolism in patients with cancer – A cohort study using linked United Kingdom databases. <i>European Journal of Cancer</i> , 2013, 49, 1404-1413.	2.8	380
5	Review article: the economic impact of the irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1023-1034.	3.7	333
6	Malignancy and mortality in people with coeliac disease: population based cohort study. <i>BMJ: British Medical Journal</i> , 2004, 329, 716-719.	2.3	294
7	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Gut</i> , 2004, 53, 1070-1074.	12.1	244
8	5-Aminosalicylate use and colorectal cancer risk in inflammatory bowel disease: a large epidemiological study. <i>Gut</i> , 2005, 54, 1573-1578.	12.1	240
9	Incidence and Prevalence of Celiac Disease and Dermatitis Herpetiformis in the UK Over Two Decades: Population-Based Study. <i>American Journal of Gastroenterology</i> , 2014, 109, 757-768.	0.4	227
10	Incidence, Mortality, and Disease Associations of Pyoderma Gangrenosum in the United Kingdom: A Retrospective Cohort Study. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2166-2170.	0.7	192
11	Fracture risk in people with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2003, 125, 429-436.	1.3	179
12	Reduced Mortality Rates Following Elective Percutaneous Liver Biopsies. <i>Gastroenterology</i> , 2010, 139, 1230-1237.	1.3	176
13	Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study. <i>Journal of Hepatology</i> , 2008, 49, 732-738.	3.7	152
14	Antibiotic exposure and the development of coeliac disease: a nationwide case–control study. <i>BMC Gastroenterology</i> , 2013, 13, 109.	2.0	151
15	Risk of Cancer in Inflammatory Bowel Disease Treated With Azathioprine: A UK Population-Based Case–Control Study. <i>American Journal of Gastroenterology</i> , 2010, 105, 1604-1609.	0.4	143
16	Mortality in inflammatory bowel disease: a population-based cohort study. <i>Gastroenterology</i> , 2003, 125, 1583-1590.	1.3	142
17	Antibiotic use and the development of Crohn's disease. <i>Gut</i> , 2004, 53, 246-250.	12.1	139
18	Psychological morbidity of celiac disease: A review of the literature. <i>United European Gastroenterology Journal</i> , 2015, 3, 136-145.	3.8	138

#	ARTICLE	IF	CITATIONS
19	Prevalence of clinically significant liver disease within the general population, as defined by non-invasive markers of liver fibrosis: a systematic review. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 288-297.	8.1	138
20	Fertility and pregnancy-related events in women with celiac disease: A population-based cohort study. <i>Gastroenterology</i> , 2005, 128, 849-855.	1.3	128
21	Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. <i>Gut</i> , 2004, 53, 251-255.	12.1	126
22	General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. <i>Heart</i> , 2005, 91, 465-471.	2.9	125
23	All-cause mortality in people with cirrhosis compared with the general population: a population-based cohort study. <i>Liver International</i> , 2012, 32, 79-84.	3.9	125
24	Incidence and mortality of primary sclerosing cholangitis in the UK: A population-based cohort study. <i>Journal of Hepatology</i> , 2008, 48, 939-944.	3.7	124
25	Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 73-79.	3.7	120
26	Monitoring methotrexate-induced hepatic fibrosis in patients with psoriasis: are serial liver biopsies justified?. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 391-399.	3.7	103
27	The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 32, 1343-1350.	3.7	103
28	Tricyclic antidepressants and the incidence of certain cancers: a study using the GPRD. <i>British Journal of Cancer</i> , 2011, 104, 193-197.	6.4	103
29	Screening for celiac disease in the general population and in high-risk groups. <i>United European Gastroenterology Journal</i> , 2015, 3, 106-120.	3.8	103
30	Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 769-775.	3.7	98
31	Proton pump inhibitor prescribing patterns in the UK: a primary care database study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1079-1087.	1.9	94
32	When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. <i>Blood</i> , 2016, 127, 849-857.	1.4	93
33	Comorbidities Affect Risk of Nonvariceal Upper Gastrointestinal Bleeding. <i>Gastroenterology</i> , 2013, 144, 1384-1393.e2.	1.3	90
34	Fracture Risk in People With Primary Biliary Cirrhosis: A Population-Based Cohort Study. <i>Gastroenterology</i> , 2006, 131, 1752-1757.	1.3	89
35	Reductions in 28-Day Mortality Following Hospital Admission for Upper Gastrointestinal Hemorrhage. <i>Gastroenterology</i> , 2011, 141, 62-70.	1.3	87
36	Direct targeting of risk factors significantly increases the detection of liver cirrhosis in primary care: a cross-sectional diagnostic study utilising transient elastography. <i>BMJ Open</i> , 2015, 5, e007516-e007516.	1.9	86

#	ARTICLE	IF	CITATIONS
37	Outcomes following early red blood cell transfusion in acute upper gastrointestinal bleeding. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 32, 215-224.	3.7	84
38	Decreased fertility rates in 9639 women diagnosed with inflammatory bowel disease: a United Kingdom population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 855-866.	3.7	79
39	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 175-181.	3.7	78
40	The antecedents of biliary cancer: a primary care case-control study in the United Kingdom. <i>British Journal of Cancer</i> , 2009, 100, 178-180.	6.4	78
41	Limited Risks of Major Congenital Anomalies in Children of Mothers With IBD and Effects of Medications. <i>Gastroenterology</i> , 2014, 146, 76-84.	1.3	78
42	Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: A population-based cohort study. <i>Hepatology</i> , 2007, 46, 1131-1137.	7.3	76
43	The long-term risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 730-739.	3.7	70
44	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. <i>BMJ Open</i> , 2015, 5, e007974-e007974.	1.9	69
45	Mortality Associated with Barrett's Esophagus and Gastroesophageal Reflux Disease Diagnoses-A Population-Based Cohort Study. <i>American Journal of Gastroenterology</i> , 2005, 100, 2616-2621.	0.4	64
46	Community acquired pneumonia incidence before and after proton pump inhibitor prescription: population based study. <i>BMJ</i> , The, 2016, 355, i5813.	6.0	63
47	Causes of Death in People With Celiac Disease Spanning the Pre- and Post-Serology Era: A Population-Based Cohort Study From Derby, UK. <i>American Journal of Gastroenterology</i> , 2011, 106, 933-939.	0.4	61
48	Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 983-990.	3.7	61
49	Cause-Specific Mortality of People With Barrett's Esophagus Compared With the General Population: A Population-Based Cohort Study. <i>Gastroenterology</i> , 2013, 144, 1375-1383.e1.	1.3	59
50	Aspirin and other non-steroidal anti-inflammatory drug use and colorectal cancer survival: a cohort study. <i>British Journal of Cancer</i> , 2012, 107, 1602-1607.	6.4	54
51	Risk of Cardiovascular and Cerebrovascular Events in Primary Biliary Cirrhosis: A Population-Based Cohort Study. <i>American Journal of Gastroenterology</i> , 2008, 103, 2784-2788.	0.4	52
52	Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. <i>Gut</i> , 2015, 64, 1220-1226.	12.1	50
53	Economic evaluation of a community-based diagnostic pathway to stratify adults for non-alcoholic fatty liver disease: a Markov model informed by a feasibility study. <i>BMJ Open</i> , 2017, 7, e015659.	1.9	50
54	Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 71-74.	3.7	49

#	ARTICLE	IF	CITATIONS
55	Is an internal comparison better than using national data when estimating mortality in longitudinal studies?. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 819-821.	3.7	45
56	Are IBD patients more likely to have a prior diagnosis of irritable bowel syndrome? Report of a caseâ€control study in the General Practice Research Database. <i>United European Gastroenterology Journal</i> , 2014, 2, 505-512.	3.8	44
57	Extra-Gastrointestinal Manifestations of Inflammatory Bowel Disease May Be Less Common Than Previously Reported. <i>Digestive Diseases and Sciences</i> , 2016, 61, 2619-2626.	2.3	42
58	An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. <i>BMC Gastroenterology</i> , 2011, 11, 95.	2.0	41
59	Support for patients with celiac disease: A literature review. <i>United European Gastroenterology Journal</i> , 2015, 3, 146-159.	3.8	41
60	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. <i>Radiology</i> , 2022, 302, 460-469.	7.3	41
61	The Incidence of Other Gastroenterological Disease following Diagnosis of Irritable Bowel Syndrome in the UK: A Cohort Study. <i>PLoS ONE</i> , 2014, 9, e106478.	2.5	40
62	Postâ€infectious IBS: Defining its clinical features and prognosis using an internetâ€based survey. <i>United European Gastroenterology Journal</i> , 2018, 6, 1245-1253.	3.8	40
63	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997â€2015. A populationâ€based cohort study. <i>Liver International</i> , 2020, 40, 1634-1644.	3.9	40
64	Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. <i>Gut</i> , 2012, 61, 514-520.	12.1	39
65	Pulse oximeter measurements vary across ethnic groups: an observational study in patients with COVID-19. <i>European Respiratory Journal</i> , 2022, 59, 2103246.	6.7	39
66	Risk of Stroke in 28,000 Patients with Celiac Disease: A Nationwide Cohort Study in Sweden. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012, 21, 860-867.	1.6	36
67	Diagnosis of Barrettâ€™s esophagus and esophageal varices using a magnetically assisted capsule endoscopy system. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 773-781.e1.	1.0	36
68	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. <i>Archives of Disease in Childhood</i> , 2015, 100, 466-473.	1.9	35
69	Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. <i>Journal of Hepatology</i> , 2018, 69, 697-704.	3.7	35
70	Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1621-1630.	1.9	34
71	Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. <i>Pharmacoeconomics</i> , 2016, 34, 181-194.	3.3	34
72	Variation in the risk of venous thromboembolism in people with colorectal cancer: a populationâ€based cohort study from England. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 641-649.	3.8	32

#	ARTICLE	IF	CITATIONS
73	Venous thromboembolism in children with cancer – A population-based cohort study. <i>Thrombosis Research</i> , 2014, 133, 340-344.	1.7	32
74	Obesity Is the Most Common Risk Factor for Chronic Liver Disease: Results From a Risk Stratification Pathway Using Transient Elastography. <i>American Journal of Gastroenterology</i> , 2019, 114, 1744-1752.	0.4	32
75	The risk of venous thromboembolism during and after hospitalisation in patients with inflammatory bowel disease activity. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 1099-1108.	3.7	31
76	Vedolizumab use is not associated with increased malignancy incidence: GEMINI LTS study results and post-marketing data. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 149-157.	3.7	31
77	Excess Long-Term Mortality following Non-Variceal Upper Gastrointestinal Bleeding: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2013, 10, e1001437.	8.4	28
78	The epidemiology of haemochromatosis: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2009, 29, 183-192.	3.7	27
79	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. <i>BMC Health Services Research</i> , 2012, 12, 392.	2.2	27
80	Risk of extra-oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 680-685.	1.5	26
81	An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 801-807.	1.5	26
82	Survival of glioma and colorectal cancer patients using tricyclic antidepressants post-diagnosis. <i>Cancer Causes and Control</i> , 2012, 23, 1959-1964.	1.8	24
83	Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0139389.	2.5	24
84	What Is the Risk of Progressive Multifocal Leukoencephalopathy in Patients With Ulcerative Colitis or Crohn's Disease Treated With Vedolizumab?. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 953-959.	1.9	23
85	The impact of reader fatigue on the accuracy of capsule endoscopy interpretation. <i>Digestive and Liver Disease</i> , 2021, 53, 1028-1033.	0.9	23
86	No seasonality in month of birth of inflammatory bowel disease cases: a prospective population based study of British under 20 year olds. <i>Gut</i> , 2002, 51, 814-815.	12.1	22
87	All-Cause and Cause-Specific Mortality Rates of Patients Treated for Alcohol use Disorders: A Meta-Analysis. <i>Substance Abuse</i> , 2018, 39, 509-517.	2.3	19
88	Mortality in people with coeliac disease: Long-term follow-up from a Scottish cohort. <i>United European Gastroenterology Journal</i> , 2019, 7, 377-387.	3.8	18
89	Disease Activity in Inflammatory Bowel Disease Is Associated With Arterial Vascular Disease. <i>Inflammatory Bowel Diseases</i> , 2021, 27, 629-638.	1.9	18
90	Use of rapid reading software to reduce capsule endoscopy reading times while maintaining accuracy. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 1322-1327.	1.0	15

#	ARTICLE	IF	CITATIONS
91	Diagnosing dysplasia in Barrett's oesophagus still requires Seattle protocol biopsy in the era of modern video endoscopy: results from a tertiary centre Barrett's dysplasia database. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 9-13.	1.5	12
92	Incidence comparison of adverse events in patients with inflammatory bowel disease receiving different biologic agents: retrospective long-term evaluation. <i>Intestinal Research</i> , 2022, 20, 114-123.	2.6	12
93	Neutral risk of lung cancer in adults with celiac disease ? nationwide cohort study. <i>Lung Cancer</i> , 2012, 78, 179-184.	2.0	11
94	The association of exposure to hepatitis B and C viruses with lung function and respiratory disease: A population based study from the NHANES III database. <i>Respiratory Medicine</i> , 2014, 108, 1733-1740.	2.9	10
95	Adrenergic blockers and the risk for common solid cancers: a case-control study. <i>European Journal of Cancer Prevention</i> , 2017, 26, 86-93.	1.3	10
96	The Pattern of Underlying Cause of Death in Patients with Inflammatory Bowel Disease in England: A Record Linkage Study. <i>Journal of Crohn's and Colitis</i> , 2016, 11, jjw192.	1.3	9
97	Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. <i>Cancer Causes and Control</i> , 2011, 22, 1743-1747.	1.8	7
98	The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. <i>BMC Health Services Research</i> , 2013, 13, 161.	2.2	7
99	Primary biliary cirrhosis does not increase the risk of <sc>UTI</sc>s following diagnosis compared to other chronic liver diseases?. <i>Liver International</i> , 2013, 33, 384-388.	3.9	6
100	The risk of Clostridium difficile infection in patients with pernicious anaemia: a retrospective cohort study using primary care database. <i>United European Gastroenterology Journal</i> , 2017, 5, 959-966.	3.8	6
101	Risk of mortality from suicide in patients with Huntington's disease is increased compared to the general population in England. <i>Journal of Neurology</i> , 2022, 269, 4436-4439.	3.6	6
102	The XL probe: A luxury or a necessity? Risk stratification in an obese community cohort using transient elastography. <i>United European Gastroenterology Journal</i> , 2018, 6, 1372-1379.	3.8	5
103	Acceptability of chronic liver disease screening in a UK primary care setting: a qualitative evaluation. <i>BMJ Open</i> , 2020, 10, e041574.	1.9	5
104	The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. <i>PLoS ONE</i> , 2016, 11, e0165507.	2.5	5
105	The risk of unexpected hospital admissions and primary care visits after an elective day-case gastroscopy: a cohort study within England. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 56-66.	3.7	5
106	Commentary: <sc>is CRP ready for use to</sc> indicate response or remission with infliximab in <sc>C</sc>ohn's?. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 960-961.	3.7	3
107	How to Critically Read the GI Epidemiology Literature. <i>Gastroenterology</i> , 2013, 145, 496-499.	1.3	2
108	Ethnicity and suicide risk: A population-based study from England. <i>Journal of Affective Disorders</i> , 2022, 298, 555-557.	4.1	2

#	ARTICLE	IF	CITATIONS
109	Incidence and pattern of mycophenolate discontinuation associated with abnormal monitoring blood-test results: cohort study using data from the Clinical Practice Research Datalink Aurum. <i>Rheumatology Advances in Practice</i> , 2022, 6, .	0.7	2
110	Disease activity and venous thromboembolism in inflammatory bowel disease â€“ Authors' reply. <i>Lancet</i> , The, 2010, 375, 1690-1691.	13.7	1
111	Letter: the burden of coâ€morbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 37, 1115-1115.	3.7	1
112	Editorial: ultra violet (UV) exposure and <scp>IBD</scp> â€“ should more be done to demonstrate an association before trying to find its mechanism?. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 728-729.	3.7	1
113	Reply to: â€œHip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?â€• <i>Journal of Hepatology</i> , 2019, 70, 213-214.	3.7	1
114	Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection. <i>Respiratory Medicine</i> , 2022, 197, 106858.	2.9	1
115	Corrigendum to â€œIncidence and prevalence of cirrhosis in the United Kingdom, 1992â€“2001: A general population-based studyâ€• [J Hepatol 49 (2008) 732â€“738]. <i>Journal of Hepatology</i> , 2009, 51, 233-234.	3.7	0
116	Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 681-682.	3.7	0
117	Reply. <i>Gastroenterology</i> , 2013, 145, 1496.	1.3	0
118	Response to van Zanten. <i>American Journal of Gastroenterology</i> , 2014, 109, 1953.	0.4	0
119	<scp>MDM</scp>2 expression in the progression of Barrett's oesophagus. <i>Histopathology</i> , 2018, 72, 1230-1233.	2.9	0
120	OTU-015â€…The accuracy and tolerability of magnet assisted capsule endoscopy for the investigation of oesophageal pathology. , 2018, , .		0
121	PTH-116â€…Barrettâ€™s neoplasia detection: systematic or targeted biopsy?. , 2018, , .		0
122	ADWE-07â€…How many capsule endoscopy cases can be read before accuracy is affected?. , 2018, , .		0
123	Letter: different risks of venous thromboembolism in subsets of patients with inflammatory bowel diseases â€“ authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 346-346.	3.7	0
124	Editorial: seeing the light at the end of gastroscop e â€“ complications after elective procedures are ready for <scp>NICE</scp> , bright decision aid tools â€“ authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 157-157.	3.7	0