

David C Whiteman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8408675/publications.pdf>

Version: 2024-02-01

513
papers

27,052
citations

7568

77
h-index

11308

136
g-index

535
all docs

535
docs citations

535
times ranked

31614
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Destructive and topical treatments of skin lesions in organ transplant recipients and relation to skin cancer. <i>Archives of Dermatological Research</i> , 2022, 314, 203-206. | 1.9 | 0 |
| 2 | Common Genetic Variation and Age of Onset of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 368-378. | 2.2 | 10 |
| 3 | Predicting obesity and smoking using medication data: A machine learning approach. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 91-99. | 1.9 | 4 |
| 4 | Examining Evidence for a Causal Association between Telomere Length and Nevus Count. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1502-1505.e6. | 0.7 | 0 |
| 5 | The Australian Genetics of Depression Study: New Risk Loci and Dissecting Heterogeneity Between Subtypes. <i>Biological Psychiatry</i> , 2022, 92, 227-235. | 1.3 | 18 |
| 6 | Multi-Trait Genetic Analysis Identifies Autoimmune Loci Associated with Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1607-1616. | 0.7 | 11 |
| 7 | Perinatal depression is associated with a higher polygenic risk for major depressive disorder than non-perinatal depression. <i>Depression and Anxiety</i> , 2022, 39, 182-191. | 4.1 | 16 |
| 8 | Cutaneous Melanoma in White Americans: A Tale of Two Epidemics. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1765-1767. | 0.7 | 2 |
| 9 | The D-Health Trial: a randomised controlled trial of the effect of vitamin D on mortality. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 120-128. | 11.4 | 79 |
| 10 | Global Burden of Cutaneous Melanoma in 2020 and Projections to 2040. <i>JAMA Dermatology</i> , 2022, 158, 495. | 4.1 | 254 |
| 11 | Estimated Healthcare Costs of Melanoma and Keratinocyte Skin Cancers in Australia and Aotearoa New Zealand in 2021. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3178. | 2.6 | 22 |
| 12 | Sexual debut and association with oral human papillomavirus infection, persistence and oropharyngeal cancer – An analysis of two Australian cohorts. <i>International Journal of Cancer</i> , 2022, 151, 764-769. | 5.1 | 6 |
| 13 | Pre-existing Thyroid Autoimmunity and Risk of Papillary Thyroid Cancer: A Nested Case-Control Study of US Active-Duty Personnel. <i>Journal of Clinical Oncology</i> , 2022, 40, 2578-2587. | 1.6 | 11 |
| 14 | Methodological considerations in D-health cancer mortality results – Authors' reply. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 307-308. | 11.4 | 0 |
| 15 | The effect of screening on melanoma incidence and biopsy rates. <i>British Journal of Dermatology</i> , 2022, 187, 515-522. | 1.5 | 22 |
| 16 | Common risk variants for epilepsy are enriched in families previously targeted for rare monogenic variant discovery. <i>EBioMedicine</i> , 2022, 81, 104079. | 6.1 | 10 |
| 17 | The effect of vitamin D supplementation on risk of keratinocyte cancer: an exploratory analysis of the D-Health randomized controlled trial. <i>British Journal of Dermatology</i> , 2022, 187, 667-675. | 1.5 | 4 |
| 18 | Vitamin D Supplementation and Antibiotic Use in Older Australian Adults: An Analysis of Data From the D-Health Trial. <i>Journal of Infectious Diseases</i> , 2022, 226, 949-957. | 4.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Global evidence on occupational sun exposure and keratinocyte cancers: a systematic review. <i>British Journal of Dermatology</i> , 2021, 184, 208-218. | 1.5 | 42 |
| 20 | Polygenic Risk Scores Allow Risk Stratification for Keratinocyte Cancer in Organ-Transplant Recipients. <i>Journal of Investigative Dermatology</i> , 2021, 141, 325-333.e6. | 0.7 | 8 |
| 21 | Shared genetic risk between eating disorder and substance use related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880. | 2.6 | 28 |
| 22 | Prospective validation of a risk stratification tool for keratinocyte cancer. <i>Australasian Journal of Dermatology</i> , 2021, 62, 223-225. | 0.7 | 1 |
| 23 | Clinical utility of skin cancer and melanoma risk scores for population screening: TRoPICS study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1094-1098. | 2.4 | 7 |
| 24 | Can People Correctly Assess their Future Risk of Melanoma?. <i>Journal of Investigative Dermatology</i> , 2021, 141, 695-698. | 0.7 | 1 |
| 25 | Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2021, 42, 369-377. | 2.8 | 11 |
| 26 | Natural history of oral HPV infection: Longitudinal analyses in prospective cohorts from Australia. <i>International Journal of Cancer</i> , 2021, 148, 1964-1972. | 5.1 | 17 |
| 27 | Omega-3 fatty acid intake and decreased risk of skin cancer in organ transplant recipients. <i>European Journal of Nutrition</i> , 2021, 60, 1897-1905. | 3.9 | 6 |
| 28 | Reproductive factors, hormone use and melanoma risk: an Australian prospective cohort study. <i>British Journal of Dermatology</i> , 2021, 184, 361-363. | 1.5 | 5 |
| 29 | International Trends in Esophageal Squamous Cell Carcinoma and Adenocarcinoma Incidence. <i>American Journal of Gastroenterology</i> , 2021, 116, 1072-1076. | 0.4 | 19 |
| 30 | MicroRNA expression is associated with human papillomavirus status and prognosis in mucosal head and neck squamous cell carcinomas. <i>Oral Oncology</i> , 2021, 113, 105136. | 1.5 | 8 |
| 31 | The effect of vitamin D supplementation on acute respiratory tract infection in older Australian adults: an analysis of data from the D-Health Trial. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 69-81. | 11.4 | 41 |
| 32 | Early detection of melanoma in specialised primary care practice in Australia. <i>Cancer Epidemiology</i> , 2021, 70, 101872. | 1.9 | 5 |
| 33 | International Increases in Merkel Cell Carcinoma Incidence Rates between 1997 and 2016. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2596-2601.e1. | 0.7 | 19 |
| 34 | Predicting deseasonalised serum 25 hydroxy vitamin D concentrations in the D-Health Trial: An analysis using boosted regression trees. <i>Contemporary Clinical Trials</i> , 2021, 104, 106347. | 1.8 | 16 |
| 35 | Polyunsaturated Fatty Acid Levels and the Risk of Keratinocyte Cancer: A Mendelian Randomization Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1591-1598. | 2.5 | 10 |
| 36 | Polygenic Risk Scores Stratify Keratinocyte Cancer Risk among Solid Organ Transplant Recipients with Chronic Immunosuppression in a High Ultraviolet Radiation Environment. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2866-2875.e2. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Epidemiology of cutaneous melanoma and keratinocyte cancer in white populations 1943–2036. <i>European Journal of Cancer</i> , 2021, 152, 18-25. | 2.8 | 49 |
| 38 | Comparative performance of predictors of death from thin ($\leq 1.0\text{ mm}$) melanoma. <i>British Journal of Dermatology</i> , 2021, 185, 849-851. | 1.5 | 3 |
| 39 | Not all melanomas are created equal: a review and call for more research into nodular melanoma. <i>British Journal of Dermatology</i> , 2021, 185, 700-710. | 1.5 | 12 |
| 40 | Polygenic Risk Scores Derived From Varying Definitions of Depression and Risk of Depression. <i>JAMA Psychiatry</i> , 2021, 78, 1152. | 11.0 | 22 |
| 41 | Vitamin D supplementation and risk of falling: outcomes from the randomized, placebo-controlled D-Health Trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1428-1439. | 7.3 | 27 |
| 42 | Repeatability of Repeatability: the stability of self-reported melanoma risk factors in two independent samples. <i>Australian and New Zealand Journal of Public Health</i> , 2021, 45, 469-473. | 1.8 | 3 |
| 43 | Personal history of keratinocyte carcinoma is a marker of inherited cancer risk: Mendelian randomization analyses. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 0 |
| 44 | The effect of vitamin D supplementation on acute respiratory infection -analysis of the D-Health Trial. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 0 |
| 45 | Assessing the genetic relationship between gastro-esophageal reflux disease and risk of COVID-19 infection. <i>Human Molecular Genetics</i> , 2021, , . | 2.9 | 7 |
| 46 | Out-of-pocket medical expenses compared across five years for patients with one of five common cancers in Australia. <i>BMC Cancer</i> , 2021, 21, 1055. | 2.6 | 10 |
| 47 | Cigarette Smoking and Estrogen-Related Cancer Letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1977-1977. | 2.5 | 0 |
| 48 | The future excess fraction of cancer due to lifestyle factors in Australia. <i>Cancer Epidemiology</i> , 2021, 75, 102049. | 1.9 | 1 |
| 49 | Genetically determined risk of keratinocyte carcinoma and risk of other cancers. <i>International Journal of Epidemiology</i> , 2021, 50, 1316-1324. | 1.9 | 1 |
| 50 | Ask the people: developing guidelines for genomic research with Aboriginal and Torres Strait Islander peoples. <i>BMJ Global Health</i> , 2021, 6, e007259. | 4.7 | 8 |
| 51 | Cutaneous melanoma attributable to UVR exposure in Denmark and Germany. <i>European Journal of Cancer</i> , 2021, 159, 98-104. | 2.8 | 11 |
| 52 | Germline variants are associated with increased primary melanoma tumor thickness at diagnosis. <i>Human Molecular Genetics</i> , 2021, 29, 3578-3587. | 2.9 | 3 |
| 53 | Genetically determined cutaneous nevi and risk of cancer. <i>International Journal of Cancer</i> , 2021, , . | 5.1 | 1 |
| 54 | Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. <i>Nature Genetics</i> , 2021, 53, 1636-1648. | 21.4 | 223 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Genes Determining Nevus Count and Dermoscopic Appearance in Australian Melanoma Cases and Controls. <i>Journal of Investigative Dermatology</i> , 2020, 140, 498-501.e17. | 0.7 | 13 |
| 56 | Level of UV Exposure, Skin Type, and Age Are More Important than Thiopurine Use for Keratinocyte Carcinoma Development in IBD Patients. <i>Digestive Diseases and Sciences</i> , 2020, 65, 1172-1179. | 2.3 | 5 |
| 57 | Clinicopathological factors associated with death from thin ($\leq 1.00\text{ mm}$) melanoma. <i>British Journal of Dermatology</i> , 2020, 182, 927-931. | 1.5 | 20 |
| 58 | Does polygenic risk influence associations between sun exposure and melanoma? A prospective cohort analysis. <i>British Journal of Dermatology</i> , 2020, 183, 303-310. | 1.5 | 13 |
| 59 | Association Between Levels of Sex Hormones and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2701-2709.e3. | 4.4 | 12 |
| 60 | Skin cancer multiplicity in lung transplant recipients: a prospective population-based study. <i>British Journal of Dermatology</i> , 2020, 183, 503-508. | 1.5 | 12 |
| 61 | Assessment of Incidence Rate and Risk Factors for Keratoacanthoma Among Residents of Queensland, Australia. <i>JAMA Dermatology</i> , 2020, 156, 1324. | 4.1 | 8 |
| 62 | Sex Differences in the Risk of Barrett's Esophagus Associated With the Metabolic Effects of Obesity. <i>Journal of Clinical Gastroenterology</i> , 2020, 54, 795-800. | 2.2 | 6 |
| 63 | The proportion of cancers attributable to social deprivation: A population-based analysis of Australian health data. <i>Cancer Epidemiology</i> , 2020, 67, 101742. | 1.9 | 4 |
| 64 | Regular opium use and subsequent incidence of cancer. <i>The Lancet Global Health</i> , 2020, 8, e613-e614. | 6.3 | 1 |
| 65 | Sex-Specific Genetic Associations for Barrett's Esophagus and Esophageal Adenocarcinoma. <i>Gastroenterology</i> , 2020, 159, 2065-2076.e1. | 1.3 | 16 |
| 66 | Clinical pathways and outcomes of patients with Barrett's esophagus in tertiary care settings: a prospective longitudinal cohort study in Australia, 2008-2016. <i>Ecological Management and Restoration</i> , 2020, 34, . | 0.4 | 0 |
| 67 | Web Application for the Automated Extraction of Diagnosis and Site From Pathology Reports for Keratinocyte Cancers. <i>JCO Clinical Cancer Informatics</i> , 2020, 4, 711-723. | 2.1 | 4 |
| 68 | Keratinocyte cancer with incidental perineural invasion: A registry analysis of management and 5-year outcomes. <i>Australasian Journal of Dermatology</i> , 2020, 61, 226-230. | 0.7 | 5 |
| 69 | Shared Genetic Etiology of Obesity-Related Traits and Barrett's Esophagus/Adenocarcinoma: Insights from Genome-Wide Association Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 427-433. | 2.5 | 7 |
| 70 | Cluster of pregnancy-associated melanoma: A case report and brief update. <i>Journal of Dermatology</i> , 2020, 47, 1054-1057. | 1.2 | 3 |
| 71 | Early detection of melanoma: a consensus report from the Australian Skin and Skin Cancer Research Centre Melanoma Screening Summit. <i>Australian and New Zealand Journal of Public Health</i> , 2020, 44, 111-115. | 1.8 | 30 |
| 72 | Evaluation of Sex-Specific Incidence of Melanoma. <i>JAMA Dermatology</i> , 2020, 156, 553. | 4.1 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Prevalence of Perineural Invasion in keratinocyte cancer in the general population and among organ transplant recipients. <i>Australasian Journal of Dermatology</i> , 2020, 61, e303-e309. | 0.7 | 1 |
| 74 | Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. <i>Nature Communications</i> , 2020, 11, 3353. | 12.8 | 75 |
| 75 | Accuracy of mobile digital teledermoscopy for skin self-examinations in adults at high risk of skin cancer: an open-label, randomised controlled trial. <i>The Lancet Digital Health</i> , 2020, 2, e129-e137. | 12.3 | 39 |
| 76 | Long-term deaths from melanoma according to tumor thickness at diagnosis. <i>International Journal of Cancer</i> , 2020, 147, 1391-1396. | 5.1 | 16 |
| 77 | Body mass index and height and risk of cutaneous melanoma: Mendelian randomization analyses. <i>International Journal of Epidemiology</i> , 2020, 49, 1236-1245. | 1.9 | 21 |
| 78 | Prevention versus early detection for long-term control of melanoma and keratinocyte carcinomas: a cost-effectiveness modelling study. <i>BMJ Open</i> , 2020, 10, e034388. | 1.9 | 18 |
| 79 | Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504. | 21.4 | 138 |
| 80 | <i>Clinical Epidemiology of Melanoma</i> . , 2020, , 425-449. | | 5 |
| 81 | Extreme Incidence of Skin Cancer in Kidney and Liver Transplant Recipients Living with High Sun Exposure. <i>Acta Dermato-Venereologica</i> , 2019, 99, 929-930. | 1.3 | 11 |
| 82 | Association between coffee consumption and overall risk of being diagnosed with or dying from cancer among >300 000 UK Biobank participants in a large-scale Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2019, 48, 1447-1456. | 1.9 | 29 |
| 83 | Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214. | 21.4 | 641 |
| 84 | Keratinocyte cancer excisions in Australia: Who performs them and associated costs. <i>Australasian Journal of Dermatology</i> , 2019, 60, 294-300. | 0.7 | 11 |
| 85 | Diabetes in relation to Barrett's esophagus and adenocarcinomas of the esophagus: A pooled study from the International Barrett's and Esophageal Adenocarcinoma Consortium. <i>Cancer</i> , 2019, 125, 4210-4223. | 4.1 | 13 |
| 86 | Keratinocyte cancer incurs a sizeable and almost entirely preventable health burden in the U.K.. <i>British Journal of Dermatology</i> , 2019, 181, 434-435. | 1.5 | 0 |
| 87 | Gastroesophageal reflux GWAS identifies risk loci that also associate with subsequent severe esophageal diseases. <i>Nature Communications</i> , 2019, 10, 4219. | 12.8 | 58 |
| 88 | When to apply sunscreen: a consensus statement for Australia and New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2019, 43, 171-175. | 1.8 | 30 |
| 89 | The role of misclassification of exposure in the association between aspirin and nonsteroidal anti-inflammatory drug use and keratinocyte cancers: reply from the authors. <i>British Journal of Dermatology</i> , 2019, 181, 643-643. | 1.5 | 0 |
| 90 | Combined analysis of keratinocyte cancers identifies novel genome-wide loci. <i>Human Molecular Genetics</i> , 2019, 28, 3148-3160. | 2.9 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Letter to the Editor in response to "When to apply sunscreen: a consensus statement for Australia and New Zealand". Australian and New Zealand Journal of Public Health, 2019, 43, 504. | 1.8 | 1 |
| 92 | Five-year conditional survival for patients with hepatocellular carcinoma in Queensland, Australia. GastroHep, 2019, 1, 61-69. | 0.6 | 0 |
| 93 | A randomized placebo-controlled trial of vitamin D supplementation for reduction of mortality and cancer: Statistical analysis plan for the D-Health Trial. Contemporary Clinical Trials Communications, 2019, 14, 100333. | 1.1 | 22 |
| 94 | Aspirin and nonsteroidal anti-inflammatory drug use and keratinocyte cancers: a large population-based cohort study of skin cancer in Australia. British Journal of Dermatology, 2019, 181, 749-760. | 1.5 | 21 |
| 95 | No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. Clinical Gastroenterology and Hepatology, 2019, 17, 2227-2235.e1. | 4.4 | 16 |
| 96 | The effect of sunscreen on vitamin D: a review. British Journal of Dermatology, 2019, 181, 907-915. | 1.5 | 67 |
| 97 | Trends in Melanoma Incidence Rates in Eight Susceptible Populations through 2015. Journal of Investigative Dermatology, 2019, 139, 1392-1395. | 0.7 | 43 |
| 98 | Effect of increased body mass index on risk of diagnosis or death from cancer. British Journal of Cancer, 2019, 120, 565-570. | 6.4 | 20 |
| 99 | Complex structural rearrangements are present in high-grade dysplastic Barrett's oesophagus samples. BMC Medical Genomics, 2019, 12, 31. | 1.5 | 19 |
| 100 | The impact of reducing alcohol consumption in Australia: An estimate of the proportion of potentially avoidable cancers 2013-2037. International Journal of Cancer, 2019, 145, 2944-2953. | 5.1 | 8 |
| 101 | Pharmaceutical use and costs in patients with coronary artery disease, using Australian observational data. BMJ Open, 2019, 9, e029360. | 1.9 | 1 |
| 102 | Evaluation of the efficacy of 3D total-body photography with sequential digital dermoscopy in a high-risk melanoma cohort: protocol for a randomised controlled trial. BMJ Open, 2019, 9, e032969. | 1.9 | 27 |
| 103 | Association between Phenotypic Characteristics and Melanoma in a Large Prospective Cohort Study. Journal of Investigative Dermatology, 2019, 139, 665-672. | 0.7 | 14 |
| 104 | The impact of changing the prevalence of overweight/obesity and physical inactivity in Australia: An estimate of the proportion of potentially avoidable cancers 2013-2037. International Journal of Cancer, 2019, 144, 2088-2098. | 5.1 | 20 |
| 105 | Clinical Epidemiology of Melanoma. , 2019, , 1-25. | | 0 |
| 106 | Risk stratification for melanoma. Oncotarget, 2019, 10, 1868-1869. | 1.8 | 2 |
| 107 | Abstract 1592: Genome-wide meta-analysis of keratinocytic cancers identifies 26 novel risk loci. , 2019, , . | | 0 |
| 108 | Global burden of cutaneous melanoma attributable to ultraviolet radiation in 2012. International Journal of Cancer, 2018, 143, 1305-1314. | 5.1 | 102 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Effect of solar ultraviolet radiation exposure on serum 25(OH)D concentration: a pilot randomised controlled trial. <i>Photochemical and Photobiological Sciences</i> , 2018, 17, 570-577. | 2.9 | 6 |
| 110 | Analysis combining correlated glaucoma traits identifies five new risk loci for open-angle glaucoma. <i>Scientific Reports</i> , 2018, 8, 3124. | 3.3 | 33 |
| 111 | How many melanomas might be prevented if more people applied sunscreen regularly?. <i>British Journal of Dermatology</i> , 2018, 178, 140-147. | 1.5 | 34 |
| 112 | Determining Risk of Barrett's Esophagus and Esophageal Adenocarcinoma Based on Epidemiologic Factors and Genetic Variants. <i>Gastroenterology</i> , 2018, 154, 1273-1281.e3. | 1.3 | 67 |
| 113 | Patterns of Ultraviolet Radiation Exposure and Skin Cancer Risk: the E3N-SunExp Study. <i>Journal of Epidemiology</i> , 2018, 28, 27-33. | 2.4 | 95 |
| 114 | Factors Related to Nevus-Associated Cutaneous Melanoma: A Case-Case Study. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1816-1824. | 0.7 | 28 |
| 115 | Global Incidence and mortality of oesophageal cancer and their correlation with socioeconomic indicators temporal patterns and trends in 41 countries. <i>Scientific Reports</i> , 2018, 8, 4522. | 3.3 | 92 |
| 116 | Height and overall cancer risk and mortality: evidence from a Mendelian randomisation study on 310,000 UK Biobank participants. <i>British Journal of Cancer</i> , 2018, 118, 1262-1267. | 6.4 | 46 |
| 117 | Interactions Between Genetic Variants and Environmental Factors Affect Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1598-1606.e4. | 4.4 | 16 |
| 118 | Risk Stratification for Melanoma: Models Derived and Validated in a Purpose-Designed Prospective Cohort. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1075-1083. | 6.3 | 50 |
| 119 | Hormonal and reproductive factors and incidence of basal cell carcinoma and squamous cell carcinoma in a large, prospective cohort. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 615-618.e2. | 1.2 | 8 |
| 120 | Multiplicity of skin cancers in Queensland and their cost burden to government and patients. <i>Australian and New Zealand Journal of Public Health</i> , 2018, 42, 86-91. | 1.8 | 20 |
| 121 | Detection of oral HPV infection – Comparison of two different specimen collection methods and two HPV detection methods. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 90, 267-271. | 1.8 | 13 |
| 122 | Patient out-of-pocket medical expenses over 2 years among Queenslanders with and without a major cancer. <i>Australian Journal of Primary Health</i> , 2018, 24, 530. | 0.9 | 17 |
| 123 | The Anorexia Nervosa Genetics Initiative (ANGI): Overview and methods. <i>Contemporary Clinical Trials</i> , 2018, 74, 61-69. | 1.8 | 73 |
| 124 | Validation of a risk prediction model for Barrett's esophagus in an Australian population. <i>Clinical and Experimental Gastroenterology</i> , 2018, Volume 11, 135-142. | 2.3 | 5 |
| 125 | Smoking and Cutaneous Melanoma: Findings from the QSkin Sun and Health Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 874-881. | 2.5 | 20 |
| 126 | Physician Skin Checks before the Diagnosis of Melanoma Correlate with Tumor Characteristics. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2288-2291. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Association Between Population Density and Genetic Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 901. | 11.0 | 67 |
| 128 | Genome-wide association study of intraocular pressure uncovers new pathways to glaucoma. <i>Nature Genetics</i> , 2018, 50, 1067-1071. | 21.4 | 152 |
| 129 | HPV-16 viral load in oropharyngeal squamous cell carcinoma using digital PCR. <i>Acta Oto-Laryngologica</i> , 2018, 138, 843-847. | 0.9 | 6 |
| 130 | Out-of-pocket medical expenses for Queenslanders with a major cancer. <i>Medical Journal of Australia</i> , 2018, 208, 497-497. | 1.7 | 13 |
| 131 | MelaNostrum: a consensus questionnaire of standardized epidemiologic and clinical variables for melanoma risk assessment by the melanostrum consortium. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 2134-2141. | 2.4 | 9 |
| 132 | Evaluation of Serum Glycoprotein Biomarker Candidates for Detection of Esophageal Adenocarcinoma and Surveillance of Barrett's Esophagus. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 2324-2334. | 3.8 | 25 |
| 133 | Vitamin D and overall cancer risk and cancer mortality: a Mendelian randomization study. <i>Human Molecular Genetics</i> , 2018, 27, 4315-4322. | 2.9 | 49 |
| 134 | Why a randomized melanoma screening trial may be a good idea. <i>British Journal of Dermatology</i> , 2018, 179, 1227-1228. | 1.5 | 3 |
| 135 | Helicobacter pylori Infection Is Associated With Reduced Risk of Barrett's Esophagus: An Analysis of the Barrett's and Esophageal Adenocarcinoma Consortium. <i>American Journal of Gastroenterology</i> , 2018, 113, 1148-1155. | 0.4 | 57 |
| 136 | Widespread regular sunscreen application deemed not useful in the U.S.A.: reply from authors. <i>British Journal of Dermatology</i> , 2018, 179, 543-544. | 1.5 | 0 |
| 137 | An Update on Cellular MicroRNA Expression in Human Papillomavirus-Associated Head and Neck Squamous Cell Carcinoma. <i>Oncology</i> , 2018, 95, 193-201. | 1.9 | 11 |
| 138 | How many cancer cases and deaths are potentially preventable? Estimates for Australia in 2013. <i>International Journal of Cancer</i> , 2018, 142, 691-701. | 5.1 | 71 |
| 139 | Sexual behaviour, HPV status and p16INK4a expression in oropharyngeal and oral cavity squamous cell carcinomas: a case-case comparison study. <i>Journal of General Virology</i> , 2018, 99, 783-789. | 2.9 | 11 |
| 140 | Low prevalence of human papillomavirus in oral cavity squamous cell carcinoma in Queensland, Australia. <i>ANZ Journal of Surgery</i> , 2017, 87, 714-719. | 0.7 | 17 |
| 141 | Cost-Effectiveness Analysis of a Skin Awareness Intervention for Early Detection of Skin Cancer Targeting Men Older Than 50 Years. <i>Value in Health</i> , 2017, 20, 593-601. | 0.3 | 16 |
| 142 | External Validation of the Michigan Barrett's Esophagus Prediction Tool. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1124-1126. | 4.4 | 19 |
| 143 | Prevention of DNA damage in human skin by topical sunscreens. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017, 33, 135-142. | 1.5 | 44 |
| 144 | UVB represses melanocyte cell migration and acts through β -catenin. <i>Experimental Dermatology</i> , 2017, 26, 875-882. | 2.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Cigarette Smoking and the Risks of Basal Cell Carcinoma and Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1700-1708. | 0.7 | 56 |
| 146 | Anatomical Distributions of Basal Cell Carcinoma and Squamous Cell Carcinoma in a Population-Based Study in Queensland, Australia. <i>JAMA Dermatology</i> , 2017, 153, 175. | 4.1 | 70 |
| 147 | Response to: M.F. Holick "Can you have your cake and eat it too? The sunlight D-lemma". <i>British Journal of Dermatology</i> , 2017, 177, 1136-1136. | 1.5 | 1 |
| 148 | Germline variation in inflammation-related pathways and risk of Barrett's oesophagus and oesophageal adenocarcinoma. <i>Gut</i> , 2017, 66, 1739-1747. | 12.1 | 38 |
| 149 | Past sexual behaviors and risks of oropharyngeal squamous cell carcinoma: a case-case comparison. <i>International Journal of Cancer</i> , 2017, 140, 1027-1034. | 5.1 | 26 |
| 150 | The Evolving Genomic Landscape of Barrett's Esophagus and Esophageal Adenocarcinoma. <i>Gastroenterology</i> , 2017, 153, 657-673.e1. | 1.3 | 69 |
| 151 | External Validation of the Michigan Barrett's Esophagus Prediction Tool (M-Beret). <i>Gastroenterology</i> , 2017, 152, S453. | 1.3 | 1 |
| 152 | UV Exposure and Skin Type are More Important than Thiopurine Exposure for Non-Melanoma Skin Cancer Risk in IBD. <i>Gastroenterology</i> , 2017, 152, S576. | 1.3 | 2 |
| 153 | Estimated Healthcare Costs of Melanoma in Australia Over 3 Years Post-Diagnosis. <i>Applied Health Economics and Health Policy</i> , 2017, 15, 805-816. | 2.1 | 64 |
| 154 | Lethal Melanomas: A Population-based Registry Study in Western Sweden from 1990 to 2014. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1206-1211. | 1.3 | 7 |
| 155 | The incidence and multiplicity rates of keratinocyte cancers in Australia. <i>Medical Journal of Australia</i> , 2017, 207, 339-343. | 1.7 | 86 |
| 156 | Oral human papillomavirus infection incidence and clearance: a systematic review of the literature. <i>Journal of General Virology</i> , 2017, 98, 519-526. | 2.9 | 46 |
| 157 | Barrett's oesophagus: epidemiology, diagnosis and clinical management. <i>Medical Journal of Australia</i> , 2016, 205, 317-324. | 1.7 | 18 |
| 158 | Polymorphisms in genes in the androgen pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2016, 138, 1146-1152. | 5.1 | 10 |
| 159 | Insight into the epidemiology of cutaneous squamous cell carcinoma with perineural spread. <i>Head and Neck</i> , 2016, 38, 1416-1420. | 2.0 | 24 |
| 160 | Prevalence of Skin Cancer and Related Skin Tumors in High-Risk Kidney and Liver Transplant Recipients in Queensland, Australia. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1382-1386. | 0.7 | 41 |
| 161 | A Model to Predict the Risk of Keratinocyte Carcinomas. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1247-1254. | 0.7 | 31 |
| 162 | Human papillomavirus not detected in esophageal adenocarcinoma tumor specimens. <i>Cancer Epidemiology</i> , 2016, 41, 96-98. | 1.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | The D-Health Trial: A randomized trial of vitamin D for prevention of mortality and cancer. <i>Contemporary Clinical Trials</i> , 2016, 48, 83-90. | 1.8 | 103 |
| 164 | Population-Based Factors Associated with Early Death after Liver Cancer Diagnosis and Resection in Queensland, Australia 1996-2011. <i>Journal of Hepatology</i> , 2016, 64, S337-S338. | 3.7 | 0 |
| 165 | Response to Czarnecki. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1913-1914. | 0.7 | 0 |
| 166 | Variants of EVER1 and EVER2 (TMC6 and TMC8) and human papillomavirus status in patients with mucosal squamous cell carcinoma of the head and neck. <i>Cancer Causes and Control</i> , 2016, 27, 809-815. | 1.8 | 11 |
| 167 | Constrained Score Statistics Identify Genetic Variants Interacting with Multiple Risk Factors in Barrett's Esophagus. <i>American Journal of Human Genetics</i> , 2016, 99, 352-365. | 6.2 | 7 |
| 168 | Leukocyte telomere length in relation to the risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Cancer Medicine</i> , 2016, 5, 2657-2665. | 2.8 | 6 |
| 169 | Population Attributable and Preventable Fractions: Cancer Risk Factor Surveillance, and Cancer Policy Projection. <i>Current Epidemiology Reports</i> , 2016, 3, 201-211. | 2.4 | 41 |
| 170 | The fractions of cancer attributable to modifiable factors: A global review. <i>Cancer Epidemiology</i> , 2016, 44, 203-221. | 1.9 | 171 |
| 171 | Age-specific risk factor profiles of adenocarcinomas of the esophagus: A pooled analysis from the international BEACON consortium. <i>International Journal of Cancer</i> , 2016, 138, 55-64. | 5.1 | 31 |
| 172 | Consumer acceptance of patient-performed mobile teledermoscopy for the early detection of melanoma. <i>British Journal of Dermatology</i> , 2016, 175, 1301-1310. | 1.5 | 63 |
| 173 | Nonsteroidal Anti-Inflammatory Drug Use is Not Associated With Reduced Risk of Barrett's Esophagus. <i>American Journal of Gastroenterology</i> , 2016, 111, 1528-1535. | 0.4 | 28 |
| 174 | CD151 Gene and Protein Expression Provides Independent Prognostic Information for Patients with Adenocarcinoma of the Esophagus and Gastroesophageal Junction Treated by Esophagectomy. <i>Annals of Surgical Oncology</i> , 2016, 23, 746-754. | 1.5 | 7 |
| 175 | Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. <i>Lancet Oncology</i> , The, 2016, 17, 1363-1373. | 10.7 | 133 |
| 176 | Association between family cancer history and risk of pancreatic cancer. <i>Cancer Epidemiology</i> , 2016, 45, 145-150. | 1.9 | 17 |
| 177 | Nonsteroidal anti-inflammatory drugs, statins, and pancreatic cancer risk: a population-based case-control study. <i>Cancer Causes and Control</i> , 2016, 27, 1457-1464. | 1.8 | 18 |
| 178 | A comparison of the direct medical costs for individuals with or without basal or squamous cell skin cancer: A study from Australia. <i>SAGE Open Medicine</i> , 2016, 4, 205031211664603. | 1.8 | 6 |
| 179 | Comparison of PTCH1, COX-2, p53, and Ki67 protein expression in basal cell carcinomas of nodular and superficial subtypes arising on the head and trunk. <i>International Journal of Dermatology</i> , 2016, 55, 1096-1105. | 1.0 | 3 |
| 180 | Self-Reported Changes in Sun Protection Behaviors at Different Latitudes in Australia. <i>Photochemistry and Photobiology</i> , 2016, 92, 495-502. | 2.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Development and External Validation of a Melanoma Risk Prediction Model Based on Self-assessed Risk Factors. <i>JAMA Dermatology</i> , 2016, 152, 889. | 4.1 | 53 |
| 182 | Human papillomavirus not detected in esophageal adenocarcinoma tumor specimens-Reply. <i>Cancer Epidemiology</i> , 2016, 43, 120. | 1.9 | 8 |
| 183 | Inverse Association Between Gluteofemoral Obesity and Risk of Barrett's Esophagus in a Pooled Analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1412-1419.e3. | 4.4 | 12 |
| 184 | Glyco-centric lectin magnetic bead array (LeMBA) [^] proteomics dataset of human serum samples from healthy, Barrett's esophagus and esophageal adenocarcinoma individuals. <i>Data in Brief</i> , 2016, 7, 1058-1062. | 1.0 | 6 |
| 185 | Tu1129 Gluteofemoral Obesity Is Associated With a Reduced Risk of Barrett's Esophagus in Men: A Pooled Analysis of the Barrett's and Esophageal Adenocarcinoma Consortium. <i>Gastroenterology</i> , 2016, 150, S852. | 1.3 | 0 |
| 186 | Histologic and Phenotypic Factors and MC1R Status Associated with BRAFV600E, BRAFV600K, and NRAS Mutations in a Community-Based Sample of 414 Cutaneous Melanomas. <i>Journal of Investigative Dermatology</i> , 2016, 136, 829-837. | 0.7 | 21 |
| 187 | Identification of the CIMP-like subtype and aberrant methylation of members of the chromosomal segregation and spindle assembly pathways in esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2016, 37, 356-365. | 2.8 | 46 |
| 188 | Chronic gastroesophageal reflux disease shares genetic background with esophageal adenocarcinoma and Barrett's esophagus. <i>Human Molecular Genetics</i> , 2016, 25, 828-835. | 2.9 | 31 |
| 189 | Medicare claims data reliably identify treatments for basal cell carcinoma and squamous cell carcinoma: a prospective cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2016, 40, 154-158. | 1.8 | 18 |
| 190 | The Growing Burden of Invasive Melanoma: Projections of Incidence Rates and Numbers of New Cases in Six Susceptible Populations through 2031. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1161-1171. | 0.7 | 450 |
| 191 | Long-term outcomes of a primary complete endoscopic resection strategy for short-segment Barrett's esophagus with high-grade dysplasia and/or early esophageal adenocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 68-77. | 1.0 | 26 |
| 192 | Estimating Skin Cancer Risk: Evaluating Mobile Computer-Adaptive Testing. <i>Journal of Medical Internet Research</i> , 2016, 18, e22. | 4.3 | 10 |
| 193 | Abstract 4942: Towards a screening blood test for esophageal adenocarcinoma. , 2016, , . | | 0 |
| 194 | Effect of vitamin D supplementation on selected inflammatory biomarkers in older adults: a secondary analysis of data from a randomised, placebo-controlled trial. <i>British Journal of Nutrition</i> , 2015, 114, 693-699. | 2.3 | 31 |
| 195 | Supportive evidence for <i>FOXP1</i> , <i>BARX1</i> , and <i>FOXF1</i> as genetic risk loci for the development of esophageal adenocarcinoma. <i>Cancer Medicine</i> , 2015, 4, 1700-1704. | 2.8 | 26 |
| 196 | Solar elastosis and cutaneous melanoma: A site-specific analysis. <i>International Journal of Cancer</i> , 2015, 136, 2900-2911. | 5.1 | 24 |
| 197 | Cancers prevented in Australia in 2010 through the consumption of aspirin. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 414-417. | 1.8 | 8 |
| 198 | Cancers in Australia in 2010 attributable to and prevented by the use of combined oral contraceptives. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 441-445. | 1.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Cancers in Australia in 2010 attributable to infectious agents. Australian and New Zealand Journal of Public Health, 2015, 39, 446-451. | 1.8 | 30 |
| 200 | Cancers in Australia in 2010 attributable to inadequate consumption of fruit, non-starchy vegetables and dietary fibre. Australian and New Zealand Journal of Public Health, 2015, 39, 422-428. | 1.8 | 32 |
| 201 | Cancers in Australia in 2010 attributable to the consumption of red and processed meat. Australian and New Zealand Journal of Public Health, 2015, 39, 429-433. | 1.8 | 23 |
| 202 | Cancers in Australia in 2010 attributable to and prevented by the use of menopausal hormone therapy. Australian and New Zealand Journal of Public Health, 2015, 39, 434-440. | 1.8 | 11 |
| 203 | Cancers in Australia in 2010 attributable to the consumption of alcohol. Australian and New Zealand Journal of Public Health, 2015, 39, 408-413. | 1.8 | 21 |
| 204 | Cancers in Australia in 2010 attributable to total breastfeeding durations of 12 months or less by parous women. Australian and New Zealand Journal of Public Health, 2015, 39, 418-421. | 1.8 | 6 |
| 205 | Cancers in Australia in 2010 attributable to overweight and obesity. Australian and New Zealand Journal of Public Health, 2015, 39, 452-457. | 1.8 | 36 |
| 206 | Cancers in Australia in 2010 attributable to modifiable factors: introduction and overview. Australian and New Zealand Journal of Public Health, 2015, 39, 403-407. | 1.8 | 35 |
| 207 | Cancers in Australia attributable to exposure to solar ultraviolet radiation and prevented by regular sunscreen use. Australian and New Zealand Journal of Public Health, 2015, 39, 471-476. | 1.8 | 128 |
| 208 | Cancers in Australia in 2010 attributable to modifiable factors: summary and conclusions. Australian and New Zealand Journal of Public Health, 2015, 39, 477-484. | 1.8 | 93 |
| 209 | Sun Protection Behavior in Organ Transplant Recipients in Queensland, Australia. Dermatology, 2015, 231, 360-366. | 2.1 | 20 |
| 210 | Remoteness, race and social disadvantage: disparities in hepatocellular carcinoma incidence and survival in Queensland, Australia. Liver International, 2015, 35, 2584-2594. | 3.9 | 24 |
| 211 | The Feasibility of an Exercise Intervention in Males at Risk of Oesophageal Adenocarcinoma: A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0117922. | 2.5 | 10 |
| 212 | MiRNA-Related SNPs and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: Post Genome-Wide Association Analysis in the BEACON Consortium. PLoS ONE, 2015, 10, e0128617. | 2.5 | 21 |
| 213 | Symptoms of Obstructive Sleep Apnea, Gastroesophageal Reflux and the Risk of Barrett's Esophagus in a Population-Based Case-Control Study. PLoS ONE, 2015, 10, e0129836. | 2.5 | 16 |
| 214 | Polymorphisms in Genes of Relevance for Oestrogen and Oxytocin Pathways and Risk of Barrett's Esophagus and Oesophageal Adenocarcinoma: A Pooled Analysis from the BEACON Consortium. PLoS ONE, 2015, 10, e0138738. | 2.5 | 9 |
| 215 | High-Throughput Amplicon-Based Copy Number Detection of 11 Genes in Formalin-Fixed Paraffin-Embedded Ovarian Tumour Samples by MLPA-Seq. PLoS ONE, 2015, 10, e0143006. | 2.5 | 11 |
| 216 | Occupational exposure to N-nitrosamines and pesticides and risk of pancreatic cancer. Occupational and Environmental Medicine, 2015, 72, 678-683. | 2.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Cancers in Australia in 2010 attributable to tobacco smoke. Australian and New Zealand Journal of Public Health, 2015, 39, 464-470. | 1.8 | 29 |
| 218 | Cancers in Australia in 2010 attributable to insufficient physical activity. Australian and New Zealand Journal of Public Health, 2015, 39, 458-463. | 1.8 | 21 |
| 219 | A Newly Identified Susceptibility Locus near <i>FOXP1</i> Modifies the Association of Gastroesophageal Reflux with Barrett's Esophagus. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1739-1747. | 2.5 | 24 |
| 220 | High-density mapping of the MHC identifies a shared role for HLA-DRB1*01:03 in inflammatory bowel diseases and heterozygous advantage in ulcerative colitis. Nature Genetics, 2015, 47, 172-179. | 21.4 | 280 |
| 221 | Australian clinical practice guidelines for the diagnosis and management of Barrett's esophagus and early esophageal adenocarcinoma. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 804-820. | 2.8 | 104 |
| 222 | Polymorphisms Near TBX5 and GDF7 Are Associated With Increased Risk for Barrett's Esophagus. Gastroenterology, 2015, 148, 367-378. | 1.3 | 93 |
| 223 | Human papillomavirus status and p16INK4A expression in patients with mucosal squamous cell carcinoma of the head and neck in Queensland, Australia. Cancer Epidemiology, 2015, 39, 174-181. | 1.9 | 45 |
| 224 | A reconstruction of a medical history from administrative data: with an application to the cost of skin cancer. Health Economics Review, 2015, 5, 4. | 2.0 | 5 |
| 225 | Does a prior diagnosis of Barrett's oesophagus influence risk of dying from oesophageal adenocarcinoma?. Gut, 2015, 64, 5-6. | 12.1 | 8 |
| 226 | The Prognostic and Predictive Value of Melanoma-related MicroRNAs Using Tissue and Serum: A MicroRNA Expression Analysis. EBioMedicine, 2015, 2, 671-680. | 6.1 | 86 |
| 227 | Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. Nature Genetics, 2015, 47, 987-995. | 21.4 | 218 |
| 228 | Impact of pre-diagnosis behavior on risk of death from esophageal cancer: a systematic review and meta-analysis. Cancer Causes and Control, 2015, 26, 1365-1373. | 1.8 | 24 |
| 229 | MIC-1/GDF15 in Barrett's oesophagus and oesophageal adenocarcinoma. British Journal of Cancer, 2015, 112, 1384-1391. | 6.4 | 16 |
| 230 | More People Die from Thin Melanomas (≤1mm) than from Thick Melanomas (>4mm) in Queensland, Australia. Journal of Investigative Dermatology, 2015, 135, 1190-1193. | 0.7 | 142 |
| 231 | Sun Protection and Skin Examination Practices in a Setting of High Ambient Solar Radiation. JAMA Dermatology, 2015, 151, 982. | 4.1 | 24 |
| 232 | 119 Gastroesophageal Reflux Modifies the Risk of Barrett's Esophagus Associated With the Metabolic Effects of Obesity. Gastroenterology, 2015, 148, S-31. | 1.3 | 0 |
| 233 | High Expression of Cathepsin E in Tissues but Not Blood of Patients with Barrett's Esophagus and Adenocarcinoma. Annals of Surgical Oncology, 2015, 22, 2431-2438. | 1.5 | 13 |
| 234 | Basal cell carcinomas on sun-protected vs. sun-exposed body sites: a comparison of phenotypic and environmental risk factors. Photodermatology Photoimmunology and Photomedicine, 2015, 31, 202-211. | 1.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Association between <i>Helicobacter pylori</i> and pancreatic cancer risk: a meta-analysis. <i>Cancer Causes and Control</i> , 2015, 26, 1027-1035. | 1.8 | 61 |
| 236 | Smoking behaviour modifies <i>IL23</i> -associated disease risk in patients with Crohn's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 299-307. | 2.8 | 18 |
| 237 | Independent Validation of Six Melanoma Risk Prediction Models. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1377-1384. | 0.7 | 33 |
| 238 | Race/Ethnicity and the Prevalence of Thyrotoxicosis in Young Americans. <i>Thyroid</i> , 2015, 25, 621-628. | 4.5 | 42 |
| 239 | Serum Glycoprotein Biomarker Discovery and Qualification Pipeline Reveals Novel Diagnostic Biomarker Candidates for Esophageal Adenocarcinoma. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 3023-3039. | 3.8 | 33 |
| 240 | Pleiotropic Analysis of Cancer Risk Loci on Esophageal Adenocarcinoma Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1801-1803. | 2.5 | 7 |
| 241 | Validation of sun exposure and protection index (SEPI) for estimation of sun habits. <i>Cancer Epidemiology</i> , 2015, 39, 986-993. | 1.9 | 27 |
| 242 | Melanoma Incidence and Lethality Is Increased Following Solid Organ Transplantation. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2560-2562. | 0.7 | 3 |
| 243 | A pilot trial of mobile, patient-performed teledermoscopy. <i>British Journal of Dermatology</i> , 2015, 172, 1072-1080. | 1.5 | 57 |
| 244 | Abstract 866: The proportion of breast and gynecological cancers in Australian women that can be attributed to the use of oral contraceptives and hormone replacement therapy. , 2015, , . | | 0 |
| 245 | Prevalence and Risk Factors for Oral HPV Infection in Young Australians. <i>PLoS ONE</i> , 2014, 9, e91761. | 2.5 | 76 |
| 246 | A case-control study of glycemic index, glycemic load and dietary fiber intake and risk of adenocarcinomas and squamous cell carcinomas of the esophagus: the Australian Cancer Study. <i>BMC Cancer</i> , 2014, 14, 877. | 2.6 | 19 |
| 247 | Most common "sporadic" cancers have a significant germline genetic component. <i>Human Molecular Genetics</i> , 2014, 23, 6112-6118. | 2.9 | 85 |
| 248 | Uptake of Skin Self-examination and Clinical Examination Behavior by Outdoor Workers. <i>Archives of Environmental and Occupational Health</i> , 2014, 69, 214-222. | 1.4 | 6 |
| 249 | Identification of a melanoma susceptibility locus and somatic mutation in <i>TET2</i> . <i>Carcinogenesis</i> , 2014, 35, 2097-2101. | 2.8 | 41 |
| 250 | Environmental, Personal, and Genetic Determinants of Response to Vitamin D Supplementation in Older Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1332-E1340. | 3.6 | 56 |
| 251 | Alcohol and the Risk of Barrett's Esophagus: A Pooled Analysis from the International BEACON Consortium. <i>American Journal of Gastroenterology</i> , 2014, 109, 1586-1594. | 0.4 | 55 |
| 252 | Measuring Exposure to Solar Ultraviolet Radiation Using a Dosimetric Technique: Understanding Participant Compliance Issues. <i>Photochemistry and Photobiology</i> , 2014, 90, 919-924. | 2.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Obesity and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: A Mendelian Randomization Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, . | 6.3 | 132 |
| 254 | The Contributions of Solar Ultraviolet Radiation Exposure and Other Determinants to Serum 25-Hydroxyvitamin D Concentrations in Australian Adults: The AusD Study. <i>American Journal of Epidemiology</i> , 2014, 179, 864-874. | 3.4 | 84 |
| 255 | Clinical Skin Examination Outcomes After a Video-Based Behavioral Intervention. <i>JAMA Dermatology</i> , 2014, 150, 372. | 4.1 | 25 |
| 256 | The Effect on Melanoma Risk of Genes Previously Associated With Telomere Length. <i>Journal of the National Cancer Institute</i> , 2014, 106, . | 6.3 | 109 |
| 257 | Risk of Esophageal Adenocarcinoma Decreases With Height, Based on Consortium Analysis and Confirmed by Mendelian Randomization. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1667-1676.e1. | 4.4 | 30 |
| 258 | Prognostic value of BRAF mutations in localized cutaneous melanoma. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 858-862.e2. | 1.2 | 36 |
| 259 | Turning the tide? Changes in treatment rates for keratinocyte cancers in Australia 2000 through 2011. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 21-26.e1. | 1.2 | 39 |
| 260 | Cigarette smoking and pancreatic cancer risk: More to the story than just pack-years. <i>European Journal of Cancer</i> , 2014, 50, 997-1003. | 2.8 | 31 |
| 261 | Effectiveness of quadrivalent human papillomavirus vaccine for the prevention of cervical abnormalities: case-control study nested within a population based screening programme in Australia. <i>BMJ, The</i> , 2014, 348, g1458-g1458. | 6.0 | 182 |
| 262 | Genomic catastrophes frequently arise in esophageal adenocarcinoma and drive tumorigenesis. <i>Nature Communications</i> , 2014, 5, 5224. | 12.8 | 236 |
| 263 | Response. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 191. | 1.0 | 0 |
| 264 | Association between hypermethylation of DNA repetitive elements in white blood cell DNA and pancreatic cancer. <i>Cancer Epidemiology</i> , 2014, 38, 576-582. | 1.9 | 18 |
| 265 | Esophageal Cancer: Priorities for Prevention. <i>Current Epidemiology Reports</i> , 2014, 1, 138-148. | 2.4 | 13 |
| 266 | Integrative post-genome-wide association analysis of CDKN2A and TP53 SNPs and risk of esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2014, 35, 2740-2747. | 2.8 | 31 |
| 267 | Common variants near ABCA1, AFAP1 and GMDS confer risk of primary open-angle glaucoma. <i>Nature Genetics</i> , 2014, 46, 1120-1125. | 21.4 | 186 |
| 268 | Cost-effectiveness of endoscopic surveillance of non-dysplastic Barrett's esophagus. <i>Gastrointestinal Endoscopy</i> , 2014, 79, 242-256.e6. | 1.0 | 91 |
| 269 | Effect of vitamin D supplementation on antibiotic use: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 156-161. | 4.7 | 40 |
| 270 | Total body fat and the risk of Barrett's oesophagus – A bioelectrical impedance study. <i>Cancer Epidemiology</i> , 2014, 38, 266-272. | 1.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Predicting melanoma risk: theory, practice and future challenges. <i>Melanoma Management</i> , 2014, 1, 105-114. | 0.5 | 3 |
| 272 | Paclitaxel sensitivity in relation to ABCB1 expression, efflux and single nucleotide polymorphisms in ovarian cancer. <i>Scientific Reports</i> , 2014, 4, 4669. | 3.3 | 24 |
| 273 | Abstract 2492: Discovery and validation of novel serum glycoprotein biomarkers for Barrett's esophagus and esophageal adenocarcinoma. , 2014, , . | | 1 |
| 274 | Gastroesophageal Reflux in Relation to Adenocarcinomas of the Esophagus: A Pooled Analysis from the Barrett's and Esophageal Adenocarcinoma Consortium (BEACON). <i>PLoS ONE</i> , 2014, 9, e103508. | 2.5 | 134 |
| 275 | Genomic determinants of prognosis in esophageal adenocarcinoma: Using computational methods to account for gene-gene interactions.. <i>Journal of Clinical Oncology</i> , 2014, 32, 42-42. | 1.6 | 0 |
| 276 | Tu1770 Obstructive Sleep Apnea, Gastroesophageal Reflux and Barrett's Esophagus in a Population-Based Case-Control Study. <i>Gastroenterology</i> , 2013, 144, S-840. | 1.3 | 1 |
| 277 | A Model to Determine Absolute Risk for Esophageal Adenocarcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 138-144.e2. | 4.4 | 68 |
| 278 | Cutaneous Markers of Photo-Damage and Risk of Basal Cell Carcinoma of the Skin: A Meta-Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1483-1489. | 2.5 | 34 |
| 279 | NRAS and BRAF Mutations in Cutaneous Melanoma and the Association with MC1R Genotype: Findings from Spanish and Austrian Populations. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1027-1033. | 0.7 | 38 |
| 280 | Association between ultraviolet radiation, skin sun sensitivity and risk of pancreatic cancer. <i>Cancer Epidemiology</i> , 2013, 37, 886-892. | 1.9 | 28 |
| 281 | Predicting vitamin D deficiency in older Australian adults. <i>Clinical Endocrinology</i> , 2013, 79, 631-640. | 2.4 | 28 |
| 282 | Germline Genetic Contributions to Risk for Esophageal Adenocarcinoma, Barrett's Esophagus, and Gastroesophageal Reflux. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1711-1718. | 6.3 | 85 |
| 283 | Cost-Effectiveness Of Radiofrequency Ablation Compared To Endoscopic Surveillance For Patients With Barrett's Esophagus With Low Grade Dysplasia. <i>Value in Health</i> , 2013, 16, A215. | 0.3 | 1 |
| 284 | Mo1911 Cost-Effectiveness of Radiofrequency Ablation Compared to Endoscopic Surveillances for Patients With Barrett's Esophagus With Low Grade Dysplasia. <i>Gastroenterology</i> , 2013, 144, S-691. | 1.3 | 0 |
| 285 | A meta-analysis of pigmentary characteristics, sun sensitivity, freckling and melanocytic nevi and risk of basal cell carcinoma of the skin. <i>Cancer Epidemiology</i> , 2013, 37, 534-543. | 1.9 | 57 |
| 286 | Sex differences in the proportion of esophageal squamous cell carcinoma cases attributable to tobacco smoking and alcohol consumption. <i>Cancer Epidemiology</i> , 2013, 37, 579-584. | 1.9 | 76 |
| 287 | Can we really predict risk of cancer?. <i>Cancer Epidemiology</i> , 2013, 37, 349-352. | 1.9 | 21 |
| 288 | Prevalence of <sc>BRAF</sc> and <sc>NRAS</sc> mutations in fast-growing melanomas. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 429-431. | 3.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. <i>Nature Genetics</i> , 2013, 45, 1487-1493. | 21.4 | 174 |
| 290 | Genetic modifiers of menopausal hormone replacement therapy and breast cancer risk: a genome-wide interaction study. <i>Endocrine-Related Cancer</i> , 2013, 20, 875-887. | 3.1 | 26 |
| 291 | Deep Resequencing of GWAS Loci Identifies Rare Variants in CARD9, IL23R and RNF186 That Are Associated with Ulcerative Colitis. <i>PLoS Genetics</i> , 2013, 9, e1003723. | 3.5 | 185 |
| 292 | Sex-specific associations between body mass index, waist circumference and the risk of Barrett's oesophagus: a pooled analysis from the international BEACON consortium. <i>Gut</i> , 2013, 62, 1684-1691. | 12.1 | 118 |
| 293 | Site-Specific Determinants of Cutaneous Melanoma: A Case-Case Comparison of Patients with Tumors Arising on the Head or Trunk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2222-2231. | 2.5 | 28 |
| 294 | The AusD Study: A Population-based Study of the Determinants of Serum 25-Hydroxyvitamin D Concentration Across a Broad Latitude Range. <i>American Journal of Epidemiology</i> , 2013, 177, 894-903. | 3.4 | 23 |
| 295 | Obesity and risk of ovarian cancer subtypes: evidence from the Ovarian Cancer Association Consortium. <i>Endocrine-Related Cancer</i> , 2013, 20, 251-262. | 3.1 | 169 |
| 296 | Surgical management in patients with pancreatic cancer: a Queensland perspective. <i>ANZ Journal of Surgery</i> , 2013, 83, 859-864. | 0.7 | 6 |
| 297 | Dietary antioxidants and risk of Barrett's esophagus and adenocarcinoma of the esophagus in an Australian population. <i>International Journal of Cancer</i> , 2013, 133, 214-224. | 5.1 | 40 |
| 298 | The effect of MC1R variants and sunscreen on the response of human melanocytes in vivo to ultraviolet radiation and implications for melanoma. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 835-844. | 3.3 | 24 |
| 299 | Prognostic sub-classifications of T1 cutaneous melanomas based on ulceration, tumour thickness and Clark level of invasion. Results of a population-based study from the Swedish Melanoma Register. <i>British Journal of Dermatology</i> , 2013, 168, 685-686. | 1.5 | 1 |
| 300 | The risk of Barrett's esophagus associated with abdominal obesity in males and females. <i>International Journal of Cancer</i> , 2013, 132, 2192-2199. | 5.1 | 37 |
| 301 | Determinants of Uptake of Whole-Body Skin Self-Examination in Older Men. <i>Behavioral Medicine</i> , 2013, 39, 36-43. | 1.9 | 8 |
| 302 | Abstract 2561: MiRNA-related SNPs and risk of esophageal adenocarcinoma and Barrett's esophagus: post genome-wide association analysis in the BEACON consortium.. , 2013, , . | | 1 |
| 303 | Dietary patterns and risk of oesophageal cancers: a population-based case-control study. <i>British Journal of Nutrition</i> , 2012, 107, 1207-1216. | 2.3 | 23 |
| 304 | Body mass index in relation to oesophageal and oesophagogastric junction adenocarcinomas: a pooled analysis from the International BEACON Consortium. <i>International Journal of Epidemiology</i> , 2012, 41, 1706-1718. | 1.9 | 237 |
| 305 | Do "Personal Stories" Improve Response Rates?. <i>Epidemiology</i> , 2012, 23, 765-766. | 2.7 | 1 |
| 306 | Cohort profile: The QSkin Sun and Health Study. <i>International Journal of Epidemiology</i> , 2012, 41, 929-929i. | 1.9 | 128 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Recruitment and Results of a Pilot Trial of Vitamin D Supplementation in the General Population of Australia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4473-4480. | 3.6 | 25 |
| 308 | Association Between Ambient Ultraviolet Radiation and Risk of Esophageal Cancer. <i>American Journal of Gastroenterology</i> , 2012, 107, 1803-1813. | 0.4 | 29 |
| 309 | Common variants at the MHC locus and at chromosome 16q24.1 predispose to Barrett's esophagus. <i>Nature Genetics</i> , 2012, 44, 1131-1136. | 21.4 | 162 |
| 310 | InterSCOPE Study: Associations Between Esophageal Squamous Cell Carcinoma and Human Papillomavirus Serological Markers. <i>Journal of the National Cancer Institute</i> , 2012, 104, 147-158. | 6.3 | 71 |
| 311 | The incidence of esophageal adenocarcinoma continues to rise: analysis of period and birth cohort effects on recent trends. <i>Annals of Oncology</i> , 2012, 23, 3155-3162. | 1.2 | 298 |
| 312 | A Clinical Risk Prediction Model for Barrett Esophagus. <i>Cancer Prevention Research</i> , 2012, 5, 1115-1123. | 1.5 | 67 |
| 313 | Characteristics of men aged 50 years or older who do not take up skin self-examination following an educational intervention. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, e57-e58. | 1.2 | 5 |
| 314 | The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. <i>Cancer Epidemiology</i> , 2012, 36, 306-316. | 1.9 | 65 |
| 315 | Nonsteroidal Anti-inflammatory Drug Use Reduces Risk of Adenocarcinomas of the Esophagus and Esophagogastric Junction in a Pooled Analysis. <i>Gastroenterology</i> , 2012, 142, 442-452.e5. | 1.3 | 140 |
| 316 | Cigarette Smoking Increases Risk of Barrett's Esophagus: An Analysis of the Barrett's and Esophageal Adenocarcinoma Consortium. <i>Gastroenterology</i> , 2012, 142, 744-753. | 1.3 | 145 |
| 317 | Good testâ€“retest reproducibility for an instrument to capture self-reported melanoma risk factors. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1329-1336. | 5.0 | 48 |
| 318 | Current Status and Future Perspectives on the Etiology of Esophageal Adenocarcinoma. <i>Frontiers in Oncology</i> , 2012, 2, 11. | 2.8 | 28 |
| 319 | <i>Helicobacter pylori</i> infection and the risks of Barrett's oesophagus: A populationâ€“based caseâ€“control study. <i>International Journal of Cancer</i> , 2012, 130, 2407-2416. | 5.1 | 51 |
| 320 | The influence of prediagnostic demographic and lifestyle factors on esophageal squamous cell carcinoma survival. <i>International Journal of Cancer</i> , 2012, 131, E759-68. | 5.1 | 52 |
| 321 | Body mass index, longâ€“term weight change, and esophageal squamous cell carcinoma. <i>Cancer</i> , 2012, 118, 1901-1909. | 4.1 | 41 |
| 322 | Predictors of survival among patients diagnosed with adenocarcinoma of the esophagus and gastroesophageal junction. <i>Cancer Causes and Control</i> , 2012, 23, 555-564. | 1.8 | 27 |
| 323 | Modeling the Cost-effectiveness of Strategies for Treating Esophageal Adenocarcinoma and High-grade Dysplasia. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 1451-1461. | 1.7 | 11 |
| 324 | Prevalence and determinants of frequent gastroesophageal reflux symptoms in the Australian community. <i>Ecological Management and Restoration</i> , 2012, 25, 573-583. | 0.4 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Lifetime Alcohol Consumption and Risk of Barrett's Esophagus. <i>American Journal of Gastroenterology</i> , 2011, 106, 1220-1230. | 0.4 | 29 |
| 326 | Update on melanoma and non-melanoma skin cancer. <i>Expert Review of Anticancer Therapy</i> , 2011, 11, 1829-1832. | 2.4 | 9 |
| 327 | Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. <i>Human Molecular Genetics</i> , 2011, 20, 5012-5023. | 2.9 | 187 |
| 328 | Genome-wide association study identifies three new melanoma susceptibility loci. <i>Nature Genetics</i> , 2011, 43, 1108-1113. | 21.4 | 230 |
| 329 | The melanomas: a synthesis of epidemiological, clinical, histopathological, genetic, and biological aspects, supporting distinct subtypes, causal pathways, and cells of origin. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 879-897. | 3.3 | 225 |
| 330 | Is endoscopic surveillance for non-dysplastic Barrett's esophagus cost-effective? Review of economic evaluations. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 247-254. | 2.8 | 46 |
| 331 | Barrett's esophagus. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 639-648. | 2.8 | 51 |
| 332 | Prevalence and determinants of <i>Helicobacter pylori</i> seropositivity in the Australian adult community. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1283-1289. | 2.8 | 46 |
| 333 | The use of nonsteroidal anti-inflammatory drugs and the risk of Barrett's oesophagus. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 1235-1244. | 3.7 | 28 |
| 334 | Body-site distribution of skin cancer, pre-malignant and common benign pigmented lesions excised in general practice. <i>British Journal of Dermatology</i> , 2011, 165, 35-43. | 1.5 | 66 |
| 335 | Serum Vitamin D Levels in Office Workers in a Subtropical Climate. <i>Photochemistry and Photobiology</i> , 2011, 87, 714-720. | 2.5 | 35 |
| 336 | "Blue Sky" epidemiology: definition, examples and a plea for understanding. <i>Australian and New Zealand Journal of Public Health</i> , 2011, 35, 4-6. | 1.8 | 3 |
| 337 | Physical activity and cancer prevention: a systematic review of clinical trials. <i>Cancer Causes and Control</i> , 2011, 22, 811-826. | 1.8 | 146 |
| 338 | Biologic markers of sun exposure and melanoma risk in women: Pooled case-control analysis. <i>International Journal of Cancer</i> , 2011, 129, 713-723. | 5.1 | 28 |
| 339 | Melanocortin 1 receptor and risk of cutaneous melanoma: A meta-analysis and estimates of population burden. <i>International Journal of Cancer</i> , 2011, 129, 1730-1740. | 5.1 | 118 |
| 340 | Healthcare resource use and medical costs for the management of oesophageal cancer. <i>British Journal of Surgery</i> , 2011, 98, 1589-1598. | 0.3 | 19 |
| 341 | Nevi, Family History, and Fair Skin Increase the Risk of Second Primary Melanoma. <i>Journal of Investigative Dermatology</i> , 2011, 131, 461-467. | 0.7 | 51 |
| 342 | Population Attributable Fractions of Adenocarcinoma of the Esophagus and Gastroesophageal Junction. <i>American Journal of Epidemiology</i> , 2011, 174, 582-590. | 3.4 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 343 | Polymorphisms in Nevus-Associated Genes <i>MTAP</i> , <i>PLA2G6</i> , and <i>IRF4</i> and the Risk of Invasive Cutaneous Melanoma. <i>Twin Research and Human Genetics</i> , 2011, 14, 422-432. | 0.6 | 39 |
| 344 | High-Risk Human Papillomavirus in Esophageal Squamous Cell Carcinoma Response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 409-410. | 2.5 | 2 |
| 345 | High Intake of Folate from Food Sources Is Associated with Reduced Risk of Esophageal Cancer in an Australian Population. <i>Journal of Nutrition</i> , 2011, 141, 274-283. | 2.9 | 56 |
| 346 | A novel recurrent mutation in <i>MITF</i> predisposes to familial and sporadic melanoma. <i>Nature</i> , 2011, 480, 99-103. | 27.8 | 413 |
| 347 | Alcohol intake and risk of oesophageal adenocarcinoma: a pooled analysis from the BEACON Consortium. <i>Gut</i> , 2011, 60, 1029-1037. | 12.1 | 95 |
| 348 | Genome-wide association study identifies a new melanoma susceptibility locus at 1q21.3. <i>Nature Genetics</i> , 2011, 43, 1114-1118. | 21.4 | 140 |
| 349 | Esophageal Adenocarcinoma Incidence in Individuals With Gastroesophageal Reflux: Synthesis and Estimates From Population Studies. <i>American Journal of Gastroenterology</i> , 2011, 106, 254-260. | 0.4 | 79 |
| 350 | Impact of a Video-Based Intervention to Improve the Prevalence of Skin Self-examination in Men 50 Years or Older. <i>Archives of Dermatology</i> , 2011, 147, 799. | 1.4 | 43 |
| 351 | Whole Genome Expression Array Profiling Highlights Differences in Mucosal Defense Genes in Barrett's Esophagus and Esophageal Adenocarcinoma. <i>PLoS ONE</i> , 2011, 6, e22513. | 2.5 | 36 |
| 352 | Genes, sunlight and the origins of cutaneous melanoma. <i>Melanoma Research</i> , 2010, 20, e3-e4. | 1.2 | 0 |
| 353 | <i>IRF4</i> Variants Have Age-Specific Effects on Nevus Count and Predispose to Melanoma. <i>American Journal of Human Genetics</i> , 2010, 87, 6-16. | 6.2 | 114 |
| 354 | Breastfeeding and risk of epithelial ovarian cancer. <i>Cancer Causes and Control</i> , 2010, 21, 109-116. | 1.8 | 61 |
| 355 | Eating habits and risk of esophageal cancers: a population-based case-control study. <i>Cancer Causes and Control</i> , 2010, 21, 1475-1484. | 1.8 | 28 |
| 356 | Tea consumption and risk of ovarian cancer. <i>Cancer Causes and Control</i> , 2010, 21, 1485-1491. | 1.8 | 42 |
| 357 | Exercise and the Prevention of Oesophageal Cancer (EPOC) study protocol: a randomized controlled trial of exercise versus stretching in males with Barrett's oesophagus. <i>BMC Cancer</i> , 2010, 10, 292. | 2.6 | 14 |
| 358 | Estimating the attributable fraction for melanoma: A meta-analysis of pigimentary characteristics and freckling. <i>International Journal of Cancer</i> , 2010, 127, 2430-2445. | 5.1 | 68 |
| 359 | Genome-wide meta-analysis increases to 71 the number of confirmed Crohn's disease susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 1118-1125. | 21.4 | 2,284 |
| 360 | Symptoms, investigations and management of patients with cancer of the oesophagus and gastrooesophageal junction in Australia. <i>Medical Journal of Australia</i> , 2010, 193, 572-577. | 1.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | High-Risk Human Papillomavirus in Esophageal Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2080-2087. | 2.5 | 80 |
| 362 | Meat, fish, and ovarian cancer risk: results from 2 Australian case-control studies, a systematic review, and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1752-1763. | 4.7 | 62 |
| 363 | Knowledge and Attitudes about Vitamin D and Impact on Sun Protection Practices among Urban Office Workers in Brisbane, Australia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1784-1789. | 2.5 | 49 |
| 364 | Familial Melanoma: A Meta-analysis and Estimates of Attributable Fraction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 65-73. | 2.5 | 53 |
| 365 | Polymorphism in the <i>GALNT1</i> Gene and Epithelial Ovarian Cancer in Non-Hispanic White Women: The Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 600-604. | 2.5 | 23 |
| 366 | Cigarette Smoking and Adenocarcinomas of the Esophagus and Esophagogastric Junction: A Pooled Analysis From the International BEACON Consortium. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1344-1353. | 6.3 | 259 |
| 367 | KCNN4 Gene Variant Is Associated With Ileal Crohn's Disease in the Australian and New Zealand Population. <i>American Journal of Gastroenterology</i> , 2010, 105, 2209-2217. | 0.4 | 59 |
| 368 | Gastro-oesophageal reflux symptoms and the risks of oesophageal cancer: are the effects modified by smoking, NSAIDs or acid suppressants?. <i>Gut</i> , 2010, 59, 31-38. | 12.1 | 49 |
| 369 | Estimating the Attributable Fraction for Cancer: A Meta-analysis of Nevi and Melanoma. <i>Cancer Prevention Research</i> , 2010, 3, 233-245. | 1.5 | 82 |
| 370 | The Association between MC1R Genotype and BRAF Mutation Status in Cutaneous Melanoma: Findings from an Australian Population. <i>Journal of Investigative Dermatology</i> , 2010, 130, 241-248. | 0.7 | 76 |
| 371 | Melanoma screening: The Australian perspective. <i>Melanoma Research</i> , 2010, 20, e17-e18. | 1.2 | 2 |
| 372 | Foveolar type dysplasia in Barrett esophagus. <i>Modern Pathology</i> , 2010, 23, 834-843. | 5.5 | 71 |
| 373 | Gene expression alterations in formalin-fixed, paraffin-embedded Barrett esophagus and esophageal adenocarcinoma tissues.. <i>Cancer Biology and Therapy</i> , 2010, 10, 172-179. | 3.4 | 22 |
| 374 | Characterization of the Melanoma miRNAome by Deep Sequencing. <i>PLoS ONE</i> , 2010, 5, e9685. | 2.5 | 181 |
| 375 | Hyperplastic Polyposis Syndrome Is Associated With Cigarette Smoking, Which May Be a Modifiable Risk Factor. <i>American Journal of Gastroenterology</i> , 2010, 105, 1642-1647. | 0.4 | 32 |
| 376 | Association of Helicobacter pylori Infection With Reduced Risk for Esophageal Cancer Is Independent of Environmental and Genetic Modifiers. <i>Gastroenterology</i> , 2010, 139, 73-83. | 1.3 | 114 |
| 377 | Reproductive and sex hormonal factors and oesophageal and gastric junction adenocarcinoma: A pooled analysis. <i>European Journal of Cancer</i> , 2010, 46, 2067-2076. | 2.8 | 71 |
| 378 | webFOG: A web tool to map genomic features onto genes. <i>Biochemical and Biophysical Research Communications</i> , 2010, 401, 447-450. | 2.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | The skin awareness study: Promoting thorough skin self-examination for skin cancer among men 50years or older. Contemporary Clinical Trials, 2010, 31, 119-130. | 1.8 | 32 |
| 380 | Testing the divergent pathway hypothesis for melanoma: recent findings and future challenges. Expert Review of Anticancer Therapy, 2010, 10, 615-618. | 2.4 | 17 |
| 381 | Epidemiology of Malignant Melanoma. , 2010, , 13-26. | | 5 |
| 382 | Screening for skin cancer in Queensland: who attends, and why and where do they attend?. Medical Journal of Australia, 2009, 190, 45-45. | 1.7 | 12 |
| 383 | Prevalence and determinants of sunburn in Queensland. Health Promotion Journal of Australia, 2009, 20, 102-106. | 1.2 | 6 |
| 384 | Does type 2 diabetes influence the risk of oesophageal adenocarcinoma?. British Journal of Cancer, 2009, 100, 795-798. | 6.4 | 42 |
| 385 | Beyond Parity: Association of Ovarian Cancer With Length of Gestation and Offspring Characteristics. American Journal of Epidemiology, 2009, 170, 607-614. | 3.4 | 18 |
| 386 | Nevus density and melanoma risk in women: A pooled analysis to test the divergent pathway hypothesis. International Journal of Cancer, 2009, 124, 937-944. | 5.1 | 70 |
| 387 | Life course sun exposure and risk of prostate cancer: Population-based nested case-control study and meta-analysis. International Journal of Cancer, 2009, 125, 1414-1423. | 5.1 | 49 |
| 388 | A Population-Based Study of Australian Twins with Melanoma Suggests a Strong Genetic Contribution to Liability. Journal of Investigative Dermatology, 2009, 129, 2211-2219. | 0.7 | 30 |
| 389 | Validating genetic risk associations for ovarian cancer through the international Ovarian Cancer Association Consortium. British Journal of Cancer, 2009, 100, 412-420. | 6.4 | 47 |
| 390 | Esophageal cancer in Indigenous Australians in Far North Queensland. Journal of Gastroenterology and Hepatology (Australia), 2009, 24, 1683-1686. | 2.8 | 2 |
| 391 | Do low control response rates always affect the findings? Assessments of smoking and obesity in two Australian case-control studies of cancer. Australian and New Zealand Journal of Public Health, 2009, 33, 312-319. | 1.8 | 38 |
| 392 | Rare, Evolutionarily Unlikely Missense Substitutions in ATM Confer Increased Risk of Breast Cancer. American Journal of Human Genetics, 2009, 85, 427-446. | 6.2 | 165 |
| 393 | S1169 KCNN4 Gene Variant Is Associated with Ileal Crohn's Disease. Gastroenterology, 2009, 136, A-205. | 1.3 | 0 |
| 394 | Alcohol Consumption and the Risks of Adenocarcinoma and Squamous Cell Carcinoma of the Esophagus. Gastroenterology, 2009, 136, 1215-1224.e2. | 1.3 | 153 |
| 395 | Hot tea and increased risk of oesophageal cancer. BMJ, The, 2009, 338, b610-b610. | 6.0 | 5 |
| 396 | T1063 Incidence of Esophageal Adenocarcinoma in Patients with Gastroesophageal Reflux in Context of Other Screened Cancers. Gastroenterology, 2009, 136, A-491. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 397 | Current and Past Smoking Significantly Increase Risk for Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 840-848. | 4.4 | 53 |
| 398 | Serous ovarian, fallopian tube and primary peritoneal cancers: A comparative epidemiological analysis. <i>International Journal of Cancer</i> , 2008, 122, 1598-1603. | 5.1 | 91 |
| 399 | Cancers of the esophagus and carbonated beverage consumption: a population-based case-control study. <i>Cancer Causes and Control</i> , 2008, 19, 577-584. | 1.8 | 23 |
| 400 | Prevalence and correlates of multiple cancer risk behaviors in an Australian population-based survey: results from the Queensland Cancer Risk Study. <i>Cancer Causes and Control</i> , 2008, 19, 1339-1347. | 1.8 | 33 |
| 401 | Talcum powder, chronic pelvic inflammation and NSAIDs in relation to risk of epithelial ovarian cancer. <i>International Journal of Cancer</i> , 2008, 122, 170-176. | 5.1 | 205 |
| 402 | Reduced expression of IL-18 is a marker of ultraviolet radiation-induced melanomas. <i>International Journal of Cancer</i> , 2008, 123, 227-231. | 5.1 | 15 |
| 403 | Polymorphisms in MGMT and DNA repair genes and the risk of esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2008, 123, 174-180. | 5.1 | 65 |
| 404 | Consortium analysis of 7 candidate SNPs for ovarian cancer. <i>International Journal of Cancer</i> , 2008, 123, 380-388. | 5.1 | 73 |
| 405 | Body size and risk of epithelial ovarian and related cancers: A population-based case-control study. <i>International Journal of Cancer</i> , 2008, 123, 450-456. | 5.1 | 49 |
| 406 | Progesterone receptor variation and risk of ovarian cancer is limited to the invasive endometrioid subtype: results from the ovarian cancer association consortium pooled analysis. <i>British Journal of Cancer</i> , 2008, 98, 282-288. | 6.4 | 49 |
| 407 | Common sequence variants on 20q11.22 confer melanoma susceptibility. <i>Nature Genetics</i> , 2008, 40, 838-840. | 21.4 | 209 |
| 408 | Rating access to health care: Are there differences according to geographical region?. <i>Australian and New Zealand Journal of Public Health</i> , 2008, 32, 246-249. | 1.8 | 9 |
| 409 | Similarity of aberrant DNA methylation in Barrett's esophagus and esophageal adenocarcinoma. <i>Molecular Cancer</i> , 2008, 7, 75. | 19.2 | 52 |
| 410 | Endometrioid and clear cell ovarian cancers - A comparative analysis of risk factors. <i>European Journal of Cancer</i> , 2008, 44, 2477-2484. | 2.8 | 82 |
| 411 | Variation in bone morphogenetic protein 15 is not associated with spontaneous human dizygotic twinning. <i>Human Reproduction</i> , 2008, 23, 2372-2379. | 0.9 | 32 |
| 412 | Associations of Duration, Intensity, and Quantity of Smoking with Adenocarcinoma and Squamous Cell Carcinoma of the Esophagus. <i>American Journal of Epidemiology</i> , 2008, 168, 105-114. | 3.4 | 89 |
| 413 | The Queensland Study of Melanoma: Environmental and Genetic Associations (Q-MEGA); Study Design, Baseline Characteristics, and Repeatability of Phenotype and Sun Exposure Measures. <i>Twin Research and Human Genetics</i> , 2008, 11, 183-196. | 0.6 | 42 |
| 414 | Single Nucleotide Polymorphisms in Obesity-Related Genes and the Risk of Esophageal Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1007-1012. | 2.5 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 415 | ATG16L1 T300A Shows Strong Associations With Disease Subgroups in a Large Australian IBD Population: Further Support for Significant Disease Heterogeneity. <i>American Journal of Gastroenterology</i> , 2008, 103, 2519-2526. | 0.4 | 79 |
| 416 | Skewed X Chromosome Inactivation and Breast and Ovarian Cancer Status: Evidence for X-Linked Modifiers of BRCA1. <i>Journal of the National Cancer Institute</i> , 2008, 100, 1519-1529. | 6.3 | 33 |
| 417 | Epithelial ovarian cancer: testing the 'androgens hypothesis'. <i>Endocrine-Related Cancer</i> , 2008, 15, 1061-1068. | 3.1 | 78 |
| 418 | Aspirin, Nonsteroidal Anti-inflammatory Drugs, and the Risks of Cancers of the Esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1169-1178. | 2.5 | 77 |
| 419 | Combined effects of obesity, acid reflux and smoking on the risk of adenocarcinomas of the oesophagus. <i>Gut</i> , 2008, 57, 173-180. | 12.1 | 259 |
| 420 | Genome-Wide Copy Number Analysis in Esophageal Adenocarcinoma Using High-Density Single-Nucleotide Polymorphism Arrays. <i>Cancer Research</i> , 2008, 68, 4163-4172. | 0.9 | 79 |
| 421 | Factors Associated With the Number of Lesions Excised for Each Skin Cancer. <i>Archives of Dermatology</i> , 2008, 144, 1468-76. | 1.4 | 53 |
| 422 | THE QUEENSLAND PANCREATIC CANCER STUDY-IDENTIFYING RISK FACTORS FOR PANCREATIC CANCER. <i>Pancreas</i> , 2008, 36, 223. | 1.1 | 0 |
| 423 | Changes in the incidence of cutaneous melanoma in the west of Scotland and Queensland, Australia: hope for health promotion?. <i>European Journal of Cancer Prevention</i> , 2008, 17, 243-250. | 1.3 | 41 |
| 424 | Histologic and epidemiologic correlates of P-MAPK, Brn-2, pRb, p53, and p16 immunostaining in cutaneous melanomas. <i>Melanoma Research</i> , 2008, 18, 336-345. | 1.2 | 24 |
| 425 | Diagnosing skin cancer in primary care: how do main stream general practitioners compare with primary care skin cancer clinic doctors?. <i>Medical Journal of Australia</i> , 2008, 188, 125-126. | 1.7 | 0 |
| 426 | Letters to the Editor. <i>American Journal of Gastroenterology</i> , 2007, 102, 201-221. | 0.4 | 19 |
| 427 | Association Between Single-Nucleotide Polymorphisms in Hormone Metabolism and DNA Repair Genes and Epithelial Ovarian Cancer: Results from Two Australian Studies and an Additional Validation Set. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2557-2565. | 2.5 | 65 |
| 428 | Leptin and the risk of Barrett's oesophagus. <i>Gut</i> , 2007, 57, 448-454. | 12.1 | 126 |
| 429 | Tagging Single Nucleotide Polymorphisms in Cell Cycle Control Genes and Susceptibility to Invasive Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2007, 67, 3027-3035. | 0.9 | 78 |
| 430 | Recreational Physical Activity and Epithelial Ovarian Cancer: A Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2321-2330. | 2.5 | 92 |
| 431 | Risk Factors for Benign Serous and Mucinous Epithelial Ovarian Tumors. <i>Obstetrics and Gynecology</i> , 2007, 109, 647-654. | 2.4 | 26 |
| 432 | Obesity and the risk of epithelial ovarian cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2007, 43, 690-709. | 2.8 | 255 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 433 | Basal cell carcinoma on the trunk is associated with excessive sun exposure. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, 380-386. | 1.2 | 74 |
| 434 | The modern researcher and the peacock's tail. <i>Lancet, The</i> , 2007, 369, 449-450. | 13.7 | 0 |
| 435 | Sun protection messages, vitamin D and skin cancer: out of the frying pan and into the fire?. <i>Medical Journal of Australia</i> , 2007, 186, 52-53. | 1.7 | 23 |
| 436 | SiDCoN: A Tool to Aid Scoring of DNA Copy Number Changes in SNP Chip Data. <i>PLoS ONE</i> , 2007, 2, e1093. | 2.5 | 33 |
| 437 | Diagnosing skin cancer in primary care: how do mainstream general practitioners compare with primary care skin cancer clinic doctors?. <i>Medical Journal of Australia</i> , 2007, 187, 215-220. | 1.7 | 78 |
| 438 | HPV vaccination: what do Queensland parents think?. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 288-289. | 1.8 | 10 |
| 439 | Risk factors for benign, borderline and invasive mucinous ovarian tumors: Epidemiological evidence of a neoplastic continuum?. <i>Gynecologic Oncology</i> , 2007, 107, 223-230. | 1.4 | 70 |
| 440 | A comparison of the anatomic distribution of cutaneous melanoma in two populations with different levels of sunlight: the west of Scotland and Queensland, Australia 1982-2001. <i>Cancer Causes and Control</i> , 2007, 18, 485-491. | 1.8 | 25 |
| 441 | Sun protection and low levels of vitamin D: are people concerned?. <i>Cancer Causes and Control</i> , 2007, 18, 1015-1019. | 1.8 | 20 |
| 442 | High-risk Melanoma Susceptibility Genes and Pancreatic Cancer, Neural System Tumors, and Uveal Melanoma across GenoMEL. <i>Cancer Research</i> , 2006, 66, 9818-9828. | 0.9 | 373 |
| 443 | Novel Variants in Growth Differentiation Factor 9 in Mothers of Dizygotic Twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4713-4716. | 3.6 | 121 |
| 444 | Solaria use in Queensland, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 479-482. | 1.8 | 29 |
| 445 | The Queensland Cancer Risk Study: behavioural risk factor results. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 375-382. | 1.8 | 37 |
| 446 | Diagnostic accuracy in skin cancer clinics: the Australian experience. <i>International Journal of Dermatology</i> , 2006, 45, 656-660. | 1.0 | 24 |
| 447 | Isoflavonoid Photoprotection in Mouse and Human Skin Is Dependent on Metallothionein. <i>Journal of Investigative Dermatology</i> , 2006, 126, 198-204. | 0.7 | 32 |
| 448 | Anatomical distribution of solar ultraviolet exposures among cyclists. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2006, 85, 23-27. | 3.8 | 30 |
| 449 | Hypothesis: hair cover can protect against invasive melanoma on the head and neck (Australia). <i>Cancer Causes and Control</i> , 2006, 17, 1263-1266. | 1.8 | 34 |
| 450 | Does smoking increase risk of ovarian cancer? A systematic review. <i>Gynecologic Oncology</i> , 2006, 103, 1122-1129. | 1.4 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Sun exposure and host phenotype as predictors of cutaneous melanoma associated with neval remnants or dermal elastosis. <i>International Journal of Cancer</i> , 2006, 119, 636-642. | 5.1 | 41 |
| 452 | Features associated with germline CDKN2A mutations: a GenoMEL study of melanoma-prone families from three continents. <i>Journal of Medical Genetics</i> , 2006, 44, 99-106. | 3.2 | 350 |
| 453 | Anatomic Site, Sun Exposure, and Risk of Cutaneous Melanoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 3172-3177. | 1.6 | 176 |
| 454 | Temporal Changes in the Endoscopic Frequency of New Cases of Barrett's Esophagus in an Australian Health Region. <i>American Journal of Gastroenterology</i> , 2006, 101, 1178-1182. | 0.4 | 46 |
| 455 | Expression of p53 Tumor Suppressor Protein in Sun-exposed Skin and Associations with Sunscreen Use and Time Spent Outdoors: A Community-based Study. <i>American Journal of Epidemiology</i> , 2006, 163, 982-988. | 3.4 | 42 |
| 456 | Solar Radiation. , 2006, , 294-305. | | 1 |
| 457 | Australian public's views on privacy and health research. <i>BMJ: British Medical Journal</i> , 2006, 332, 1274.2. | 2.3 | 7 |
| 458 | Divergent Pathways to Cutaneous Melanoma. , 2006, , 311-327. | | 0 |
| 459 | Repeatability of self-reported information for population-based studies of cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2006, 7, 303-8. | 1.2 | 7 |
| 460 | Reproducibility of a short semi-quantitative food group questionnaire and its performance in estimating nutrient intake compared with a 7-day diet diary in the Million Women Study. <i>Public Health Nutrition</i> , 2005, 8, 201-213. | 2.2 | 51 |
| 461 | Privacy and medical research. <i>Internal Medicine Journal</i> , 2005, 35, 441-442. | 0.8 | 1 |
| 462 | Site-specific occurrence of nonmelanoma skin cancers in patients with cutaneous melanoma. <i>British Journal of Cancer</i> , 2005, 93, 597-601. | 6.4 | 12 |
| 463 | An analysis of risk factors for cutaneous melanoma by anatomical site (Australia). <i>Cancer Causes and Control</i> , 2005, 16, 193-199. | 1.8 | 41 |
| 464 | Interactions among Smoking, Obesity, and Symptoms of Acid Reflux in Barrett's Esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2481-2486. | 2.5 | 118 |
| 465 | A Risk Prediction Tool for Melanoma?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 761-763. | 2.5 | 34 |
| 466 | Childhood and Adult Cancer in Twins: Evidence from the Utah Genealogy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1236-1240. | 2.5 | 22 |
| 467 | Melanocytic nevi in very young children: The role of phenotype, sun exposure, and sun protection. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, 40-47. | 1.2 | 73 |
| 468 | Nonsteroidal anti-inflammatory drugs and the risk of actinic keratoses and squamous cell cancers of the skin. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 966-972. | 1.2 | 92 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | RESPONSE: Re: A Prospective Study of Pigmentation, Sun Exposure, and Risk of Cutaneous Malignant Melanoma in Women. <i>Journal of the National Cancer Institute</i> , 2004, 96, 336-337. | 6.3 | 2 |
| 470 | Twinning and the Incidence of Breast and Gynecological Cancers (United States). <i>Cancer Causes and Control</i> , 2004, 15, 829-835. | 1.8 | 20 |
| 471 | The role of genetics in the prevention of skin cancer. <i>Cancer Prevention, Cancer Causes</i> , 2004, , 117-139. | 0.3 | 0 |
| 472 | Prevalence and anatomical distribution of naevi in young Queensland children. <i>International Journal of Cancer</i> , 2003, 106, 930-933. | 5.1 | 26 |
| 473 | A rapid method for determining recent sunscreen use in field studies. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2003, 69, 59-63. | 3.8 | 16 |
| 474 | Induction of Metallothionein in Human Skin by Routine Exposure to Sunlight: Evidence for a Systemic Response and Enhanced Induction at Certain Body Sites. <i>Journal of Investigative Dermatology</i> , 2003, 120, 318-324. | 0.7 | 23 |
| 475 | Melanocytic Nevi, Solar Keratoses, and Divergent Pathways to Cutaneous Melanoma. <i>Journal of the National Cancer Institute</i> , 2003, 95, 806-812. | 6.3 | 388 |
| 476 | RESPONSE: Re: Melanocytic Nevi, Solar Keratoses, and Divergent Pathways to Cutaneous Melanoma. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1801-a-1802. | 6.3 | 2 |
| 477 | National ethics committee urgently needed. <i>Medical Journal of Australia</i> , 2003, 178, 187-187. | 1.7 | 9 |
| 478 | Timing of pregnancy and the risk of epithelial ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 42-6. | 2.5 | 33 |
| 479 | Loss of p16 expression is associated with histological features of melanoma invasion. <i>Melanoma Research</i> , 2002, 12, 539-547. | 1.2 | 59 |
| 480 | DOES CIGARETTE SMOKING INCREASE TIME TO CONCEPTION?. <i>Journal of Biosocial Science</i> , 2002, 34, 65-73. | 1.2 | 12 |
| 481 | Nuclear PTEN expression and clinicopathologic features in a population-based series of primary cutaneous melanoma. <i>International Journal of Cancer</i> , 2002, 99, 63-67. | 5.1 | 162 |
| 482 | Epithelial Ovarian Carcinoma and Fertility of Parents. <i>Epidemiology</i> , 2002, 13, 609-610. | 2.7 | 1 |
| 483 | Childhood cancer incidence in a cohort of twin babies. <i>British Journal of Cancer</i> , 2001, 84, 1460-1462. | 6.4 | 15 |
| 484 | Body size and ovarian cancer: case-control study and systematic review (Australia). <i>Cancer Causes and Control</i> , 2001, 12, 855-863. | 1.8 | 87 |
| 485 | Childhood sun exposure as a risk factor for melanoma: a systematic review of epidemiologic studies. <i>Cancer Causes and Control</i> , 2001, 12, 69-82. | 1.8 | 539 |
| 486 | RESPONSE: Re: Multiple Births and Risk of Epithelial Ovarian Cancer. <i>Journal of the National Cancer Institute</i> , 2001, 93, 319-320. | 6.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 487 | IS THE NATURAL TWINNING RATE NOW STABLE?. <i>Journal of Biosocial Science</i> , 2000, 32, 279-281. | 1.2 | 5 |
| 488 | Dietary folate and the prevalence of neural tube defects in the British Isles: the past two decades. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 885-889. | 2.3 | 16 |
| 489 | Multiple Births and Risk of Epithelial Ovarian Cancer. <i>Journal of the National Cancer Institute</i> , 2000, 92, 1172-1177. | 6.3 | 47 |
| 490 | Reproductive Factors, Subfertility, and Risk of Neural Tube Defects: A Case-Control Study Based on the Oxford Record Linkage Study Register. <i>American Journal of Epidemiology</i> , 2000, 152, 823-828. | 3.4 | 55 |
| 491 | A Comparison of Melanoma Mortality among WWII Veterans of the Pacific and European Theaters. <i>Annals of Epidemiology</i> , 2000, 10, 192-195. | 1.9 | 20 |
| 492 | Breast cancer risk in male twins: joint analyses of four twin cohorts in Denmark, Finland, Sweden and the United States. <i>British Journal of Cancer</i> , 2000, 83, 1231-1233. | 6.4 | 10 |
| 493 | Hepatitis A outbreaks among illicit drug users and their contacts in Queensland, 1997. <i>Medical Journal of Australia</i> , 1999, 170, 584-587. | 1.7 | 30 |
| 494 | The Pathogenesis of Melanoma Induced by Ultraviolet Radiation. <i>New England Journal of Medicine</i> , 1999, 341, 766-767. | 27.0 | 16 |
| 495 | Melanoma and sun exposure: where are we now?. <i>International Journal of Dermatology</i> , 1999, 38, 481-489. | 1.0 | 47 |
| 496 | Determinants of melanocyte density in adult human skin. <i>Archives of Dermatological Research</i> , 1999, 291, 511-516. | 1.9 | 76 |
| 497 | Screening for ovarian cancer. <i>Lancet, The</i> , 1999, 354, 509. | 13.7 | 0 |
| 498 | Sun Exposure, Skin Cancers and Related Skin Conditions. <i>Journal of Epidemiology</i> , 1999, 9, 7-13. | 2.4 | 72 |
| 499 | Dietary questions as determinants of mortality: the OXCHECK experience. <i>Public Health Nutrition</i> , 1999, 2, 477-487. | 2.2 | 48 |
| 500 | p53 expression and risk factors for cutaneous melanoma: A case-control study. , 1998, 77, 843-848. | | 131 |
| 501 | Prevalence and determinants of hepatitis A virus exposure among prison entrants in Queensland, Australia: implications for public health control. <i>Journal of Viral Hepatitis</i> , 1998, 5, 277-283. | 2.0 | 10 |
| 502 | History of tropical military service and risk of primary cutaneous melanoma in Queensland men. <i>Melanoma Research</i> , 1998, 8, 63-69. | 1.2 | 5 |
| 503 | Wherein lies the truth? Assessment of agreement between parent proxy and child respondents. <i>International Journal of Epidemiology</i> , 1997, 26, 855-859. | 1.9 | 56 |
| 504 | Germline CDKN2A Mutations in Childhood Melanoma. <i>Journal of the National Cancer Institute</i> , 1997, 89, 1460-1460. | 6.3 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | Melanoma's variable association with sun exposure. <i>Melanoma Research</i> , 1997, 7, S62. | 1.2 | 0 |
| 506 | P53 expression, phenotype and risk of melanoma. <i>Melanoma Research</i> , 1997, 7, S27. | 1.2 | 1 |
| 507 | Risk factors for childhood melanoma in Queensland, Australia. , 1997, 70, 26-31. | | 101 |
| 508 | Incidence of cutaneous childhood melanoma in Queensland, Australia. <i>International Journal of Cancer</i> , 1995, 63, 765-768. | 5.1 | 48 |
| 509 | Risk factors and predictors of outcome in an Australian cohort with hepatitis C virus infection. <i>Medical Journal of Australia</i> , 1995, 163, 107-110. | 1.7 | 0 |
| 510 | Psychological and Social Correlates of Attrition in a Longitudinal Study of Hazardous Waste Exposure. <i>Archives of Environmental Health</i> , 1995, 50, 281-286. | 0.4 | 6 |
| 511 | Melanoma and sunburn. <i>Cancer Causes and Control</i> , 1994, 5, 564-572. | 1.8 | 143 |
| 512 | A survey of sunscreen use and sun protection practices in Darwin. <i>Australian Journal of Public Health</i> , 1994, 18, 47-50. | 0.2 | 8 |
| 513 | eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 0, , . | 2.5 | 1 |