

Robert F Kirsch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8408780/publications.pdf>

Version: 2024-02-01

98
papers

3,905
citations

147801

31
h-index

133252

59
g-index

103
all docs

103
docs citations

103
times ranked

3151
citing authors

#	ARTICLE	IF	CITATIONS
1	The Neural Representation of Force across Grasp Types in Motor Cortex of Humans with Tetraplegia. ENeuro, 2021, 8, ENEURO.0231-20.2020.	1.9	9
2	Stable, simultaneous and proportional 4-DoF prosthetic hand control via synergy-inspired linear interpolation: a case series. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 50.	4.6	10
3	Hindsight Experience Replay Improves Reinforcement Learning for Control of a MIMO Musculoskeletal Model of the Human Arm. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 1016-1025.	4.9	8
4	Improving the Learning Rate, Accuracy, and Workspace of Reinforcement Learning Controllers for a Musculoskeletal Model of the Human Arm. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, PP, 1-1.	4.9	1
5	Neural Representation of Observed, Imagined, and Attempted Grasping Force in Motor Cortex of Individuals with Chronic Tetraplegia. Scientific Reports, 2020, 10, 1429.	3.3	16
6	Restoring Functional Reach-to-Grasp in a Person with Chronic Tetraplegia Using Implanted Functional Electrical Stimulation and Intracortical Brain-Computer Interfaces. Springer Briefs in Electrical and Computer Engineering, 2020, , 35-45.	0.5	0
7	Principled BCI Decoder Design and Parameter Selection Using a Feedback Control Model. Scientific Reports, 2019, 9, 8881.	3.3	28
8	Stable, three degree-of-freedom myoelectric prosthetic control via chronic bipolar intramuscular electrodes: a case study. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 147.	4.6	21
9	Neural ensemble dynamics in dorsal motor cortex during speech in people with paralysis. ELife, 2019, 8, .	6.0	64
10	The Reconnecting the Hand and Arm with Brain (ReHAB) Commentary on "An Integrated Brain-Machine Interface Platform With Thousands of Channels". Journal of Medical Internet Research, 2019, 21, e16339.	4.3	1
11	A Comparison of Intention Estimation Methods for Decoder Calibration in Intracortical Brain-Computer Interfaces. IEEE Transactions on Biomedical Engineering, 2018, 65, 2066-2078.	4.2	19
12	Rapid calibration of an intracortical brain-computer interface for people with tetraplegia. Journal of Neural Engineering, 2018, 15, 026007.	3.5	95
13	Invasive Brain-Computer Interfaces for Functional Restoration. , 2018, , 379-391.		1
14	Signal-independent noise in intracortical brain-computer interfaces causes movement time properties inconsistent with Fitts' law. Journal of Neural Engineering, 2017, 14, 026010.	3.5	9
15	Training an Actor-Critic Reinforcement Learning Controller for Arm Movement Using Human-Generated Rewards. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 1892-1905.	4.9	48
16	Restoration of reaching and grasping movements through brain-controlled muscle stimulation in a person with tetraplegia: a proof-of-concept demonstration. Lancet, The, 2017, 389, 1821-1830.	13.7	632
17	Feedback control policies employed by people using intracortical brain-computer interfaces. Journal of Neural Engineering, 2017, 14, 016001.	3.5	41
18	Skeletal Motor Neuroprostheses. Series on Bioengineering and Biomedical Engineering, 2017, , 491-536.	0.1	1

#	ARTICLE	IF	CITATIONS
19	Case study: Head orientation and neck electromyography for cursor control in persons with high cervical tetraplegia. <i>Journal of Rehabilitation Research and Development</i> , 2016, 53, 519-530.	1.6	10
20	Human-Like Rewards to Train a Reinforcement Learning Controller for Planar Arm Movement. <i>IEEE Transactions on Human-Machine Systems</i> , 2016, 46, 723-733.	3.5	17
21	Semiparametric Identification of Human Arm Dynamics for Flexible Control of a Functional Electrical Stimulation Neuroprosthesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 1405-1415.	4.9	19
22	Velocity neurons improve performance more than goal or position neurons do in a simulated closed-loop BCI arm-reaching task. <i>Frontiers in Computational Neuroscience</i> , 2015, 9, 84.	2.1	0
23	Evaluation of a semi-parametric model for high-dimensional FES control. , 2015, , .		5
24	Evaluation of head orientation and neck muscle EMG signals as three-dimensional command sources. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015, 12, 25.	4.6	18
25	An optimized proportional-derivative controller for the human upper extremity with gravity. <i>Journal of Biomechanics</i> , 2015, 48, 3692-3700.	2.1	9
26	Characterizing and Predicting Submovements during Human Three-Dimensional Arm Reaches. <i>PLoS ONE</i> , 2014, 9, e103387.	2.5	10
27	Miniature Low-Power Inertial Sensors: Promising Technology for Implantable Motion Capture Systems. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014, 22, 1138-1147.	4.9	52
28	A Fully Implanted Intramuscular Bipolar Myoelectric Signal Recording Electrode. <i>Neuromodulation</i> , 2014, 17, 794-799.	0.8	22
29	Implanted Neuroprosthesis for Restoring Arm and Hand Function in People With High Level Tetraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1201-1211.e1.	0.9	114
30	Multi-Muscle FES Force Control of the Human Arm for Arbitrary Goals. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014, 22, 654-663.	4.9	32
31	Real-Time Simulation of Three-Dimensional Shoulder Girdle and Arm Dynamics. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 1947-1956.	4.2	58
32	Identifying inverse human arm dynamics using a robotic testbed. , 2014, , .		3
33	Selection of muscle and nerve-cuff electrodes for neuroprostheses using customizable musculoskeletal model. <i>Journal of Rehabilitation Research and Development</i> , 2013, 50, 395.	1.6	6
34	Standard task set for evaluating rehabilitation interventions for individuals with arm paralysis. <i>Journal of Rehabilitation Research and Development</i> , 2012, 49, 395.	1.6	17
35	User-in-the-loop continuous and proportional control of a virtual prosthesis in a posture matching task. , 2012, 2012, 3557-9.		4
36	Predicting the initiation of minimum-jerk submovements in three-dimensional target-oriented human arm trajectories. , 2012, 2012, 6797-800.		3

#	ARTICLE	IF	CITATIONS
37	System identification for 3D force control of a human arm neuroprosthesis using functional electrical stimulation. , 2012, , .		5
38	Trunk Acceleration for Neuroprosthetic Control of Standing: A Pilot Study. Journal of Applied Biomechanics, 2012, 28, 85-92.	0.8	13
39	Prediction of Imagined Single-Joint Movements in a Person With High-Level Tetraplegia. IEEE Transactions on Biomedical Engineering, 2012, 59, 2755-2765.	4.2	39
40	Evaluation of volitional control of hand with vertical force assist device for high tetraplegia. , 2012, 2012, 1339-41.		0
41	Center of mass acceleration feedback control for standing by functional neuromuscular stimulation: A simulation study. Journal of Rehabilitation Research and Development, 2012, 49, 279.	1.6	18
42	Virtual Reality Environment for Simulating Tasks With a Myoelectric Prosthesis: An Assessment and Training Tool. Journal of Prosthetics and Orthotics, 2011, 23, 89-94.	0.4	48
43	Electromyogram-based neural network control of transhumeral prostheses. Journal of Rehabilitation Research and Development, 2011, 48, 739.	1.6	76
44	Comprehensive Joint Feedback Control for Standing by Functional Neuromuscular Stimulation—A Simulation Study. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2010, 18, 646-657.	4.9	33
45	Command of an upper extremity FES system using a simple set of commands. , 2010, 2010, 6222-5.		1
46	Application of system identification methods for decoding imagined single-joint movements in an individual with high tetraplegia. , 2010, 2010, 2678-81.		2
47	Feasibility of EMG-Based Neural Network Controller for an Upper Extremity Neuroprosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2009, 17, 80-90.	4.9	55
48	Stimulation Stability and Selectivity of Chronically Implanted Multicontact Nerve Cuff Electrodes in the Human Upper Extremity. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2009, 17, 428-437.	4.9	116
49	A Real-Time, 3-D Musculoskeletal Model for Dynamic Simulation of Arm Movements. IEEE Transactions on Biomedical Engineering, 2009, 56, 941-948.	4.2	83
50	Combined feedforward and feedback control of a redundant, nonlinear, dynamic musculoskeletal system. Medical and Biological Engineering and Computing, 2009, 47, 533-542.	2.8	73
51	Involuntary, Electrically Excitable Nerve Transfer for Denervation: Results From an Animal Model. Journal of Hand Surgery, 2009, 34, 479-487.e3.	1.6	8
52	Toward the Restoration of Hand Use to a Paralyzed Monkey: Brain-Controlled Functional Electrical Stimulation of Forearm Muscles. PLoS ONE, 2009, 4, e5924.	2.5	123
53	Musculoskeletal model of trunk and hips for development of seated-posture-control neuroprosthesis. Journal of Rehabilitation Research and Development, 2009, 46, 515.	1.6	37
54	A musculoskeletal model of the upper extremity for use in the development of neuroprosthetic systems. Journal of Biomechanics, 2008, 41, 1714-1721.	2.1	82

#	ARTICLE	IF	CITATIONS
55	Evaluation of Head Orientation and Neck Muscle EMG Signals as Command Inputs to a Human-Computer Interface for Individuals With High Tetraplegia. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2008, 16, 485-496.	4.9	221
56	Musculoskeletal Model-Guided, Customizable Selection of Shoulder and Elbow Muscles for a C5 SCI Neuroprosthesis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2008, 16, 255-263.	4.9	25
57	Prevention of secondary stroke in VA: Role of occupational therapists and physical therapists. Journal of Rehabilitation Research and Development, 2008, 45, 1019-1026.	1.6	33
58	Selection of optimal muscle set for 16-channel standing neuroprosthesis. Journal of Rehabilitation Research and Development, 2008, 45, 1007-1018.	1.6	17
59	EMG-based Control for a C5/C6 Spinal Cord Injury Upper Extremity Neuroprosthesis. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 2432-5.	0.5	5
60	Real-Time Control of the Hand by Intracortically Controlled Functional Neuromuscular Stimulation. , 2007, , .		9
61	Model-Based FES Muscle Selection for Restoring Arm Movement in High SCI. , 2007, , 33.		0
62	Use of Intracortical Recordings to Control a Hand Neuroprosthesis. , 2007, , .		3
63	Experimental verification of a computational technique for determining ground reactions in human bipedal stance. Journal of Biomechanics, 2007, 40, 1115-1124.	2.1	19
64	A model-based study of passive joint properties on muscle effort during static stance. Journal of Biomechanics, 2006, 39, 2253-2263.	2.1	10
65	Tests of Models for Saccade-Vergence Interaction using Novel Stimulus Conditions. Biological Cybernetics, 2006, 95, 143-157.	1.3	19
66	Spiral Nerve Cuff Electrodes for an Upper Extremity Neuroprosthesis. , 2006, 2006, 3584-7.		6
67	Selection of an optimal muscle set for a 16-channel standing neuroprosthesis using a human musculoskeletal model. Journal of Rehabilitation Research and Development, 2006, 43, 273.	1.6	14
68	Spiral Nerve Cuff Electrodes for an Upper Extremity Neuroprosthesis. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2006, , .	0.5	0
69	Simulation of a functional neuromuscular stimulation powered mechanical gait orthosis with coordinated joint locking. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2005, 13, 227-235.	4.9	25
70	Electrical Stimulation of the Neuromuscular System. , 2005, , 157-191.		10
71	An Implanted Neuroprosthesis for High Tetraplegia. Topics in Spinal Cord Injury Rehabilitation, 2005, 10, 38-52.	1.8	19
72	Multijoint dynamics and postural stability of the human arm. Experimental Brain Research, 2004, 157, 507-17.	1.5	122

#	ARTICLE	IF	CITATIONS
73	THE FUTURE OF MOTOR NEUROPROSTHESES. Series on Bioengineering and Biomedical Engineering, 2004, , 981-1004.	0.1	4
74	UPPER AND LOWER EXTREMITY MOTOR NEUROPROSTHESES. Series on Bioengineering and Biomedical Engineering, 2004, , 844-877.	0.1	6
75	Effects of spinal cord injury on lower-limb passive joint moments revealed through a nonlinear viscoelastic model. Journal of Rehabilitation Research and Development, 2004, 41, 15.	1.6	51
76	A Computational Technique for Determining the Ground Reaction Forces in Human Bipedal Stance. Journal of Applied Biomechanics, 2003, 19, 361-371.	0.8	19
77	Voluntary Control of Static Endpoint Stiffness During Force Regulation Tasks. Journal of Neurophysiology, 2002, 87, 2808-2816.	1.8	106
78	A Neuroprosthesis for High Tetraplegia. Journal of Spinal Cord Medicine, 2001, 24, 109-113.	1.4	13
79	Effects of voluntary force generation on the elastic components of endpoint stiffness. Experimental Brain Research, 2001, 141, 312-323.	1.5	135
80	Preface. Neuromodulation, 2001, 4, 139-141.	0.8	0
81	A robotic manipulator for the characterization of two-dimensional dynamic stiffness using stochastic displacement perturbations. Journal of Neuroscience Methods, 2000, 102, 177-186.	2.5	32
82	Estimation of intrinsic and reflex contributions to muscle dynamics: a modeling study. IEEE Transactions on Biomedical Engineering, 2000, 47, 1413-1421.	4.2	51
83	EMG-based prediction of shoulder and elbow kinematics in able-bodied and spinal cord injured individuals. IEEE Transactions on Rehabilitation Engineering: A Publication of the IEEE Engineering in Medicine and Biology Society, 2000, 8, 471-480.	1.4	161
84	Neuroprosthetic Applications of Electrical Stimulation. Assistive Technology, 2000, 12, 6-20.	2.0	76
85	System Identification and Neuromuscular Modeling. , 2000, , 134-147.		3
86	Neural and Muscular Properties: Current Views and Controversies. , 2000, , 39-57.		1
87	Multiple-input, multiple-output system identification for characterization of limb stiffness dynamics. Biological Cybernetics, 1999, 80, 327-337.	1.3	113
88	Identification of time-varying stiffness dynamics of the human ankle joint during an imposed movement. Experimental Brain Research, 1997, 114, 71-85.	1.5	43
89	Measurement of isometric elbow and shoulder moments: position-dependent strength of posterior deltoid-to-triceps muscle tendon transfer in tetraplegia. IEEE Transactions on Rehabilitation Engineering: A Publication of the IEEE Engineering in Medicine and Biology Society, 1996, 4, 403-409.	1.4	19
90	Effect of maintained stretch on the range of motion of the human ankle joint. Clinical Biomechanics, 1995, 10, 166-168.	1.2	19

#	ARTICLE	IF	CITATIONS
91	Muscle stiffness during transient and continuous movements of cat muscle: perturbation characteristics and physiological relevance. IEEE Transactions on Biomedical Engineering, 1994, 41, 758-770.	4.2	107
92	Identification of time-varying dynamics of the human triceps surae stretch reflex. Experimental Brain Research, 1993, 97, 115-127.	1.5	30
93	Identification of time-varying dynamics of the human triceps surae stretch reflex. Experimental Brain Research, 1993, 97, 128-138.	1.5	16
94	Identification of time-varying properties of the human triceps surae stretch reflex: II. rapid imposed movement. , 1992, , .		1
95	Identification of time-varying dynamics of the human triceps surae stretch reflex: I. rapid isometric contractions. , 1992, , .		1
96	Performance of ensemble time-varying system identification methods: Analog simulations and biological applications. , 1992, , .		0
97	Neural compensation for fatigue-induced changes in muscle stiffness during perturbations of elbow angle in human. Journal of Neurophysiology, 1992, 68, 449-470.	1.8	46
98	Neural compensation for muscular fatigue: evidence for significant force regulation in man. Journal of Neurophysiology, 1987, 57, 1893-1910.	1.8	72