

# Mercedes Oñaderra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8408967/publications.pdf>

Version: 2024-02-01

71  
papers

1,980  
citations

186265

28  
h-index

276875

41  
g-index

71  
all docs

71  
docs citations

71  
times ranked

1124  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fungal ribotoxins: molecular dissection of a family of natural killers. FEMS Microbiology Reviews, 2007, 31, 212-237.	8.6	126
2	Mechanism of the leakage induced on lipid model membranes by the hemolytic protein sticholysin II from the sea anemone <i>Stichodactyla helianthus</i> . FEBS Journal, 1998, 252, 284-289.	0.2	102
3	Characterization of the Antifungal Protein Secreted by the Mould <i>Aspergillus giganteus</i> . Archives of Biochemistry and Biophysics, 1995, 324, 273-281.	3.0	101
4	Overproduction and purification of biologically active native fungal $\hat{\pm}$ -sarcin in <i>Escherichia coli</i> . Gene, 1994, 142, 147-151.	2.2	64
5	Sea Anemone Actinoporins: The Transition from a Folded Soluble State to a Functionally Active Membrane-Bound Oligomeric Pore. Current Protein and Peptide Science, 2007, 8, 558-572.	1.4	63
6	Conformational study of the antitumor protein $\hat{\pm}$ -sarcin. BBA - Proteins and Proteomics, 1988, 953, 280-288.	2.1	57
7	Fungal Ribotoxins: A Review of Potential Biotechnological Applications. Toxins, 2017, 9, 71.	3.4	57
8	Sticholysin II, a cytolysin from the sea anemone <i>Stichodactyla helianthus</i> , is a monomer-tetramer associating protein. FEBS Letters, 1999, 455, 27-30.	2.8	55
9	Release of Lipid Vesicle Contents by an Antibacterial Cecropin A $\hat{\sim}$ Melittin Hybrid Peptide. Biochemistry, 1996, 35, 9892-9899.	2.5	50
10	Deletion of the NH <sub>2</sub> -terminal $\hat{\pm}$ -Hairpin of the Ribotoxin $\hat{\pm}$ -Sarcin Produces a Nontoxic but Active Ribonuclease. Journal of Biological Chemistry, 2002, 277, 18632-18639.	3.4	48
11	Food mustard allergen interaction with phospholipid vesicles. FEBS Journal, 1994, 225, 609-615.	0.2	47
12	Role of histidine-50, glutamic acid-96, and histidine-137 in the ribonucleolytic mechanism of the ribotoxin $\hat{\pm}$ -sarcin. , 1999, 37, 474-484.		47
13	RNase U2 and $\hat{\pm}$ -Sarcin: A Study of Relationships. Methods in Enzymology, 2001, 341, 335-351.	1.0	44
14	The insecticidal protein hirsutellin A from the mite fungal pathogen <i>Hirsutella thompsonii</i> is a ribotoxin. Proteins: Structure, Function and Bioinformatics, 2008, 72, 217-228.	2.6	44
15	Acid phospholipid vesicles produce conformational changes on the antitumour protein $\hat{\pm}$ -sarcin. BBA - Proteins and Proteomics, 1991, 1080, 51-58.	2.1	40
16	Anomalous electrophoretic behavior of a very acidic protein: Ribonuclease U2. Electrophoresis, 2005, 26, 3407-3413.	2.4	38
17	The cytotoxin $\hat{\pm}$ -sarcin behaves as a cyclizing ribonuclease. FEBS Letters, 1998, 424, 46-48.	2.8	36
18	Overproduction in <i>Escherichia coli</i> and Purification of the Hemolytic Protein Sticholysin II from the Sea Anemone <i>Stichodactyla helianthus</i> . Protein Expression and Purification, 2000, 18, 71-76.	1.3	36

#	ARTICLE	IF	CITATIONS
19	Silent mutations at the 5' end of the cDNA of actinoporins from the sea anemone <i>Stichodactyla helianthus</i> allow their heterologous overproduction in <i>Escherichia coli</i> . <i>Journal of Biotechnology</i> , 2007, 127, 211-221.	3.8	35
20	Membrane interaction of a beta-structure-forming synthetic peptide comprising the 116-139th sequence region of the cytotoxic protein alpha-sarcin. <i>Biophysical Journal</i> , 1995, 68, 2387-2395.	0.5	34
21	Phenotypic selection and characterization of randomly produced non-haemolytic mutants of the toxic sea anemone protein sticholysin II. <i>FEBS Letters</i> , 2004, 575, 14-18.	2.8	34
22	Predictive study of the conformation of the cytotoxic protein $\hat{\pm}$ -sarcin: a structural model to explain $\hat{\pm}$ -sarcin-membrane interaction. <i>Journal of Theoretical Biology</i> , 1995, 172, 259-267.	1.7	33
23	The Antifungal Protein AFP of <i>Aspergillus giganteus</i> is an Oligonucleotide/Oligosaccharide Binding (OB) Fold-containing Protein That Produces Condensation of DNA. <i>Journal of Biological Chemistry</i> , 2002, 277, 46179-46183.	3.4	33
24	Secretion of Recombinant Pro- and Mature Fungal $\hat{\pm}$ -Sarcin Ribotoxin by the Methylotrophic Yeast <i>Pichia pastoris</i> : The Lys-Arg Motif Is Required for Maturation. <i>Protein Expression and Purification</i> , 1998, 12, 315-322.	1.3	32
25	Effect of the antitumour protein $\hat{\pm}$ -sarcin on the thermotropic behaviour of acid phospholipid vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1991, 1068, 9-16.	2.6	31
26	Bovine Seminal Ribonuclease Destabilizes Negatively Charged Membranes. <i>Biochemical and Biophysical Research Communications</i> , 1994, 199, 119-124.	2.1	31
27	Characterization of a natural larger form of the antifungal protein (AFP) from <i>Aspergillus giganteus</i> . <i>BBA - Proteins and Proteomics</i> , 1997, 1340, 81-87.	2.1	31
28	Involvement of the amino-terminal $\hat{2}$ -hairpin of the <i>Aspergillus</i> ribotoxins on the interaction with membranes and nonspecific ribonuclease activity. <i>Protein Science</i> , 2001, 10, 1658-1668.	7.6	30
29	Production and characterization of a colon cancer-specific immunotoxin based on the fungal ribotoxin $\hat{\pm}$ -sarcin. <i>Protein Engineering, Design and Selection</i> , 2012, 25, 425-435.	2.1	30
30	Assignment of the contribution of the tryptophan residues to the spectroscopic and functional properties of the ribotoxin $\hat{\pm}$ -sarcin. <i>Proteins: Structure, Function and Bioinformatics</i> , 2000, 41, 350-361.	2.6	29
31	The Therapeutic Potential of Fungal Ribotoxins. <i>Current Pharmaceutical Biotechnology</i> , 2008, 9, 153-160.	1.6	28
32	Kinetic study of the aggregation and lipid mixing produced by alpha-sarcin on phosphatidylglycerol and phosphatidylserine vesicles: stopped-flow light scattering and fluorescence energy transfer measurements. <i>Biophysical Journal</i> , 1994, 67, 1117-1125.	0.5	27
33	Partially folded states of the cytolytic protein sticholysin II. <i>BBA - Proteins and Proteomics</i> , 2001, 1545, 122-131.	2.1	25
34	Sequence Determination and Molecular Characterization of Gigantin, a Cytotoxic Protein Produced by the Mould <i>Aspergillus giganteus</i> IFO 5818. <i>Archives of Biochemistry and Biophysics</i> , 1997, 343, 188-193.	3.0	24
35	Arginine 121 is a crucial residue for the specific cytotoxic activity of the ribotoxin $\hat{\pm}$ -sarcin. <i>FEBS Journal</i> , 2001, 268, 6190-6196.	0.2	24
36	Production and characterization of a noncytotoxic deletion variant of the <i>Aspergillus fumigatus</i> allergen Asp f1 displaying reduced IgE binding. <i>FEBS Journal</i> , 2005, 272, 2536-2544.	4.7	23

#	ARTICLE	IF	CITATIONS
37	Fluorescence studies on the lipoprotein complex of the fatty acid synthetase from the insect <i>Ceratitis capitata</i> . <i>Biochemistry</i> , 1981, 20, 5689-5694.	2.5	22
38	Hirsutellin A: A Paradigmatic Example of the Insecticidal Function of Fungal Ribotoxins. <i>Insects</i> , 2013, 4, 339-356.	2.2	22
39	Response of osteoblasts and preosteoblasts to calcium deficient and Si substituted hydroxyapatites treated at different temperatures. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 133, 304-313.	5.0	21
40	Fungal extracellular ribotoxins as insecticidal agents. <i>Insect Biochemistry and Molecular Biology</i> , 2013, 43, 39-46.	2.7	19
41	Preparation of an engineered safer immunotoxin against colon carcinoma based on the ribotoxin hirsutellin A. <i>FEBS Journal</i> , 2015, 282, 2131-2141.	4.7	19
42	Thermal unfolding of the cytotoxin $\hat{\iota}$ -sarcin: phospholipid binding induces destabilization of the protein structure. <i>BBA - Proteins and Proteomics</i> , 1995, 1252, 126-134.	2.1	18
43	Production and characterization of scFvA33T1, an immunotoxin targeting colon cancer cells. <i>FEBS Journal</i> , 2012, 279, 3022-3032.	4.7	18
44	Hirsutellin A Displays Significant Homology to Microbial Extracellular Ribonucleases. <i>Journal of Invertebrate Pathology</i> , 1999, 74, 96-97.	3.2	17
45	A peptide of nine amino acid residues from $\hat{\iota}$ -sarcin cytotoxin is a membrane-perturbing structure. <i>Chemical Biology and Drug Design</i> , 1998, 51, 142-148.	1.1	17
46	Leucine 145 of the ribotoxin $\hat{\iota}$ -sarcin plays a key role for determining the specificity of the ribosome-inactivating activity of the protein. <i>Protein Science</i> , 2003, 12, 161-169.	7.6	16
47	Solution structure of hirsutellin A: new insights into the active site and interacting interfaces of ribotoxins. <i>FEBS Journal</i> , 2009, 276, 2381-2390.	4.7	16
48	Spectroscopic characterization of the alkylated $\hat{\iota}$ -sarcin cytotoxin: analysis of the structural requirements for the protein-lipid bilayer hydrophobic interaction. <i>BBA - Proteins and Proteomics</i> , 1995, 1252, 43-52.	2.1	15
49	Interaction of Type I Collagen with Phosphatidylcholine Vesicles. <i>Collagen and Related Research</i> , 1988, 8, 133-144.	2.0	13
50	Oligomerization of the cytotoxin $\hat{\iota}$ -sarcin associated with phospholipid membranes. <i>Molecular Membrane Biology</i> , 1998, 15, 141-144.	2.0	13
51	Circular dichroism studies of the fatty acid synthetase complex from the insect <i>Ceratitis capitata</i> . <i>Biochemical and Biophysical Research Communications</i> , 1978, 83, 998-1003.	2.1	12
52	Implication of an Asp residue in the ribonucleolytic activity of hirsutellin A reveals new electrostatic interactions at the active site of ribotoxins. <i>Biochimie</i> , 2012, 94, 427-433.	2.6	11
53	Interaction of type I collagen fibrils with phospholipid vesicles. <i>Matrix Biology</i> , 1989, 9, 405-410.	1.7	10
54	Effect of divalent cations on structure-function relationships of the antitumor protein $\hat{\iota}$ -sarcin. <i>International Journal of Peptide and Protein Research</i> , 1989, 34, 416-422.	0.1	10

#	ARTICLE	IF	CITATIONS
55	A non-cytotoxic but ribonucleolytically specific ribotoxin variant: implication of tryptophan residues in the cytotoxicity of hirsutellin A. <i>Biological Chemistry</i> , 2012, 393, 449-456.	2.5	10
56	Early in vitro response of macrophages and T lymphocytes to nanocrystalline hydroxyapatites. <i>Journal of Colloid and Interface Science</i> , 2014, 416, 59-66.	9.4	9
57	Involvement of loops 2 and 3 of Î±-sarcin on its ribotoxic activity. <i>Toxicon</i> , 2015, 96, 1-9.	1.6	9
58	Effect of phospholipids on the length of the helical segments in the fatty acid synthetase complex from <i>Ceratitis capitata</i> . <i>FEBS Letters</i> , 1981, 126, 253-256.	2.8	8
59	Molecular aspects of Î±-sarcin penetration in phospholipid bilayers. <i>Biochemical Society Transactions</i> , 1989, 17, 999-1000.	3.4	8
60	Ribonuclease U2: cloning, production in <i>Pichia pastoris</i> and affinity chromatography purification of the active recombinant protein. <i>FEMS Microbiology Letters</i> , 2000, 189, 165-169.	1.8	8
61	Ribonuclease U2: cloning, production in <i>Pichia pastoris</i> and affinity chromatography purification of the active recombinant protein. <i>FEMS Microbiology Letters</i> , 2000, 189, 165-169.	1.8	8
62	Conserved asparagine residue 54 of Î±-sarcin plays a role in protein stability and enzyme activity. <i>Biological Chemistry</i> , 2004, 385, 1165-1170.	2.5	8
63	Effect of <i>E. coli</i> endotoxin on the structure-function of fatty acid synthetase lipoprotein. <i>Biochemical and Biophysical Research Communications</i> , 1981, 101, 1228-1232.	2.1	6
64	Binding of 1- $\alpha$ -naphthyl-8-sulfonic acid to type I collagen. <i>International Journal of Peptide and Protein Research</i> , 1986, 28, 173-178.	0.1	6
65	Involvement of loop 5 lysine residues and the N-terminal Î²-hairpin of the ribotoxin hirsutellin A on its insecticidal activity. <i>Biological Chemistry</i> , 2016, 397, 135-145.	2.5	5
66	Fatty acid synthetase complex from the insect <i>Ceratitis capitata</i> Structural studies. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1981, 668, 246-256.	1.7	4
67	Effects of palmitoyl-CoA on the structure-function of the fatty acid synthetase complex from <i>Ceratitis capitata</i> . <i>International Journal of Biochemistry &amp; Cell Biology</i> , 1982, 14, 1061-1066.	0.5	4
68	Minimized natural versions of fungal ribotoxins show improved active site plasticity. <i>Archives of Biochemistry and Biophysics</i> , 2017, 619, 45-53.	3.0	4
69	<i>Escherichia coli</i> JA221 can suppress the UAG stop signal. <i>Letters in Applied Microbiology</i> , 1995, 21, 96-98.	2.2	3
70	Fatty acid synthetase complex in <i>Ceratitis capitata</i> adult. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1983, 76, 249-252.	0.2	1
71	Molecular Interactions Involved in the Passage of the Cytotoxic Protein Î±-Sarcin Across Membranes. , 1994, , 269-276.		1