Elsken van der Wall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8410963/publications.pdf

Version: 2024-02-01

70 papers 2,007 citations

279798 23 h-index 265206 42 g-index

73 all docs

73 docs citations

73 times ranked

3590 citing authors

#	Article	lF	CITATIONS
1	Tumor-Specific Uptake of Fluorescent Bevacizumab–IRDye800CW Microdosing in Patients with Primary Breast Cancer: A Phase I Feasibility Study. Clinical Cancer Research, 2017, 23, 2730-2741.	7.0	212
2	Targeting <scp>DDX</scp> 3 with a small molecule inhibitor for lung cancer therapy. EMBO Molecular Medicine, 2015, 7, 648-669.	6.9	189
3	Effects of physical exercise during adjuvant breast cancer treatment on physical and psychosocial dimensions of cancer-related fatigue: A meta-analysis. Maturitas, 2016, 85, 104-111.	2.4	166
4	Effects of an 18-week exercise programme started early during breast cancer treatment: a randomised controlled trial. BMC Medicine, 2015, 13, 121.	5.5	159
5	Identification of the DEAD box RNA helicase DDX3 as a therapeutic target in colorectal cancer. Oncotarget, 2015, 6, 28312-28326.	1.8	79
6	Chemotherapy-Related Cardiac Dysfunction. Circulation Genomic and Precision Medicine, 2018, 11, e001753.	3.6	64
7	Doxorubicinâ€induced skeletal muscle atrophy: Elucidating the underlying molecular pathways. Acta Physiologica, 2020, 229, e13400.	3.8	63
8	Control Group Design, Contamination and Drop-Out in Exercise Oncology Trials: A Systematic Review. PLoS ONE, 2015, 10, e0120996.	2.5	62
9	Four-year effects of exercise on fatigue and physical activity in patients with cancer. BMC Medicine, 2018, 16, 86.	5.5	55
10	Hypoxia-Targeting Fluorescent Nanobodies for Optical Molecular Imaging of Pre-Invasive Breast Cancer. Molecular Imaging and Biology, 2016, 18, 535-544.	2.6	54
11	Cost-effectiveness analysis of an 18-week exercise programme for patients with breast and colon cancer undergoing adjuvant chemotherapy: the randomised PACT study. BMJ Open, 2017, 7, e012187.	1.9	46
12	Prognostic Value of Stromal Tumor-Infiltrating Lymphocytes in Young, Node-Negative, Triple-Negative Breast Cancer Patients Who Did Not Receive (neo)Adjuvant Systemic Therapy. Journal of Clinical Oncology, 2022, 40, 2361-2374.	1.6	45
13	Optical imaging of pre-invasive breast cancer with a combination of VHHs targeting CAIX and HER2 increases contrast and facilitates tumour characterization. EJNMMI Research, 2016, 6, 14.	2.5	43
14	Attendance and compliance with an exercise program during localized breast cancer treatment in a randomized controlled trial: The PACT study. PLoS ONE, 2019, 14, e0215517.	2.5	41
15	Tumor Response After Neoadjuvant Magnetic Resonance Guided Single Ablative Dose Partial Breast Irradiation. International Journal of Radiation Oncology Biology Physics, 2020, 106, 821-829.	0.8	38
16	Significant inter―and intra―laboratory variation in grading of invasive breast cancer: A nationwide study of 33,043 patients in the Netherlands. International Journal of Cancer, 2020, 146, 769-780.	5.1	37
17	Threshold Analysis and Biodistribution of Fluorescently Labeled Bevacizumab in Human Breast Cancer. Cancer Research, 2017, 77, 623-631.	0.9	34
18	Patients' preferred and perceived level of involvement in decision making for cancer treatment: A systematic review. Psycho-Oncology, 2021, 30, 1663-1679.	2.3	32

#	Article	IF	Citations
19	Global transcriptional analysis identifies a novel role for SOX4 in tumor-induced angiogenesis. ELife, 2018, 7, .	6.0	32
20	The prognostic effect of DDX3 upregulation in distant breast cancer metastases. Clinical and Experimental Metastasis, 2017, 34, 85-92.	3.3	28
21	The molecular genetic make-up of male breast cancer. Endocrine-Related Cancer, 2019, 26, 779-794.	3.1	27
22	Molecular Analysis of Nipple Fluid for Breast Cancer Screening. Pathobiology, 2008, 75, 149-152.	3.8	26
23	Effects of physical exercise on markers of inflammation in breast cancer patients during adjuvant chemotherapy. Breast Cancer Research and Treatment, 2018, 168, 421-431.	2.5	25
24	DNA promoter hypermethylation in nipple fluid: a potential tool for early breast cancer detection. Oncotarget, 2016, 7, 24778-24791.	1.8	24
25	Combination treatment using DDX3 and PARP inhibitors induces synthetic lethality in BRCA1-proficient breast cancer. Medical Oncology, 2017, 34, 33.	2.5	23
26	Successful oxytocin-assisted nipple aspiration in women at increased risk for breast cancer. Familial Cancer, 2010, 9, 321-325.	1.9	22
27	Nuclear DDX3 expression predicts poor outcome in colorectal and breast cancer. OncoTargets and Therapy, 2017, Volume 10, 3501-3513.	2.0	22
28	The Use of Expectancy and Empathy When Communicating With Patients With Advanced Breast Cancer; an Observational Study of Clinician–Patient Consultations. Frontiers in Psychiatry, 2019, 10, 464.	2.6	22
29	Effect of physical exercise on cognitive function and brain measures after chemotherapy in patients with breast cancer (PAM study): protocol of a randomised controlled trial. BMJ Open, 2019, 9, e028117.	1.9	21
30	Clonal intratumor heterogeneity of promoter hypermethylation in breast cancer by MS-MLPA. Modern Pathology, 2014, 27, 869-874.	5.5	20
31	Phase I feasibility study of Magnetic Resonance guided High Intensity Focused Ultrasound-induced hyperthermia, Lyso-Thermosensitive Liposomal Doxorubicin and cyclophosphamide in <i>de novo</i> stage IV breast cancer patients: study protocol of the i-GO study. BMJ Open, 2020, 10, e040162.	1.9	19
32	p120-catenin prevents multinucleation through control of MKLP1-dependent RhoA activity during cytokinesis. Nature Communications, 2016, 7, 13874.	12.8	17
33	High-Dose Chemotherapy With Hematopoietic Stem Cell Transplant in Patients With High-Risk Breast Cancer and 4 or More Involved Axillary Lymph Nodes. JAMA Oncology, 2020, 6, 528.	7.1	17
34	Copy number changes at 8p11-12 predict adverse clinical outcome and chemo- and radiotherapy response in breast cancer. Oncotarget, 2018, 9, 17078-17092.	1.8	14
35	GP involvement after a cancer diagnosis; patients' call to improve decision support. BJGP Open, 2021, 5, bjgpopen20X101124.	1.8	14
36	Shared decision making in cancer treatment: A Dutch national survey on patients' preferences and perceptions. European Journal of Cancer Care, 2022, 31, e13534.	1.5	13

#	Article	IF	Citations
37	p120-Catenin Is Critical for the Development of Invasive Lobular Carcinoma in Mice. Journal of Mammary Gland Biology and Neoplasia, 2016, 21, 81-88.	2.7	12
38	Off to a good start after a cancer diagnosis: implementation of a time out consultation in primary care before cancer treatment decision. Journal of Cancer Survivorship, 2020, 14, 9-13.	2.9	12
39	Long-Term Favorable Effects of Physical Exercise on Burdensome Symptoms in the OptiTrain Breast Cancer Randomized Controlled Trial. Integrative Cancer Therapies, 2020, 19, 153473542090500.	2.0	12
40	Long-term prognosis of young breast cancer patients (â‰ # 0 years) who did not receive adjuvant systemic treatment: protocol for the PARADIGM initiative cohort study. BMJ Open, 2017, 7, e017842.	1.9	11
41	Effects of a time out consultation with the general practitioner on cancer treatment decisionâ€making: a randomised controlled trial. Psycho-Oncology, 2021, 30, 571-580.	2.3	11
42	Intraductal cisplatin treatment in a <i>BRCA</i> -associated breast cancer mouse model attenuates tumor development but leads to systemic tumors in aged female mice. Oncotarget, 2017, 8, 60750-60763.	1.8	11
43	Mind your words: Oncologists' communication that potentially harms patients with advanced cancer: A survey on patient perspectives. Cancer, 2022, 128, 1133-1140.	4.1	11
44	Expression of Connective Tissue Growth Factor in Male Breast Cancer: Clinicopathologic Correlations and Prognostic Value. PLoS ONE, 2015, 10, e0118957.	2.5	10
45	The effect of an e-learning module on grading variation of (pre)malignant breast lesions. Modern Pathology, 2020, 33, 1961-1967.	5.5	10
46	Lessons Learned from Setting Up a Prospective, Longitudinal, Multicenter Study with Women at High Risk for Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 441-449.	2.5	10
47	Variation in breast cancer grading: the effect of creating awareness through laboratory-specific and pathologist-specific feedback reports in 16 734 patients with breast cancer. Journal of Clinical Pathology, 2020, 73, 793-799.	2.0	9
48	Endocrine Therapy With or Without CDK4/6 Inhibitors in Women With Hormone-receptor Positive Breast Cancer: What do we Know About the Effects on Cognition?. Clinical Breast Cancer, 2022, 22, 191-199.	2.4	8
49	Addressing challenges in information-provision: a qualitative study among oncologists and women with advanced breast cancer. BMC Palliative Care, 2021, 20, 142.	1.8	7
50	Nipple Aspirate Fluid at a Glance. Cancers, 2022, 14, 159.	3.7	7
51	Application of Nipple Aspirate Fluid miRNA Profiles for Early Breast Cancer Detection and Management. International Journal of Molecular Sciences, 2019, 20, 5814.	4.1	6
52	Grading variation in 2,934 patients with ductal carcinoma in situ of the breast: the effect of laboratory- and pathologist-specific feedback reports. Diagnostic Pathology, 2020, 15, 52.	2.0	6
53	Cytoplasmic DDX3 as prognosticator in male breast cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 479, 647-655.	2.8	6
54	Adjuvant Aromatase Inhibitors or Tamoxifen Following Chemotherapy for Perimenopausal Breast Cancer Patients. Journal of the National Cancer Institute, 2021, 113, 1506-1514.	6.3	6

#	Article	IF	CITATIONS
55	Involving the general practitioner during curative cancer treatment: a systematic review of health care interventions. BMJ Open, 2019, 9, e026383.	1.9	5
56	Socio-ecological correlates of physical activity in breast and colon cancer survivors 4 years after participation in a randomized controlled exercise trial (PACT study). PLoS ONE, 2020, 15, e0231663.	2.5	5
57	Receptor status of breast cancer diagnosed during pregnancy: A literature review. Critical Reviews in Oncology/Hematology, 2021, 168, 103494.	4.4	5
58	Prognostic models in male breast cancer. Breast Cancer Research and Treatment, 2016, 160, 339-346.	2.5	4
59	The Physiological MicroRNA Landscape in Nipple Aspirate Fluid: Differences and Similarities with Breast Tissue, Breast Milk, Plasma and Serum. International Journal of Molecular Sciences, 2020, 21, 8466.	4.1	4
60	The changing microRNA landscape by color and cloudiness: a cautionary tale for nipple aspirate fluid biomarker analysis. Cellular Oncology (Dordrecht), 2021, 44, 1339-1349.	4.4	4
61	Pregnancy-associated breast cancer: the influence of gestational age. Endocrine-Related Cancer, 2022, 29, 129-138.	3.1	4
62	Concurrent versus sequential use of trastuzumab and chemotherapy in early HER2+ breast cancer. Breast Cancer Research and Treatment, 2021, 185, 817-830.	2.5	2
63	Optimal endocrine therapy for breast cancer patients 45-50 years of age at diagnosis Journal of Clinical Oncology, 2016, 34, 551-551.	1.6	2
64	Treatment decisionâ€making and the added value of the general practitioner: A qualitative exploration of cancer patients' perspectives. European Journal of Cancer Care, 2021, 30, e13410.	1.5	1
65	Abstract P4-09-09: Internationalization of the Amsterdam cognition scan: A validated set of online cognitive tests for (neuro-)oncological studies. Cancer Research, 2022, 82, P4-09-09-P4-09-09.	0.9	0
66	Title is missing!. , 2020, 15, e0231663.		0
67	Title is missing!. , 2020, 15, e0231663.		O
68	Title is missing!. , 2020, 15, e0231663.		0
69	Title is missing!. , 2020, 15, e0231663.		0
70	Patient-centered research: how do women tolerate nipple fluid aspiration as a potential screening tool for breast cancer?. BMC Cancer, 2022, 22, .	2.6	0