

Thang S. Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8411657/publications.pdf>

Version: 2024-02-01

157
papers

13,187
citations

34076

52
h-index

23514

111
g-index

159
all docs

159
docs citations

159
times ranked

13714
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in Characteristics and Outcomes of Patients Undergoing Surgery for Hip Fractures Following the Initiation of Orthogeriatric Service: Temporal Trend Analysis. <i>Calcified Tissue International</i> , 2022, 110, 185-195.	1.5	6
2	Association of risk of malnutrition with adverse outcomes and early support on discharge in acute stroke patients without prestroke disability: A multicenter, registry-based cohort study. <i>Nutrition in Clinical Practice</i> , 2022, 37, 1233-1241.	1.1	7
3	Predicting Stroke Complications in Hospital and Functional Status at Discharge by Clustering of Cardiovascular Diseases a Multi-Centre Registry-Based Study of Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106162.	0.7	1
4	Does the length of stay in hospital affect healthcare outcomes of patients without COVID-19 who were admitted during the pandemic? A retrospective monocentric study. <i>Internal and Emergency Medicine</i> , 2022, 17, 1385-1393.	1.0	5
5	Adrenal hypofunction associated with ashwagandha (<i>Withania somnifera</i>) supplementation: a case report. <i>Toxicology and Environmental Health Sciences</i> , 2022, 14, 141-145.	1.1	3
6	Comparison of characteristics, management and outcomes in hospital-onset and community-onset stroke: a multi-centre registry-based cohort study of acute stroke. <i>Neurological Sciences</i> , 2022, 43, 4853-4862.	0.9	3
7	Clinical outcomes in patients admitted to hospital with cervical spine fractures or with hip fractures. <i>Internal and Emergency Medicine</i> , 2021, 16, 1207-1213.	1.0	3
8	LACE index predicts age-specific unplanned readmissions and mortality after hospital discharge. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1041-1048.	1.4	16
9	Prevalence and consequences of malnutrition and malnourishment in older individuals admitted to hospital with a hip fracture. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 645-652.	1.3	17
10	Meta-analysis of changes in the levels of catecholamines and blood pressure with continuous positive airway pressure therapy in obstructive sleep apnea. <i>Journal of Clinical Hypertension</i> , 2021, 23, 12-20.	1.0	10
11	The smoking-dyslipidaemia dyad: A potent synergistic risk for atherosclerotic coronary artery disease. <i>JRSM Cardiovascular Disease</i> , 2021, 10, 204800402098094.	0.4	1
12	Validity of the LACE index for identifying frequent early readmissions after hospital discharge in children. <i>European Journal of Pediatrics</i> , 2021, 180, 1571-1579.	1.3	7
13	Prediction of Paroxysmal Atrial Fibrillation From Complexity Analysis of the Sinus Rhythm ECG: A Retrospective Case/Control Pilot Study. <i>Frontiers in Physiology</i> , 2021, 12, 570705.	1.3	3
14	Disparity in the risk of exposure to respirable crystalline silica dust among non-manual and manual employees in the construction industry. <i>Safety in Extreme Environments</i> , 2021, 3, 125-132.	1.8	0
15	Adverse consequences of immediate thrombolysis-related complications: a multi-centre registry-based cohort study of acute stroke. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, , 1.	1.0	3
16	Metabolic syndrome and cardiovascular disease after haematopoietic cell transplantation (HCT) in adults: an EBMT cross-sectional non-interventional study. <i>Bone Marrow Transplantation</i> , 2021, 56, 2820-2825.	1.3	7
17	Frequent identical admission-readmission episodes are associated with increased mortality. <i>Clinical Medicine</i> , 2021, 21, e351-e356.	0.8	3
18	Changes in cortisol levels by continuous positive airway pressure in patients with obstructive sleep apnoea: Meta-analysis of 637 individuals. <i>Clinical Endocrinology</i> , 2021, 95, 909-917.	1.2	13

#	ARTICLE	IF	CITATIONS
19	Continuous positive airway pressure therapy reduces the levels of catecholamines and blood pressure in pseudophaeochromocytoma with coexisting obstructive sleep apnoea. <i>JRSM Cardiovascular Disease</i> , 2021, 10, 204800402199219.	0.4	0
20	Comparison of characteristics and outcomes of patients admitted to hospital with COVID-19 during wave 1 and wave 2 of the current pandemic. <i>Internal and Emergency Medicine</i> , 2021, , 1.	1.0	8
21	Increased Association With Malnutrition and Malnourishment in Older Adults Admitted With Hip Fractures Who Have Cognitive Impairment and Delirium, as Assessed by 4AT. <i>Nutrition in Clinical Practice</i> , 2021, 36, 1053-1058.	1.1	7
22	Early emergency readmission frequency as an indicator of short-, medium- and long-term mortality post-discharge from hospital. <i>Internal and Emergency Medicine</i> , 2021, 16, 1497-1505.	1.0	4
23	Evaluation of the Association of Length of Stay in Hospital and Outcomes. <i>International Journal for Quality in Health Care</i> , 2021, , .	0.9	9
24	Secular trends in adiposity and musculoskeletal dimensions of elite heavyweight boxers between 1889 and 2019. <i>Sport Sciences for Health</i> , 2020, 16, 249-255.	0.4	5
25	Prestroke Disability Predicts Adverse Poststroke Outcome. <i>Stroke</i> , 2020, 51, 594-600.	1.0	37
26	Associations of 4AT with mobility, length of stay and mortality in hospital and discharge destination among patients admitted with hip fractures. <i>Age and Ageing</i> , 2020, 49, 411-417.	0.7	25
27	Life Expectancy of White and Non-White Elite Heavyweight Boxers. <i>Journal of Racial and Ethnic Health Disparities</i> , 2020, 7, 281-289.	1.8	4
28	The role of virtual reality on outcomes in rehabilitation of Parkinson's disease: meta-analysis and systematic review in 1031 participants. <i>Neurological Sciences</i> , 2020, 41, 529-536.	0.9	53
29	A clinical perspective of parathyroid hormone related hypercalcaemia. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020, 21, 77-88.	2.6	11
30	Derivation of age-adjusted LACE index thresholds in the prediction of mortality and frequent hospital readmissions in adults. <i>Internal and Emergency Medicine</i> , 2020, 15, 1319-1325.	1.0	12
31	Sex differences in the agreement between left ventricular ejection fraction measured by myocardial perfusion scintigraphy and by echocardiography. <i>JRSM Cardiovascular Disease</i> , 2020, 9, 204800402091539.	0.4	1
32	Response by Han and Sharma to Letter Regarding Article, "Prestroke Disability Predicts Adverse Poststroke Outcome: A Registry-Based Prospective Cohort Study of Acute Stroke". <i>Stroke</i> , 2020, 51, e117.	1.0	1
33	The Ability of the Nottingham Hip Fracture Score to Predict Mobility, Length of Stay and Mortality in Hospital, and Discharge Destination in Patients Admitted with a Hip Fracture. <i>Calcified Tissue International</i> , 2020, 107, 319-326.	1.5	17
34	Changing trends in the use of novel oral anticoagulants and warfarin for treating non-valvular atrial fibrillation. <i>JRSM Cardiovascular Disease</i> , 2020, 9, 204800402091540.	0.4	4
35	Associations of body fat and skeletal muscle with hypertension. <i>Journal of Clinical Hypertension</i> , 2019, 21, 230-238.	1.0	29
36	Prothrombin Complex Concentrates are Superior to Fresh Frozen Plasma for Emergency Reversal of Vitamin K Antagonists: A Meta-Analysis in 2606 Subjects. <i>Drugs</i> , 2019, 79, 1557-1565.	4.9	10

#	ARTICLE	IF	CITATIONS
37	New evidence-based A1, A2, A3 alarm time zones for transferring thrombolysed patients to hyper-acute stroke units: faster is better. <i>Neurological Sciences</i> , 2019, 40, 1659-1665.	0.9	14
38	Influences of genetic variants on stroke recovery: a meta-analysis of the 31,895 cases. <i>Neurological Sciences</i> , 2019, 40, 2437-2445.	0.9	12
39	Utility of surgeon-performed pre-operative ultrasound in the localisation of parathyroid adenomas. <i>JRSM Cardiovascular Disease</i> , 2019, 8, 204800401985695.	0.4	3
40	Current status of stroke in Qatar: Including data from the BRAINS study. <i>JRSM Cardiovascular Disease</i> , 2019, 8, 204800401986916.	0.4	4
41	Associations of BMI, waist circumference, body fat, and skeletal muscle with type 2 diabetes in adults. <i>Acta Diabetologica</i> , 2019, 56, 947-954.	1.2	42
42	Design and development of the Hypoglycaemia Symptom Rating Questionnaire (HypoSRQ). <i>Diabetes Research and Clinical Practice</i> , 2019, 151, 187-197.	1.1	1
43	Predictive model of length of stay in hospital among older patients. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 993-999.	1.4	39
44	Impact of delay in early swallow screening on pneumonia, length of stay in hospital, disability and mortality in acute stroke patients. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1548-1554.	1.3	21
45	Incidence and prevalence of cardiovascular disease in English primary care: a cross-sectional and follow-up study of the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC). <i>BMJ Open</i> , 2018, 8, e020282.	0.8	83
46	A family with PTEN mutations with malignancy and an unusually high number of offspring with autism spectrum disorder: a case report. <i>Journal of Medical Case Reports</i> , 2018, 12, 353.	0.4	5
47	Non-genetic and genetic risk factors for adult cerebral venous thrombosis. <i>Thrombosis Research</i> , 2018, 169, 15-22.	0.8	35
48	Different associations between body composition and alcohol when assessed by exposure frequency or by quantitative estimates of consumption. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 747-757.	1.3	15
49	Anticoagulation therapy in patients with stroke and atrial fibrillation: a registry-based study of acute stroke care in Surrey, UK. <i>BMJ Open</i> , 2018, 8, e022558.	0.8	17
50	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. <i>European Journal of Nutrition</i> , 2017, 56, 2093-2103.	1.8	13
51	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 662-671.	0.6	16
52	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2798-2806.	1.8	19
53	Meta-Analysis of Therapeutic Hypothermia for Traumatic Brain Injury in Adult and Pediatric Patients*. <i>Critical Care Medicine</i> , 2017, 45, 575-583.	0.4	78
54	Impacts of undetected and inadequately treated hypertension on incident stroke in China. <i>BMJ Open</i> , 2017, 7, e016581.	0.8	18

#	ARTICLE	IF	CITATIONS
55	Monitoring risk factors of cardiovascular disease in cancer survivors. <i>Clinical Medicine</i> , 2017, 17, 293-297.	0.8	11
56	Long-term and late treatment consequences: endocrine and metabolic effects. <i>Current Opinion in Supportive and Palliative Care</i> , 2017, 11, 205-213.	0.5	6
57	Changes in prevalence of obesity and high waist circumference over four years across European regions: the European male ageing study (EMAS). <i>Endocrine</i> , 2017, 55, 456-469.	1.1	21
58	Androgens correlate with increased erythropoiesis in women with congenital adrenal hyperplasia. <i>Clinical Endocrinology</i> , 2017, 86, 19-25.	1.2	16
59	Evaluation of anticoagulation status for atrial fibrillation on early ischaemic stroke outcomes: a registry-based, prospective cohort study of acute stroke care in Surrey, UK. <i>BMJ Open</i> , 2017, 7, e019122.	0.8	13
60	Frailty and bone health in European men. <i>Age and Ageing</i> , 2016, 46, 635-641.	0.7	19
61	The androgen receptor gene CAG repeat in relation to 4-year changes in androgen-sensitive endpoints in community-dwelling older European men. <i>European Journal of Endocrinology</i> , 2016, 175, 583-593.	1.9	11
62	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016, 85, 891-901.	1.2	31
63	A clinical perspective of obesity, metabolic syndrome and cardiovascular disease. <i>JRSM Cardiovascular Disease</i> , 2016, 5, 204800401663337.	0.4	288
64	Evaluation of adipocytokines and traditional cardiometabolic risk factors in young male cancer survivors: an age-matched control study. <i>Clinical Endocrinology</i> , 2016, 84, 296-304.	1.2	5
65	Associations Between Sex Steroids and the Development of Metabolic Syndrome: A Longitudinal Study in European Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1396-1404.	1.8	97
66	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). <i>Age and Ageing</i> , 2015, 44, 801-807.	0.7	4
67	Associations of obesity with socioeconomic and lifestyle factors in middle-aged and elderly men: European Male Aging Study (EMAS). <i>European Journal of Endocrinology</i> , 2015, 172, 59-67.	1.9	17
68	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3172-3182.	1.8	118
69	Contributions of maternal and paternal adiposity and smoking to adult offspring adiposity and cardiovascular risk: the Midspan Family Study. <i>BMJ Open</i> , 2015, 5, e007682.	0.8	27
70	Androgen Receptor Polymorphism-Dependent Variation in Prostate-Specific Antigen Concentrations of European Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2048-2056.	1.1	8
71	Carotenoderma in a young woman of normal body mass index with hypothalamic amenorrhoea: a 2-year follow-up case report. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 1362-1364.	1.3	4
72	Late-Onset Hypogonadism and Mortality in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1357-1366.	1.8	184

#	ARTICLE	IF	CITATIONS
73	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014, 43, 528-535.	0.7	19
74	Treatment and health outcomes in adults with congenital adrenal hyperplasia. <i>Nature Reviews Endocrinology</i> , 2014, 10, 115-124.	4.3	82
75	Relationship Between Final Height and Health Outcomes in Adults With Congenital Adrenal Hyperplasia: United Kingdom Congenital Adrenal Hyperplasia Adult Study Executive (CaHASE). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1547-E1555.	1.8	49
76	Obesity and weight management in the elderly: A focus on men. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013, 27, 509-525.	2.2	39
77	The ability of three different models of frailty to predict all-cause mortality: Results from the European Male Aging Study (EMAS). <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 360-368.	1.4	121
78	Active Vitamin D (1,25-Dihydroxyvitamin D) and Bone Health in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 995-1005.	1.8	61
79	Glucocorticoid treatment regimen and health outcomes in adults with congenital adrenal hyperplasia. <i>Clinical Endocrinology</i> , 2013, 78, 197-203.	1.2	54
80	Genotype-Phenotype Correlation in 153 Adult Patients With Congenital Adrenal Hyperplasia due to 21-Hydroxylase Deficiency: Analysis of the United Kingdom Congenital Adrenal Hyperplasia Adult Study Executive (CaHASE) Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E346-E354.	1.8	90
81	Epidemiological evidence against a role for C-reactive protein causing leptin resistance. <i>European Journal of Endocrinology</i> , 2013, 168, 101-106.	1.9	5
82	Quality of life in adults with congenital adrenal hyperplasia relates to glucocorticoid treatment, adiposity and insulin resistance: United Kingdom Congenital adrenal Hyperplasia Adult Study Executive (CaHASE). <i>European Journal of Endocrinology</i> , 2013, 168, 887-893.	1.9	67
83	Age-associated changes in hypothalamic-pituitary-testicular function in middle-aged and older men are modified by weight change and lifestyle factors: longitudinal results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2013, 168, 445-455.	1.9	316
84	Comparisons of Immunoassay and Mass Spectrometry Measurements of Serum Estradiol Levels and Their Influence on Clinical Association Studies in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1097-E1102.	1.8	58
85	Frailty and Sexual Health in Older European Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 837-844.	1.7	32
86	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. <i>Age and Ageing</i> , 2013, 42, 352-359.	0.7	74
87	Cohort Profile: The European Male Ageing Study. <i>International Journal of Epidemiology</i> , 2013, 42, 391-401.	0.9	41
88	Characteristics of Androgen Deficiency in Late-Onset Hypogonadism: Results from the European Male Ageing Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1508-1516.	1.8	258
89	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. <i>European Journal of Endocrinology</i> , 2012, 166, 983-991.	1.9	169
90	Association of hypogonadism with vitamin D status: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2012, 166, 77-85.	1.9	166

#	ARTICLE	IF	CITATIONS
91	Kallmann Syndrome and Other Causes of Hypothalamic Hypogonadism and Related Development Disorders. , 2012, , 597-617.		7
92	Thyroid hormones and male sexual function. Journal of Developmental and Physical Disabilities, 2012, 35, 668-679.	3.6	58
93	Lower vitamin D levels are associated with depression among community-dwelling European men. Journal of Psychopharmacology, 2011, 25, 1320-1328.	2.0	99
94	Polymorphisms in Genes Involved in the NF- κ B Signalling Pathway Are Associated with Bone Mineral Density, Geometry and Turnover in Men. PLoS ONE, 2011, 6, e28031.	1.1	19
95	An objective scoring tool in the management of patients with pituitary apoplexy. Clinical Endocrinology, 2011, 75, 723-723.	1.2	20
96	Frailty in Relation to Variations in Hormone Levels of the Hypothalamic-Pituitary-Testicular Axis in Older Men: Results From the European Male Aging Study. Journal of the American Geriatrics Society, 2011, 59, 814-821.	1.3	52
97	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. Pain, 2011, 152, 1495-1501.	2.0	24
98	Influence of age and sex steroids on bone density and geometry in middle-aged and elderly European men. Osteoporosis International, 2011, 22, 1513-1523.	1.3	46
99	Influence of Insulin-Like Growth Factor Binding Protein (IGFBP)-1 and IGFBP-3 on Bone Health: Results from the European Male Ageing Study. Calcified Tissue International, 2011, 88, 503-510.	1.5	22
100	Influence of Polymorphisms in the RANKL/RANK/OPG Signaling Pathway on Volumetric Bone Mineral Density and Bone Geometry at the Forearm in Men. Calcified Tissue International, 2011, 89, 446-455.	1.5	16
101	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. BMC Medical Genetics, 2011, 12, 19.	2.1	10
102	The Relationships between Sex Hormones and Sexual Function in Middle-Aged and Older European Men. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1577-E1587.	1.8	103
103	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2011, 38, 370-377.	1.0	16
104	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). European Journal of Endocrinology, 2011, 165, 977-986.	1.9	28
105	Obesity and weight management in the elderly. British Medical Bulletin, 2011, 97, 169-196.	2.7	249
106	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. European Journal of Endocrinology, 2011, 164, 1003-1011.	1.9	90
107	The ESR1 (6q25) Locus Is Associated with Calcaneal Ultrasound Parameters and Radial Volumetric Bone Mineral Density in European Men. PLoS ONE, 2011, 6, e22037.	1.1	9
108	What is the optimal therapy for young males with hypogonadotropic hypogonadism?. Clinical Endocrinology, 2010, 72, 731-737.	1.2	93

#	ARTICLE	IF	CITATIONS
109	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. <i>Calcified Tissue International</i> , 2010, 86, 211-219.	1.5	24
110	Gonadal sex steroid status and bone health in middle-aged and elderly European men. <i>Osteoporosis International</i> , 2010, 21, 1331-1339.	1.3	37
111	Chronic widespread pain is associated with slower cognitive processing speed in middle-aged and older European men. <i>Pain</i> , 2010, 151, 30-36.	2.0	92
112	Age-Related Changes in General and Sexual Health in Middle-Aged and Older Men: Results from the European Male Ageing Study (EMAS). <i>Journal of Sexual Medicine</i> , 2010, 7, 1362-1380.	0.3	377
113	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1830-1838.	3.1	55
114	Association of cognitive performance with the metabolic syndrome and with glycaemia in middle-aged and older European men: the European Male Ageing Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 668-676.	1.7	47
115	Characteristics of Secondary, Primary, and Compensated Hypogonadism in Aging Men: Evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1810-1818.	1.8	481
116	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2010, 162, 1155-1164.	1.9	25
117	Health Status of Adults with Congenital Adrenal Hyperplasia: A Cohort Study of 203 Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5110-5121.	1.8	408
118	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1448-1452.	0.5	86
119	Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1898-1908.	1.8	37
120	Identification of Late-Onset Hypogonadism in Middle-Aged and Elderly Men. <i>New England Journal of Medicine</i> , 2010, 363, 123-135.	13.9	1,274
121	Increased Estrogen Rather Than Decreased Androgen Action Is Associated with Longer Androgen Receptor CAG Repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 277-284.	1.8	125
122	Investigating the determinants of international differences in the prevalence of chronic widespread pain: evidence from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 690-695.	0.5	41
123	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009, 36, 2523-2530.	1.0	3
124	Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. <i>European Journal of Endocrinology</i> , 2009, 161, 947-954.	1.9	99
125	The association between different cognitive domains and age in a multi-centre study of middle-aged and older European men. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1257-1266.	1.3	10
126	Benzofuran derivatives and the thyroid. <i>Clinical Endocrinology</i> , 2009, 70, 2-13.	1.2	58

#	ARTICLE	IF	CITATIONS
127	Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). <i>Journal of Bone and Mineral Research</i> , 2009, 24, 314-323.	3.1	21
128	Association between 25-hydroxyvitamin D levels and cognitive performance in middle-aged and older European men. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 722-729.	0.9	130
129	Comparison of bone mineral density and body proportions between women with complete androgen insensitivity syndrome and women with gonadal dysgenesis. <i>European Journal of Endocrinology</i> , 2008, 159, 179-185.	1.9	89
130	Hearing impairment and low bone mineral density increase the risk of bone fractures in women with Turner's syndrome. <i>Clinical Endocrinology</i> , 2006, 65, 643-647.	1.2	47
131	Assessment of obesity and its clinical implications. <i>BMJ: British Medical Journal</i> , 2006, 333, 695-698.	2.4	106
132	Clothing size as an indicator of adiposity, ischaemic heart disease and cardiovascular risks. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 423-430.	1.3	33
133	Prospective Study of C-Reactive Protein in Relation to the Development of Diabetes and Metabolic Syndrome in the Mexico City Diabetes Study. <i>Diabetes Care</i> , 2002, 25, 2016-2021.	4.3	453
134	Analysis of Obesity and Hyperinsulinemia in the Development of Metabolic Syndrome: San Antonio Heart Study. <i>Obesity</i> , 2002, 10, 923-931.	4.0	155
135	Impairment of Health and Quality of Life Using New US Federal Guidelines for the Identification of Obesity. <i>Archives of Internal Medicine</i> , 1999, 159, 837.	4.3	211
136	Effects of a thiazolidinedione compound on body fat and fat distribution of patients with type 2 diabetes. <i>Diabetes Care</i> , 1999, 22, 288-293.	4.3	303
137	Age and health indications assessed by silhouette photographs. <i>European Journal of Clinical Nutrition</i> , 1999, 53, 606-611.	1.3	13
138	Associations of body composition with Type 2 diabetes mellitus. , 1998, 15, 129-135.		98
139	Impairment of health and quality of life in people with large waist circumference. <i>Lancet, The</i> , 1998, 351, 853-856.	6.3	428
140	Separate associations of waist and hip circumference with lifestyle factors. <i>International Journal of Epidemiology</i> , 1998, 27, 422-430.	0.9	94
141	Natural sporting ability and predisposition to cardiovascular disorders. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1998, 91, 641-646.	0.2	4
142	Quality of life in relation to overweight and body fat distribution.. <i>American Journal of Public Health</i> , 1998, 88, 1814-1820.	1.5	269
143	Relationship between volumes and areas from single transverse scans of intra-abdominal fat measured by magnetic resonance imaging. <i>International Journal of Obesity</i> , 1997, 21, 1161-1166.	1.6	76
144	The influences of height and age on waist circumference as an index of adiposity in adults. <i>International Journal of Obesity</i> , 1997, 21, 83-90.	1.6	92

#	ARTICLE	IF	CITATIONS
145	Waist circumference reduction and cardiovascular benefits during weight loss in women. International Journal of Obesity, 1997, 21, 127-134.	1.6	94
146	The prevalence of low back pain and associations with body fatness, fat distribution and height. International Journal of Obesity, 1997, 21, 600-607.	1.6	152
147	Narrow hips and broad waist circumferences independently contribute to increased risk of non-insulin-dependent diabetes mellitus. Journal of Internal Medicine, 1997, 242, 401-406.	2.7	173
148	Waist Circumference as a Screening Tool for Cardiovascular Risk Factors: Evaluation of Receiver Operating Characteristics (ROC). Obesity, 1996, 4, 533-547.	4.0	81
149	Predicting body composition by densitometry from simple anthropometric measurements. American Journal of Clinical Nutrition, 1996, 63, 4-14.	2.2	307
150	Lower leg length as an index of stature in adults. , 1996, 20, 21-7.		13
151	The influence of fat free mass on prediction of densitometric body composition by bioelectrical impedance analysis and by anthropometry. European Journal of Clinical Nutrition, 1996, 50, 542-8.	1.3	9
152	Comparisons between fat measurements by dual-energy X-ray absorptiometry, underwater weighing and magnetic resonance imaging in healthy women. European Journal of Clinical Nutrition, 1996, 50, 747-52.	1.3	28
153	Waist circumference as a measure for indicating need for weight management. BMJ: British Medical Journal, 1995, 311, 158-161.	2.4	1,331
154	Waist circumference action levels in the identification of cardiovascular risk factors: prevalence study in a random sample. BMJ: British Medical Journal, 1995, 311, 1401-1405.	2.4	733
155	Pre-fracture Mobility Using Standardized Scale as an Early Indicator of High Health Risk in Patients with a Hip Fracture. Ageing International, 0, , 1.	0.6	5
156	Clinical Characteristics and Mortality of Old and Very Old Patients Hospitalized for Hip Fracture or Acute Medical Conditions. Journal of Frailty & Aging, the, 0, , .	0.8	1
157	High LACE index scores are associated with disproportionate excess deaths in hospital amongst patients with COVID-19. Internal and Emergency Medicine, 0, , .	1.0	1