

Sang-Gyu Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8413741/publications.pdf>

Version: 2024-02-01

49
papers

3,620
citations

257450

24
h-index

197818

49
g-index

55
all docs

55
docs citations

55
times ranked

4869
citing authors

#	ARTICLE	IF	CITATIONS
1	Ribozyme-processed guide RNA enhances virus-mediated plant genome editing. <i>Biotechnology Journal</i> , 2022, 17, e2100189.	3.5	3
2	Single-cell RNA sequencing of <i>Nicotiana attenuata</i> corolla cells reveals the biosynthetic pathway of a floral scent. <i>New Phytologist</i> , 2022, 234, 527-544.	7.3	34
3	Effect of Soybean Volatiles on the Behavior of the Bean Bug, <i>Riptortus pedestris</i> . <i>Journal of Chemical Ecology</i> , 2022, 48, 207-218.	1.8	9
4	Ontogeny-dependent effects of elevated CO ₂ and watering frequency on interaction between <i>Aristolochia contorta</i> and its herbivores. <i>Science of the Total Environment</i> , 2022, 838, 156065.	8.0	5
5	MSD2-mediated ROS metabolism fine-tunes the timing of floral organ abscission in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2022, 235, 2466-2480.	7.3	8
6	Virus-induced plant genome editing. <i>Current Opinion in Plant Biology</i> , 2021, 60, 101992.	7.1	35
7	CRISPR innovations in plant breeding. <i>Plant Cell Reports</i> , 2021, 40, 913-914.	5.6	2
8	Response of the microbiome-gut-brain axis in <i>Drosophila</i> to amino acid deficit. <i>Nature</i> , 2021, 593, 570-574.	27.8	53
9	Pith-specific lignification in <i>Nicotiana attenuata</i> as a defense against a stem-boring herbivore. <i>New Phytologist</i> , 2021, 232, 332-344.	7.3	23
10	Tissue-specific systemic responses of the wild tobacco <i>Nicotiana attenuata</i> against stem-boring herbivore attack. <i>Journal of Ecology and Environment</i> , 2021, 45, .	1.6	1
11	RPS5A Promoter-Driven Cas9 Produces Heritable Virus-Induced Genome Editing in <i>Nicotiana attenuata</i> . <i>Molecules and Cells</i> , 2021, 44, 911-919.	2.6	12
12	The way to true plant genome editing. <i>Nature Plants</i> , 2020, 6, 736-737.	9.3	8
13	Submergence deactivates wound-induced plant defence against herbivores. <i>Communications Biology</i> , 2020, 3, 651.	4.4	5
14	A robust genome-editing method for wild plant species <i>Nicotiana attenuata</i> . <i>Plant Biotechnology Reports</i> , 2020, 14, 585-598.	1.5	8
15	ZEITLUPE facilitates the rhythmic movements of <i>Nicotiana attenuata</i> flowers. <i>Plant Journal</i> , 2020, 103, 308-322.	5.7	2
16	A multiplex guide RNA expression system and its efficacy for plant genome engineering. <i>Plant Methods</i> , 2020, 16, 37.	4.3	50
17	Guidelines for C to T base editing in plants: base-editing window, guide RNA length, and efficient promoter. <i>Plant Biotechnology Reports</i> , 2019, 13, 533-541.	1.5	6
18	Generation of early-flowering Chinese cabbage (<i>Brassica rapa</i> spp. <i>pekinensis</i>) through CRISPR/Cas9-mediated genome editing. <i>Plant Biotechnology Reports</i> , 2019, 13, 491-499.	1.5	32

#	ARTICLE	IF	CITATIONS
19	JA-pretreated hypocotyl explants potentiate de novo shoot regeneration in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2019, 14, 1618180.	2.4	8
20	Herbivory elicits changes in green leaf volatile production via jasmonate signaling and the circadian clock. <i>Plant, Cell and Environment</i> , 2019, 42, 972-982.	5.7	25
21	The circadian clock contributes to diurnal patterns of plant indirect defense in nature. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 924-928.	8.5	10
22	Herbivore-induced volatile blends with both "fast" and "slow" components provide robust indirect defence in nature. <i>Functional Ecology</i> , 2018, 32, 136-149.	3.6	51
23	Root-expressed phytochromes <i>P1</i> and <i>P2</i> , but not <i>P3</i> and <i>P4</i> and <i>C1</i> , regulate shoot growth in nature. <i>Plant, Cell and Environment</i> , 2018, 41, 2577-2588.	5.7	12
24	CRISPR/Cpf1-mediated DNA-free plant genome editing. <i>Nature Communications</i> , 2017, 8, 14406.	12.8	386
25	Circadian clock component, LHY, tells a plant when to respond photosynthetically to light in nature. <i>Journal of Integrative Plant Biology</i> , 2017, 59, 572-587.	8.5	21
26	Functional specialization of <i>Nicotiana attenuata</i> phytochromes in leaf development and flowering time. <i>Journal of Integrative Plant Biology</i> , 2017, 59, 205-224.	8.5	10
27	Fitness consequences of altering floral circadian oscillations for <i>Nicotiana attenuata</i> . <i>Journal of Integrative Plant Biology</i> , 2017, 59, 180-189.	8.5	29
28	Fitness consequences of a clock pollinator filter in <i>Nicotiana attenuata</i> flowers in nature. <i>Journal of Integrative Plant Biology</i> , 2017, 59, 805-809.	8.5	10
29	What happens in the pith stays in the pith: tissue-localized defense responses facilitate chemical niche differentiation between two spatially separated herbivores. <i>Plant Journal</i> , 2017, 92, 414-425.	5.7	32
30	Shifting <i>Nicotiana attenuata</i> 's diurnal rhythm does not alter its resistance to the specialist herbivore <i>Manduca sexta</i> . <i>Journal of Integrative Plant Biology</i> , 2016, 58, 656-668.	8.5	13
31	A simple, flexible and high-throughput cloning system for plant genome editing via CRISPR-Cas system. <i>Journal of Integrative Plant Biology</i> , 2016, 58, 705-712.	8.5	61
32	<i>Trichobaris</i> weevils distinguish amongst toxic host plants by sensing volatiles that do not affect larval performance. <i>Molecular Ecology</i> , 2016, 25, 3509-3519.	3.9	14
33	<i>WRKY71</i> accelerates flowering via the direct activation of <i>FLOWERING LOCUS T</i> and <i>LEAFY</i> in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2016, 85, 96-106.	5.7	113
34	Silencing <i>Nicotiana attenuata</i> <i>LHY</i> and <i>ZTL</i> alters circadian rhythms in flowers. <i>New Phytologist</i> , 2016, 209, 1058-1066.	7.3	71
35	Functional characterization of the ribosome biogenesis factors PES, BOP1, and WDR12 (PeBoW), and mechanisms of defective cell growth and proliferation caused by PeBoW deficiency in Arabidopsis. <i>Journal of Experimental Botany</i> , 2016, 67, 5217-5232.	4.8	33
36	Stem-piped light activates phytochrome B to trigger light responses in <i>Arabidopsis thaliana</i> roots. <i>Science Signaling</i> , 2016, 9, ra106.	3.6	145

#	ARTICLE	IF	CITATIONS
37	Systemic Immunity Requires SnRK2.8-Mediated Nuclear Import of NPR1 in Arabidopsis. <i>Plant Cell</i> , 2015, 27, 3425-3438.	6.6	104
38	DNA-free genome editing in plants with preassembled CRISPR-Cas9 ribonucleoproteins. <i>Nature Biotechnology</i> , 2015, 33, 1162-1164.	17.5	975
39	Improving the accuracy of expression data analysis in time course experiments using resampling. <i>BMC Bioinformatics</i> , 2014, 15, 352.	2.6	4
40	Nectar secretion requires sucrose phosphate synthases and the sugar transporter SWEET9. <i>Nature</i> , 2014, 508, 546-549.	27.8	352
41	FCA mediates thermal adaptation of stem growth by attenuating auxin action in Arabidopsis. <i>Nature Communications</i> , 2014, 5, 5473.	12.8	87
42	Root jasmonic acid synthesis and perception regulate folivore-induced shoot metabolites and increase <i>Nicotiana attenuata</i> resistance. <i>New Phytologist</i> , 2014, 202, 1335-1345.	7.3	56
43	Tissue Specific Diurnal Rhythms of Metabolites and Their Regulation during Herbivore Attack in a Native Tobacco, <i>Nicotiana attenuata</i> . <i>PLoS ONE</i> , 2011, 6, e26214.	2.5	105
44	Activation tagging of an Arabidopsis SHI-RELATED SEQUENCE gene produces abnormal anther dehiscence and floral development. <i>Plant Molecular Biology</i> , 2010, 74, 337-351.	3.9	36
45	Genome-scale screening and molecular characterization of membrane-bound transcription factors in Arabidopsis and rice. <i>Genomics</i> , 2010, 95, 56-65.	2.9	112
46	A membrane-bound NAC transcription factor NTL8 regulates gibberellic acid-mediated salt signaling in Arabidopsis seed germination. <i>Plant Journal</i> , 2008, 55, 77-88.	5.7	189
47	Gibberellic acid-mediated salt signaling in seed germination. <i>Plant Signaling and Behavior</i> , 2008, 3, 877-879.	2.4	30
48	Membrane-Mediated Salt Stress Signaling in Flowering Time Control. <i>Plant Signaling and Behavior</i> , 2007, 2, 517-518.	2.4	16
49	A membrane-associated NAC transcription factor regulates salt-responsive flowering via FLOWERING LOCUS T in Arabidopsis. <i>Planta</i> , 2007, 226, 647-654.	3.2	214