Raymond Scott Mcclelland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8413790/publications.pdf

Version: 2024-02-01

100 papers

3,699 citations

201674 27 h-index 149698 56 g-index

101 all docs

101 docs citations

times ranked

101

3810 citing authors

#	Article	IF	CITATIONS
1	Nugent Score, Amsel's Criteria, and a Point-of-Care Rapid Test for Diagnosis of Bacterial Vaginosis: Performance in a Cohort of Kenyan Women. Sexually Transmitted Diseases, 2022, 49, e22-e25.	1.7	2
2	High Acceptance and Completion of HIV Self-testing Among Diverse Populations of Young People in Kenya Using a Community-Based Distribution Strategy. AIDS and Behavior, 2022, 26, 964-974.	2.7	13
3	Cultivable vaginal Lactobacillus is not associated with fecundability in Kenyan women attempting to conceive. Fertility and Sterility, 2022, , .	1.0	O
4	Vaginal washing behaviour and fecundability among Kenyan women in a prospective preconception cohort. Paediatric and Perinatal Epidemiology, 2022, , .	1.7	0
5	Diagnosis and Management of <i>Trichomonas vaginalis</i> : Summary of Evidence Reviewed for the 2021 Centers for Disease Control and Prevention Sexually Transmitted Infections Treatment Guidelines. Clinical Infectious Diseases, 2022, 74, S152-S161.	5.8	18
6	Associations Between Vaginal Bacteria and Bacterial Vaginosis Signs and Symptoms: A Comparative Study of Kenyan and American Women. Frontiers in Cellular and Infection Microbiology, 2022, 12, 801770.	3.9	9
7	Antimicrobial resistance including Extended Spectrum Beta Lactamases (ESBL) among E. coli isolated from kenyan children at hospital discharge. PLoS Neglected Tropical Diseases, 2022, 16, e0010283.	3.0	12
8	Efficacy of Single-Dose Human Papillomavirus Vaccination among Young African Women., 2022, 1, .		69
9	Prevalence and correlates of periodontitis among Kenyan women planning to conceive. BMC Oral Health, 2022, 22, .	2.3	3
10	Association Between Vaginal Bacterial Microbiota and Vaginal Yeast Colonization. Journal of Infectious Diseases, 2021, 223, 914-923.	4.0	10
11	Association between bacterial vaginosis and fecundability in Kenyan women planning pregnancies: a prospective preconception cohort study. Human Reproduction, 2021, 36, 1279-1287.	0.9	13
12	A Prospective Study of Depressive Symptoms, Condomless Sex, and HIV Viral Load in HIV-Positive Female Sex Workers in Kenya. AIDS and Behavior, 2021, 25, 3047-3056.	2.7	6
13	Derivation of an HIV Risk Score for African Women Who Engage in Sex Work. AIDS and Behavior, 2021, 25, 3292-3302.	2.7	4
14	Late antiretroviral refills and condomless sex in a cohort of HIV-seropositive pregnant and postpartum Kenyan women. PLoS ONE, 2021, 16, e0254767.	2.5	2
15	Bacterial Vaginosis and Its Association With Incident Trichomonas vaginalis Infections: A Systematic Review and Meta-Analysis. Sexually Transmitted Diseases, 2021, 48, e192-e201.	1.7	12
16	Testing for Sexually Transmitted Infection using Wet and Dry Self-Collected Brush Samples among Women in Mombasa, Kenya. Sexually Transmitted Diseases, 2021, Publish Ahead of Print, .	1.7	1
17	Influence of Intramuscular Depot Medroxyprogesterone Acetate Initiation on Vaginal Microbiota in the Postpartum Period. Clinical Infectious Diseases, 2021, 72, e1093-e1102.	5.8	6
18	Associations between vaginal bacteria implicated in HIV acquisition risk and proinflammatory cytokines and chemokines. Sexually Transmitted Infections, 2020, 96, 3-9.	1.9	21

#	Article	IF	Citations
19	Brief Report: Incidence and Correlates of Pregnancy in HIV-Positive Kenyan Sex Workers. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 11-17.	2.1	1
20	Plasmid mediated penicillin and tetracycline resistance among Neisseria gonorrhoeae isolates from Kenya. BMC Infectious Diseases, 2020, 20, 703.	2.9	12
21	Older age at infection and nulliparity are associated with long-term non-progression in female sex workers infected with non-subtype B HIV-1. International Journal of STD and AIDS, 2020, 31, 510-516.	1.1	O
22	Changes in key vaginal bacteria among postpartum African women initiating intramuscular depot-medroxyprogesterone acetate. PLoS ONE, 2020, 15, e0229586.	2.5	13
23	Psychosocial Factors, Condomless Sex, and Detectable Viral Load in HIV-Positive Women in Serodiscordant Couples in Nairobi, Kenya. AIDS and Behavior, 2020, 24, 3346-3358.	2.7	1
24	Associations between schistosomiasis and HIVâ€1 acquisition risk in four prospective cohorts: a nested caseâ€control analysis. Journal of the International AIDS Society, 2020, 23, e25534.	3.0	6
25	Impact of preconception vaginal microbiota on women's risk of spontaneous preterm birth: protocol for a prospective case-cohort study. BMJ Open, 2020, 10, e035186.	1.9	16
26	Alcohol use and viral suppression in HIV-positive Kenyan female sex workers on antiretroviral therapy. PLoS ONE, 2020, 15, e0242817.	2.5	10
27	Specific Vaginal Bacteria Are Associated With an Increased Risk of Trichomonas vaginalis Acquisition in Women. Journal of Infectious Diseases, 2019, 220, 1503-1510.	4.0	20
28	Lessons from Suppressive Therapy and Periodic Presumptive Treatment for Bacterial Vaginosis. Current Infectious Disease Reports, 2019, 21, 34.	3.0	4
29	Performance of family planning clinics in conducting recommended HIV counseling and testing in Mombasa County, Kenya: a cross-sectional study. BMC Health Services Research, 2019, 19, 665.	2.2	8
30	Text messaging for maternal and infant retention in prevention of mother-to-child HIV transmission services: A pragmatic stepped-wedge cluster-randomized trial in Kenya. PLoS Medicine, 2019, 16, e1002924.	8.4	21
31	Association between vaginal washing and detection of <i>Lactobacillus</i> by culture and quantitative PCR in HIV-seronegative Kenyan women: a cross-sectional analysis. Sexually Transmitted Infections, 2019, 95, 455-461.	1.9	12
32	Association between vaginal washing and vaginal bacterial concentrations. PLoS ONE, 2019, 14, e0210825.	2.5	21
33	Prevalence and predictors of unmet contraceptive need in HIV-positive female sex workers in Mombasa, Kenya. PLoS ONE, 2019, 14, e0218291.	2.5	14
34	gyrA and parC mutations in fluoroquinolone-resistant Neisseria gonorrhoeae isolates from Kenya. BMC Microbiology, 2019, 19, 76.	3.3	17
35	Schistosomiasis was not associated with higher HIV-1 plasma or genital set point viral loads among HIV seroconverters from four cohort studies. PLoS Neglected Tropical Diseases, 2019, 13, e0007886.	3.0	2
36	Cascade Analysis: An Adaptable Implementation Strategy Across HIV and Non-HIV Delivery Platforms. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, S322-S331.	2.1	23

#	Article	IF	CITATIONS
37	Does bacterial vaginosis modify the effect of hormonal contraception on HIV seroconversion. Aids, 2019, 33, 1225-1230.	2.2	5
38	High Global Burden and Costs of Bacterial Vaginosis: A Systematic Review and Meta-Analysis. Sexually Transmitted Diseases, 2019, 46, 304-311.	1.7	235
39	The Evolving Facets of Bacterial Vaginosis: Implications for HIV Transmission. AIDS Research and Human Retroviruses, 2019, 35, 219-228.	1.1	188
40	Gender-Based Violence, Physiological Stress, and Inflammation: A Cross-Sectional Study. Journal of Women's Health, 2018, 27, 1152-1161.	3.3	8
41	Evaluation of the association between the concentrations of key vaginal bacteria and the increased risk of HIV acquisition in African women from five cohorts: a nested case-control study. Lancet Infectious Diseases, The, 2018, 18, 554-564.	9.1	175
42	Vaginal microbiota and susceptibility to HIV. Aids, 2018, 32, 687-698.	2.2	70
43	Preference of specimen collection methods for human papillomavirus detection for cervical cancer screening: a cross-sectional study of high-risk women in Mombasa, Kenya. Reproductive Health, 2018, 15, 206.	3.1	7
44	Participation in a clinical trial of a text messaging intervention is associated with increased infant HIV testing: A parallel-cohort randomized controlled trial. PLoS ONE, 2018, 13, e0209854.	2.5	4
45	Impact of baseline vaginal bacterial colonization on subsequent development of bacterial vaginosis among women receiving periodic presumptive treatment for vaginal infections. American Journal of Obstetrics and Gynecology, 2018, 219, 635.	1.3	1
46	Higher prevalence of viral control in HIV-1-infected women in serodiscordant relationships. PLoS ONE, 2018, 13, e0208401.	2.5	1
47	A risk assessment tool for identifying pregnant and postpartum women who may benefit from pre-exposure prophylaxis (PrEP). Clinical Infectious Diseases, 2017, 64, ciw850.	5.8	61
48	Association of Recent Bacterial Vaginosis With Acquisition of Mycoplasma genitalium. American Journal of Epidemiology, 2017, 186, 194-201.	3.4	55
49	Efficacy of oral pre-exposure prophylaxis (PrEP) for HIV among women with abnormal vaginal microbiota: a post-hoc analysis of the randomised, placebo-controlled Partners PrEP Study. Lancet HIV,the, 2017, 4, e449-e456.	4.7	44
50	Comprehensive Characterization of Humoral Correlates of Human Immunodeficiency Virus 1 Superinfection Acquisition in High-risk Kenyan Women. EBioMedicine, 2017, 18, 216-224.	6.1	15
51	Brief Report: Association Between Menopause and Unprotected Sex in High-Risk HIV-Positive Women in Mombasa, Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 74, 488-492.	2.1	2
52	Risky Business: condom failures as experienced by female sex workers in Mombasa, Kenya. Culture, Health and Sexuality, 2017, 19, 395-404.	1.8	3
53	Association between non-barrier modern contraceptive use and condomless sex among HIV-positive female sex workers in Mombasa, Kenya: A prospective cohort analysis. PLoS ONE, 2017, 12, e0187444.	2.5	6
54	Genital HSV Shedding among Kenyan Women Initiating Antiretroviral Therapy. PLoS ONE, 2016, 11, e0163541.	2.5	3

#	Article	IF	CITATIONS
55	Impact of periodic presumptive treatment for bacterial vaginosis on the vaginal microbiome among women participating in the Preventing Vaginal Infections trial. Journal of Infectious Diseases, 2016, 215, jiw622.	4.0	27
56	Periodic Presumptive Treatment for Vaginal Infections May Reduce the Incidence of Sexually Transmitted Bacterial Infections. Journal of Infectious Diseases, 2016, 213, 1932-1937.	4.0	29
57	Alcohol Use and Associations With Biological Markers and Self-Reported Indicators of Unprotected Sex in Human Immunodeficiency Virus-Positive Female Sex Workers in Mombasa, Kenya. Sexually Transmitted Diseases, 2016, 43, 642-647.	1.7	12
58	A Prospective Cohort Study of Intimate Partner Violence and Unprotected Sex in HIV-Positive Female Sex Workers in Mombasa, Kenya. AIDS and Behavior, 2016, 20, 2054-2064.	2.7	20
59	Prevalence and correlates of intimate partner violence in HIV-positive women engaged in transactional sex in Mombasa, Kenya. International Journal of STD and AIDS, 2016, 27, 1194-1203.	1.1	31
60	Patterns of human herpesvirus-8 oral shedding among diverse cohorts of human herpesvirus-8 seropositive persons. Infectious Agents and Cancer, 2016, 11, 7.	2.6	12
61	Genital infections and syndromic diagnosis among HIV-infected women in HIV care programmes in Kenya. International Journal of STD and AIDS, 2016, 27, 19-24.	1.1	13
62	HIV acquisition during pregnancy and postpartum is associated with genital infections and partnership characteristics. Aids, 2015, 29, 2025-2033.	2.2	71
63	Relationship of Specific Bacteria in the Cervical and Vaginal Microbiotas With Cervicitis. Sexually Transmitted Diseases, 2015, 42, 475-481.	1.7	33
64	Changes in the contribution of genital tract infections to HIV acquisition among Kenyan high-risk women from 1993 to 2012. Aids, 2015, 29, 1077-1085.	2.2	59
65	A 15-year study of the impact of community antiretroviral therapy coverage on HIV incidence in Kenyan female sex workers. Aids, 2015, 29, 2279-2286.	2.2	23
66	The Broad Neutralizing Antibody Responses after HIV-1 Superinfection Are Not Dominated by Antibodies Directed to Epitopes Common in Single Infection. PLoS Pathogens, 2015, 11, e1004973.	4.7	29
67	Randomized Trial of Periodic Presumptive Treatment With High-Dose Intravaginal Metronidazole and Miconazole to Prevent Vaginal Infections in HIV-negative Women. Journal of Infectious Diseases, 2015, 211, 1875-1882.	4.0	46
68	Factors Associated with Mortality in Febrile Patients in a Government Referral Hospital in the Kenema District of Sierra Leone. American Journal of Tropical Medicine and Hygiene, 2015, 92, 172-177.	1.4	11
69	Hormonal Contraception and the Risk of HIV Acquisition: An Individual Participant Data Meta-analysis. PLoS Medicine, 2015, 12, e1001778.	8.4	170
70	Cytochrome P450 2B6 genetic variants are associated with plasma nevirapine levels and clinical response in HIV-1 infected Kenyan women: a prospective cohort study. AIDS Research and Therapy, 2015, 12, 10.	1.7	19
71	Correlates of Inappropriate Prescribing of Antibiotics to Patients with Malaria in Uganda. PLoS ONE, 2014, 9, e90179.	2.5	26
72	Incident Herpes Simplex Virus Type 2 Infection Increases the Risk of Subsequent Episodes of Bacterial Vaginosis. Journal of Infectious Diseases, 2014, 209, 1023-1027.	4.0	24

#	Article	IF	Citations
73	Elevation of Soluble Intercellular Adhesion Molecule-1 Levels, but Not Angiopoietin 2, in the Plasma of Human Immunodeficiency Virus–Infected African Women with Clinical Kaposi Sarcoma. American Journal of Tropical Medicine and Hygiene, 2014, 91, 705-708.	1.4	0
74	Texting improves testing. Aids, 2014, 28, 2307-2312.	2.2	138
75	Periodic Presumptive Treatment for Women With Prevalent Vaginal Infections. Sexually Transmitted Diseases, 2014, 41, 453.	1.7	1
76	An Effective Intervention to Reduce Intravaginal Practices Among HIV-1 Uninfected Kenyan Women. AIDS Research and Human Retroviruses, 2014, 30, 1046-1057.	1.1	17
77	Developing Content for a mHealth Intervention to Promote Postpartum Retention in Prevention of Mother-To-Child HIV Transmission Programs and Early Infant Diagnosis of HIV: A Qualitative Study. PLoS ONE, 2014, 9, e106383.	2.5	69
78	Changes in Sexual Risk Behavior in the Mombasa Cohort: 1993–2007. PLoS ONE, 2014, 9, e113543.	2.5	6
79	A pilot study of the feasibility of a vaginal washing cessation intervention among Kenyan female sex workers. Sexually Transmitted Infections, 2013, 89, 217-222.	1.9	20
80	Incidence and Correlates of Chlamydia trachomatis Infection in a High-Risk Cohort of Kenyan Women. Sexually Transmitted Diseases, 2013, 40, 221-225.	1.7	18
81	Prevalence, Clinical and Virologic Outcomes of Hepatitis B Virus Co-Infection in HIV-1 Positive Kenyan Women on Antiretroviral Therapy. PLoS ONE, 2013, 8, e59346.	2.5	28
82	Loss to Follow-Up as a Competing Risk in an Observational Study of HIV-1 Incidence. PLoS ONE, 2013, 8, e59480.	2.5	22
83	The Posttrial Effect of Oral Periodic Presumptive Treatment for Vaginal Infections on the Incidence of Bacterial Vaginosis and Lactobacillus Colonization. Sexually Transmitted Diseases, 2012, 39, 361-365.	1.7	17
84	Association Between Participant Self-Report and Biological Outcomes Used to Measure Sexual Risk Behavior in Human Immunodeficiency Virus-1-Seropositive Female Sex Workers in Mombasa, Kenya. Sexually Transmitted Diseases, 2011, 38, 429-433.	1.7	17
85	Understanding the Context of HIV Risk Behavior Among HIV-Positive and HIV-Negative Female Sex Workers and Male Bar Clients Following Antiretroviral Therapy Rollout in Mombasa, Kenya. AIDS Education and Prevention, 2011, 23, 299-312.	1.1	24
86	Treatment with antiretroviral therapy is not associated with increased sexual risk behavior in Kenyan female sex workers. Aids, 2010, 24, 891-897.	2.2	44
87	Prospective Study of Vaginal Bacterial Flora and Other Risk Factors for Vulvovaginal Candidiasis. Journal of Infectious Diseases, 2009, 199, 1883-1890.	4.0	77
88	Improvement of Vaginal Health for Kenyan Women at Risk for Acquisition of Human Immunodeficiency Virus Type 1: Results of a Randomized Trial. Journal of Infectious Diseases, 2008, 197, 1361-1368.	4.0	94
89	A Prospective Study of Risk Factors for Bacterial Vaginosis in HIV-1-Seronegative African Women. Sexually Transmitted Diseases, 2008, 35, 617-623.	1.7	58
90	Hormonal contraceptive use, herpes simplex virus infection, and risk of HIV-1 acquisition among Kenyan women. Aids, 2007, 21, 1771-1777.	2.2	140

#	Article	IF	CITATIONS
91	Infection withTrichomonas vaginalisIncreases the Risk of HIVâ€1 Acquisition. Journal of Infectious Diseases, 2007, 195, 698-702.	4.0	439
92	Associations Between Intravaginal Practices and Bacterial Vaginosis in Kenyan Female Sex Workers Without Symptoms of Vaginal Infections. Sexually Transmitted Diseases, 2007, 34, 384-388.	1.7	47
93	Vaginal washing and increased risk of HIV-1 acquisition among African women: a 10-year prospective study. Aids, 2006, 20, 269-273.	2.2	113
94	HIV-1 acquisition and disease progression are associated with decreased high-risk sexual behaviour among Kenyan female sex workers. Aids, 2006, 20, 1969-1973.	2.2	26
95	A Comparison of Genital HIV-1 Shedding and Sexual Risk Behavior Among Kenyan Women Based on Eligibility for Initiation of HAART According to WHO Guidelines. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 41, 611-615.	2.1	15
96	Reducing HIV-1 transmission through prevention strategies targeting HIV-1-seropositive individuals. Journal of Antimicrobial Chemotherapy, 2006, 57, 163-166.	3.0	13
97	Contribution of HIVâ€1 Infection to Acquisition of Sexually Transmitted Disease: A 10â€Year Prospective Study. Journal of Infectious Diseases, 2005, 191, 333-338.	4.0	91
98	Micronutrient Supplementation Increases Genital Tract Shedding of HIV-1 in Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 37, 1657-1663.	2.1	61
99	A Prospective Study of Hormonal Contraceptive Use and Cervical Shedding of Herpes Simplex Virus in Human Immunodeficiency Virus Type 1–Seropositive Women. Journal of Infectious Diseases, 2002, 185, 1822-1825.	4.0	36
100	Association between cervical shedding of herpes simplex virus and HIV-1. Aids, 2002, 16, 2425-2430.	2.2	128