## Neil Aaronson

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8413822/publications.pdf

Version: 2024-02-01

393 papers 55,389 citations

99 h-index 226 g-index

400 all docs

400 docs citations

400 times ranked

43651 citing authors

#	Article	IF	CITATIONS
1	The European Organization for Research and Treatment of Cancer QLQ-C30: A Quality-of-Life Instrument for Use in International Clinical Trials in Oncology. Journal of the National Cancer Institute, 1993, 85, 365-376.	6.3	12,309
2	Translation, Validation, and Norming of the Dutch Language Version of the SF-36 Health Survey in Community and Chronic Disease Populations. Journal of Clinical Epidemiology, 1998, 51, 1055-1068.	5.0	2,484
3	Cross-Validation of Item Selection and Scoring for the SF-12 Health Survey in Nine Countries. Journal of Clinical Epidemiology, 1998, 51, 1171-1178.	5.0	2,428
4	Hyperthermic Intraperitoneal Chemotherapy in Ovarian Cancer. New England Journal of Medicine, 2018, 378, 230-240.	27.0	1,012
5	The European Organization for Research and Treatment of Cancer breast cancer-specific quality-of-life questionnaire module: first results from a three-country field study Journal of Clinical Oncology, 1996, 14, 2756-2768.	1.6	955
6	Health-Related Quality-of-Life Assessments and Patient-Physician Communication. JAMA - Journal of the American Medical Association, 2002, 288, 3027.	7.4	888
7	The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease: A review. Journal of Clinical Epidemiology, 1992, 45, 743-760.	5.0	808
8	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	5.0	761
9	The EORTC QLQ-LC13: a modular supplement to the EORTC core quality of life questionnaire (QLQ-C30) for use in lung cancer clinical trials. European Journal of Cancer, 1994, 30, 635-642.	2.8	735
10	Implementing patient-reported outcomes assessment in clinical practice: a review of the options and considerations. Quality of Life Research, 2012, 21, 1305-1314.	3.1	665
11	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. Quality of Life Research, 2004, 13, 283-298.	3.1	623
12	ISOQOL recommends minimum standards for patient-reported outcome measures used in patient-centered outcomes and comparative effectiveness research. Quality of Life Research, 2013, 22, 1889-1905.	3.1	613
13	Cognitive and radiological effects of radiotherapy in patients with low-grade glioma: long-term follow-up. Lancet Neurology, The, 2009, 8, 810-818.	10.2	598
14	The Factor Structure of the SF-36 Health Survey in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1159-1165.	5.0	574
15	Effect of radiotherapy and other treatment-related factors on mid-term to long-term cognitive sequelae in low-grade gliomas: a comparative study. Lancet, The, 2002, 360, 1361-1368.	13.7	572
16	Impact of Late Treatment-Related Toxicity on Quality of Life Among Patients With Head and Neck Cancer Treated With Radiotherapy. Journal of Clinical Oncology, 2008, 26, 3770-3776.	1.6	569
17	The Equivalence of SF-36 Summary Health Scores Estimated Using Standard and Country-Specific Algorithms in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1167-1170.	5.0	513
18	International quality of life assessment (IQOLA) project. Quality of Life Research, 1992, 1, 349-351.	3.1	512

#	Article	IF	CITATIONS
19	Physical Exercise in Cancer Patients During and After Medical Treatment: A Systematic Review of Randomized and Controlled Clinical Trials. Journal of Clinical Oncology, 2005, 23, 3830-3842.	1.6	511
20	Literature Review of Methods to Translate Health-Related Quality of Life Questionnaires for Use in Multinational Clinical Trials. Value in Health, 2008, 11, 509-521.	0.3	496
21	Effect of a protein and energy dense n-3 fatty acid enriched oral supplement on loss of weight and lean tissue in cancer cachexia: a randomised double blind trial. Gut, 2003, 52, 1479-1486.	12.1	485
22	Evaluating quality-of-life and health status instruments: development of scientific review criteria. Clinical Therapeutics, 1996, 18, 979-992.	2.5	482
23	Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. Journal of Clinical Oncology, 2015, 33, 1918-1927.	1.6	453
24	The construction and testing of the EORTC colorectal cancer-specific quality of life questionnaire module (QLQ-CR38). European Journal of Cancer, 1999, 35, 238-247.	2.8	440
25	Quality of life in colorectal cancer. Diseases of the Colon and Rectum, 1995, 38, 361-369.	1.3	410
26	The European Organization for Research and treatment of cancer approach to quality of life assessment: guidelines for developing questionnaire modules. Quality of Life Research, 1993, 2, 287-295.	3.1	407
27	Estimating clinically significant differences in quality of life outcomes. Quality of Life Research, 2005, 14, 285-295.	3.1	406
28	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	7.7	398
29	The development of an EORTC quality of life questionnaire to assess chemotherapy-induced peripheral neuropathy: The QLQ-CIPN20. European Journal of Cancer, 2005, 41, 1135-1139.	2.8	396
30	Validation of the EORTC QLQ-C30 quality of life questionnaire through combined qualitative and quantitative assessment of patient-observer agreement. Journal of Clinical Epidemiology, 1997, 50, 441-450.	5.0	388
31	An international field study of the EORTC QLQ-PR25: A questionnaire for assessing the health-related quality of life of patients with prostate cancer. European Journal of Cancer, 2008, 44, 2418-2424.	2.8	370
32	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	5.0	359
33	Epilepsy in low-grade gliomas: The impact on cognitive function and quality of life. Annals of Neurology, 2003, 54, 514-520.	5.3	358
34	The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease. Journal of Clinical Epidemiology, 2002, 55, 1130-1143.	5.0	350
35	Treatment of Vulvar Intraepithelial Neoplasia with Topical Imiquimod. New England Journal of Medicine, 2008, 358, 1465-1473.	27.0	343
36	A Systematic Review of Web-Based Interventions for Patient Empowerment and Physical Activity in Chronic Diseases: Relevance for Cancer Survivors. Journal of Medical Internet Research, 2013, 15, e37.	4.3	326

#	Article	IF	CITATIONS
37	The Patient Reported Outcomes Following Initial treatment and Long term Evaluation of Survivorship registry: Scope, rationale and design of an infrastructure for the study of physical and psychosocial outcomes in cancer survivorship cohorts. European Journal of Cancer, 2011, 47, 2188-2194.	2.8	322
38	Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. Journal of Clinical Epidemiology, 2016, 69, 79-88.	5.0	306
39	How Are You Feeling? Who Wants To Know? Patients' and Oncologists' Preferences for Discussing Health-Related Quality-of-Life Issues. Journal of Clinical Oncology, 2000, 18, 3295-3301.	1.6	305
40	Activity of Exemestane in Metastatic Breast Cancer After Failure of Nonsteroidal Aromatase Inhibitors: A Phase II Trial. Journal of Clinical Oncology, 2000, 18, 2234-2244.	1.6	302
41	The development and psychometric validation of a brain cancer quality-of-life questionnaire for use in combination with general cancer-specific questionnaires. Quality of Life Research, 1996, 5, 139-150.	3.1	294
42	Cognitive Rehabilitation in Patients With Gliomas: A Randomized, Controlled Trial. Journal of Clinical Oncology, 2009, 27, 3712-3722.	1.6	294
43	An international validation study of the EORTC brain cancer module (EORTC QLQ-BN20) for assessing health-related quality of life and symptoms in brain cancer patients. European Journal of Cancer, 2010, 46, 1033-1040.	2.8	293
44	Critical review of the international assessments of health-related quality of life. Quality of Life Research, 1993, 2, 369-395.	3.1	275
45	General population normative data for the EORTC QLQ-C30 health-related quality of life questionnaire based on 15,386 persons across 13 European countries, Canada and the Unites States. European Journal of Cancer, 2019, 107, 153-163.	2.8	259
46	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	5.0	250
47	Recommended Patient-Reported Core Set of Symptoms to Measure in Adult Cancer Treatment Trials. Journal of the National Cancer Institute, 2014, 106, dju129-dju129.	6.3	245
48	Quality of life after radiation therapy of cerebral low-grade gliomas of the adult: results of a randomised Phase III trial on dose response (EORTC trial 22844). European Journal of Cancer, 1998, 34, 1902-1909.	2.8	233
49	Neurobehavioral Status and Health-Related Quality of Life in Newly Diagnosed High-Grade Glioma Patients. Journal of Clinical Oncology, 2001, 19, 4037-4047.	1.6	232
50	Title is missing!. Quality of Life Research, 1998, 7, 291-300.	3.1	220
51	Quality-of-Life Effects of Prophylactic Salpingo-Oophorectomy Versus Gynecologic Screening Among Women at Increased Risk of Hereditary Ovarian Cancer. Journal of Clinical Oncology, 2005, 23, 6890-6898.	1.6	214
52	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	5.0	210
53	Targeted Prostate Cancer Screening in BRCA1 and BRCA2 Mutation Carriers: Results from the Initial Screening Round of the IMPACT Study. European Urology, 2014, 66, 489-499.	1.9	195
54	The Impact of Hormone Replacement Therapy on Menopausal Symptoms in Younger High-Risk Women After Prophylactic Salpingo-Oophorectomy. Journal of Clinical Oncology, 2006, 24, 3576-3582.	1.6	186

#	Article	IF	CITATIONS
55	An international prospective study of the EORTC cancer in-patient satisfaction with care measure (EORTC IN-PATSAT32). European Journal of Cancer, 2005, 41, 2120-2131.	2.8	184
56	Thresholds for clinical importance were established to improve interpretation of the EORTC QLQ-C30 in clinical practice and research. Journal of Clinical Epidemiology, 2020, 118, 1-8.	5.0	184
57	Assessing Quality of Life After Stroke. Stroke, 1997, 28, 1541-1549.	2.0	184
58	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. Journal of Clinical Oncology, 2012, 30, 4124-4133.	1.6	182
59	Quality of life research in oncology. Past achievements and future priorities. Cancer, 1991, 67, 839-843.	4.1	180
60	Beyond treatment $\hat{a}\in$ "Psychosocial and behavioural issues in cancer survivorship research and practice. European Journal of Cancer, Supplement, 2014, 12, 54-64.	2.2	177
61	Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. British Journal of Sports Medicine, 2018, 52, 505-513.	6.7	177
62	Pitfalls in grading severity of chemotherapy-induced peripheral neuropathy. Annals of Oncology, 1998, 9, 739-744.	1.2	175
63	Evaluating the quality of life of cancer patients: assessments by patients, significant others, physicians and nurses. British Journal of Cancer, 1999, 81, 87-94.	6.4	175
64	Quality of Life After Stroke. Stroke, 1995, 26, 402-408.	2.0	175
65	Comparison of Patient and Proxy EORTC QLQ-C30 Ratings in Assessing the Quality of Life of Cancer Patients. Journal of Clinical Epidemiology, 1998, 51, 617-631.	<b>5.</b> O	173
66	Normative data for the EORTC QLQ-C30 and EORTC-sexuality items in the general Dutch population. European Journal of Cancer, 2011, 47, 667-675.	2.8	170
67	Health Related Quality of Life in Men With Prostate Cancer. Journal of Urology, 2003, 169, 1653-1661.	0.4	166
68	Pain experience and pain management among hospitalized cancer patients. A clinical study. Cancer, 1989, 63, 593-598.	4.1	165
69	Use of patient-reported outcomes in clinical practice. Lancet, The, 2009, 374, 369-370.	13.7	165
70	Patient-Physician Communication During Outpatient Palliative Treatment Visits. JAMA - Journal of the American Medical Association, 2001, 285, 1351.	7.4	164
71	Telephone-based nursing intervention improves the effectiveness of the informed consent process in cancer clinical trials Journal of Clinical Oncology, 1996, 14, 984-996.	1.6	162
72	Use of healthâ€related qualityâ€ofâ€rife assessments in daily clinical oncology nursing practice. Cancer, 2008, 113, 628-637.	4.1	160

#	Article	IF	Citations
73	Compromised Health-Related Quality of Life in Patients With Low-Grade Glioma. Journal of Clinical Oncology, 2011, 29, 4430-4435.	1.6	160
74	Cosmetic and functional outcomes of breast conserving treatment for early stage breast cancer. 1. Comparison of patients' ratings, observers' ratings and objective assessments. Radiotherapy and Oncology, 1992, 25, 153-159.	0.6	158
75	The course of neurocognitive functioning in high-grade glioma patients1. Neuro-Oncology, 2007, 9, 53-62.	1.2	153
76	Interim Results from the IMPACT Study: Evidence for Prostate-specific Antigen Screening in BRCA2 Mutation Carriers. European Urology, 2019, 76, 831-842.	1.9	148
77	Chemotherapy-induced nausea and vomiting in daily clinical practice: a community hospital-based study. Supportive Care in Cancer, 2012, 20, 107-117.	2.2	144
78	Quality of life assessment in daily clinical oncology practice: a feasibility study. European Journal of Cancer, 1998, 34, 1181-1186.	2.8	143
79	Comparison of Rasch and Summated Rating Scales Constructed from SF-36 Physical Functioning Items in Seven Countries. Journal of Clinical Epidemiology, 1998, 51, 1203-1214.	5.0	143
80	Value of caregiver ratings in evaluating the quality of life of patients with cancer Journal of Clinical Oncology, 1997, 15, 1206-1217.	1.6	141
81	Assessing patient-reported peripheral neuropathy: the reliability and validity of the European Organization for Research and Treatment of Cancer QLQ-CIPN20 Questionnaire. Quality of Life Research, 2013, 22, 2787-2799.	3.1	141
82	Health-related quality of life among patients with metastatic prostate cancer. Urology, 1997, 49, 207-217.	1.0	136
83	Perceived barriers and facilitators for general practitioner–patient communication in palliative care: A systematic review. Palliative Medicine, 2011, 25, 613-629.	3.1	135
84	Understanding the quality of life (QOL) issues in survivors of cancer: towards the development of an EORTC QOL cancer survivorship questionnaire. Health and Quality of Life Outcomes, 2018, 16, 114.	2.4	133
85	The European Organization for Research and Treatment of Cancer approach to developing questionnaire modules: an update and overview. EORTC Quality of Life Study Group. Quality of Life Research, 1998, 7, 291-300.	3.1	129
86	Quality of life and treatment of hormone resistant metastatic prostatic cancer. European Journal of Cancer & Clinical Oncology, 1990, 26, 1133-1136.	0.7	125
87	Quality of Life in Good Prognosis Patients With Metastatic Germ Cell Cancer: A Prospective Study of the European Organization for Research and Treatment of Cancer Genitourinary Group/Medical Research Council Testicular Cancer Study Group (30941/TE20). Journal of Clinical Oncology, 2003, 21, 1107-1118.	1.6	122
88	Quality of Life for Patients Treated for Penile Cancer. Journal of Urology, 2014, 192, 1105-1110.	0.4	118
89	Methodologic issues in assessing the quality of life of cancer patients. Cancer, 1991, 67, 844-850.	4.1	118
90	Effect of neurological dysfunction on health-related quality of life in patients with high-grade glioma. Journal of Neuro-Oncology, 1997, 34, 263-278.	2.9	117

#	Article	IF	Citations
91	The quality of life of long-term survivors of Hodgkin's disease. Annals of Oncology, 1994, 5, 153-158.	1.2	115
92	Use of differential item functioning analysis to assess the equivalence of translations of a questionnaire. Quality of Life Research, 2003, 12, 373-385.	3.1	115
93	The influence of a heat and moisture exchanger (HME) on the respiratory symptoms after total laryngectomy. Clinical Otolaryngology, 1991, 16, 152-156.	1.2	114
94	Interventions for cognitive deficits in adults with brain tumours. Lancet Neurology, The, 2008, 7, 548-560.	10.2	111
95	A simulation study provided sample size guidance for differential item functioning (DIF) studies using short scales. Journal of Clinical Epidemiology, 2009, 62, 288-295.	5.0	110
96	Efficacy of Internet-Based Cognitive Behavioral Therapy in Improving Sexual Functioning of Breast Cancer Survivors: Results of a Randomized Controlled Trial. Journal of Clinical Oncology, 2017, 35, 1328-1340.	1.6	110
97	The relationship between numbness, tingling, and shooting/burning pain in patients with chemotherapy-induced peripheral neuropathy (CIPN) as measured by the EORTC QLQ-CIPN20 instrument, N06CA. Supportive Care in Cancer, 2012, 20, 625-632.	2.2	107
98	The EORTC QLQ-C30 Summary Score as Prognostic Factor for Survival of Patients with Cancer in the "Real-World†Results from the Population-Based PROFILES Registry. Oncologist, 2020, 25, e722-e732.	3.7	107
99	Effects of an outpatient physical exercise program on hematopoietic stem-cell transplantation recipients: a randomized clinical trial. Bone Marrow Transplantation, 2011, 46, 1245-1255.	2.4	105
100	Patient-Reported Quality of Life After Stereotactic Ablative Radiotherapy for Early-Stage Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 1148-1154.	1.1	105
101	Cosmetic and functional outcomes of breast conserving treatment for early stage breast cancer. 2. Relationship with psychosocial functioning. Radiotherapy and Oncology, 1992, 25, 160-166.	0.6	104
102	Cancer survivorship: an integral part of Europe's research agenda. Molecular Oncology, 2019, 13, 624-635.	4.6	103
103	Assessing the clinical significance of single items relative to summated scores. Mayo Clinic Proceedings, 2002, 77, 479-87.	3.0	101
104	Genetic Testing in Li-Fraumeni Syndrome: Uptake and Psychosocial Consequences. Journal of Clinical Oncology, 2010, 28, 3008-3014.	1.6	100
105	The prognostic value of cognitive functioning in the survival of patients with high-grade glioma. Neurology, 2003, 61, 1796-1798.	1.1	98
106	The EORTC Modular Approach to Quality of Life Assessment in Oncology. International Journal of Mental Health, 1994, 23, 75-96.	1.3	96
107	Empowerment of Cancer Survivors Through Information Technology: An Integrative Review. Journal of Medical Internet Research, 2015, 17, e270.	4.3	96
108	Thresholds for clinical importance for four key domains of the EORTC QLQ-C30: physical functioning, emotional functioning, fatigue and pain. Health and Quality of Life Outcomes, 2016, 14, 87.	2.4	95

#	Article	IF	CITATIONS
109	External irradiation versus external irradiation plus endobronchial brachytherapy in inoperable non-small cell lung cancer: a prospective randomized study. Radiotherapy and Oncology, 2001, 58, 257-268.	0.6	94
110	Effects of medroxyprogesterone acetate on appetite, weight, and quality of life in advanced-stage non-hormone-sensitive cancer: a placebo-controlled multicenter study Journal of Clinical Oncology, 1996, 14, 1077-1084.	1.6	93
111	Treatment of vulvar intraepithelial neoplasia with topical imiquimod: Seven years median follow-up of a randomized clinical trial. Gynecologic Oncology, 2011, 121, 157-162.	1.4	93
112	The effect of supportive pamidronate treatment on aspects of quality of life of patients with advanced breast cancer. European Journal of Cancer & Clinical Oncology, 1991, 27, 544-549.	0.7	91
113	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	5.0	90
114	Anxiety and Depression in Breast Cancer Patients at Low Risk of Recurrence Compared with the General Population. Journal of Clinical Epidemiology, 1999, 52, 523-530.	5.0	88
115	Improvements in Respiratory and Psychosocial Functioning following Total Laryngectomy by the Use of a Heat and Moisture Exchanger. Annals of Otology, Rhinology and Laryngology, 1993, 102, 878-883.	1.1	85
116	Patient- versus physician-reporting of symptoms and health status in chronic myeloid leukemia. Haematologica, 2014, 99, 788-793.	3.5	85
117	Development and Clinical Evaluation of a Second-generation Voice Prosthesis (Provox $\hat{A}^{\otimes}2$ ), Designed for Anterograde and Retrograde Insertion. Acta Oto-Laryngologica, 1997, 117, 889-896.	0.9	84
118	Prospective Study on Quality of Life Before and After Radical Radiotherapy in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2001, 19, 2123-2133.	1.6	83
119	QLU-C10D: a health state classification system for a multi-attribute utility measure based on the EORTC QLQ-C30. Quality of Life Research, 2016, 25, 625-636.	3.1	83
120	Psychological distress and use of psychosocial support in familial adenomatous polyposis. Psycho-Oncology, 2010, 19, 289-298.	2.3	80
121	The Female Sexual Function Index (FSFI)â€"A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 640-660.	0.6	80
122	Evaluation of breast conserving therapy: clinical, methodological and psychosocial perspectives. European Journal of Surgical Oncology, 1988, 14, 133-40.	1.0	77
123	Applying Quality-of-Life Data Formally and Systematically Into Clinical Practice. Mayo Clinic Proceedings, 2007, 82, 1214-1228.	3.0	75
124	The use of EORTC measures in daily clinical practiceâ€"A synopsis of a newly developed manual. European Journal of Cancer, 2016, 68, 73-81.	2.8	75
125	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data metaâ€analysis of 22 RCTs. Psycho-Oncology, 2018, 27, 1150-1161.	2.3	74
126	Predictors of Prophylactic Bilateral Salpingo-Oophorectomy Compared With Gynecologic Screening Use in BRCA1/2 Mutation Carriers. Journal of Clinical Oncology, 2007, 25, 301-307.	1.6	73

#	Article	IF	CITATIONS
127	The course of health-related quality of life in head and neck cancer patients treated with chemoradiation: A prospective cohort study. Radiotherapy and Oncology, 2014, 110, 422-428.	0.6	73
128	Genetic counseling for hereditary cancer: A pilot study on experiences of patients and family members. Patient Education and Counseling, 1997, 32, 107-116.	2.2	72
129	Why do patients choose (not) to participate in an exercise trial during adjuvant chemotherapy for breast cancer?. Psycho-Oncology, 2016, 25, 964-970.	2.3	72
130	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200.	6.3	72
131	Changes in physical functioning and quality of life in patients with cancer. Journal of Clinical Epidemiology, 2002, 55, 176-183.	5.0	71
132	Long-term quality of life among Dutch prostate cancer survivors. Cancer, 2006, 107, 2186-2196.	4.1	71
133	Health-related quality of life of long-term high-grade glioma survivors. Neuro-Oncology, 2009, 11, 51-58.	1.2	70
134	Employment and social benefits up to 10 years after breast cancer diagnosis: a population-based study. British Journal of Cancer, 2016, 114, 81-87.	6.4	69
135	Prevalence of swallowing and speech problems in daily life after chemoradiation for head and neck cancer based on cut-off scores of the patient-reported outcome measures SWAL-QOL and SHI. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1849-1855.	1.6	69
136	Quality of life and functional status in patients with cancer of the oral cavity and oropharynx: pretreatment values of a prospective study. European Archives of Oto-Rhino-Laryngology, 2007, 264, 651-657.	1.6	68
137	The EORTC CAT Core—The computer adaptive version of the EORTC QLQ-C30 questionnaire. European Journal of Cancer, 2018, 100, 8-16.	2.8	68
138	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. British Journal of Sports Medicine, 2019, 53, 812-812.	6.7	67
139	Validation and Reliability Testing of the EORTC QLQ-NMIBC24 Questionnaire Module to Assess Patient-reported Outcomes in Non–Muscle-invasive Bladder Cancer. European Urology, 2014, 66, 1148-1156.	1.9	66
140	Role of Health-Related Quality of Life in Palliative Chemotherapy Treatment Decisions. Journal of Clinical Oncology, 2002, 20, 1056-1062.	1.6	65
141	The relationship between overall quality of life and its subdimensions was influenced by culture: analysis of an international database. Journal of Clinical Epidemiology, 2008, 61, 788-795.	5.0	65
142	eHealth for Breast Cancer Survivors: Use, Feasibility and Impact of an Interactive Portal. JMIR Cancer, 2016, 2, e3.	2.4	65
143	Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. Quality of Life Research, 2006, 15, 1103-1115.	3.1	64
144	Health-Related Quality of Life in Stable, Long-Term Survivors of Low-Grade Glioma. Journal of Clinical Oncology, 2015, 33, 1023-1029.	1.6	64

#	Article	IF	Citations
145	Participation in psychosocial oncology and quality-of-life research: a systematic review. Lancet Oncology, The, 2017, 18, e153-e165.	10.7	64
146	The use of differential item functioning analyses to identify cultural differences in responses to the EORTC QLQ-C30. Quality of Life Research, 2007, 16, 115-129.	3.1	63
147	Patient-reported Outcomes Following Treatment of Localised Prostate Cancer and Their Association with Regret About Treatment Choices. European Urology Oncology, 2020, 3, 21-31.	5.4	63
148	Multidimensional Computerized Adaptive Testing of the EORTC QLQ-C30: Basic Developments and Evaluations. Quality of Life Research, 2006, 15, 315-329.	3.1	61
149	Regular surveillance for Li-fraumeni syndrome: advice, adherence and perceived benefits. Familial Cancer, 2010, 9, 647-654.	1.9	59
150	Feasibility of a home-based exercise intervention with remote guidance for patients with stable grade II and III gliomas: a pilot randomized controlled trial. Clinical Rehabilitation, 2018, 32, 352-366.	2.2	59
151	A multicenter randomized phase III trial of neo-adjuvant chemotherapy followed by surgery and chemotherapy or by surgery and chemoradiotherapy in resectable gastric cancer: First results from the CRITICS study Journal of Clinical Oncology, 2016, 34, 4000-4000.	1.6	59
152	Development of computerised adaptive testing (CAT) for the EORTC QLQ-C30 dimensions – General approach and initial results for physical functioning. European Journal of Cancer, 2010, 46, 1352-1358.	2.8	58
153	Using a discrete choice experiment to value the QLU-C10D: feasibility and sensitivity to presentation format. Quality of Life Research, 2016, 25, 637-649.	3.1	58
154	The International Index of Erectile Function (IIEF)â€"A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 1078-1091.	0.6	58
155	Chromogranin A as an Alternative to 5-Hydroxyindoleacetic Acid in the Evaluation of Symptoms during Treatment of Patients with Neuroendocrine Tumors. Neuroendocrinology, 2009, 89, 296-301.	2.5	57
156	Toxicity grading systems. Annals of Oncology, 1994, 5, 113-117.	1.2	56
157	Psychosocial Issues in Cancer Genetics. Acta Oncológica, 2003, 42, 276-286.	1.8	56
158	The Effect of Salvage Radiotherapy and its Timing on the Health-related Quality of Life of Prostate Cancer Patients. European Urology, 2016, 70, 751-757.	1.9	56
159	Hand-held dynamometry in patients with haematological malignancies: Measurement error in the clinical assessment of knee extension strength. BMC Musculoskeletal Disorders, 2009, 10, 31.	1.9	54
160	Quantitative issues in health-related quality of life assessment. Health Policy, 1988, 10, 217-230.	3.0	52
161	Quality of life as predictor of survival: A prospective study on patients treated with combined surgery and radiotherapy for advanced oral and oropharyngeal cancer. Radiotherapy and Oncology, 2010, 97, 258-262.	0.6	52
162	Comparing higher order models for the EORTC QLQ-C30. Quality of Life Research, 2012, 21, 1607-1617.	3.1	52

#	Article	IF	Citations
163	Patient-reported (EORTC QLQ-CIPN20) versus physician-reported (CTCAE) quantification of oxaliplatin- and paclitaxel/carboplatin-induced peripheral neuropathy in NCCTG/Alliance clinical trials. Supportive Care in Cancer, 2017, 25, 3537-3544.	2.2	52
164	Efficacy of Internet-Based Cognitive Behavioral Therapy for Treatment-Induced Menopausal Symptoms in Breast Cancer Survivors: Results of a Randomized Controlled Trial. Journal of Clinical Oncology, 2019, 37, 809-822.	1.6	52
165	Health-related quality of life in high-grade glioma patients. Chinese Journal of Cancer, 2014, 33, 40-45.	4.9	52
166	Attitude towards pre-implantation genetic diagnosis for hereditary cancer. Familial Cancer, 2009, 8, 457-464.	1.9	51
167	Interventions for cognitive deficits in patients with a brain tumor: an update. Expert Review of Anticancer Therapy, 2010, 10, 1779-1795.	2.4	51
168	Evaluation of the psychometric properties of the EORTC chemotherapy-induced peripheral neuropathy questionnaire (QLQ-CIPN20). Quality of Life Research, 2017, 26, 2999-3010.	3.1	51
169	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314.	0.4	50
170	A prospective prostate cancer screening programme for men with pathogenic variants in mismatch repair genes (IMPACT): initial results from an international prospective study. Lancet Oncology, The, 2021, 22, 1618-1631.	10.7	48
171	Health-related quality of life of significant others of patients with malignant CNS versus non-CNS tumors: a comparative study. Journal of Neuro-Oncology, 2013, 115, 87-94.	2.9	47
172	Internet-based cognitive behavioral therapy for sexual dysfunctions in women treated for breast cancer: design of a multicenter, randomized controlled trial. BMC Cancer, 2015, 15, 321.	2.6	47
173	Translation and validation of the EORTC QLQ-C30 for use among Turkish and Moroccan ethnic minority cancer patients in the Netherlands. European Journal of Cancer, 2006, 42, 1839-1847.	2.8	46
174	Design of the Physical exercise during Adjuvant Chemotherapy Effectiveness Study (PACES):A randomized controlled trial to evaluate effectiveness and cost-effectiveness of physical exercise in improving physical fitness and reducing fatigue. BMC Cancer, 2010, 10, 673.	2.6	46
175	Radiotherapy alone, versus radiotherapy with amifostine 3 times weekly, versus radiotherapy with amifostine 5 times weekly. Cancer, 2006, 107, 544-553.	4.1	45
176	Letter to the Editor. Palliative Medicine, 2006, 20, 59-61.	3.1	45
177	An interactive portal to empower cancer survivors: a qualitative study on user expectations. Supportive Care in Cancer, 2015, 23, 2535-2542.	2.2	45
178	Quality of Life in Patients with Muscle-Infiltrating Bladder Cancer and Hormone-Resistant Prostatic Cancer. European Urology, 1989, 16, 335-339.	1.9	43
179	Can Patient-Reported Outcome Measures Identify Cancer Patients' Most Bothersome Issues?. Journal of Clinical Oncology, 2011, 29, 1216-1220.	1.6	43
180	Predictors of subjective versus objective cognitive functioning in patients with stable grades II and III glioma. Neuro-Oncology Practice, 2015, 2, 20-31.	1.6	43

#	Article	IF	Citations
181	Integrating health-related quality of life into cross-national clinical trials. Quality of Life Research, 1993, 2, 433-440.	3.1	42
182	Psychosocial issues in genetic testing for familial adenomatous polyposis: a review of the literature. Psycho-Oncology, 2008, 17, 737-745.	2.3	42
183	Exceptions to the rule of informed consent for research with an intervention. BMC Medical Ethics, 2016, 17, 9.	2.4	42
184	Cost–utility and cost-effectiveness of physical exercise during adjuvant chemotherapy. European Journal of Health Economics, 2018, 19, 893-904.	2.8	42
185	Past and Current Practice of Patient-Reported Outcome Measurement in Randomized Cancer Clinical Trials: A Systematic Review. Value in Health, 2021, 24, 585-591.	0.3	42
186	A systematic review of the measurement properties of the Body Image Scale (BIS) in cancer patients. Supportive Care in Cancer, 2018, 26, 1715-1726.	2.2	41
187	Item response theory was used to shorten EORTC QLQ-C30 scales for use in palliative care. Journal of Clinical Epidemiology, 2006, 59, 36-44.	5.0	40
188	Health-related quality of life in long-term esophageal cancer survivors after potentially curative treatment. Journal of Thoracic and Cardiovascular Surgery, 2010, 140, 777-783.	0.8	40
189	Hormone replacement therapy after risk-reducing salpingo-oophorectomy minimises endocrine and sexual problems: A prospective study. European Journal of Cancer, 2017, 84, 159-167.	2.8	40
190	Supporting Lung Cancer Patients With an Interactive Patient Portal: Feasibility Study. JMIR Cancer, 2017, 3, e10.	2.4	40
191	Attitudes toward genetic testing in childhood and reproductive decision-making for familial adenomatous polyposis. European Journal of Human Genetics, 2010, 18, 186-193.	2.8	38
192	Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. Quality of Life Research, 2011, 20, 479-490.	3.1	38
193	Health-related Quality of Life in Patients with Brain Tumors: Limitations and Additional Outcome Measures. Current Neurology and Neuroscience Reports, 2013, 13, 359.	4.2	38
194	Comparison of symptom clusters associated with fatigue in older and younger survivors of colorectal cancer. Supportive Care in Cancer, 2017, 25, 625-632.	2.2	38
195	Establishing the European Norm for the health-related quality of life domains of the computer-adaptive test EORTC CAT Core. European Journal of Cancer, 2019, 107, 133-141.	2.8	38
196	"l am busy surviving― Views about physical exercise in older adults scheduled for colorectal cancer surgery. Journal of Geriatric Oncology, 2020, 11, 444-450.	1.0	38
197	Health-related quality of life after interval cytoreductive surgery with or without hyperthermic intraperitoneal chemotherapy (HIPEC) in patients with stage III ovarian cancer. European Journal of Surgical Oncology, 2021, 47, 101-107.	1.0	38
198	Quality of life following surgery for colorectal cancer: A literature review. Psycho-Oncology, 1993, 2, 247-259.	2.3	37

#	Article	IF	CITATIONS
199	The association between cognitive functioning and health-related quality of life in low-grade glioma patients. Neuro-Oncology Practice, 2014, 1, 40-46.	1.6	37
200	Psychosocial Aspects of Hereditary Cancer (PAHC) questionnaire: development and testing of a screening questionnaire for use in clinical cancer genetics. Psycho-Oncology, 2014, 23, 862-869.	2.3	37
201	A pilot randomized controlled trial of exercise to improve cognitive performance in patients with stable glioma: a proof of concept. Neuro-Oncology, 2020, 22, 103-115.	1.2	37
202	Specific Psychosocial Issues of Individuals Undergoing Genetic Counseling for Cancer – A Literature Review. Journal of Genetic Counseling, 2014, 23, 133-146.	1.6	36
203	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 66.	4.6	36
204	Assessment of the risk/benefit ratio of phase II cancer clinical trials by Institutional Review Board (IRB) members. Annals of Oncology, 2002, 13, 1307-1313.	1.2	35
205	Psychosocial impact of Von Hippel–Lindau disease: levels and sources of distress. Clinical Genetics, 2010, 77, 483-491.	2.0	35
206	Predicting OptimaL cAncer Rehabllitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. Systematic Reviews, 2013, 2, 75.	5.3	35
207	Recruitment to and pilot results of the PACES randomized trial of physical exercise during adjuvant chemotherapy for colon cancer. International Journal of Colorectal Disease, 2018, 33, 29-40.	2.2	35
208	Symptom clusters in newly diagnosed glioma patients: which symptom clusters are independently associated with functioning and global health status?. Neuro-Oncology, 2019, 21, 1447-1457.	1.2	35
209	A trial of consent procedures for future research with clinically derived biological samples. British Journal of Cancer, 2009, 101, 1505-1512.	6.4	34
210	Female Fertility After Colorectal Surgery for Familial Adenomatous Polyposis. Annals of Surgery, 2010, 252, 341-344.	4.2	34
211	Patients' and health professionals' understanding of and preferences for graphical presentation styles for individual-level EORTC QLQ-C30 scores. Quality of Life Research, 2016, 25, 595-604.	3.1	34
212	Physical problems, functional limitations, and preferences for physical therapist-guided exercise programs among Dutch patients with metastatic breast cancer: a mixed methods study. Supportive Care in Cancer, 2019, 27, 3061-3070.	2.2	34
213	The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. Journal of Clinical Epidemiology, 2013, 66, 330-339.	<b>5.</b> 0	33
214	Cost-effectiveness of cognitive behavioral therapy and physical exercise for alleviating treatment-induced menopausal symptoms in breast cancer patients. Journal of Cancer Survivorship, 2015, 9, 126-135.	2.9	33
215	Reference data of the European Organisation for Research and Treatment of Cancer (EORTC) QLQ-CIPN20 Questionnaire in the general Dutch population. European Journal of Cancer, 2016, 69, 28-38.	2.8	33
216	Factors Associated With Specific Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition Sexual Dysfunctions in Breast Cancer Survivors: A Study of Patients and Their Partners. Journal of Sexual Medicine, 2017, 14, 1248-1259.	0.6	33

#	Article	IF	CITATIONS
217	Changes in employment status, barriers to, and facilitators of (return to) work in breast cancer survivors 5–10Âyears after diagnosis. Disability and Rehabilitation, 2020, 42, 3052-3058.	1.8	33
218	Towards a cancer mission in Horizon Europe: recommendations. Molecular Oncology, 2020, 14, 1589-1615.	4.6	33
219	Differential item functioning (DIF) in the EORTC QLQ-C30: a comparison of baseline, on-treatment and off-treatment data. Quality of Life Research, 2009, 18, 381-388.	3.1	32
220	Breast cancer genetic counseling after diagnosis but before treatment: A pilot study on treatment consequences and psychological impact. Patient Education and Counseling, 2012, 89, 89-95.	2.2	32
221	Does exercise intensity matter for fatigue during (neoâ€)adjuvant cancer treatment? The Physâ€Can randomized clinical trial. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1144-1159.	2.9	32
222	Feasibility, psychometric performance, and stability across modes of administration of the CARES-SF. Annals of Oncology, 1996, 7, 381-390.	1,2	31
223	The practical impact of differential item functioning analyses in a health-related quality of life instrument. Quality of Life Research, 2009, 18, 1125-1130.	3.1	31
224	Distress in partners of individuals diagnosed with or at high risk of developing tumors due to rare hereditary cancer syndromes. Psycho-Oncology, 2011, 20, 631-638.	2.3	31
225	A study of the reliability, validity and responsiveness of the HIV Overview of Problems Evaluation System (HOPES) in assessing the quality of life of patients with AIDS and symptomatic HIV infection. Quality of Life Research, 1996, 5, 339-347.	3.1	30
226	Colorectal Cancer in the Family: Psychosocial Distress and Social Issues in the Years Following Genetic Counselling. Hereditary Cancer in Clinical Practice, 2007, 5, 59.	1.5	30
227	Cancer-related fatigue: clinical practice versus practice guidelines. Supportive Care in Cancer, 2011, 19, 531-538.	2.2	30
228	An Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors: results of a pilot study. Menopause, 2017, 24, 762-767.	2.0	30
229	Shared Decision Making in Prostate Cancer Careâ€"Encouraging Every Patient to be Actively Involved in Decision Making or Ensuring the Patient Preferred Level of Involvement?. Journal of Urology, 2018, 200, 582-589.	0.4	30
230	Phase III study of the European Organisation for Research and Treatment of Cancer satisfaction with cancer care core questionnaire (EORTC PATSAT-C33) and specific complementary outpatient module (EORTC OUT-PATSAT7). European Journal of Cancer Care, 2018, 27, e12786.	1.5	30
231	Vindesine, cisplatin, and bleomycin combination chemotherapy in non-small cell lung cancer: survival and quality of life. European Journal of Cancer & Clinical Oncology, 1986, 22, 963-970.	0.7	29
232	Methodological challenges in quality of life research among Turkish and Moroccan ethnic minority cancer patients: translation, recruitment and ethical issues. Ethnicity and Health, 2009, 14, 237-253.	2.5	29
233	Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). Health and Quality of Life Outcomes, 2016, 14, 72.	2.4	29
234	Development of an item bank for computerized adaptive test (CAT) measurement of pain. Quality of Life Research, 2016, 25, 1-11.	3.1	29

#	Article	IF	CITATIONS
235	Impact of neurocognitive deficits on patient–proxy agreement regarding health-related quality of life in low-grade glioma patients. Quality of Life Research, 2017, 26, 869-880.	3.1	29
236	Cross-cultural development of an EORTC questionnaire to assess health-related quality of life in patients with testicular cancer: the EORTC QLQ-TC26. Quality of Life Research, 2013, 22, 369-378.	3.1	28
237	Effect of Routine Assessment of Specific Psychosocial Problems on Personalized Communication, Counselors' Awareness, and Distress Levels in Cancer Genetic Counseling Practice: A Randomized Controlled Trial. Journal of Clinical Oncology, 2014, 32, 2998-3004.	1.6	28
238	Does rapid genetic counseling and testing in newly diagnosed breast cancer patients cause additional psychosocial distress? results from a randomized clinical trial. Genetics in Medicine, 2016, 18, 137-144.	2.4	28
239	Internet-Based Cognitive Behavioral Therapy Realizes Long-Term Improvement in the Sexual Functioning and Body Image of Breast Cancer Survivors. Journal of Sex and Marital Therapy, 2018, 44, 485-496.	1.5	28
240	Determinants of satisfactory patient communication and shared decision making in patients with multiple myeloma. Psycho-Oncology, 2019, 28, 1490-1497.	2.3	28
241	Breast cancer patients on adjuvant chemotherapy report a wide range of problems not identified by health-care staff. Breast Cancer Research and Treatment, 2007, 103, 185-195.	2.5	27
242	Prospective Study of Long-Term Impact of Adjuvant High-Dose and Conventional-Dose Chemotherapy on Health-Related Quality of Life. Journal of Clinical Oncology, 2007, 25, 5403-5409.	1.6	26
243	Impact of rapid genetic counselling and testing on the decision to undergo immediate or delayed prophylactic mastectomy in newly diagnosed breast cancer patients: findings from a randomised controlled trial. British Journal of Cancer, 2014, 110, 1081-1087.	6.4	26
244	Development of MijnAVL, an Interactive Portal to Empower Breast and Lung Cancer Survivors: An Iterative, Multi-Stakeholder Approach. JMIR Research Protocols, 2015, 4, e14.	1.0	26
245	The feasibility, reliability and validity of the EORTC QLQ-C30 in assessing the quality of life of patients with a symptomatic HIV infection or AIDS (CDC IV). Psychology and Health, 1994, 9, 65-77.	2.2	25
246	Pretreatment Quality of Life of Inoperable Non-Small Cell Lung Cancer Patients Referred for Primary Radiotherapy. Acta Oncológica, 2000, 39, 949-958.	1.8	25
247	Cognitive behavioral therapy and physical exercise for climacteric symptoms in breast cancer patients experiencing treatment-induced menopause: design of a multicenter trial. BMC Women's Health, 2009, 9, 15.	2.0	25
248	Testing the measurement equivalence of paper and interactive voice response system versions of the EORTC QLQ-C30. Quality of Life Research, 2014, 23, 229-237.	3.1	24
249	A description of a cognitive rehabilitation programme evaluated in brain tumour patients with mild to moderate cognitive deficits. Clinical Rehabilitation, 2011, 25, 675-692.	2.2	23
250	Alpe d'HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. International Journal of Behavioral Medicine, 2012, 19, 143-156.	1.7	23
251	Smoking cessation in pregnancy: A self-help approach. Addictive Behaviors, 1985, 10, 103-108.	3.0	22
252	Quality of Life of Patients with Newly Diagnosed Poor Prognosis M1 Prostate Cancer Undergoing Orchiectomy without or with Mitomycin C. European Urology, 2000, 37, 541-551.	1.9	22

#	Article	IF	CITATIONS
253	A Patient-Based Utility Measure of Health for Clinical Trials of Cancer Therapy Based on the European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire. Value in Health, 2009, 12, 977-988.	0.3	22
254	Behavioral and psychosocial effects of rapid genetic counseling and testing in newly diagnosed breast cancer patients: Design of a multicenter randomized clinical trial. BMC Cancer, 2011, 11, 6.	2.6	22
255	Controversies in defining cancer survivorship. Lancet Oncology, The, 2015, 16, 610-612.	10.7	22
256	The added value of health-related quality of life as a prognostic indicator of overall survival and progression-free survival in glioma patients: a meta-analysis based on individual patient data from randomised controlled trials. European Journal of Cancer, 2019, 116, 190-198.	2.8	22
257	Quality-of-life and cost-effectiveness assessment in lung cancer. Current Opinion in Oncology, 1995, 7, 138-143.	2.4	21
258	International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. Quality of Life Research, 2020, 29, 1405-1417.	3.1	21
259	Using patient-reported outcomes in clinical practice: proceedings of an International Society of Quality of Life Research conference. Quality of Life Research, 2008, 17, 1295-1295.	3.1	20
260	Predictors of enduring clinical distress in women with breast cancer. Breast Cancer Research and Treatment, 2016, 158, 563-572.	2.5	20
261	Prevalence and correlates of mental health problems in prostate cancer survivors: A case-control study comparing survivors with general population peers. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 531.e1-531.e7.	1.6	20
262	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. Journal of Psychosomatic Research, 2019, 124, 109746.	2.6	20
263	Risk factors of unmet needs among women with breast cancer in the postâ€treatment phase. Psycho-Oncology, 2020, 29, 539-549.	2.3	20
264	Validity of Patient-Reported Swallowing and Speech Outcomes in Relation to Objectively Measured Oral Function Among Patients Treated for Oral or Oropharyngeal Cancer. Dysphagia, 2015, 30, 196-204.	1.8	19
265	Unmet expectations in prostate cancer patients and their association with decision regret. Journal of Cancer Survivorship, 2020, 14, 731-738.	2.9	19
266	Efficacy of Physical Exercise to Offset Anthracyclineâ€Induced Cardiotoxicity: A Systematic Review and Metaâ€Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10, e021580.	3.7	19
267	Longâ€term compliance with endoscopic surveillance for familial adenomatous polyposis. Colorectal Disease, 2010, 12, 1198-1207.	1.4	18
268	Testing the measurement invariance of the EORTC QLQ-C30 across primary cancer sites using multi-group confirmatory factor analysis. Quality of Life Research, 2015, 24, 125-133.	3.1	18
269	Focusing on Core Patient-Reported Outcomes in Cancer Clinical Trialsâ€"Letter. Clinical Cancer Research, 2016, 22, 5617-5617.	7.0	18
270	International evaluation of the psychometrics of health-related quality of life questionnaires for use among long-term survivors of testicular and prostate cancer. Health and Quality of Life Outcomes, 2017, 15, 97.	2.4	18

#	Article	IF	CITATIONS
271	Validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Summary Score in Patients With Hematologic Malignancies. Value in Health, 2019, 22, 1303-1310.	0.3	18
272	Health-related quality of life in adult patients with brain metastases after stereotactic radiosurgery: a systematic, narrative review. Supportive Care in Cancer, 2020, 28, 473-484.	2.2	17
273	Translation and validation of the SF-36 Health Survey for use among Turkish and Moroccan ethnic minority cancer patients in The Netherlands. European Journal of Cancer, 2006, 42, 2982-2990.	2.8	16
274	The evaluation of the risks and benefits of phase II cancer clinical trials by institutional review board (IRB) members: a case study. Journal of Medical Ethics, 2006, 32, 170-176.	1.8	16
275	Compliance with periodic surveillance for Von-Hippel-Lindau disease. Genetics in Medicine, 2011, 13, 519-527.	2.4	16
276	Prevalence and detection of psychosocial problems in cancer genetic counseling. Familial Cancer, 2015, 14, 629-636.	1.9	16
277	A crossâ€cultural convergent parallel mixed methods study of what makes a cancerâ€related symptom or functional health problem clinically important. Psycho-Oncology, 2018, 27, 548-555.	2.3	16
278	Adherence to and satisfaction with low-intensity physical activity and supervised moderate-high intensity exercise during chemotherapy for breast cancer. Supportive Care in Cancer, 2020, 28, 2115-2126.	2.2	16
279	Evaluation of a face-to-face psychosocial screening intervention for cancer patients: Acceptance and effects on quality of life. Patient Education and Counseling, 2008, 70, 61-68.	2.2	15
280	Translated COOP/WONCA charts found appropriate for use among Turkish and Moroccan ethnic minority cancer patients. Journal of Clinical Epidemiology, 2008, 61, 1036-1048.	5.0	15
281	Design of a randomized controlled trial of Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors. BMC Cancer, 2016, 16, 920.	2.6	15
282	The accuracy of patients' perceptions of the risks associated with localised prostate cancer treatments. BJU International, 2018, 121, 405-414.	2.5	15
283	International phase IV validation study of an EORTC quality of life questionnaire for testicular cancer patients: the EORTC QLQ-TC26. BMC Cancer, 2018, 18, 1104.	2.6	15
284	Impact of Blinding on Patient-Reported Outcome Differences Between Treatment Arms in Cancer Randomized Controlled Trials. Journal of the National Cancer Institute, 2022, 114, 471-474.	6.3	15
285	Does diabetes mellitus as a comorbid condition affect the healthâ€related quality of life in prostate cancer survivors? Results of a populationâ€based observational study. BJU International, 2008, 102, 1594-1600.	2.5	14
286	Evaluation of the psychometric properties of the SF-36 health survey for use among Turkish and Moroccan ethnic minority populations in the Netherlands. Quality of Life Research, 2009, 18, 753-764.	3.1	14
287	Development of a lack of appetite item bank for computer-adaptive testing (CAT). Supportive Care in Cancer, 2015, 23, 1541-1548.	2.2	14
288	The European organization for research and treatment of cancer â€" satisfaction with cancer care questionnaire: revision and extended application development. Psycho-Oncology, 2017, 26, 400-404.	2.3	14

#	Article	IF	CITATIONS
289	Rapid genetic counseling and testing in newly diagnosed breast cancer: Patients' and health professionals' attitudes, experiences, and evaluation of effects on treatment decision making. Journal of Surgical Oncology, 2017, 116, 1029-1039.	1.7	14
290	(Cost-)effectiveness of an internet-based physical activity support program (with and without) Tj ETQq $000$ rgBT of the PABLO trial. BMC Cancer, 2018, 18, 1073.	/Overlock 2.6	10 Tf 50 70 14
291	Cancer survivor perspectives on sharing patient-generated health data with central cancer registries. Quality of Life Research, 2019, 28, 2957-2967.	3.1	14
292	Factors associated with an adverse work outcome in breast cancer survivors 5–10Âyears after diagnosis: a cross-sectional study. Journal of Cancer Survivorship, 2019, 13, 108-116.	2.9	14
293	Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq1 10 Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.	.784314 rg 3.7	gBT /Overloo 14
294	Analysing longitudinal continuous quality of life data with dropout. Statistical Methods in Medical Research, 2002, 11, 5-23.	1.5	13
295	Level of agreement between patient self-report and observer ratings of health-related quality of life communication in oncology. Patient Education and Counseling, 2007, 65, 95-100.	2.2	13
296	Cost-utility, cost-effectiveness, and budget impact of Internet-based cognitive behavioral therapy for breast cancer survivors with treatment-induced menopausal symptoms. Breast Cancer Research and Treatment, 2019, 178, 573-585.	2.5	13
297	Measuring health-related quality of life in colorectal cancer patients: systematic review of measurement properties of the EORTC QLQ-CR29. Supportive Care in Cancer, 2019, 27, 2395-2412.	2.2	13
298	Differences in Patient-Reported Outcomes That Are Most Frequently Detected in Randomized Controlled Trials in Patients With Solid Tumors: AÂPooled Analysis of 229 Trials. Value in Health, 2020, 23, 666-673.	0.3	13
299	Scoring based on item response theory did not alter the measurement ability of EORTC QLQ-C30 scales. Journal of Clinical Epidemiology, 2005, 58, 902-908.	5.0	12
300	Reliability of Ambulatory Walking Activity in Patients With Hematologic Malignancies. Archives of Physical Medicine and Rehabilitation, 2009, 90, 58-65.	0.9	12
301	Timing of risk reducing mastectomy in breast cancer patients carrying a BRCA1/2 mutation: retrospective data from the Dutch HEBON study. Familial Cancer, 2015, 14, 355-363.	1.9	12
302	Prostate-specific antigen velocity in a prospective prostate cancer screening study of men with genetic predisposition. British Journal of Cancer, 2018, 118, 266-276.	6.4	12
303	Sexual Functioning and Relationship Satisfaction of Partners of Breast Cancer Survivors Who Receive Internet-Based Sex Therapy. Journal of Sex and Marital Therapy, 2019, 45, 91-102.	1.5	12
304	Thresholds for clinical importance were defined for the European Organisation for Research and Treatment of Cancer Computer Adaptive Testing Core—an adaptive measure of core quality of life domains in oncology clinical practice and research. Journal of Clinical Epidemiology, 2020, 117, 117-125.	5.0	12
305	Consistency matters: measurement invariance of the EORTC QLQ-C30 questionnaire in patients with hematologic malignancies. Quality of Life Research, 2020, 29, 815-823.	3.1	12
306	Prospects and Problems in European Psychosocial Oncology. Journal of Psychosocial Oncology, 1986, 4, 43-53.	1.2	11

#	Article	IF	Citations
307	Experience of discharge from colonoscopy of mutation negative HNPCC family members. Journal of Medical Genetics, 2003, 40, 55e-55.	3.2	11
308	Quality of life and consequences for daily life of familial adenomatous polyposis (FAP) family members. Colorectal Disease, 2011, 13, 669-677.	1.4	11
309	Effectiveness of the palliative care †Availability, Current issues and Anticipation†(ACA) communication training programme for general practitioners on patient outcomes: A controlled trial. Palliative Medicine, 2014, 28, 1036-1045.	3.1	11
310	Routine assessment of psychosocial problems after cancer genetic counseling: results from a randomized controlled trial. Clinical Genetics, 2015, 87, 419-427.	2.0	11
311	A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. Supportive Care in Cancer, 2018, 26, 2551-2560.	2.2	11
312	Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data metaâ€analyses. Psycho-Oncology, 2020, 29, 1772-1785.	2.3	11
313	Education Needs of Dutch Physical Therapists for the Treatment of Patients With Advanced Cancer: A Mixed Methods Study. Physical Therapy, 2020, 100, 477-486.	2.4	11
314	No evidence of benefit from class-II compression stockings in the prevention of lower-limb lymphedema after inguinal lymph node dissection: results of a randomized controlled trial. Lymphology, 2013, 46, 120-31.	0.2	11
315	Cancer symptom response as an oncology clinical trial end point. Expert Review of Quality of Life in Cancer Care, 2018, 3, 35-46.	0.6	10
316	Time to health-related quality of life improvement analysis was developed to enhance evaluation of modern anticancer therapies. Journal of Clinical Epidemiology, 2020, 127, 9-18.	5.0	10
317	Connective tissue: Cancer patients' attitudes towards medical research using excised (tumour) tissue. BioSocieties, 2011, 6, 466-486.	1.3	9
318	Oral-health-related quality of life in patients with cancer: cultural adaptation and the psychometric testing of the Persian version of EORTC QLQ-OH17. Supportive Care in Cancer, 2015, 23, 1215-1224.	2.2	9
319	Demographic, clinical, lifestyle-related, and social-cognitive correlates of physical activity in head and neck cancer survivors. Supportive Care in Cancer, 2018, 26, 1447-1456.	2.2	9
320	Psychosocial impact of undergoing prostate cancer screening for men with <i><scp>BRCA</scp>1 or <scp>BRCA</scp>2</i> mutations. BJU International, 2019, 123, 284-292.	2.5	9
321	Evaluating the Thresholds for Clinical Importance of the EORTC QLQ-C15-PAL in Patients Receiving Palliative Treatment. Journal of Palliative Medicine, 2021, 24, 397-404.	1.1	9
322	Long-Term Morbidity and Health After Early Menopause Due to Oophorectomy in Women at Increased Risk of Ovarian Cancer: Protocol for a Nationwide Cross-Sectional Study With Prospective Follow-Up (HARMOny Study). JMIR Research Protocols, 2021, 10, e24414.	1.0	9
323	SYMptom monitoring with Patient-Reported Outcomes using a web application among patients with Lung cancer in the Netherlands (SYMPRO-Lung): study protocol for a stepped-wedge randomised controlled trial. BMJ Open, 2021, 11, e052494.	1.9	9
324	Quality of life in cancer patients in South Asia: psychometric properties of the Sinhala version of the EORTC QLQ-C30 in cancer patients with heterogeneous diagnoses. Quality of Life Research, 2008, 17, 783-791.	3.1	8

#	Article	IF	CITATIONS
325	Psychological distress and quality of life of partners of individuals with familial adenomatous polyposis. Psycho-Oncology, 2011, 20, 146-154.	2.3	8
326	The efficacy of a standardized questionnaire in facilitating personalized communication about problems encountered in cancer genetic counseling: design of a randomized controlled trial. BMC Cancer, 2014, 14, 26.	2.6	8
327	Depressive Symptoms in Danish Patients With Glioma and a Cancer-Free Comparison Group. Journal of the National Comprehensive Cancer Network: JNCCN, 2020, 18, 1222-1229.	4.9	8
328	Type A Behavior and Social Support among Employed Women. Behavioral Medicine, 1994, 19, 169-173.	1.9	7
329	"lt ain't over till the fat lady sings― a response to Cameron N. McIntosh, improving the evaluation of model fit in confirmatory factor analysis. Quality of Life Research, 2012, 21, 1623-1624.	3.1	7
330	Patients choose certainty over burden in bladder cancer surveillance. World Journal of Urology, 2019, 37, 2747-2753.	2.2	7
331	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. Clinical Psychology Review, 2020, 80, 101882.	11.4	7
332	A costâ€effective approach to increasing participation in patientâ€reported outcomes research in cancer: A randomized trial of video invitations. International Journal of Cancer, 2021, 148, 971-980.	5.1	7
333	Quality of life assessment in bladder cancer clinical trials: conceptual, methodological and practical issues. Progress in Clinical and Biological Research, 1986, 221, 149-70.	0.2	7
334	Quality of Life Is Associated With Survival in Patients With Gastric Cancer: Results From the Randomized CRITICS Trial. Journal of the National Comprehensive Cancer Network: JNCCN, 2022, 20, 261-267.	4.9	7
335	Interpretation of differential item functioning analyses using external review. Expert Review of Pharmacoeconomics and Outcomes Research, 2010, 10, 253-258.	1.4	6
336	Deriving a preference-based utility measure for cancer patients from the European Organisation for the Research and Treatment of Cancer's Quality of Life Questionnaire C30: a confirmatory versus exploratory approach. Patient Related Outcome Measures, 2014, 5, 119.	1.2	6
337	Don't forget the dentist: Dental care use and needs of women with breast cancer. Breast, 2016, 29, 1-7.	2.2	6
338	Feasibility and outcomes of a goal-directed physical therapy program for patients with metastatic breast cancer. Supportive Care in Cancer, 2021, 29, 3287-3298.	2.2	6
339	Investigating Trends in the Quality of Reporting of Patient-Reported Outcomes in Oncology Over Time: Analysis of 631 Randomized Controlled Trials Published Between 2004 and 2019. Value in Health, 2021, 24, 1715-1719.	0.3	6
340	Phase III study of the European Organisation for Research and Treatment of Cancer Quality of Life cancer survivorship core questionnaire. Journal of Cancer Survivorship, 2023, 17, 1111-1130.	2.9	6
341	Response to Commentary on Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. Quality of Life Research, 2006, 15, 1119-1120.	3.1	5
342	The relationship between ambulatory step activity, self-reported physical functioning and standardised timed walking in patients with haematological malignancies. Disability and Rehabilitation, 2010, 32, 1819-1826.	1.8	5

#	Article	IF	Citations
343	Characteristics of breast cancer patients who experience menopausal transition due to treatment. Climacteric, 2011, 14, 362-368.	2.4	5
344	An evaluation of the response category translations of the EORTC QLQ-C30 questionnaire. Quality of Life Research, 2013, 22, 1483-1490.	3.1	5
345	Validation of the French translation-adaptation of the impact of cancer questionnaire version 2 (IOCv2) in a breast cancer survivor population. Health and Quality of Life Outcomes, 2015, 13, 110.	2.4	5
346	Development of an item bank for computerized adaptive testing of self-reported cognitive difficulty in cancer patients. Neuro-Oncology Practice, 2017, 4, 189-196.	1.6	5
347	Patients' Attitudes Towards the Return of Incidental Findings After Research with Residual Tissue: A Mixed Methods Study. Genetic Testing and Molecular Biomarkers, 2018, 22, 178-186.	0.7	5
348	Health care use and remaining needs for support among women with breast cancer in the first 15 months after diagnosis: the role of the GP. Family Practice, 2020, 37, 103-109.	1.9	5
349	Internet-based cognitive behavioral therapy aimed at alleviating treatment-induced menopausal symptoms in breast cancer survivors: Moderators and mediators of treatment effects. Maturitas, 2020, 131, 8-13.	2.4	5
350	Measuring change in health-related quality of life: the impact of different analytical methods on the interpretation of treatment effects in glioma patients. Neuro-Oncology Practice, 2020, 7, 668-675.	1.6	5
351	Development of an EORTC questionnaire measuring instrumental activities of daily living (IADL) in patients with brain tumours: phase l–III. Quality of Life Research, 2021, 30, 1491-1502.	3.1	5
352	Oncology team perspectives on distress screening: a multisite study of a well-established use of patient-reported outcomes for clinical assessment. Supportive Care in Cancer, 2022, 30, 1261-1271.	2.2	5
353	Dutch translation and linguistic validation of the U.S. National Cancer Institute's Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAEâ,,¢). Journal of Patient-Reported Outcomes, 2020, 4, 81.	1.9	5
354	A Randomised Controlled Trial of Consent Procedures for the Use of Residual Tissues for Medical Research: Preferences of and Implications for Patients, Research and Clinical Practice. PLoS ONE, 2016, 11, e0152509.	2.5	5
355	Evaluation and Outcome Research in Community Mental Health Centers. Evaluation Review, 1983, 7, 303-320.	1.0	4
356	Are Risks and Benefits of Oncological Research Protocols Both Incommensurable and Incompensable?. Accountability in Research, 2007, 14, 179-196.	2.4	4
357	Recruiting long-term survivors of European Organisation for Research and Treatment of Cancer phase III clinical trials into quality of life studies: Challenges and opportunities. European Journal of Cancer, 2014, 50, 1957-1963.	2.8	4
358	Clinician-reported symptomatic adverse events in cancer trials: are they concordant with patient-reported outcomes?. Journal of Comparative Effectiveness Research, 2019, 8, 279-288.	1.4	4
359	Inclusion of older patients with cancer in randomised controlled trials with patient-reported outcomes: a systematic review. BMJ Supportive and Palliative Care, 2019, 9, bmjspcare-2019-001902.	1.6	4
360	Characteristics of Participants and Nonparticipants in a Blended Internet-Based Physical Activity Trial for Breast and Prostate Cancer Survivors: Cross-sectional Study. JMIR Cancer, 2021, 7, e25464.	2.4	4

#	Article	IF	Citations
361	Adverse event development in clinical oncology trials. Lancet Oncology, The, 2016, 17, e263.	10.7	3
362	Does anti-M $\tilde{A}^{1}$ /Allerian hormone predict change in menopausal symptoms following risk-reducing salpingo-oophorectomy? A prospective observational study. Climacteric, 2018, 21, 574-580.	2.4	3
363	The association between preoperative fatigue and instrumental activities in daily living with complications and length of hospital stay in patients undergoing colorectal surgery. Aging Clinical and Experimental Research, 2020, 32, 257-264.	2.9	3
364	Effect and moderators of exercise on fatigue in patients with cancer: Meta-analysis of individual patient data Journal of Clinical Oncology, 2018, 36, 104-104.	1.6	3
365	Improving Communication of Health-Related Quality of Life-Reply. JAMA - Journal of the American Medical Association, 2003, 289, 1636-b-1637.	7.4	3
366	Subjective response criteria and quality of life. Progress in Clinical and Biological Research, 1988, 269, 261-73.	0.2	3
367	Evaluating the risks and benefits of phase II and III cancer clinical trials: a look at Institutional Review Board members in the Netherlands. IRB: Ethics & Human Research, 2007, 29, 13-8.	0.8	3
368	Specialist versus Primary Care Prostate Cancer Follow-Up: A Process Evaluation of a Randomized Controlled Trial. Cancers, 2022, 14, 3166.	3.7	3
369	Shaping Decisions with Reading-Based Information. Knowledge, 1983, 5, 41-55.	0.6	2
370	Reducing Access Barriers to the Use of Reading-Based Information. Knowledge, 1985, 6, 225-248.	0.6	2
371	Letter to the Editor. Expert Review of Pharmacoeconomics and Outcomes Research, 2002, 2, 6-6.	1.4	2
372	Cost-Effectiveness Of Cognitive-Behavioral Therapy And Physical Exercise For Alleviating Treatment-Induced Menopausal Symptoms In Breast Cancer Patients. Value in Health, 2013, 16, A141.	0.3	2
373	Ensuring comprehensive assessment of urinary problems in prostate cancer through patient-physician concordance. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 26.e25-26.e31.	1.6	2
374	Hyperthermic Intraperitoneal Chemotherapy in Ovarian Cancer. Obstetrical and Gynecological Survey, 2018, 73, 280-281.	0.4	2
375	The "Psychosocial Aspects in Hereditary Cancer―questionnaire in women attending breast cancer genetic clinics: Psychometric validation across French― German―and Spanishâ€language versions. European Journal of Cancer Care, 2020, 29, e13173.	1.5	2
376	Predictors of Neuropsychological Improvement Following Cognitive Rehabilitation in Patients with Gliomas—Erratum. Journal of the International Neuropsychological Society, 2011, 17, 384-384.	1.8	1
377	Clinical evidence for an association between familial adenomatous polyposis and type II diabetes. International Journal of Cancer, 2012, 131, 1488-1489.	5.1	1
378	Internet-based Cognitive Behavioral Therapy for DSM-IV Sexual Dysfunctions in Breast Cancer Survivors: Predictors of Treatment Response. International Journal of Sexual Health, 2018, 30, 281-294.	2.3	1

#	Article	IF	CITATIONS
379	Cost Effectiveness of Interval Cytoreductive Surgery With Hyperthermic Intraperitoneal Chemotherapy in Stage III Ovarian Cancer on the Basis of a Randomized Phase III Trial. Obstetrical and Gynecological Survey, 2019, 74, 592-593.	0.4	1
380	Development and Psychometric Evaluation of an Item Bank for Computerized Adaptive Testing of the EORTC Insomnia Dimension in Cancer Patients (EORTC CAT-SL). Applied Research in Quality of Life, 2021, 16, 827-844.	2.4	1
381	Feasibility and preliminary efficacy of an interactive portal for lung cancer patients Journal of Clinical Oncology, 2016, 34, 201-201.	1.6	1
382	Calculating the net clinical benefit in neuro-oncology clinical trials using two methods: quality-adjusted survival effect sizes and joint modeling. Neuro-Oncology Advances, 2020, 2, vdaa147.	0.7	1
383	Assessment of quality of life in clinical trials of cardiovascular therapies. Contemporary Clinical Trials, 1985, 6, 318-319.	1.9	O
384	Toxicity grading systems for oncological trials. Contemporary Clinical Trials, 1989, 10, 351.	1.9	O
385	PCN17: PSYCHOMETRIC PROPERTIES OF THE EORTC QUALITY OF LIFE CORE QUESTIONNAIRE (QLQ-C30) IN EORTC TRIALS. Value in Health, 2001, 4, 437-438.	0.3	O
386	Title is missing!. Quality of Life Research, 2001, 10, 5-6.	3.1	0
387	The role and impact of patient-based health status measures on clinical decision making and clinician-patient communication in routine clinical practice. Clinical Therapeutics, 2003, 25, D13-D14.	2.5	O
388	PCN87 TEST-RETEST RELIABILITY OF AN INTERACTIVE VOICE RESPONSE (IVR) VERSION OF THE EORTC QLQ-C30. Value in Health, 2009, 12, A52-A53.	0.3	O
389	Donna Lamping (1953–2011). Quality of Life Research, 2011, 20, 1755-1756.	3.1	0
390	Reproductive decision-making in hereditary colorectal cancer: the role of the gastroenterologist. Colorectal Cancer, 2013, 2, 13-16.	0.8	0
391	Onderzoek naar de kwaliteit van leven van kankerpatiënten. , 2011, , 617-623.		O
392	Evaluation of an interactive portal for breast cancer survivors: Use, satisfaction, and preliminary effects Journal of Clinical Oncology, 2016, 34, 200-200.	1.6	0
393	The construct validity of the Steep Ramp Test for assessing cardiorespiratory fitness in patients with breast cancer, and the impact of chemotherapy-related symptom burden Archives of Physical Medicine and Rehabilitation, 2022, , .	0.9	0