## Neil Aaronson

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8413822/publications.pdf

Version: 2024-02-01

393 papers

55,389 citations

99 h-index 226 g-index

400 all docs

400 docs citations

400 times ranked

43651 citing authors

#	Article	IF	CITATIONS
1	Phase III study of the European Organisation for Research and Treatment of Cancer Quality of Life cancer survivorship core questionnaire. Journal of Cancer Survivorship, 2023, 17, 1111-1130.	2.9	6
2	Oncology team perspectives on distress screening: a multisite study of a well-established use of patient-reported outcomes for clinical assessment. Supportive Care in Cancer, 2022, 30, 1261-1271.	2.2	5
3	Impact of Blinding on Patient-Reported Outcome Differences Between Treatment Arms in Cancer Randomized Controlled Trials. Journal of the National Cancer Institute, 2022, 114, 471-474.	6.3	15
4	Quality of Life Is Associated With Survival in Patients With Gastric Cancer: Results From the Randomized CRITICS Trial. Journal of the National Comprehensive Cancer Network: JNCCN, 2022, 20, 261-267.	4.9	7
5	The construct validity of the Steep Ramp Test for assessing cardiorespiratory fitness in patients with breast cancer, and the impact of chemotherapy-related symptom burden Archives of Physical Medicine and Rehabilitation, 2022, , .	0.9	0
6	Specialist versus Primary Care Prostate Cancer Follow-Up: A Process Evaluation of a Randomized Controlled Trial. Cancers, 2022, 14, 3166.	3.7	3
7	Health-related quality of life after interval cytoreductive surgery with or without hyperthermic intraperitoneal chemotherapy (HIPEC) in patients with stage III ovarian cancer. European Journal of Surgical Oncology, 2021, 47, 101-107.	1.0	38
8	Feasibility and outcomes of a goal-directed physical therapy program for patients with metastatic breast cancer. Supportive Care in Cancer, 2021, 29, 3287-3298.	2.2	6
9	A costâ€effective approach to increasing participation in patientâ€reported outcomes research in cancer: A randomized trial of video invitations. International Journal of Cancer, 2021, 148, 971-980.	5.1	7
10	Evaluating the Thresholds for Clinical Importance of the EORTC QLQ-C15-PAL in Patients Receiving Palliative Treatment. Journal of Palliative Medicine, 2021, 24, 397-404.	1.1	9
11	Development and Psychometric Evaluation of an Item Bank for Computerized Adaptive Testing of the EORTC Insomnia Dimension in Cancer Patients (EORTC CAT-SL). Applied Research in Quality of Life, 2021, 16, 827-844.	2.4	1
12	Development of an EORTC questionnaire measuring instrumental activities of daily living (IADL) in patients with brain tumours: phase l–III. Quality of Life Research, 2021, 30, 1491-1502.	3.1	5
13	Long-Term Morbidity and Health After Early Menopause Due to Oophorectomy in Women at Increased Risk of Ovarian Cancer: Protocol for a Nationwide Cross-Sectional Study With Prospective Follow-Up (HARMOny Study). JMIR Research Protocols, 2021, 10, e24414.	1.0	9
14	Does exercise intensity matter for fatigue during (neoâ€) adjuvant cancer treatment? The Physâ€Can randomized clinical trial. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1144-1159.	2.9	32
15	Past and Current Practice of Patient-Reported Outcome Measurement in Randomized Cancer Clinical Trials: A Systematic Review. Value in Health, 2021, 24, 585-591.	0.3	42
16	Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 C	0 rgBT /Ove 3.7	verlock 10 Tf 5
10	Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.	<i>0.7</i>	17
17	Investigating Trends in the Quality of Reporting of Patient-Reported Outcomes in Oncology Over Time: Analysis of 631 Randomized Controlled Trials Published Between 2004 and 2019. Value in Health, 2021, 24, 1715-1719.	0.3	6
18	SYMptom monitoring with Patient-Reported Outcomes using a web application among patients with Lung cancer in the Netherlands (SYMPRO-Lung): study protocol for a stepped-wedge randomised controlled trial. BMJ Open, 2021, 11, e052494.	1.9	9

#	Article	IF	Citations
19	Efficacy of Physical Exercise to Offset Anthracyclineâ€Induced Cardiotoxicity: A Systematic Review and Metaâ€Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10, e021580.	3.7	19
20	Characteristics of Participants and Nonparticipants in a Blended Internet-Based Physical Activity Trial for Breast and Prostate Cancer Survivors: Cross-sectional Study. JMIR Cancer, 2021, 7, e25464.	2.4	4
21	A prospective prostate cancer screening programme for men with pathogenic variants in mismatch repair genes (IMPACT): initial results from an international prospective study. Lancet Oncology, The, 2021, 22, 1618-1631.	10.7	48
22	"l am busy surviving― Views about physical exercise in older adults scheduled for colorectal cancer surgery. Journal of Geriatric Oncology, 2020, 11, 444-450.	1.0	38
23	The association between preoperative fatigue and instrumental activities in daily living with complications and length of hospital stay in patients undergoing colorectal surgery. Aging Clinical and Experimental Research, 2020, 32, 257-264.	2.9	3
24	Changes in employment status, barriers to, and facilitators of (return to) work in breast cancer survivors 5–10Âyears after diagnosis. Disability and Rehabilitation, 2020, 42, 3052-3058.	1.8	33
25	Health care use and remaining needs for support among women with breast cancer in the first 15 months after diagnosis: the role of the GP. Family Practice, 2020, 37, 103-109.	1.9	5
26	Patient-reported Outcomes Following Treatment of Localised Prostate Cancer and Their Association with Regret About Treatment Choices. European Urology Oncology, 2020, 3, 21-31.	5.4	63
27	Thresholds for clinical importance were defined for the European Organisation for Research and Treatment of Cancer Computer Adaptive Testing Core—an adaptive measure of core quality of life domains in oncology clinical practice and research. Journal of Clinical Epidemiology, 2020, 117, 117-125.	5.0	12
28	Adherence to and satisfaction with low-intensity physical activity and supervised moderate-high intensity exercise during chemotherapy for breast cancer. Supportive Care in Cancer, 2020, 28, 2115-2126.	2.2	16
29	Thresholds for clinical importance were established to improve interpretation of the EORTC QLQ-C30 in clinical practice and research. Journal of Clinical Epidemiology, 2020, 118, 1-8.	5.0	184
30	Internet-based cognitive behavioral therapy aimed at alleviating treatment-induced menopausal symptoms in breast cancer survivors: Moderators and mediators of treatment effects. Maturitas, 2020, 131, 8-13.	2.4	5
31	The EORTC QLQ-C30 Summary Score as Prognostic Factor for Survival of Patients with Cancer in the "Real-World― Results from the Population-Based PROFILES Registry. Oncologist, 2020, 25, e722-e732.	3.7	107
32	The "Psychosocial Aspects in Hereditary Cancer―questionnaire in women attending breast cancer genetic clinics: Psychometric validation across French―, German―and Spanish―language versions. European Journal of Cancer Care, 2020, 29, e13173.	1.5	2
33	A pilot randomized controlled trial of exercise to improve cognitive performance in patients with stable glioma: a proof of concept. Neuro-Oncology, 2020, 22, 103-115.	1.2	37
34	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314.	0.4	50
35	Consistency matters: measurement invariance of the EORTC QLQ-C30 questionnaire in patients with hematologic malignancies. Quality of Life Research, 2020, 29, 815-823.	3.1	12
36	Risk factors of unmet needs among women with breast cancer in the postâ€treatment phase. Psycho-Oncology, 2020, 29, 539-549.	2.3	20

3

#	Article	IF	CITATIONS
37	Health-related quality of life in adult patients with brain metastases after stereotactic radiosurgery: a systematic, narrative review. Supportive Care in Cancer, 2020, 28, 473-484.	2.2	17
38	Measuring change in health-related quality of life: the impact of different analytical methods on the interpretation of treatment effects in glioma patients. Neuro-Oncology Practice, 2020, 7, 668-675.	1.6	5
39	Towards a cancer mission in Horizon Europe: recommendations. Molecular Oncology, 2020, 14, 1589-1615.	4.6	33
40	Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data metaâ€analyses. Psycho-Oncology, 2020, 29, 1772-1785.	2.3	11
41	Unmet expectations in prostate cancer patients and their association with decision regret. Journal of Cancer Survivorship, 2020, 14, 731-738.	2.9	19
42	Time to health-related quality of life improvement analysis was developed to enhance evaluation of modern anticancer therapies. Journal of Clinical Epidemiology, 2020, 127, 9-18.	5.0	10
43	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. Clinical Psychology Review, 2020, 80, 101882.	11.4	7
44	Education Needs of Dutch Physical Therapists for the Treatment of Patients With Advanced Cancer: A Mixed Methods Study. Physical Therapy, 2020, 100, 477-486.	2.4	11
45	International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. Quality of Life Research, 2020, 29, 1405-1417.	3.1	21
46	Differences in Patient-Reported Outcomes That Are Most Frequently Detected in Randomized Controlled Trials in Patients With Solid Tumors: AÂPooled Analysis of 229 Trials. Value in Health, 2020, 23, 666-673.	0.3	13
47	Dutch translation and linguistic validation of the U.S. National Cancer Institute's Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE™). Journal of Patient-Reported Outcomes, 2020, 4, 81.	1.9	5
48	Depressive Symptoms in Danish Patients With Glioma and a Cancer-Free Comparison Group. Journal of the National Comprehensive Cancer Network: JNCCN, 2020, 18, 1222-1229.	4.9	8
49	Calculating the net clinical benefit in neuro-oncology clinical trials using two methods: quality-adjusted survival effect sizes and joint modeling. Neuro-Oncology Advances, 2020, 2, vdaa147.	0.7	1
50	Sexual Functioning and Relationship Satisfaction of Partners of Breast Cancer Survivors Who Receive Internet-Based Sex Therapy. Journal of Sex and Marital Therapy, 2019, 45, 91-102.	1.5	12
51	Psychosocial impact of undergoing prostate cancer screening for men with <i><scp>BRCA</scp>1 or <scp>BRCA</scp>2</i> mutations. BJU International, 2019, 123, 284-292.	2.5	9
52	Cancer survivor perspectives on sharing patient-generated health data with central cancer registries. Quality of Life Research, 2019, 28, 2957-2967.	3.1	14
53	Symptom clusters in newly diagnosed glioma patients: which symptom clusters are independently associated with functioning and global health status?. Neuro-Oncology, 2019, 21, 1447-1457.	1.2	35
54	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. Journal of Psychosomatic Research, 2019, 124, 109746.	2.6	20

#	Article	IF	Citations
55	Validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Summary Score in Patients With Hematologic Malignancies. Value in Health, 2019, 22, 1303-1310.	0.3	18
56	Cost-utility, cost-effectiveness, and budget impact of Internet-based cognitive behavioral therapy for breast cancer survivors with treatment-induced menopausal symptoms. Breast Cancer Research and Treatment, 2019, 178, 573-585.	2.5	13
57	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 66.	4.6	36
58	Interim Results from the IMPACT Study: Evidence for Prostate-specific Antigen Screening in BRCA2 Mutation Carriers. European Urology, 2019, 76, 831-842.	1.9	148
59	Factors associated with an adverse work outcome in breast cancer survivors 5–10Âyears after diagnosis: a cross-sectional study. Journal of Cancer Survivorship, 2019, 13, 108-116.	2.9	14
60	The added value of health-related quality of life as a prognostic indicator of overall survival and progression-free survival in glioma patients: a meta-analysis based on individual patient data from randomised controlled trials. European Journal of Cancer, 2019, 116, 190-198.	2.8	22
61	The International Index of Erectile Function (IIEF)â€"A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 1078-1091.	0.6	58
62	Determinants of satisfactory patient communication and shared decision making in patients with multiple myeloma. Psycho-Oncology, 2019, 28, 1490-1497.	2.3	28
63	Patients choose certainty over burden in bladder cancer surveillance. World Journal of Urology, 2019, 37, 2747-2753.	2.2	7
64	Clinician-reported symptomatic adverse events in cancer trials: are they concordant with patient-reported outcomes?. Journal of Comparative Effectiveness Research, 2019, 8, 279-288.	1.4	4
65	Efficacy of Internet-Based Cognitive Behavioral Therapy for Treatment-Induced Menopausal Symptoms in Breast Cancer Survivors: Results of a Randomized Controlled Trial. Journal of Clinical Oncology, 2019, 37, 809-822.	1.6	52
66	Measuring health-related quality of life in colorectal cancer patients: systematic review of measurement properties of the EORTC QLQ-CR29. Supportive Care in Cancer, 2019, 27, 2395-2412.	2.2	13
67	The Female Sexual Function Index (FSFI)â€"A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 640-660.	0.6	80
68	Inclusion of older patients with cancer in randomised controlled trials with patient-reported outcomes: a systematic review. BMJ Supportive and Palliative Care, 2019, 9, bmjspcare-2019-001902.	1.6	4
69	Cost Effectiveness of Interval Cytoreductive Surgery With Hyperthermic Intraperitoneal Chemotherapy in Stage III Ovarian Cancer on the Basis of a Randomized Phase III Trial. Obstetrical and Gynecological Survey, 2019, 74, 592-593.	0.4	1
70	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. British Journal of Sports Medicine, 2019, 53, 812-812.	6.7	67
71	Establishing the European Norm for the health-related quality of life domains of the computer-adaptive test EORTC CAT Core. European Journal of Cancer, 2019, 107, 133-141.	2.8	38
72	General population normative data for the EORTC QLQ-C30 health-related quality of life questionnaire based on 15,386 persons across 13 European countries, Canada and the Unites States. European Journal of Cancer, 2019, 107, 153-163.	2.8	259

#	Article	IF	Citations
73	Physical problems, functional limitations, and preferences for physical therapist-guided exercise programs among Dutch patients with metastatic breast cancer: a mixed methods study. Supportive Care in Cancer, 2019, 27, 3061-3070.	2.2	34
74	Cancer survivorship: an integral part of Europe's research agenda. Molecular Oncology, 2019, 13, 624-635.	4.6	103
75	Demographic, clinical, lifestyle-related, and social-cognitive correlates of physical activity in head and neck cancer survivors. Supportive Care in Cancer, 2018, 26, 1447-1456.	2.2	9
76	Patients' Attitudes Towards the Return of Incidental Findings After Research with Residual Tissue: A Mixed Methods Study. Genetic Testing and Molecular Biomarkers, 2018, 22, 178-186.	0.7	5
77	Hyperthermic Intraperitoneal Chemotherapy in Ovarian Cancer. New England Journal of Medicine, 2018, 378, 230-240.	27.0	1,012
78	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data metaâ€analysis of 22 RCTs. Psycho-Oncology, 2018, 27, 1150-1161.	2.3	74
79	Internet-Based Cognitive Behavioral Therapy Realizes Long-Term Improvement in the Sexual Functioning and Body Image of Breast Cancer Survivors. Journal of Sex and Marital Therapy, 2018, 44, 485-496.	1.5	28
80	Prostate-specific antigen velocity in a prospective prostate cancer screening study of men with genetic predisposition. British Journal of Cancer, 2018, 118, 266-276.	6.4	12
81	Shared Decision Making in Prostate Cancer Careâ€"Encouraging Every Patient to be Actively Involved in Decision Making or Ensuring the Patient Preferred Level of Involvement?. Journal of Urology, 2018, 200, 582-589.	0.4	30
82	A systematic review of the measurement properties of the Body Image Scale (BIS) in cancer patients. Supportive Care in Cancer, 2018, 26, 1715-1726.	2.2	41
83	Cost–utility and cost-effectiveness of physical exercise during adjuvant chemotherapy. European Journal of Health Economics, 2018, 19, 893-904.	2.8	42
84	The accuracy of patientsâ∈™ perceptions of the risks associated with localised prostate cancer treatments. BJU International, 2018, 121, 405-414.	2.5	15
85	Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. British Journal of Sports Medicine, 2018, 52, 505-513.	6.7	177
86	A crossâ€cultural convergent parallel mixed methods study of what makes a cancerâ€related symptom or functional health problem clinically important. Psycho-Oncology, 2018, 27, 548-555.	2.3	16
87	Feasibility of a home-based exercise intervention with remote guidance for patients with stable grade II and III gliomas: a pilot randomized controlled trial. Clinical Rehabilitation, 2018, 32, 352-366.	2.2	59
88	Phase III study of the European Organisation for Research and Treatment of Cancer satisfaction with cancer care core questionnaire (EORTC PATSAT-C33) and specific complementary outpatient module (EORTC OUT-PATSAT7). European Journal of Cancer Care, 2018, 27, e12786.	1.5	30
89	Recruitment to and pilot results of the PACES randomized trial of physical exercise during adjuvant chemotherapy for colon cancer. International Journal of Colorectal Disease, 2018, 33, 29-40.	2.2	35
90	Internet-based Cognitive Behavioral Therapy for DSM-IV Sexual Dysfunctions in Breast Cancer Survivors: Predictors of Treatment Response. International Journal of Sexual Health, 2018, 30, 281-294.	2.3	1

#	Article	IF	CITATIONS
91	(Cost-)effectiveness of an internet-based physical activity support program (with and without) Tj ETQq1 1 0.78 of the PABLO trial. BMC Cancer, 2018, 18, 1073.	4314 rgBT 2.6	/Overlock 10 14
92	International phase IV validation study of an EORTC quality of life questionnaire for testicular cancer patients: the EORTC QLQ-TC26. BMC Cancer, 2018, 18, 1104.	2.6	15
93	Does anti-Müllerian hormone predict change in menopausal symptoms following risk-reducing salpingo-oophorectomy? A prospective observational study. Climacteric, 2018, 21, 574-580.	2.4	3
94	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200.	<b>6.</b> 3	72
95	The EORTC CAT Coreâ€"The computer adaptive version of the EORTC QLQ-C30 questionnaire. European Journal of Cancer, 2018, 100, 8-16.	2.8	68
96	Understanding the quality of life (QOL) issues in survivors of cancer: towards the development of an EORTC QOL cancer survivorship questionnaire. Health and Quality of Life Outcomes, 2018, 16, 114.	2.4	133
97	A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. Supportive Care in Cancer, 2018, 26, 2551-2560.	2.2	11
98	Hyperthermic Intraperitoneal Chemotherapy in Ovarian Cancer. Obstetrical and Gynecological Survey, 2018, 73, 280-281.	0.4	2
99	Cancer symptom response as an oncology clinical trial end point. Expert Review of Quality of Life in Cancer Care, 2018, 3, 35-46.	0.6	10
100	Effect and moderators of exercise on fatigue in patients with cancer: Meta-analysis of individual patient data Journal of Clinical Oncology, 2018, 36, 104-104.	1.6	3
101	The European organization for research and treatment of cancer â€" satisfaction with cancer care questionnaire: revision and extended application development. Psycho-Oncology, 2017, 26, 400-404.	2.3	14
102	Participation in psychosocial oncology and quality-of-life research: a systematic review. Lancet Oncology, The, 2017, 18, e153-e165.	10.7	64
103	Prevalence and correlates of mental health problems in prostate cancer survivors: A case-control study comparing survivors with general population peers. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 531.e1-531.e7.	1.6	20
104	Patient-reported (EORTC QLQ-CIPN20) versus physician-reported (CTCAE) quantification of oxaliplatin- and paclitaxel/carboplatin-induced peripheral neuropathy in NCCTG/Alliance clinical trials. Supportive Care in Cancer, 2017, 25, 3537-3544.	2.2	52
105	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	7.7	398
106	Factors Associated With Specific Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition Sexual Dysfunctions in Breast Cancer Survivors: A Study of Patients and Their Partners. Journal of Sexual Medicine, 2017, 14, 1248-1259.	0.6	33
107	Hormone replacement therapy after risk-reducing salpingo-oophorectomy minimises endocrine and sexual problems: A prospective study. European Journal of Cancer, 2017, 84, 159-167.	2.8	40
108	Rapid genetic counseling and testing in newly diagnosed breast cancer: Patients' and health professionals' attitudes, experiences, and evaluation of effects on treatment decision making. Journal of Surgical Oncology, 2017, 116, 1029-1039.	1.7	14

#	Article	IF	CITATIONS
109	Evaluation of the psychometric properties of the EORTC chemotherapy-induced peripheral neuropathy questionnaire (QLQ-CIPN20). Quality of Life Research, 2017, 26, 2999-3010.	3.1	51
110	An Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors: results of a pilot study. Menopause, 2017, 24, 762-767.	2.0	30
111	International evaluation of the psychometrics of health-related quality of life questionnaires for use among long-term survivors of testicular and prostate cancer. Health and Quality of Life Outcomes, 2017, 15, 97.	2.4	18
112	Impact of neurocognitive deficits on patient–proxy agreement regarding health-related quality of life in low-grade glioma patients. Quality of Life Research, 2017, 26, 869-880.	3.1	29
113	Comparison of symptom clusters associated with fatigue in older and younger survivors of colorectal cancer. Supportive Care in Cancer, 2017, 25, 625-632.	2.2	38
114	Development of an item bank for computerized adaptive testing of self-reported cognitive difficulty in cancer patients. Neuro-Oncology Practice, 2017, 4, 189-196.	1.6	5
115	Efficacy of Internet-Based Cognitive Behavioral Therapy in Improving Sexual Functioning of Breast Cancer Survivors: Results of a Randomized Controlled Trial. Journal of Clinical Oncology, 2017, 35, 1328-1340.	1.6	110
116	Supporting Lung Cancer Patients With an Interactive Patient Portal: Feasibility Study. JMIR Cancer, 2017, 3, e10.	2.4	40
117	Thresholds for clinical importance for four key domains of the EORTC QLQ-C30: physical functioning, emotional functioning, fatigue and pain. Health and Quality of Life Outcomes, 2016, 14, 87.	2.4	95
118	Don't forget the dentist: Dental care use and needs of women with breast cancer. Breast, 2016, 29, 1-7.	2.2	6
119	Why do patients choose (not) to participate in an exercise trial during adjuvant chemotherapy for breast cancer?. Psycho-Oncology, 2016, 25, 964-970.	2.3	72
120	Reference data of the European Organisation for Research and Treatment of Cancer (EORTC) QLQ-CIPN20 Questionnaire in the general Dutch population. European Journal of Cancer, 2016, 69, 28-38.	2.8	33
121	QLU-C10D: a health state classification system for a multi-attribute utility measure based on the EORTC QLQ-C30. Quality of Life Research, 2016, 25, 625-636.	3.1	83
122	The use of EORTC measures in daily clinical practiceâ€"A synopsis of a newly developed manual. European Journal of Cancer, 2016, 68, 73-81.	2.8	75
123	Predictors of enduring clinical distress in women with breast cancer. Breast Cancer Research and Treatment, 2016, 158, 563-572.	2.5	20
124	Focusing on Core Patient-Reported Outcomes in Cancer Clinical Trialsâ€"Letter. Clinical Cancer Research, 2016, 22, 5617-5617.	7.0	18
125	Design of a randomized controlled trial of Internet-based cognitive behavioral therapy for treatment-induced menopausal symptoms in breast cancer survivors. BMC Cancer, 2016, 16, 920.	2.6	15
126	Exceptions to the rule of informed consent for research with an intervention. BMC Medical Ethics, 2016, 17, 9.	2.4	42

#	Article	IF	Citations
127	Patients' and health professionals' understanding of and preferences for graphical presentation styles for individual-level EORTC QLQ-C30 scores. Quality of Life Research, 2016, 25, 595-604.	3.1	34
128	Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). Health and Quality of Life Outcomes, 2016, 14, 72.	2.4	29
129	Using a discrete choice experiment to value the QLU-C10D: feasibility and sensitivity to presentation format. Quality of Life Research, 2016, 25, 637-649.	3.1	58
130	Adverse event development in clinical oncology trials. Lancet Oncology, The, 2016, 17, e263.	10.7	3
131	Employment and social benefits up to 10 years after breast cancer diagnosis: a population-based study. British Journal of Cancer, 2016, 114, 81-87.	6.4	69
132	The Effect of Salvage Radiotherapy and its Timing on the Health-related Quality of Life of Prostate Cancer Patients. European Urology, 2016, 70, 751-757.	1.9	56
133	Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. Journal of Clinical Epidemiology, 2016, 69, 79-88.	5.0	306
134	Development of an item bank for computerized adaptive test (CAT) measurement of pain. Quality of Life Research, 2016, 25, 1-11.	3.1	29
135	Prevalence of swallowing and speech problems in daily life after chemoradiation for head and neck cancer based on cut-off scores of the patient-reported outcome measures SWAL-QOL and SHI. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1849-1855.	1.6	69
136	Does rapid genetic counseling and testing in newly diagnosed breast cancer patients cause additional psychosocial distress? results from a randomized clinical trial. Genetics in Medicine, 2016, 18, 137-144.	2.4	28
137	A multicenter randomized phase III trial of neo-adjuvant chemotherapy followed by surgery and chemotherapy or by surgery and chemoradiotherapy in resectable gastric cancer: First results from the CRITICS study Journal of Clinical Oncology, 2016, 34, 4000-4000.	1.6	59
138	A Randomised Controlled Trial of Consent Procedures for the Use of Residual Tissues for Medical Research: Preferences of and Implications for Patients, Research and Clinical Practice. PLoS ONE, 2016, 11, e0152509.	2.5	5
139	eHealth for Breast Cancer Survivors: Use, Feasibility and Impact of an Interactive Portal. JMIR Cancer, 2016, 2, e3.	2.4	65
140	Evaluation of an interactive portal for breast cancer survivors: Use, satisfaction, and preliminary effects Journal of Clinical Oncology, 2016, 34, 200-200.	1.6	0
141	Feasibility and preliminary efficacy of an interactive portal for lung cancer patients Journal of Clinical Oncology, 2016, 34, 201-201.	1.6	1
142	Testing the measurement invariance of the EORTC QLQ-C30 across primary cancer sites using multi-group confirmatory factor analysis. Quality of Life Research, 2015, 24, 125-133.	3.1	18
143	Controversies in defining cancer survivorship. Lancet Oncology, The, 2015, 16, 610-612.	10.7	22
144	Health-Related Quality of Life in Stable, Long-Term Survivors of Low-Grade Glioma. Journal of Clinical Oncology, 2015, 33, 1023-1029.	1.6	64

#	Article	IF	CITATIONS
145	An interactive portal to empower cancer survivors: a qualitative study on user expectations. Supportive Care in Cancer, 2015, 23, 2535-2542.	2.2	45
146	Development of a lack of appetite item bank for computer-adaptive testing (CAT). Supportive Care in Cancer, 2015, 23, 1541-1548.	2.2	14
147	Timing of risk reducing mastectomy in breast cancer patients carrying a BRCA1/2 mutation: retrospective data from the Dutch HEBON study. Familial Cancer, 2015, 14, 355-363.	1.9	12
148	Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. Journal of Clinical Oncology, 2015, 33, 1918-1927.	1.6	453
149	Cost-effectiveness of cognitive behavioral therapy and physical exercise for alleviating treatment-induced menopausal symptoms in breast cancer patients. Journal of Cancer Survivorship, 2015, 9, 126-135.	2.9	33
150	Prevalence and detection of psychosocial problems in cancer genetic counseling. Familial Cancer, 2015, 14, 629-636.	1.9	16
151	Validity of Patient-Reported Swallowing and Speech Outcomes in Relation to Objectively Measured Oral Function Among Patients Treated for Oral or Oropharyngeal Cancer. Dysphagia, 2015, 30, 196-204.	1.8	19
152	Predictors of subjective versus objective cognitive functioning in patients with stable grades II and III glioma. Neuro-Oncology Practice, 2015, 2, 20-31.	1.6	43
153	Internet-based cognitive behavioral therapy for sexual dysfunctions in women treated for breast cancer: design of a multicenter, randomized controlled trial. BMC Cancer, 2015, 15, 321.	2.6	47
154	Validation of the French translation-adaptation of the impact of cancer questionnaire version 2 (IOC $\nu$ 2) in a breast cancer survivor population. Health and Quality of Life Outcomes, 2015, 13, 110.	2.4	5
155	Oral-health-related quality of life in patients with cancer: cultural adaptation and the psychometric testing of the Persian version of EORTC QLQ-OH17. Supportive Care in Cancer, 2015, 23, 1215-1224.	2.2	9
156	Routine assessment of psychosocial problems after cancer genetic counseling: results from a randomized controlled trial. Clinical Genetics, 2015, 87, 419-427.	2.0	11
157	Empowerment of Cancer Survivors Through Information Technology: An Integrative Review. Journal of Medical Internet Research, 2015, 17, e270.	4.3	96
158	Development of MijnAVL, an Interactive Portal to Empower Breast and Lung Cancer Survivors: An Iterative, Multi-Stakeholder Approach. JMIR Research Protocols, 2015, 4, e14.	1.0	26
159	Patient- versus physician-reporting of symptoms and health status in chronic myeloid leukemia. Haematologica, 2014, 99, 788-793.	3.5	85
160	Deriving a preference-based utility measure for cancer patients from the European Organisation for the Research and Treatment of Cancer's Quality of Life Questionnaire C30: a confirmatory versus exploratory approach. Patient Related Outcome Measures, 2014, 5, 119.	1,2	6
161	Effect of Routine Assessment of Specific Psychosocial Problems on Personalized Communication, Counselors' Awareness, and Distress Levels in Cancer Genetic Counseling Practice: A Randomized Controlled Trial. Journal of Clinical Oncology, 2014, 32, 2998-3004.	1.6	28
162	The association between cognitive functioning and health-related quality of life in low-grade glioma patients. Neuro-Oncology Practice, 2014, 1, 40-46.	1.6	37

#	Article	IF	Citations
163	Impact of rapid genetic counselling and testing on the decision to undergo immediate or delayed prophylactic mastectomy in newly diagnosed breast cancer patients: findings from a randomised controlled trial. British Journal of Cancer, 2014, 110, 1081-1087.	6.4	26
164	Recommended Patient-Reported Core Set of Symptoms to Measure in Adult Cancer Treatment Trials. Journal of the National Cancer Institute, 2014, 106, dju129-dju129.	6.3	245
165	Effectiveness of the palliative care †Availability, Current issues and Anticipation†(ACA) communication training programme for general practitioners on patient outcomes: A controlled trial. Palliative Medicine, 2014, 28, 1036-1045.	3.1	11
166	Recruiting long-term survivors of European Organisation for Research and Treatment of Cancer phase III clinical trials into quality of life studies: Challenges and opportunities. European Journal of Cancer, 2014, 50, 1957-1963.	2.8	4
167	Quality of Life for Patients Treated for Penile Cancer. Journal of Urology, 2014, 192, 1105-1110.	0.4	118
168	Ensuring comprehensive assessment of urinary problems in prostate cancer through patient-physician concordance. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 26.e25-26.e31.	1.6	2
169	Testing the measurement equivalence of paper and interactive voice response system versions of the EORTC QLQ-C30. Quality of Life Research, 2014, 23, 229-237.	3.1	24
170	The efficacy of a standardized questionnaire in facilitating personalized communication about problems encountered in cancer genetic counseling: design of a randomized controlled trial. BMC Cancer, 2014, 14, 26.	2.6	8
171	Targeted Prostate Cancer Screening in BRCA1 and BRCA2 Mutation Carriers: Results from the Initial Screening Round of the IMPACT Study. European Urology, 2014, 66, 489-499.	1.9	195
172	Psychosocial Aspects of Hereditary Cancer (PAHC) questionnaire: development and testing of a screening questionnaire for use in clinical cancer genetics. Psycho-Oncology, 2014, 23, 862-869.	2.3	37
173	Specific Psychosocial Issues of Individuals Undergoing Genetic Counseling for Cancer – A Literature Review. Journal of Genetic Counseling, 2014, 23, 133-146.	1.6	36
174	Validation and Reliability Testing of the EORTC QLQ-NMIBC24 Questionnaire Module to Assess Patient-reported Outcomes in Non–Muscle-invasive Bladder Cancer. European Urology, 2014, 66, 1148-1156.	1.9	66
175	The course of health-related quality of life in head and neck cancer patients treated with chemoradiation: A prospective cohort study. Radiotherapy and Oncology, 2014, 110, 422-428.	0.6	73
176	Beyond treatment $\hat{a}\in$ "Psychosocial and behavioural issues in cancer survivorship research and practice. European Journal of Cancer, Supplement, 2014, 12, 54-64.	2.2	177
177	Health-related quality of life in high-grade glioma patients. Chinese Journal of Cancer, 2014, 33, 40-45.	4.9	52
178	Health-related quality of life of significant others of patients with malignant CNS versus non-CNS tumors: a comparative study. Journal of Neuro-Oncology, 2013, 115, 87-94.	2.9	47
179	Assessing patient-reported peripheral neuropathy: the reliability and validity of the European Organization for Research and Treatment of Cancer QLQ-CIPN20 Questionnaire. Quality of Life Research, 2013, 22, 2787-2799.	3.1	141
180	ISOQOL recommends minimum standards for patient-reported outcome measures used in patient-centered outcomes and comparative effectiveness research. Quality of Life Research, 2013, 22, 1889-1905.	3.1	613

#	Article	IF	CITATIONS
181	An evaluation of the response category translations of the EORTC QLQ-C30 questionnaire. Quality of Life Research, 2013, 22, 1483-1490.	3.1	5
182	Cross-cultural development of an EORTC questionnaire to assess health-related quality of life in patients with testicular cancer: the EORTC QLQ-TC26. Quality of Life Research, 2013, 22, 369-378.	3.1	28
183	Health-related Quality of Life in Patients with Brain Tumors: Limitations and Additional Outcome Measures. Current Neurology and Neuroscience Reports, 2013, 13, 359.	4.2	38
184	The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. Journal of Clinical Epidemiology, 2013, 66, 330-339.	5.0	33
185	Cost-Effectiveness Of Cognitive-Behavioral Therapy And Physical Exercise For Alleviating Treatment-Induced Menopausal Symptoms In Breast Cancer Patients. Value in Health, 2013, 16, A141.	0.3	2
186	Predicting Optimal cancer Rehabilitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. Systematic Reviews, 2013, 2, 75.	<b>5.</b> 3	35
187	Reproductive decision-making in hereditary colorectal cancer: the role of the gastroenterologist. Colorectal Cancer, 2013, 2, 13-16.	0.8	0
188	A Systematic Review of Web-Based Interventions for Patient Empowerment and Physical Activity in Chronic Diseases: Relevance for Cancer Survivors. Journal of Medical Internet Research, 2013, 15, e37.	4.3	326
189	No evidence of benefit from class-II compression stockings in the prevention of lower-limb lymphedema after inguinal lymph node dissection: results of a randomized controlled trial. Lymphology, 2013, 46, 120-31.	0.2	11
190	Patient-Reported Quality of Life After Stereotactic Ablative Radiotherapy for Early-Stage Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 1148-1154.	1.1	105
191	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. Journal of Clinical Oncology, 2012, 30, 4124-4133.	1.6	182
192	Implementing patient-reported outcomes assessment in clinical practice: a review of the options and considerations. Quality of Life Research, 2012, 21, 1305-1314.	3.1	665
193	Comparing higher order models for the EORTC QLQ-C30. Quality of Life Research, 2012, 21, 1607-1617.	3.1	52
194	"lt ain't over till the fat lady sings― a response to Cameron N. McIntosh, improving the evaluation of model fit in confirmatory factor analysis. Quality of Life Research, 2012, 21, 1623-1624.	3.1	7
195	Breast cancer genetic counseling after diagnosis but before treatment: A pilot study on treatment consequences and psychological impact. Patient Education and Counseling, 2012, 89, 89-95.	2.2	32
196	Clinical evidence for an association between familial adenomatous polyposis and type II diabetes. International Journal of Cancer, 2012, 131, 1488-1489.	5.1	1
197	Alpe d'HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. International Journal of Behavioral Medicine, 2012, 19, 143-156.	1.7	23
198	Chemotherapy-induced nausea and vomiting in daily clinical practice: a community hospital-based study. Supportive Care in Cancer, 2012, 20, 107-117.	2,2	144

#	Article	IF	CITATIONS
199	The relationship between numbness, tingling, and shooting/burning pain in patients with chemotherapy-induced peripheral neuropathy (CIPN) as measured by the EORTC QLQ-CIPN20 instrument, N06CA. Supportive Care in Cancer, 2012, 20, 625-632.	2.2	107
200	Compliance with periodic surveillance for Von-Hippel-Lindau disease. Genetics in Medicine, 2011, 13, 519-527.	2.4	16
201	Normative data for the EORTC QLQ-C30 and EORTC-sexuality items in the general Dutch population. European Journal of Cancer, 2011, 47, 667-675.	2.8	170
202	The Patient Reported Outcomes Following Initial treatment and Long term Evaluation of Survivorship registry: Scope, rationale and design of an infrastructure for the study of physical and psychosocial outcomes in cancer survivorship cohorts. European Journal of Cancer, 2011, 47, 2188-2194.	2.8	322
203	Can Patient-Reported Outcome Measures Identify Cancer Patients' Most Bothersome Issues?. Journal of Clinical Oncology, 2011, 29, 1216-1220.	1.6	43
204	Quality of life and consequences for daily life of familial adenomatous polyposis (FAP) family members. Colorectal Disease, 2011, 13, 669-677.	1.4	11
205	Treatment of vulvar intraepithelial neoplasia with topical imiquimod: Seven years median follow-up of a randomized clinical trial. Gynecologic Oncology, 2011, 121, 157-162.	1.4	93
206	Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. Quality of Life Research, 2011, 20, 479-490.	3.1	38
207	Donna Lamping (1953–2011). Quality of Life Research, 2011, 20, 1755-1756.	3.1	0
208	Cancer-related fatigue: clinical practice versus practice guidelines. Supportive Care in Cancer, 2011, 19, 531-538.	2.2	30
209	Behavioral and psychosocial effects of rapid genetic counseling and testing in newly diagnosed breast cancer patients: Design of a multicenter randomized clinical trial. BMC Cancer, 2011, 11, 6.	2.6	22
210	Psychological distress and quality of life of partners of individuals with familial adenomatous polyposis. Psycho-Oncology, 2011, 20, 146-154.	2.3	8
211	Distress in partners of individuals diagnosed with or at high risk of developing tumors due to rare hereditary cancer syndromes. Psycho-Oncology, 2011, 20, 631-638.	2.3	31
212	Perceived barriers and facilitators for general practitioner–patient communication in palliative care: A systematic review. Palliative Medicine, 2011, 25, 613-629.	3.1	135
213	Compromised Health-Related Quality of Life in Patients With Low-Grade Glioma. Journal of Clinical Oncology, 2011, 29, 4430-4435.	1.6	160
214	Characteristics of breast cancer patients who experience menopausal transition due to treatment. Climacteric, 2011, 14, 362-368.	2.4	5
215	Connective tissue: Cancer patients' attitudes towards medical research using excised (tumour) tissue. BioSocieties, 2011, 6, 466-486.	1.3	9
216	Predictors of Neuropsychological Improvement Following Cognitive Rehabilitation in Patients with Gliomasâ€"Erratum. Journal of the International Neuropsychological Society, 2011, 17, 384-384.	1.8	1

#	Article	IF	Citations
217	A description of a cognitive rehabilitation programme evaluated in brain tumour patients with mild to moderate cognitive deficits. Clinical Rehabilitation, 2011, 25, 675-692.	2.2	23
218	Effects of an outpatient physical exercise program on hematopoietic stem-cell transplantation recipients: a randomized clinical trial. Bone Marrow Transplantation, 2011, 46, 1245-1255.	2.4	105
219	Onderzoek naar de kwaliteit van leven van kankerpatiënten. , 2011, , 617-623.		0
220	Female Fertility After Colorectal Surgery for Familial Adenomatous Polyposis. Annals of Surgery, 2010, 252, 341-344.	4.2	34
221	Regular surveillance for Li-fraumeni syndrome: advice, adherence and perceived benefits. Familial Cancer, 2010, 9, 647-654.	1.9	59
222	Health-related quality of life in long-term esophageal cancer survivors after potentially curative treatment. Journal of Thoracic and Cardiovascular Surgery, 2010, 140, 777-783.	0.8	40
223	Design of the Physical exercise during Adjuvant Chemotherapy Effectiveness Study (PACES):A randomized controlled trial to evaluate effectiveness and cost-effectiveness of physical exercise in improving physical fitness and reducing fatigue. BMC Cancer, 2010, 10, 673.	2.6	46
224	Psychological distress and use of psychosocial support in familial adenomatous polyposis. Psycho-Oncology, 2010, 19, 289-298.	2.3	80
225	Attitudes toward genetic testing in childhood and reproductive decision-making for familial adenomatous polyposis. European Journal of Human Genetics, 2010, 18, 186-193.	2.8	38
226	Longâ€term compliance with endoscopic surveillance for familial adenomatous polyposis. Colorectal Disease, 2010, 12, 1198-1207.	1.4	18
227	Psychosocial impact of Von Hippel–Lindau disease: levels and sources of distress. Clinical Genetics, 2010, 77, 483-491.	2.0	35
228	Genetic Testing in Li-Fraumeni Syndrome: Uptake and Psychosocial Consequences. Journal of Clinical Oncology, 2010, 28, 3008-3014.	1.6	100
229	Interpretation of differential item functioning analyses using external review. Expert Review of Pharmacoeconomics and Outcomes Research, 2010, 10, 253-258.	1.4	6
230	An international validation study of the EORTC brain cancer module (EORTC QLQ-BN20) for assessing health-related quality of life and symptoms in brain cancer patients. European Journal of Cancer, 2010, 46, 1033-1040.	2.8	293
231	Development of computerised adaptive testing (CAT) for the EORTC QLQ-C30 dimensions – General approach and initial results for physical functioning. European Journal of Cancer, 2010, 46, 1352-1358.	2.8	58
232	Quality of life as predictor of survival: A prospective study on patients treated with combined surgery and radiotherapy for advanced oral and oropharyngeal cancer. Radiotherapy and Oncology, 2010, 97, 258-262.	0.6	52
233	The relationship between ambulatory step activity, self-reported physical functioning and standardised timed walking in patients with haematological malignancies. Disability and Rehabilitation, 2010, 32, 1819-1826.	1.8	5
234	Interventions for cognitive deficits in patients with a brain tumor: an update. Expert Review of Anticancer Therapy, 2010, 10, 1779-1795.	2.4	51

#	Article	IF	CITATIONS
235	A trial of consent procedures for future research with clinically derived biological samples. British Journal of Cancer, 2009, 101, 1505-1512.	6.4	34
236	Cognitive Rehabilitation in Patients With Gliomas: A Randomized, Controlled Trial. Journal of Clinical Oncology, 2009, 27, 3712-3722.	1.6	294
237	Hand-held dynamometry in patients with haematological malignancies: Measurement error in the clinical assessment of knee extension strength. BMC Musculoskeletal Disorders, 2009, 10, 31.	1.9	54
238	Cognitive and radiological effects of radiotherapy in patients with low-grade glioma: long-term follow-up. Lancet Neurology, The, 2009, 8, 810-818.	10.2	598
239	Differential item functioning (DIF) in the EORTC QLQ-C30: a comparison of baseline, on-treatment and off-treatment data. Quality of Life Research, 2009, 18, 381-388.	3.1	32
240	Evaluation of the psychometric properties of the SF-36 health survey for use among Turkish and Moroccan ethnic minority populations in the Netherlands. Quality of Life Research, 2009, 18, 753-764.	3.1	14
241	The practical impact of differential item functioning analyses in a health-related quality of life instrument. Quality of Life Research, 2009, 18, 1125-1130.	3.1	31
242	Attitude towards pre-implantation genetic diagnosis for hereditary cancer. Familial Cancer, 2009, 8, 457-464.	1.9	51
243	Cognitive behavioral therapy and physical exercise for climacteric symptoms in breast cancer patients experiencing treatment-induced menopause: design of a multicenter trial. BMC Women's Health, 2009, 9, 15.	2.0	25
244	A Patient-Based Utility Measure of Health for Clinical Trials of Cancer Therapy Based on the European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire. Value in Health, 2009, 12, 977-988.	0.3	22
245	A simulation study provided sample size guidance for differential item functioning (DIF) studies using short scales. Journal of Clinical Epidemiology, 2009, 62, 288-295.	5.0	110
246	Reliability of Ambulatory Walking Activity in Patients With Hematologic Malignancies. Archives of Physical Medicine and Rehabilitation, 2009, 90, 58-65.	0.9	12
247	Chromogranin A as an Alternative to 5-Hydroxyindoleacetic Acid in the Evaluation of Symptoms during Treatment of Patients with Neuroendocrine Tumors. Neuroendocrinology, 2009, 89, 296-301.	2.5	57
248	Methodological challenges in quality of life research among Turkish and Moroccan ethnic minority cancer patients: translation, recruitment and ethical issues. Ethnicity and Health, 2009, 14, 237-253.	2.5	29
249	Health-related quality of life of long-term high-grade glioma survivors. Neuro-Oncology, 2009, 11, 51-58.	1.2	70
250	PCN87 TEST-RETEST RELIABILITY OF AN INTERACTIVE VOICE RESPONSE (IVR) VERSION OF THE EORTC QLQ-C30. Value in Health, 2009, 12, A52-A53.	0.3	0
251	Use of patient-reported outcomes in clinical practice. Lancet, The, 2009, 374, 369-370.	13.7	165
252	Quality of life in cancer patients in South Asia: psychometric properties of the Sinhala version of the EORTC QLQ-C30 in cancer patients with heterogeneous diagnoses. Quality of Life Research, 2008, 17, 783-791.	3.1	8

#	Article	IF	Citations
253	Using patient-reported outcomes in clinical practice: proceedings of an International Society of Quality of Life Research conference. Quality of Life Research, 2008, 17, 1295-1295.	3.1	20
254	Psychosocial issues in genetic testing for familial adenomatous polyposis: a review of the literature. Psycho-Oncology, 2008, 17, 737-745.	2.3	42
255	Use of healthâ€related qualityâ€ofâ€life assessments in daily clinical oncology nursing practice. Cancer, 2008, 113, 628-637.	4.1	160
256	Evaluation of a face-to-face psychosocial screening intervention for cancer patients: Acceptance and effects on quality of life. Patient Education and Counseling, 2008, 70, 61-68.	2.2	15
257	Literature Review of Methods to Translate Health-Related Quality of Life Questionnaires for Use in Multinational Clinical Trials. Value in Health, 2008, 11, 509-521.	0.3	496
258	Does diabetes mellitus as a comorbid condition affect the healthâ€related quality of life in prostate cancer survivors? Results of a populationâ€based observational study. BJU International, 2008, 102, 1594-1600.	2.5	14
259	Interventions for cognitive deficits in adults with brain tumours. Lancet Neurology, The, 2008, 7, 548-560.	10.2	111
260	The relationship between overall quality of life and its subdimensions was influenced by culture: analysis of an international database. Journal of Clinical Epidemiology, 2008, 61, 788-795.	5.0	65
261	Translated COOP/WONCA charts found appropriate for use among Turkish and Moroccan ethnic minority cancer patients. Journal of Clinical Epidemiology, 2008, 61, 1036-1048.	5.0	15
262	An international field study of the EORTC QLQ-PR25: A questionnaire for assessing the health-related quality of life of patients with prostate cancer. European Journal of Cancer, 2008, 44, 2418-2424.	2.8	370
263	Treatment of Vulvar Intraepithelial Neoplasia with Topical Imiquimod. New England Journal of Medicine, 2008, 358, 1465-1473.	27.0	343
264	Impact of Late Treatment-Related Toxicity on Quality of Life Among Patients With Head and Neck Cancer Treated With Radiotherapy. Journal of Clinical Oncology, 2008, 26, 3770-3776.	1.6	569
265	Prospective Study of Long-Term Impact of Adjuvant High-Dose and Conventional-Dose Chemotherapy on Health-Related Quality of Life. Journal of Clinical Oncology, 2007, 25, 5403-5409.	1.6	26
266	Predictors of Prophylactic Bilateral Salpingo-Oophorectomy Compared With Gynecologic Screening Use in BRCA1/2 Mutation Carriers. Journal of Clinical Oncology, 2007, 25, 301-307.	1.6	73
267	Colorectal Cancer in the Family: Psychosocial Distress and Social Issues in the Years Following Genetic Counselling. Hereditary Cancer in Clinical Practice, 2007, 5, 59.	1.5	30
268	The course of neurocognitive functioning in high-grade glioma patients 1. Neuro-Oncology, 2007, 9, 53-62.	1.2	153
269	Are Risks and Benefits of Oncological Research Protocols Both Incommensurable and Incompensable?. Accountability in Research, 2007, 14, 179-196.	2.4	4
270	Applying Quality-of-Life Data Formally and Systematically Into Clinical Practice. Mayo Clinic Proceedings, 2007, 82, 1214-1228.	3.0	75

#	Article	IF	Citations
271	The use of differential item functioning analyses to identify cultural differences in responses to the EORTC QLQ-C30. Quality of Life Research, 2007, 16, 115-129.	3.1	63
272	Breast cancer patients on adjuvant chemotherapy report a wide range of problems not identified by health-care staff. Breast Cancer Research and Treatment, 2007, 103, 185-195.	2.5	27
273	Quality of life and functional status in patients with cancer of the oral cavity and oropharynx: pretreatment values of a prospective study. European Archives of Oto-Rhino-Laryngology, 2007, 264, 651-657.	1.6	68
274	Level of agreement between patient self-report and observer ratings of health-related quality of life communication in oncology. Patient Education and Counseling, 2007, 65, 95-100.	2.2	13
275	Evaluating the risks and benefits of phase II and III cancer clinical trials: a look at Institutional Review Board members in the Netherlands. IRB: Ethics & Human Research, 2007, 29, 13-8.	0.8	3
276	The Impact of Hormone Replacement Therapy on Menopausal Symptoms in Younger High-Risk Women After Prophylactic Salpingo-Oophorectomy. Journal of Clinical Oncology, 2006, 24, 3576-3582.	1.6	186
277	Translation and validation of the EORTC QLQ-C30 for use among Turkish and Moroccan ethnic minority cancer patients in the Netherlands. European Journal of Cancer, 2006, 42, 1839-1847.	2.8	46
278	Translation and validation of the SF-36 Health Survey for use among Turkish and Moroccan ethnic minority cancer patients in The Netherlands. European Journal of Cancer, 2006, 42, 2982-2990.	2.8	16
279	Item response theory was used to shorten EORTC QLQ-C30 scales for use in palliative care. Journal of Clinical Epidemiology, 2006, 59, 36-44.	5.0	40
280	Multidimensional Computerized Adaptive Testing of the EORTC QLQ-C30: Basic Developments and Evaluations. Quality of Life Research, 2006, 15, 315-329.	3.1	61
281	Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. Quality of Life Research, 2006, 15, 1103-1115.	3.1	64
282	Response to Commentary on Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. Quality of Life Research, 2006, 15, 1119-1120.	3.1	5
283	Radiotherapy alone, versus radiotherapy with amifostine 3 times weekly, versus radiotherapy with amifostine 5 times weekly. Cancer, 2006, 107, 544-553.	4.1	45
284	Long-term quality of life among Dutch prostate cancer survivors. Cancer, 2006, 107, 2186-2196.	4.1	71
285	The evaluation of the risks and benefits of phase II cancer clinical trials by institutional review board (IRB) members: a case study. Journal of Medical Ethics, 2006, 32, 170-176.	1.8	16
286	Letter to the Editor. Palliative Medicine, 2006, 20, 59-61.	3.1	45
287	Estimating clinically significant differences in quality of life outcomes. Quality of Life Research, 2005, 14, 285-295.	3.1	406
288	Quality-of-Life Effects of Prophylactic Salpingo-Oophorectomy Versus Gynecologic Screening Among Women at Increased Risk of Hereditary Ovarian Cancer. Journal of Clinical Oncology, 2005, 23, 6890-6898.	1.6	214

#	Article	IF	Citations
289	Physical Exercise in Cancer Patients During and After Medical Treatment: A Systematic Review of Randomized and Controlled Clinical Trials. Journal of Clinical Oncology, 2005, 23, 3830-3842.	1.6	511
290	Scoring based on item response theory did not alter the measurement ability of EORTC QLQ-C30 scales. Journal of Clinical Epidemiology, 2005, 58, 902-908.	5.0	12
291	The development of an EORTC quality of life questionnaire to assess chemotherapy-induced peripheral neuropathy: The QLQ-CIPN20. European Journal of Cancer, 2005, 41, 1135-1139.	2.8	396
292	An international prospective study of the EORTC cancer in-patient satisfaction with care measure (EORTC IN-PATSAT32). European Journal of Cancer, 2005, 41, 2120-2131.	2.8	184
293	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. Quality of Life Research, 2004, 13, 283-298.	3.1	623
294	Use of differential item functioning analysis to assess the equivalence of translations of a questionnaire. Quality of Life Research, 2003, 12, 373-385.	3.1	115
295	Epilepsy in low-grade gliomas: The impact on cognitive function and quality of life. Annals of Neurology, 2003, 54, 514-520.	5.3	358
296	Health Related Quality of Life in Men With Prostate Cancer. Journal of Urology, 2003, 169, 1653-1661.	0.4	166
297	The role and impact of patient-based health status measures on clinical decision making and clinician-patient communication in routine clinical practice. Clinical Therapeutics, 2003, 25, D13-D14.	2.5	0
298	The prognostic value of cognitive functioning in the survival of patients with high-grade glioma. Neurology, 2003, 61, 1796-1798.	1.1	98
299	Effect of a protein and energy dense n-3 fatty acid enriched oral supplement on loss of weight and lean tissue in cancer cachexia: a randomised double blind trial. Gut, 2003, 52, 1479-1486.	12.1	485
300	Experience of discharge from colonoscopy of mutation negative HNPCC family members. Journal of Medical Genetics, 2003, 40, 55e-55.	3.2	11
301	Quality of Life in Good Prognosis Patients With Metastatic Germ Cell Cancer: A Prospective Study of the European Organization for Research and Treatment of Cancer Genitourinary Group/Medical Research Council Testicular Cancer Study Group (30941/TE20). Journal of Clinical Oncology, 2003, 21, 1107-1118.	1.6	122
302	Psychosocial Issues in Cancer Genetics. Acta Oncológica, 2003, 42, 276-286.	1.8	56
303	Improving Communication of Health-Related Quality of Life-Reply. JAMA - Journal of the American Medical Association, 2003, 289, 1636-b-1637.	7.4	3
304	Assessment of the risk/benefit ratio of phase II cancer clinical trials by Institutional Review Board (IRB) members. Annals of Oncology, 2002, 13, 1307-1313.	1.2	35
305	Health-Related Quality-of-Life Assessments and Patient-Physician Communication. JAMA - Journal of the American Medical Association, 2002, 288, 3027.	7.4	888
306	Analysing longitudinal continuous quality of life data with dropout. Statistical Methods in Medical Research, 2002, 11, 5-23.	1.5	13

#	Article	IF	CITATIONS
307	Letter to the Editor. Expert Review of Pharmacoeconomics and Outcomes Research, 2002, 2, 6-6.	1.4	2
308	Effect of radiotherapy and other treatment-related factors on mid-term to long-term cognitive sequelae in low-grade gliomas: a comparative study. Lancet, The, 2002, 360, 1361-1368.	13.7	572
309	Changes in physical functioning and quality of life in patients with cancer. Journal of Clinical Epidemiology, 2002, 55, 176-183.	5.0	71
310	The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease. Journal of Clinical Epidemiology, 2002, 55, 1130-1143.	5.0	350
311	Role of Health-Related Quality of Life in Palliative Chemotherapy Treatment Decisions. Journal of Clinical Oncology, 2002, 20, 1056-1062.	1.6	65
312	Assessing the clinical significance of single items relative to summated scores. Mayo Clinic Proceedings, 2002, 77, 479-87.	3.0	101
313	External irradiation versus external irradiation plus endobronchial brachytherapy in inoperable non-small cell lung cancer: a prospective randomized study. Radiotherapy and Oncology, 2001, 58, 257-268.	0.6	94
314	PCN17: PSYCHOMETRIC PROPERTIES OF THE EORTC QUALITY OF LIFE CORE QUESTIONNAIRE (QLQ-C30) IN EORTC TRIALS. Value in Health, 2001, 4, 437-438.	0.3	0
315	Prospective Study on Quality of Life Before and After Radical Radiotherapy in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2001, 19, 2123-2133.	1.6	83
316	Neurobehavioral Status and Health-Related Quality of Life in Newly Diagnosed High-Grade Glioma Patients. Journal of Clinical Oncology, 2001, 19, 4037-4047.	1.6	232
317	Title is missing!. Quality of Life Research, 2001, 10, 5-6.	3.1	0
318	Patient-Physician Communication During Outpatient Palliative Treatment Visits. JAMA - Journal of the American Medical Association, 2001, 285, 1351.	7.4	164
319	Activity of Exemestane in Metastatic Breast Cancer After Failure of Nonsteroidal Aromatase Inhibitors: A Phase II Trial. Journal of Clinical Oncology, 2000, 18, 2234-2244.	1.6	302
320	Quality of Life of Patients with Newly Diagnosed Poor Prognosis M1 Prostate Cancer Undergoing Orchiectomy without or with Mitomycin C. European Urology, 2000, 37, 541-551.	1.9	22
321	How Are You Feeling? Who Wants To Know? Patients' and Oncologists' Preferences for Discussing Health-Related Quality-of-Life Issues. Journal of Clinical Oncology, 2000, 18, 3295-3301.	1.6	305
322	Pretreatment Quality of Life of Inoperable Non-Small Cell Lung Cancer Patients Referred for Primary Radiotherapy. Acta $Oncol\tilde{A}^3$ gica, 2000, 39, 949-958.	1.8	25
323	Evaluating the quality of life of cancer patients: assessments by patients, significant others, physicians and nurses. British Journal of Cancer, 1999, 81, 87-94.	6.4	175
324	The construction and testing of the EORTC colorectal cancer-specific quality of life questionnaire module (QLQ-CR38). European Journal of Cancer, 1999, 35, 238-247.	2.8	440

#	Article	IF	Citations
325	Anxiety and Depression in Breast Cancer Patients at Low Risk of Recurrence Compared with the General Population. Journal of Clinical Epidemiology, 1999, 52, 523-530.	5.0	88
326	Quality of life assessment in daily clinical oncology practice: a feasibility study. European Journal of Cancer, 1998, 34, 1181-1186.	2.8	143
327	Quality of life after radiation therapy of cerebral low-grade gliomas of the adult: results of a randomised Phase III trial on dose response (EORTC trial 22844). European Journal of Cancer, 1998, 34, 1902-1909.	2.8	233
328	Comparison of Patient and Proxy EORTC QLQ-C30 Ratings in Assessing the Quality of Life of Cancer Patients. Journal of Clinical Epidemiology, 1998, 51, 617-631.	5.0	173
329	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	5.0	761
330	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	5.0	250
331	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	5.0	90
332	Translation, Validation, and Norming of the Dutch Language Version of the SF-36 Health Survey in Community and Chronic Disease Populations. Journal of Clinical Epidemiology, 1998, 51, 1055-1068.	5.0	2,484
333	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	5.0	359
334	The Factor Structure of the SF-36 Health Survey in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1159-1165.	5.0	574
335	The Equivalence of SF-36 Summary Health Scores Estimated Using Standard and Country-Specific Algorithms in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1167-1170.	5.0	513
336	Cross-Validation of Item Selection and Scoring for the SF-12 Health Survey in Nine Countries. Journal of Clinical Epidemiology, 1998, 51, 1171-1178.	5.0	2,428
337	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	5.0	210
338	Comparison of Rasch and Summated Rating Scales Constructed from SF-36 Physical Functioning Items in Seven Countries. Journal of Clinical Epidemiology, 1998, 51, 1203-1214.	5.0	143
339	Pitfalls in grading severity of chemotherapy-induced peripheral neuropathy. Annals of Oncology, 1998, 9, 739-744.	1.2	175
340	Title is missing!. Quality of Life Research, 1998, 7, 291-300.	3.1	220
341	The European Organization for Research and Treatment of Cancer approach to developing questionnaire modules: an update and overview. EORTC Quality of Life Study Group. Quality of Life Research, 1998, 7, 291-300.	3.1	129
342	Development and Clinical Evaluation of a Second-generation Voice Prosthesis (Provox $\hat{A}^{\otimes}$ 2), Designed for Anterograde and Retrograde Insertion. Acta Oto-Laryngologica, 1997, 117, 889-896.	0.9	84

#	Article	IF	CITATIONS
343	Health-related quality of life among patients with metastatic prostate cancer. Urology, 1997, 49, 207-217.	1.0	136
344	Validation of the EORTC QLQ-C30 quality of life questionnaire through combined qualitative and quantitative assessment of patient-observer agreement. Journal of Clinical Epidemiology, 1997, 50, 441-450.	5.0	388
345	Value of caregiver ratings in evaluating the quality of life of patients with cancer Journal of Clinical Oncology, 1997, 15, 1206-1217.	1.6	141
346	Effect of neurological dysfunction on health-related quality of life in patients with high-grade glioma. Journal of Neuro-Oncology, 1997, 34, 263-278.	2.9	117
347	Genetic counseling for hereditary cancer: A pilot study on experiences of patients and family members. Patient Education and Counseling, 1997, 32, 107-116.	2.2	72
348	Assessing Quality of Life After Stroke. Stroke, 1997, 28, 1541-1549.	2.0	184
349	Evaluating quality-of-life and health status instruments: development of scientific review criteria. Clinical Therapeutics, 1996, 18, 979-992.	2.5	482
350	Telephone-based nursing intervention improves the effectiveness of the informed consent process in cancer clinical trials Journal of Clinical Oncology, 1996, 14, 984-996.	1.6	162
351	Effects of medroxyprogesterone acetate on appetite, weight, and quality of life in advanced-stage non-hormone-sensitive cancer: a placebo-controlled multicenter study Journal of Clinical Oncology, 1996, 14, 1077-1084.	1.6	93
352	The European Organization for Research and Treatment of Cancer breast cancer-specific quality-of-life questionnaire module: first results from a three-country field study Journal of Clinical Oncology, 1996, 14, 2756-2768.	1.6	955
353	A study of the reliability, validity and responsiveness of the HIV Overview of Problems Evaluation System (HOPES) in assessing the quality of life of patients with AIDS and symptomatic HIV infection. Quality of Life Research, 1996, 5, 339-347.	3.1	30
354	The development and psychometric validation of a brain cancer quality-of-life questionnaire for use in combination with general cancer-specific questionnaires. Quality of Life Research, 1996, 5, 139-150.	3.1	294
355	Feasibility, psychometric performance, and stability across modes of administration of the CARES-SF. Annals of Oncology, 1996, 7, 381-390.	1.2	31
356	Quality-of-life and cost-effectiveness assessment in lung cancer. Current Opinion in Oncology, 1995, 7, 138-143.	2.4	21
357	Quality of life in colorectal cancer. Diseases of the Colon and Rectum, 1995, 38, 361-369.	1.3	410
358	Quality of Life After Stroke. Stroke, 1995, 26, 402-408.	2.0	175
359	Type A Behavior and Social Support among Employed Women. Behavioral Medicine, 1994, 19, 169-173.	1.9	7
360	The EORTC QLQ-LC13: a modular supplement to the EORTC core quality of life questionnaire (QLQ-C30) for use in lung cancer clinical trials. European Journal of Cancer, 1994, 30, 635-642.	2.8	735

#	Article	IF	CITATIONS
361	The feasibility, reliability and validity of the EORTC QLQ-C30 in assessing the quality of life of patients with a symptomatic HIV infection or AIDS (CDC IV). Psychology and Health, 1994, 9, 65-77.	2.2	25
362	The quality of life of long-term survivors of Hodgkin's disease. Annals of Oncology, 1994, 5, 153-158.	1.2	115
363	Toxicity grading systems. Annals of Oncology, 1994, 5, 113-117.	1.2	56
364	The EORTC Modular Approach to Quality of Life Assessment in Oncology. International Journal of Mental Health, 1994, 23, 75-96.	1.3	96
365	Critical review of the international assessments of health-related quality of life. Quality of Life Research, 1993, 2, 369-395.	3.1	275
366	Integrating health-related quality of life into cross-national clinical trials. Quality of Life Research, 1993, 2, 433-440.	3.1	42
367	The European Organization for Research and treatment of cancer approach to quality of life assessment: guidelines for developing questionnaire modules. Quality of Life Research, 1993, 2, 287-295.	3.1	407
368	Quality of life following surgery for colorectal cancer: A literature review. Psycho-Oncology, 1993, 2, 247-259.	2.3	37
369	The European Organization for Research and Treatment of Cancer QLQ-C30: A Quality-of-Life Instrument for Use in International Clinical Trials in Oncology. Journal of the National Cancer Institute, 1993, 85, 365-376.	6.3	12,309
370	Improvements in Respiratory and Psychosocial Functioning following Total Laryngectomy by the Use of a Heat and Moisture Exchanger. Annals of Otology, Rhinology and Laryngology, 1993, 102, 878-883.	1.1	85
371	The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease: A review. Journal of Clinical Epidemiology, 1992, 45, 743-760.	5.0	808
372	Cosmetic and functional outcomes of breast conserving treatment for early stage breast cancer. 2. Relationship with psychosocial functioning. Radiotherapy and Oncology, 1992, 25, 160-166.	0.6	104
373	Cosmetic and functional outcomes of breast conserving treatment for early stage breast cancer. 1. Comparison of patients' ratings, observers' ratings and objective assessments. Radiotherapy and Oncology, 1992, 25, 153-159.	0.6	158
374	International quality of life assessment (IQOLA) project. Quality of Life Research, 1992, 1, 349-351.	3.1	512
375	The effect of supportive pamidronate treatment on aspects of quality of life of patients with advanced breast cancer. European Journal of Cancer & Clinical Oncology, 1991, 27, 544-549.	0.7	91
376	The influence of a heat and moisture exchanger (HME) on the respiratory symptoms after total laryngectomy. Clinical Otolaryngology, 1991, 16, 152-156.	1,2	114
377	Quality of life research in oncology. Past achievements and future priorities. Cancer, 1991, 67, 839-843.	4.1	180
378	Methodologic issues in assessing the quality of life of cancer patients. Cancer, 1991, 67, 844-850.	4.1	118

#	Article	IF	CITATIONS
379	Quality of life and treatment of hormone resistant metastatic prostatic cancer. European Journal of Cancer & Clinical Oncology, 1990, 26, 1133-1136.	0.7	125
380	Quality of Life in Patients with Muscle-Infiltrating Bladder Cancer and Hormone-Resistant Prostatic Cancer. European Urology, 1989, 16, 335-339.	1.9	43
381	Toxicity grading systems for oncological trials. Contemporary Clinical Trials, 1989, 10, 351.	1.9	0
382	Pain experience and pain management among hospitalized cancer patients. A clinical study. Cancer, 1989, 63, 593-598.	4.1	165
383	Quantitative issues in health-related quality of life assessment. Health Policy, 1988, 10, 217-230.	3.0	52
384	Subjective response criteria and quality of life. Progress in Clinical and Biological Research, 1988, 269, 261-73.	0.2	3
385	Evaluation of breast conserving therapy: clinical, methodological and psychosocial perspectives. European Journal of Surgical Oncology, 1988, 14, 133-40.	1.0	77
386	Prospects and Problems in European Psychosocial Oncology. Journal of Psychosocial Oncology, 1986, 4, 43-53.	1.2	11
387	Vindesine, cisplatin, and bleomycin combination chemotherapy in non-small cell lung cancer: survival and quality of life. European Journal of Cancer & Clinical Oncology, 1986, 22, 963-970.	0.7	29
388	Quality of life assessment in bladder cancer clinical trials: conceptual, methodological and practical issues. Progress in Clinical and Biological Research, 1986, 221, 149-70.	0.2	7
389	Reducing Access Barriers to the Use of Reading-Based Information. Knowledge, 1985, 6, 225-248.	0.6	2
390	Smoking cessation in pregnancy: A self-help approach. Addictive Behaviors, 1985, 10, 103-108.	3.0	22
391	Assessment of quality of life in clinical trials of cardiovascular therapies. Contemporary Clinical Trials, 1985, 6, 318-319.	1.9	0
392	Shaping Decisions with Reading-Based Information. Knowledge, 1983, 5, 41-55.	0.6	2
393	Evaluation and Outcome Research in Community Mental Health Centers. Evaluation Review, 1983, 7, 303-320.	1.0	4