

Charles Chapron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8415614/publications.pdf>

Version: 2024-02-01

74
papers

4,087
citations

126907

33
h-index

123424

61
g-index

82
all docs

82
docs citations

82
times ranked

3005
citing authors

#	ARTICLE	IF	CITATIONS
1	ART Outcomes After Hysteroscopic Proximal Tubal Occlusion Versus Laparoscopic Salpingectomy for Hydrosalpinx Management in Endometriosis Patients. <i>Reproductive Sciences</i> , 2022, 29, 427-435.	2.5	0
2	Endometriosis increases the rate of spontaneous early miscarriage in women who have adenomyosis lesions. <i>Reproductive BioMedicine Online</i> , 2022, 44, 104-111.	2.4	2
3	Low serum progesterone affects live birth rate in cryopreserved blastocyst transfer cycles using hormone replacement therapy. <i>Reproductive BioMedicine Online</i> , 2022, 44, 469-477.	2.4	8
4	Infertility in women with bowel endometriosis: first-line assisted reproductive technology results in satisfactory cumulative live-birth rates. <i>Fertility and Sterility</i> , 2021, 115, 692-701.	1.0	19
5	The freeze-all strategy after IVF: which indications?. <i>Reproductive BioMedicine Online</i> , 2021, 42, 529-545.	2.4	25
6	Immunological changes associated with adenomyosis: a systematic review. <i>Human Reproduction Update</i> , 2021, 27, 108-129.	10.8	59
7	Impact of Endometriosis on Life-Course Potential: A Narrative Review. <i>International Journal of General Medicine</i> , 2021, Volume 14, 9-25.	1.8	75
8	Imaging for evaluation of endometriosis and adenomyosis. <i>Minerva Obstetrics and Gynecology</i> , 2021, 73, 290-303.	1.0	13
9	Surgical Management of Urinary Tract Endometriosis: A 1-year Longitudinal Multicenter Pilot Study at 31 French Hospitals (by the FRIENDS Group). <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1889-1897.e1.	0.6	12
10	Adenomyosis is associated with specific proton nuclear magnetic resonance (1H-NMR) serum metabolic profiles. <i>Fertility and Sterility</i> , 2021, 116, 243-254.	1.0	7
11	Immune cells and Notch1 signaling appear to drive the epithelial to mesenchymal transition in the development of adenomyosis in mice. <i>Molecular Human Reproduction</i> , 2021, 27, .	2.8	12
12	Surgical management of endometriotic women with pregnancy intention in France: A national snapshot of centers performing a high volume of endometriosis procedures.. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 102130.	1.3	3
13	Adenomyosis: An update regarding its diagnosis and clinical features. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 102228.	1.3	35
14	Adenomyosis of the inner and outer myometrium are associated with different clinical profiles. <i>Human Reproduction</i> , 2021, 36, 349-357.	0.9	49
15	Migraine in relation with endometriosis phenotypes: Results from a French case-control study. <i>Cephalalgia</i> , 2020, 40, 606-613.	3.9	20
16	Focal adenomyosis is associated with primary infertility. <i>Fertility and Sterility</i> , 2020, 114, 1271-1277.	1.0	49
17	Focal adenomyosis of the outer myometrium and deep infiltrating endometriosis severity. <i>Fertility and Sterility</i> , 2020, 114, 818-827.	1.0	26
18	Progesterone receptor ligands for the treatment of endometriosis: the mechanisms behind therapeutic success and failure. <i>Human Reproduction Update</i> , 2020, 26, 565-585.	10.8	79

#	ARTICLE	IF	CITATIONS
19	Diagnosing adenomyosis: an integrated clinical and imaging approach. <i>Human Reproduction Update</i> , 2020, 26, 392-411.	10.8	205
20	High Levels of Anti-GM-CSF Antibodies in Deep Infiltrating Endometriosis. <i>Reproductive Sciences</i> , 2020, 27, 211-217.	2.5	9
21	Superficial Peritoneal Endometriosis: Clinical Characteristics of 203 Confirmed Cases and 1292 Endometriosis-Free Controls. <i>Reproductive Sciences</i> , 2020, 27, 309-315.	2.5	22
22	Deep Infiltrating Endometriosis: a Previous History of Surgery for Endometriosis May Negatively Affect Assisted Reproductive Technology Outcomes. <i>Reproductive Sciences</i> , 2020, 27, 545-554.	2.5	11
23	The Ovarian Response After Follicular Versus Luteal Phase Stimulation with a Double Stimulation Strategy. <i>Reproductive Sciences</i> , 2020, 27, 204-210.	2.5	15
24	B lymphocytes inactivation by Ibrutinib limits endometriosis progression in mice. <i>Human Reproduction</i> , 2019, 34, 1225-1234.	0.9	21
25	Clinical diagnosis of endometriosis: a call to action. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 354.e1-354.e12.	1.3	362
26	The Disease Phenotype of Adenomyosis-Affected Women Correlates With Specific Serum Cytokine Profiles. <i>Reproductive Sciences</i> , 2019, 26, 198-206.	2.5	13
27	Prolonged estrogen (E2) treatment prior to frozen-blastocyst transfer decreases the live birth rate. <i>Human Reproduction</i> , 2018, 33, 905-913.	0.9	43
28	Anterior Focal Adenomyosis and Bladder Deep Infiltrating Endometriosis: Is There a Link?. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 896-901.	0.6	33
29	Immunology of endometriosis. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2018, 50, 39-49.	2.8	164
30	Ovarian endometriosis and infertility: in vitro fertilization (IVF) or surgery as the first approach?. <i>Fertility and Sterility</i> , 2018, 110, 1218-1226.	1.0	36
31	Leiomyomatous uterus and preterm birth: an exposed/unexposed monocentric cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 410.e1-410.e7.	1.3	23
32	Oligo-anovulation is not a rarer feature in women with documented endometriosis. <i>Fertility and Sterility</i> , 2018, 110, 941-948.	1.0	10
33	The interval between oocyte retrieval and frozen-thawed blastocyst transfer does not affect the live birth rate and obstetrical outcomes. <i>PLoS ONE</i> , 2018, 13, e0206067.	2.5	19
34	Endometriosis and ART: A prior history of surgery for OMA is associated with a poor ovarian response to hyperstimulation. <i>PLoS ONE</i> , 2018, 13, e0202399.	2.5	29
35	Dysregulation of the ADAM17/Notch signalling pathways in endometriosis: from oxidative stress to fibrosis. <i>Molecular Human Reproduction</i> , 2017, 23, 488-499.	2.8	58
36	Alteration of Nrf2 and Glutamate Cysteine Ligase expression contribute to lesions growth and fibrogenesis in ectopic endometriosis. <i>Free Radical Biology and Medicine</i> , 2017, 110, 1-10.	2.9	30

#	ARTICLE	IF	CITATIONS
37	Prognostic factors for assisted reproductive technology in women with endometriosis-related infertility. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 280.e1-280.e9.	1.3	68
38	Relationship between the magnetic resonance imaging appearance of adenomyosis and endometriosis phenotypes. <i>Human Reproduction</i> , 2017, 32, 1393-1401.	0.9	184
39	Does GnRH Agonist Triggering Control Painful Symptom Scores During Assisted Reproductive Technology? A Retrospective Study. <i>Reproductive Sciences</i> , 2017, 24, 1325-1333.	2.5	10
40	Assisted reproduction technique outcomes for fresh versus deferred cryopreserved day-2 embryo transfer: a retrospective matched cohort study. <i>Reproductive BioMedicine Online</i> , 2017, 34, 248-257.	2.4	13
41	The role of the B lymphocytes in endometriosis: A systematic review. <i>Journal of Reproductive Immunology</i> , 2017, 123, 29-34.	1.9	35
42	Pathogenesis of adenomyosis: an update on molecular mechanisms. <i>Reproductive BioMedicine Online</i> , 2017, 35, 592-601.	2.4	199
43	Serum Osteopontin Levels Are Decreased in Focal Adenomyosis. <i>Reproductive Sciences</i> , 2017, 24, 773-782.	2.5	14
44	Risks of tubo-ovarian abscess in cases of endometrioma and assisted reproductive technologies are both under- and overreported. <i>Fertility and Sterility</i> , 2016, 106, 410-415.	1.0	42
45	Role of the protein kinase BRAF in the pathogenesis of endometriosis. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 1017-1029.	3.4	9
46	Consensus on Recording Deep Endometriosis Surgery: the CORDES statement. <i>Human Reproduction</i> , 2016, 31, 1219-1223.	0.9	47
47	Urocortin and corticotrophin-releasing hormone receptor type 2 mRNA are highly expressed in deep infiltrating endometriotic lesions. <i>Reproductive BioMedicine Online</i> , 2016, 33, 476-483.	2.4	24
48	Surgical treatment: Myomectomy and hysterectomy; Endoscopy: A major advancement. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016, 34, 104-121.	2.8	23
49	Different Expression of Hypoxic and Angiogenic Factors in Human Endometriotic Lesions. <i>Reproductive Sciences</i> , 2016, 23, 492-497.	2.5	41
50	Endometriosis-related infertility: assisted reproductive technology has no adverse impact on pain or quality-of-life scores. <i>Fertility and Sterility</i> , 2016, 105, 978-987.e4.	1.0	60
51	Correlation Between the Clinical Parameters and Tissue Phenotype in Patients Affected by Deep-Infiltrating Endometriosis. <i>Reproductive Sciences</i> , 2016, 23, 1258-1268.	2.5	7
52	Increased rate of spontaneous miscarriages in endometriosis-affected women. <i>Human Reproduction</i> , 2016, 31, 1014-1023.	0.9	56
53	The Pain and Daily Consequences of Living with Endometriosis: A Qualitative Online Survey of Women in China, France and Russia. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 2015, 7, 89-94.	0.5	13
54	Increased Serum Cancer Antigen-125 Is a Marker for Severity of Deep Endometriosis. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 275-284.	0.6	31

#	ARTICLE	IF	CITATIONS
55	Deep endometriosis infiltrating the recto-sigmoid: critical factors to consider before management. Human Reproduction Update, 2015, 21, 329-339.	10.8	290
56	Inhibition of MAPK and VEGFR by Sorafenib Controls the Progression of Endometriosis. Reproductive Sciences, 2015, 22, 1171-1180.	2.5	28
57	Pathogenetic Mechanisms of Deep Infiltrating Endometriosis. Reproductive Sciences, 2015, 22, 1053-1059.	2.5	168
58	Activation of the MAPK/ERK Cell-Signaling Pathway in Uterine Smooth Muscle Cells of Women With Adenomyosis. Reproductive Sciences, 2015, 22, 1549-1560.	2.5	29
59	MAP kinases and the inflammatory signaling cascade as targets for the treatment of endometriosis?. Expert Opinion on Therapeutic Targets, 2015, 19, 1465-1483.	3.4	48
60	Protein oxidative stress markers in peritoneal fluids of women with deep infiltrating endometriosis are increased. Human Reproduction, 2015, 30, 49-60.	0.9	97
61	Fusion imaging for evaluation of deep infiltrating endometriosis: feasibility and preliminary results. Ultrasound in Obstetrics and Gynecology, 2015, 46, 109-117.	1.7	41
62	Soluble Ligands for the NKG2D Receptor Are Released during Endometriosis and Correlate with Disease Severity. PLoS ONE, 2015, 10, e0119961.	2.5	26
63	FOXL2 in Human Endometrium. Reproductive Sciences, 2014, 21, 1249-1255.	2.5	22
64	Dual ovarian stimulation is a new viable option for enhancing the oocyte yield when the time for assisted reproductive technology is limited. Reproductive BioMedicine Online, 2014, 29, 659-661.	2.4	45
65	Measurement of hs-CRP is irrelevant to diagnose and stage endometriosis: prospective study of 834 patients. American Journal of Obstetrics and Gynecology, 2014, 210, 533.e1-533.e10.	1.3	14
66	Role of the CXCL12/CXCR4 axis in the development of deep rectal endometriosis. Journal of Reproductive Immunology, 2014, 103, 45-52.	1.9	37
67	A clinical score can predict associated deep infiltrating endometriosis before surgery for an endometrioma. Human Reproduction, 2014, 29, 1666-1676.	0.9	47
68	The Place of Gonadotropin-Releasing Hormone Agonists in the Management of Endometriosis. Journal of Endometriosis and Pelvic Pain Disorders, 2014, 6, 1-11.	0.5	4
69	Interleukin-19 and interleukin-22 serum levels are decreased in patients with ovarian endometrioma. Fertility and Sterility, 2013, 99, 219-226.e2.	1.0	25
70	Ovarian endometrioma: severe pelvic pain is associated with deeply infiltrating endometriosis. Human Reproduction, 2012, 27, 702-711.	0.9	111
71	Oral contraceptives and endometriosis: the past use of oral contraceptives for treating severe primary dysmenorrhea is associated with endometriosis, especially deep infiltrating endometriosis. Human Reproduction, 2011, 26, 2028-2035.	0.9	124
72	Surgery for bladder endometriosis: long-term results and concomitant management of associated posterior deep lesions. Human Reproduction, 2010, 25, 884-889.	0.9	165

#	ARTICLE	IF	CITATIONS
73	Severe ureteral endometriosis: the intrinsic type is not so rare after complete surgical exeresis of deep endometriotic lesions. Fertility and Sterility, 2010, 93, 2115-2120.	1.0	67
74	Magnetic resonance imaging characteristics of deep endometriosis. Human Reproduction, 1999, 14, 1080-1086.	0.9	209