

Justin G A Whitehill

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8415917/publications.pdf>

Version: 2024-02-01

22
papers

697
citations

623734

14
h-index

677142

22
g-index

22
all docs

22
docs citations

22
times ranked

858
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The genome of the forest insect pest <i>Pissodes strobi</i> reveals genome expansion and evidence of a <i>Wolbachia</i> endosymbiont. <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, . | 1.8 | 4 |
| 2 | Spruce <i>giga</i> genomes: structurally similar yet distinctive with differentially expanding gene families and rapidly evolving genes. <i>Plant Journal</i> , 2022, 111, 1469-1485. | 5.7 | 17 |
| 3 | Constitutive and insect-induced transcriptomes of weevil-resistant and susceptible Sitka spruce. <i>Plant-Environment Interactions</i> , 2021, 2, 137-147. | 1.5 | 7 |
| 4 | Gymnosperm glandular trichomes: expanded dimensions of the conifer terpenoid defense system. <i>Scientific Reports</i> , 2020, 10, 12464. | 3.3 | 8 |
| 5 | A molecular and genomic reference system for conifer defence against insects. <i>Plant, Cell and Environment</i> , 2019, 42, 2844-2859. | 5.7 | 17 |
| 6 | Functions of stone cells and oleoresin terpenes in the conifer defense syndrome. <i>New Phytologist</i> , 2019, 221, 1503-1517. | 7.3 | 30 |
| 7 | Histology of resin vesicles and oleoresin terpene composition of conifer seeds. <i>Canadian Journal of Forest Research</i> , 2018, 48, 1073-1084. | 1.7 | 5 |
| 8 | Progress and gaps in understanding mechanisms of ash tree resistance to emerald ash borer, a model for wood-boring insects that kill angiosperms. <i>New Phytologist</i> , 2016, 209, 63-79. | 7.3 | 74 |
| 9 | Function of Sitka spruce stone cells as a physical defence against white pine weevil. <i>Plant, Cell and Environment</i> , 2016, 39, 2545-2556. | 5.7 | 21 |
| 10 | Histology and cell wall biochemistry of stone cells in the physical defence of conifers against insects. <i>Plant, Cell and Environment</i> , 2016, 39, 1646-1661. | 5.7 | 33 |
| 11 | Effects of water availability on emerald ash borer larval performance and phloem phenolics of Manchurian and black ash. <i>Plant, Cell and Environment</i> , 2014, 37, 1009-1021. | 5.7 | 41 |
| 12 | Reserves Accumulated in Non-Photosynthetic Organs during the Previous Growing Season Drive Plant Defenses and Growth in Aspen in the Subsequent Growing Season. <i>Journal of Chemical Ecology</i> , 2014, 40, 21-30. | 1.8 | 24 |
| 13 | Decreased emergence of emerald ash borer from ash treated with methyl jasmonate is associated with induction of general defense traits and the toxic phenolic compound verbascoside. <i>Oecologia</i> , 2014, 176, 1047-1059. | 2.0 | 35 |
| 14 | The <i>Pseudomonas syringae</i> pv. tomato Type III Effector HopM1 Suppresses Arabidopsis Defenses Independent of Suppressing Salicylic Acid Signaling and of Targeting AtMIN7. <i>PLoS ONE</i> , 2013, 8, e82032. | 2.5 | 22 |
| 15 | Nutritional attributes of ash (<i>Fraxinus</i> spp.) outer bark and phloem and their relationships to resistance against the emerald ash borer. <i>Tree Physiology</i> , 2012, 32, 1522-1532. | 3.1 | 10 |
| 16 | The U-Box/ARM E3 Ligase PUB13 Regulates Cell Death, Defense, and Flowering Time in Arabidopsis. <i>Plant Physiology</i> , 2012, 159, 239-250. | 4.8 | 129 |
| 17 | Interspecific Comparison of Constitutive Ash Phloem Phenolic Chemistry Reveals Compounds Unique to Manchurian Ash, a Species Resistant to Emerald Ash Borer. <i>Journal of Chemical Ecology</i> , 2012, 38, 499-511. | 1.8 | 66 |
| 18 | Interspecific Proteomic Comparisons Reveal Ash Phloem Genes Potentially Involved in Constitutive Resistance to the Emerald Ash Borer. <i>PLoS ONE</i> , 2011, 6, e24863. | 2.5 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Feeding by emerald ash borer larvae induces systemic changes in black ash foliar chemistry. <i>Phytochemistry</i> , 2011, 72, 1990-1998. | 2.9 | 13 |
| 20 | Differential Response in Foliar Chemistry of Three Ash Species to Emerald Ash Borer Adult Feeding. <i>Journal of Chemical Ecology</i> , 2011, 37, 29-39. | 1.8 | 22 |
| 21 | Distinguishing Defensive Characteristics in the Phloem of Ash Species Resistant and Susceptible to Emerald Ash Borer. <i>Journal of Chemical Ecology</i> , 2011, 37, 450-459. | 1.8 | 62 |
| 22 | <i>Ips pini</i> (Curculionidae: Scolytinae) Is a Vector of the Fungal Pathogen, <i>Sphaeropsis sapinea</i> (Coelomycetes), to Austrian Pines, <i>Pinus nigra</i> (Pinaceae). <i>Environmental Entomology</i> , 2007, 36, 114-120. | 1.4 | 23 |