

Michael Wagner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8421067/publications.pdf>

Version: 2024-02-01

468
papers

26,338
citations

7096

78
h-index

11052

137
g-index

515
all docs

515
docs citations

515
times ranked

26856
citing authors

#	ARTICLE	IF	CITATIONS
1	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, 844-852.	0.8	1,863
2	Oxytocin Enhances Amygdala-Dependent, Socially Reinforced Learning and Emotional Empathy in Humans. <i>Journal of Neuroscience</i> , 2010, 30, 4999-5007.	3.6	712
3	New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	21.4	700
4	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , The, 2020, 19, 271-278.	10.2	627
5	Prediction of Dementia by Subjective Memory Impairment<sub>title>Effects of Severity and Temporal Association With Cognitive Impairment</sub><alt-title>Dementia and Subjective Memory Impairment</alt-title>. <i>Archives of General Psychiatry</i> , 2010, 67, 414.	12.3	559
6	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	12.8	484
7	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 76-83.	0.8	414
8	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 304-319.	2.1	393
9	Linear and Nonlinear Current Density Reconstructions. <i>Journal of Clinical Neurophysiology</i> , 1999, 16, 267-295.	1.7	390
10	Implementation of subjective cognitive decline criteria in research studies. <i>Alzheimer's and Dementia</i> , 2017, 13, 296-311.	0.8	375
11	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86.	2.6	317
12	Genome-wide association study of obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 788-798.	7.9	312
13	An improved boundary element method for realistic volume-conductor modeling. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 980-997.	4.2	283
14	Prediction of Psychosis by Mismatch Negativity. <i>Biological Psychiatry</i> , 2011, 69, 959-966.	1.3	273
15	Interrogating the Genetic Determinants of Tourette's Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. <i>American Journal of Psychiatry</i> , 2019, 176, 217-227.	7.2	242
16	Improvement of cognitive functions in chronic schizophrenic patients by recombinant human erythropoietin. <i>Molecular Psychiatry</i> , 2007, 12, 206-220.	7.9	241
17	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. <i>PLoS Genetics</i> , 2013, 9, e1003864.	3.5	241
18	Glucose metabolism, gray matter structure, and memory decline in subjective memory impairment. <i>Neurology</i> , 2012, 79, 1332-1339.	1.1	235

#	ARTICLE	IF	CITATIONS
19	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.8	232
20	Improving source reconstructions by combining bioelectric and biomagnetic data. <i>Electroencephalography and Clinical Neurophysiology</i> , 1998, 107, 93-111.	0.3	208
21	Genetics, Cognition, and Neurobiology of Schizotypal Personality: A Review of the Overlap with Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 18.	2.6	208
22	Preventing progression to first-episode psychosis in early initial prodromal states. <i>British Journal of Psychiatry</i> , 2012, 200, 22-29.	2.8	196
23	Evaluation of sLORETA in the Presence of Noise and Multiple Sources. <i>Brain Topography</i> , 2003, 16, 277-280.	1.8	188
24	Migration and marriage in the life course: a method for studying synchronized events. <i>European Journal of Population</i> , 1993, 9, 55-76.	2.0	185
25	Early detection and secondary prevention of psychosis: facts and visions*. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 117-128.	3.2	183
26	Impaired Prepulse Inhibition of Acoustic Startle in Obsessive-Compulsive Disorder. <i>Biological Psychiatry</i> , 2005, 57, 1153-1158.	1.3	175
27	Executive performance of depressed suicide attempters: the role of suicidal ideation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 414-421.	3.2	173
28	Genome-wide association study of Tourette's syndrome. <i>Molecular Psychiatry</i> , 2013, 18, 721-728.	7.9	161
29	Generators of the intracranial P50 response in auditory sensory gating. <i>NeuroImage</i> , 2007, 35, 814-826.	4.2	159
30	Volume Loss of the Medial Temporal Lobe Structures in Subjective Memory Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 75-81.	1.5	152
31	Neural correlates of working memory dysfunction in first-episode schizophrenia patients: An fMRI multi-center study. <i>Schizophrenia Research</i> , 2007, 89, 198-210.	2.0	148
32	On the Variation of Divorce Risks in Europe: Findings from a Meta-Analysis of European Longitudinal Studies. <i>European Sociological Review</i> , 2006, 22, 483-500.	2.3	147
33	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 707-722.	0.8	143
34	Biomarker validation of a cued recall memory deficit in prodromal Alzheimer disease. <i>Neurology</i> , 2012, 78, 379-386.	1.1	141
35	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	12.8	140
36	Impact of SSRI Therapy on Risk of Conversion From Mild Cognitive Impairment to Alzheimer's Dementia in Individuals With Previous Depression. <i>American Journal of Psychiatry</i> , 2018, 175, 232-241.	7.2	133

#	ARTICLE	IF	CITATIONS
37	Impaired Sensorimotor Gating of the Acoustic Startle Response in the Prodrome of Schizophrenia. <i>Biological Psychiatry</i> , 2008, 64, 766-773.	1.3	132
38	Design and first baseline data of the DZNE multicenter observational study on predementia Alzheimer's disease (DELCODE). <i>Alzheimer's Research and Therapy</i> , 2018, 10, 15.	6.2	131
39	Gray matter atrophy pattern in elderly with subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 99-108.	0.8	129
40	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	2.5	128
41	Fecal markers of inflammation used as surrogate markers for treatment outcome in relapsing inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2008, 14, 5584.	3.3	128
42	Schizophrenia and bipolar disorder: differences and overlaps. <i>Current Opinion in Psychiatry</i> , 2006, 19, 165-170.	6.3	127
43	Evidence of Neuronal Compensation During Episodic Memory in Subjective Memory Impairment. <i>Archives of General Psychiatry</i> , 2011, 68, 845.	12.3	126
44	Cerebrospinal fluid cortisol and clinical disease progression in MCI and dementia of Alzheimer's type. <i>Neurobiology of Aging</i> , 2015, 36, 601-607.	3.1	125
45	Neuropsychological Profiles in Different At-Risk States of Psychosis: Executive Control Impairment in the Early and Additional Memory Dysfunction in the Late Prodromal State. <i>Schizophrenia Bulletin</i> , 2011, 37, 861-873.	4.3	124
46	Acute effects of treatment for prodromal symptoms for people putatively in a late initial prodromal state of psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s88-s95.	2.8	122
47	Protocols for disease classification from mass spectrometry data. <i>Proteomics</i> , 2003, 3, 1692-1698.	2.2	120
48	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Tourette Syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015, 172, 82-93.	7.2	117
49	Psychoeducation and Compliance in the Treatment of Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 443-452.	2.2	117
50	Impulsiveness in obsessive-compulsive disorder: results from a family study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 41-47.	4.5	116
51	Prediction of Dementia in Primary Care Patients. <i>PLoS ONE</i> , 2011, 6, e16852.	2.5	116
52	Impaired sleep quality and sleep duration in smokers' results from the German multicenter S study on Nicotine Dependence. <i>Addiction Biology</i> , 2014, 19, 486-496.	2.6	116
53	Prepulse Inhibition and Habituation of Acoustic Startle Response in Male MDMA (Ecstasy) Users, Cannabis Users, and Healthy Controls. <i>Neuropsychopharmacology</i> , 2004, 29, 982-990.	5.4	111
54	Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 910-919.	0.5	111

#	ARTICLE	IF	CITATIONS
55	Twelve-months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults – Mental Health Module (DEGS1-MH): a methodological addendum and correction. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 305-313.	2.1	110
56	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205.	2.4	110
57	Elevated impulsivity and impaired decision-making cognition in heavy users of MDMA (‘Ecstasy’). <i>Psychopharmacology</i> , 2006, 189, 517-530.	3.1	108
58	Risk factors for incident mild cognitive impairment – results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 260-272.	4.5	107
59	Memory deficits in abstinent MDMA (ecstasy) users: neuropsychological evidence of frontal dysfunction. <i>Journal of Psychopharmacology</i> , 2006, 20, 373-384.	4.0	106
60	SLICE: determining cell differentiation and lineage based on single cell entropy. <i>Nucleic Acids Research</i> , 2017, 45, gkw1278.	14.5	102
61	Genome-wide significant risk factors for Alzheimer’s disease: role in progression to dementia due to Alzheimer’s disease among subjects with mild cognitive impairment. <i>Molecular Psychiatry</i> , 2017, 22, 153-160.	7.9	102
62	Linear Regression Models for Solvent Accessibility Prediction in Proteins. <i>Journal of Computational Biology</i> , 2005, 12, 355-369.	1.6	100
63	Anticholinergic drug use and risk for dementia: target for dementia prevention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 111-115.	3.2	99
64	Sensorimotor Gating and Habituation of the Startle Response in Schizophrenic Patients Randomly Treated With Amisulpride or Olanzapine. <i>Biological Psychiatry</i> , 2006, 59, 536-545.	1.3	98
65	Distinctive neurocognitive effects of repetitive transcranial magnetic stimulation and electroconvulsive therapy in major depression. <i>British Journal of Psychiatry</i> , 2005, 186, 410-416.	2.8	97
66	KIBRA gene variants are associated with episodic memory in healthy elderly. <i>Neurobiology of Aging</i> , 2008, 29, 1123-1125.	3.1	97
67	High neuroticism and depressive temperament are associated with dysfunctional regulation of the hypothalamic–pituitary–adrenocortical system in healthy volunteers. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 392-399.	4.5	95
68	Spatiotemporal dynamics of audiovisual speech processing. <i>NeuroImage</i> , 2008, 39, 423-435.	4.2	95
69	Sensorimotor Gating Depends on Polymorphisms of the Serotonin-2A Receptor and Catechol-O-Methyltransferase, but Not on Neuregulin-1 Arg38Gln Genotype: A Replication Study. <i>Biological Psychiatry</i> , 2009, 66, 614-620.	1.3	93
70	Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>Psychological Medicine</i> , 2013, 43, 1597-1610.	4.5	91
71	Sleep Deprivation Disrupts Prepulse Inhibition and Induces Psychosis-Like Symptoms in Healthy Humans. <i>Journal of Neuroscience</i> , 2014, 34, 9134-9140.	3.6	89
72	Alzheimer’s disease-associated (hydroxy)methylomic changes in the brain and blood. <i>Clinical Epigenetics</i> , 2019, 11, 164.	4.1	88

#	ARTICLE	IF	CITATIONS
73	A nonsynonymous mutation in <i>PLCG2</i> reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. <i>Acta Neuropathologica</i> , 2019, 138, 237-250.	7.7	87
74	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 83-99.	2.1	86
75	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. <i>Neuron</i> , 2014, 81, 1203-1213.	8.1	86
76	The Schizophrenia Risk Allele C of the <i>TCF4</i> rs9960767 Polymorphism Disrupts Sensorimotor Gating in Schizophrenia Spectrum and Healthy Volunteers. <i>Journal of Neuroscience</i> , 2011, 31, 6684-6691.	3.6	85
77	Familiality of Obsessive-Compulsive Disorder in Nonclinical and Clinical Subjects. <i>American Journal of Psychiatry</i> , 2006, 163, 1986-1992.	7.2	83
78	Amygdala control of emotion-induced forgetting and remembering: Evidence from Urbach-Wiethe disease. <i>Neuropsychologia</i> , 2007, 45, 877-884.	1.6	83
79	Auditory P300 in individuals clinically at risk for psychosis. <i>International Journal of Psychophysiology</i> , 2008, 70, 192-205.	1.0	83
80	Left frontal hub connectivity delays cognitive impairment in autosomal-dominant and sporadic Alzheimer's disease. <i>Brain</i> , 2018, 141, 1186-1200.	7.6	83
81	Cognitive Trajectory After Transcatheter Aortic Valve Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2013, 6, 615-624.	3.9	82
82	Error-related brain activity as a transdiagnostic endophenotype for obsessive-compulsive disorder, anxiety and substance use disorder. <i>Psychological Medicine</i> , 2019, 49, 1207-1217.	4.5	81
83	Probing the nature of the CNV. <i>Electroencephalography and Clinical Neurophysiology</i> , 1993, 87, 235-241.	0.3	80
84	5-HT _{2A} receptor density is decreased in the at-risk mental state. <i>Psychopharmacology</i> , 2007, 195, 579-590.	3.1	80
85	Computational protein biomarker prediction: a case study for prostate cancer. <i>BMC Bioinformatics</i> , 2004, 5, 26.	2.6	79
86	The precuneus and the insula in self-attributional processes. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2013, 13, 330-345.	2.0	78
87	Delayed peak latency of the mismatch negativity in schizophrenics and alcoholics. <i>Biological Psychiatry</i> , 1995, 37, 754-757.	1.3	77
88	Enhanced Expression of the Type II Transforming Growth Factor- β Receptor Is Associated with Decreased Survival in Human Pancreatic Cancer. <i>Pancreas</i> , 1999, 19, 370-376.	1.1	76
89	Cognitive Improvement in Schizophrenic Patients does not Require a Serotonergic Mechanism: Randomized Controlled Trial of Olanzapine vs Amisulpride. <i>Neuropsychopharmacology</i> , 2005, 30, 381-390.	5.4	75
90	Proton magnetic resonance spectroscopy in subjects at risk for schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 81-88.	2.0	74

#	ARTICLE	IF	CITATIONS
91	Cerebrospinal Fluid Biomarkers and Clinical Progression in Patients with Subjective Cognitive Decline and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 939-950.	2.6	74
92	Which features of subjective cognitive decline are related to amyloid pathology? Findings from the DELCODE study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 66.	6.2	74
93	Sensorimotor Gating of Schizophrenia Patients Is Influenced by 5-HT2A Receptor Polymorphisms. <i>Biological Psychiatry</i> , 2008, 64, 434-437.	1.3	72
94	The influence of baseline symptoms and insight on the therapeutic alliance early in the treatment of schizophrenia. <i>European Psychiatry</i> , 2009, 24, 259-267.	0.2	72
95	Sensorimotor Gating is Associated with CHRNA3 Polymorphisms in Schizophrenia and Healthy Volunteers. <i>Neuropsychopharmacology</i> , 2010, 35, 1429-1439.	5.4	72
96	Mediterranean Diet, Alzheimer Disease Biomarkers, and Brain Atrophy in Old Age. <i>Neurology</i> , 2021, 96, .	1.1	72
97	Improvement of working but not declarative memory is correlated with HPA normalization during antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2004, 38, 377-383.	3.1	71
98	Interrelated neuropsychological and anatomical evidence of hippocampal pathology in the at-risk mental state. <i>Psychological Medicine</i> , 2008, 38, 843-851.	4.5	71
99	Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. <i>Psychological Medicine</i> , 2014, 44, 1319-1329.	4.5	71
100	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1135-1146.	2.6	70
101	Clinical high risk for psychosis: the association between momentary stress, affective and psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 63-73.	4.5	70
102	Rationale and Baseline Characteristics of PREVENT: A Second-Generation Intervention Trial in Subjects At-Risk (Prodromal) of Developing First-Episode Psychosis Evaluating Cognitive Behavior Therapy, Aripiprazole, and Placebo for the Prevention of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, S111-S121.	4.3	69
103	Reduced subjective quality of life in persons at risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 357-368.	4.5	68
104	Role of Vitamin D in Preventing and Treating Selected Extraskeletal Diseases—An Umbrella Review. <i>Nutrients</i> , 2020, 12, 969.	4.1	67
105	Cortical Thinning in Individuals with Subjective Memory Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 139-146.	2.6	66
106	Higher CSF Tau Levels Are Related to Hippocampal Hyperactivity and Object Mnemonic Discrimination in Older Adults. <i>Journal of Neuroscience</i> , 2019, 39, 8788-8797.	3.6	64
107	Transfection of the type I TGF- β 2 receptor restores TGF- β 2 responsiveness in pancreatic cancer. , 1998, 78, 255-260.		63
108	N-Acetylaspartylglutamate (NAAG) and N-Acetylaspartate (NAA) in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 197-205.	4.3	63

#	ARTICLE	IF	CITATIONS
109	Executive and visuospatial deficits in patients with chronic progressive external ophthalmoplegia and Kearns-Sayre syndrome. <i>Brain</i> , 2003, 126, 1231-1240.	7.6	61
110	The BDNFVal66Met SNP modulates the association between beta-amyloid and hippocampal disconnection in Alzheimer's disease. <i>Molecular Psychiatry</i> , 2021, 26, 614-628.	7.9	61
111	Neurophysiological Correlates of Impaired Facial Affect Recognition in Individuals at Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1021-1029.	4.3	60
112	Schizophrenia risk polymorphisms in the <i>TCF4</i> gene interact with smoking in the modulation of auditory sensory gating. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6271-6276.	7.1	60
113	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	4.3	60
114	Disturbed frontal gyrification within families affected with schizophrenia. <i>Journal of Psychiatric Research</i> , 2007, 41, 805-813.	3.1	59
115	Cognitive subtypes of probable Alzheimer's disease robustly identified in four cohorts. <i>Alzheimer's and Dementia</i> , 2017, 13, 1226-1236.	0.8	59
116	Harm avoidance in subjects with obsessive-compulsive disorder and their families. <i>Journal of Affective Disorders</i> , 2008, 107, 265-269.	4.1	58
117	Incremental value of biomarker combinations to predict progression of mild cognitive impairment to Alzheimer's dementia. <i>Alzheimer's Research and Therapy</i> , 2017, 9, 84.	6.2	58
118	Minor neuropsychological deficits in patients with subjective cognitive decline. <i>Neurology</i> , 2020, 95, e1134-e1143.	1.1	58
119	Interventions in the initial prodromal states of psychosis in Germany: concept and recruitment. <i>British Journal of Psychiatry</i> , 2005, 187, s45-s48.	2.8	57
120	Cognitive-behavioral therapy in the pre-psychotic phase: An exploratory study. <i>Psychiatry Research</i> , 2005, 136, 251-255.	3.3	57
121	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	4.1	57
122	Repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex affects divided attention immediately after cessation of stimulation. <i>Journal of Psychiatric Research</i> , 2006, 40, 315-321.	3.1	56
123	Sensorimotor Gating of Schizophrenia Patients Depends on Catechol O-Methyltransferase Val158Met Polymorphism. <i>Schizophrenia Bulletin</i> , 2010, 36, 341-346.	4.3	56
124	The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1017-1028.	1.2	56
125	Quality of life of the very old. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018, 51, 193-199.	1.8	55
126	Randomized controlled multicentre trial of cognitive behaviour therapy in the early initial prodromal state: effects on social adjustment post treatment. <i>Microbial Biotechnology</i> , 2007, 1, 71-78.	1.7	54

#	ARTICLE	IF	CITATIONS
127	Neuropsychological impairments predict the clinical course in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 28-34.	3.2	54
128	Clinical high risk for psychosis: gender differences in symptoms and social functioning. <i>Microbial Biotechnology</i> , 2017, 11, 306-313.	1.7	54
129	Interaction effects of subjective memory impairment and ApoE4 genotype on episodic memory and hippocampal volume. <i>Psychological Medicine</i> , 2011, 41, 1997-2006.	4.5	52
130	Neurocognitive impairments in non-deprived smokers-results from a population-based multi-center study on smoking-related behavior. <i>Addiction Biology</i> , 2013, 18, 752-761.	2.6	52
131	Integrating evolutionary and regulatory information with a multispecies approach implicates genes and pathways in obsessive-compulsive disorder. <i>Nature Communications</i> , 2017, 8, 774.	12.8	52
132	Functional serotonin 1A receptor variant influences treatment response to atypical antipsychotics in schizophrenia. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 91-94.	1.5	51
133	The struggle to find reliable results in exome sequencing data: filtering out Mendelian errors. <i>Frontiers in Genetics</i> , 2014, 5, 16.	2.3	51
134	Assessing cognitive changes in the elderly: Reliable Change Indices for the Mini-Mental State Examination. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 208-218.	4.5	50
135	Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 872-881.	0.8	50
136	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. <i>Biological Psychiatry</i> , 2006, 60, 202-203.	1.3	49
137	Alexithymia in Obsessive-Compulsive Disorder – Results from a Family Study. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 312-318.	8.8	48
138	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 140.	2.4	48
139	Further evidence for a functional role of the glutamate receptor gene GRM3 in schizophrenia. <i>European Neuropsychopharmacology</i> , 2008, 18, 768-772.	0.7	47
140	A promoter variant of SHANK1 affects auditory working memory in schizophrenia patients and in subjects clinically at risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 117-124.	3.2	47
141	Characterization of SLITRK1 Variation in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2013, 8, e70376.	2.5	47
142	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005, 10, 1059-1061.	7.9	46
143	Neuropsychological performance in partly remitted unipolar depressive patients: focus on executive functioning. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 389-395.	3.2	46
144	Why Do Bad Things Happen to Me? Attributional Style, Depressed Mood, and Persecutory Delusions in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1338-1346.	4.3	46

#	ARTICLE	IF	CITATIONS
145	Antisaccade performance in patients with obsessive-compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 625-634.	3.2	45
146	A variant of the neuronal amino acid transporter SLC6A15 is associated with ACTH and cortisol responses and cognitive performance in unipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 83-90.	2.1	45
147	Neuregulin-1 haplotype HAPICE is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members. <i>Journal of Psychiatric Research</i> , 2008, 43, 1-6.	3.1	44
148	Increased semantic and repetition priming in schizophrenic patients.. <i>Journal of Abnormal Psychology</i> , 2001, 110, 67-75.	1.9	43
149	Effects of serotonergic and noradrenergic antidepressants on auditory startle response in patients with major depression. <i>Psychopharmacology</i> , 2003, -1, 1-1.	3.1	43
150	CNV, PINV and probe-evoked potentials in schizophrenics. <i>Electroencephalography and Clinical Neurophysiology</i> , 1996, 98, 130-143.	0.3	42
151	Obsessive-compulsive symptoms in at-risk mental states for psychosis: associations with clinical impairment and cognitive function. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 214-226.	4.5	42
152	Subjective Cognitive Decline from a Phenomenological Perspective: A Review of the Qualitative Literature. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S125-S140.	2.6	42
153	Early onset of obsessive-compulsive disorder and associated comorbidity. <i>Depression and Anxiety</i> , 2009, 26, 1012-1017.	4.1	41
154	Memory Concerns, Memory Performance and Risk of Dementia in Patients with Mild Cognitive Impairment. <i>PLoS ONE</i> , 2014, 9, e100812.	2.5	41
155	Feature Binding Deficits in Subjective Cognitive Decline and in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S161-S170.	2.6	41
156	Subjective cognitive decline is related to CSF biomarkers of AD in patients with MCI. <i>Neurology</i> , 2015, 84, 1261-1268.	1.1	41
157	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
158	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	2.7	41
159	Normal prepulse inhibition and habituation of acoustic startle response in suicidal depressive patients without psychotic symptoms. <i>Journal of Affective Disorders</i> , 2006, 92, 299-303.	4.1	40
160	Reduction of the Internal Capsule in Families Affected with Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 65-71.	1.3	40
161	Clinical utility of distributed source modelling of interictal scalp EEG in focal epilepsy. <i>Clinical Neurophysiology</i> , 2010, 121, 1726-1739.	1.5	40
162	Novel Schizophrenia Risk Gene TCF4 Influences Verbal Learning and Memory Functioning in Schizophrenia Patients. <i>Neuropsychobiology</i> , 2011, 63, 131-136.	1.9	40

#	ARTICLE	IF	CITATIONS
163	Excess health care costs of late-life depression – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 199, 139-147.	4.1	40
164	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044.	7.7	40
165	Decreased prefrontal 5-HT2A receptor binding in subjects at enhanced risk for schizophrenia. <i>Anatomy and Embryology</i> , 2005, 210, 519-523.	1.5	39
166	Neural correlates of working memory deficits and associations to response inhibition in obsessive compulsive disorder. <i>NeuroImage: Clinical</i> , 2018, 17, 426-434.	2.7	39
167	Comparison of performance and metabolism from late pregnancy to early lactation in dairy cows with elevated v. normal body condition at dry-off. <i>Animal</i> , 2019, 13, 1478-1488.	3.3	38
168	Face-Name Associative Recognition Deficits in Subjective Cognitive Decline and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 1185-1196.	2.6	37
169	Differential sustained attention/vigilance changes over time in schizophrenics and controls during a degraded stimulus Continuous Performance Test. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000, 250, 24-30.	3.2	36
170	PCLO rs2522833 modulates HPA system response to antidepressant treatment in major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 237-245.	2.1	36
171	Progressive cognitive dysfunction in spinocerebellar ataxia type 3. <i>Movement Disorders</i> , 2013, 28, 1435-1438.	3.9	36
172	Modulation of auditory responses during oddball tasks. <i>Biological Psychology</i> , 1996, 43, 41-55.	2.2	35
173	Effects of Scopolamine on Matching to Sample Paradigm and Related Tests in Human Subjects. <i>Neuropsychobiology</i> , 2003, 48, 87-94.	1.9	35
174	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
175	Structural integrity in subjective cognitive decline, mild cognitive impairment and Alzheimer's disease based on multicenter diffusion tensor imaging. <i>Journal of Neurology</i> , 2019, 266, 2465-2474.	3.6	35
176	Subregional volume reduction of the cholinergic forebrain in subjective cognitive decline (SCD). <i>NeuroImage: Clinical</i> , 2019, 21, 101612.	2.7	35
177	The hippocampus in families with schizophrenia in relation to obstetric complications. <i>Schizophrenia Research</i> , 2008, 104, 71-78.	2.0	34
178	Obsessive-Compulsive Disorder and Posttraumatic Stress Disorder. <i>Psychopathology</i> , 2008, 41, 129-134.	1.5	34
179	A genome-wide survey of human short-term memory. <i>Molecular Psychiatry</i> , 2011, 16, 184-192.	7.9	34
180	Investigation of the role of rare TREM2 variants in frontotemporal dementia subtypes. <i>Neurobiology of Aging</i> , 2014, 35, 2657.e13-2657.e19.	3.1	34

#	ARTICLE	IF	CITATIONS
181	Reduced future-oriented decision making in individuals with subjective cognitive decline: A functional MRI study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 6, 222-231.	2.4	34
182	Prevalence of metabolic syndrome in female and male patients at risk of psychosis. <i>Schizophrenia Research</i> , 2017, 181, 38-42.	2.0	34
183	Physical exercise and cognitive function across the life span: Results of a nationwide population-based study. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 489-494.	1.3	34
184	The His452Tyr variant of the gene encoding the 5-HT2A receptor is specifically associated with consolidation of episodic memory in humans. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 1163.	2.1	33
185	Gene polymorphisms in prodynorphin (PDYN) are associated with episodic memory in the elderly. <i>Journal of Neural Transmission</i> , 2009, 116, 897-903.	2.8	33
186	DAOA/G72 predicts the progression of prodromal syndromes to first episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 209-215.	3.2	33
187	Perceived parental rearing in subjects with obsessive-compulsive disorder and their siblings. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 280-288.	4.5	33
188	The schizophrenia risk gene ZNF804A influences the antipsychotic response of positive schizophrenia symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 193-197.	3.2	33
189	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
190	Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117.	1.4	33
191	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440.	0.8	33
192	Event-related and motor responses to probes in a forewarned reaction time task in schizophrenic patients. <i>Schizophrenia Research</i> , 1994, 13, 23-34.	2.0	32
193	Verbal Memory Deficits Are Correlated with Prefrontal Hypometabolism in 18FDG PET of Recreational MDMA Users. <i>PLoS ONE</i> , 2013, 8, e61234.	2.5	32
194	Attenuated prefrontal activation during decision-making under uncertainty in schizophrenia: A multi-center fMRI study. <i>Schizophrenia Research</i> , 2014, 152, 176-183.	2.0	32
195	A peripheral epigenetic signature of immune system genes is linked to neocortical thickness and memory. <i>Nature Communications</i> , 2017, 8, 15193.	12.8	32
196	Further Evidence for Delayed Alternation Deficits in Obsessive-Compulsive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2001, 189, 562-564.	1.0	31
197	Evidence for specific cognitive deficits in visual information processing in patients with OCD compared to patients with unipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 984-991.	4.8	31
198	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 81-88.	1.5	31

#	ARTICLE	IF	CITATIONS
199	Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease.. <i>Psychology and Aging</i> , 2012, 27, 353-363.	1.6	31
200	Dietary patterns are related to cognitive functioning in elderly enriched with individuals at increased risk for Alzheimer's disease. <i>European Journal of Nutrition</i> , 2021, 60, 849-860.	3.9	31
201	Synaptic processes and immune-related pathways implicated in Tourette syndrome. <i>Translational Psychiatry</i> , 2021, 11, 56.	4.8	31
202	Influence of 5-HT3 receptor subunit genes HTR3A, HTR3B, HTR3C, HTR3D and HTR3E on treatment response to antipsychotics in schizophrenia. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 843-851.	1.5	30
203	Dipole Versus Distributed EEG Source Localization for Single Versus Averaged Spikes in Focal Epilepsy. <i>Journal of Clinical Neurophysiology</i> , 2010, 27, 141-162.	1.7	30
204	The P300 event-related potential and smoking " A population-based case-control study. <i>International Journal of Psychophysiology</i> , 2010, 77, 166-175.	1.0	30
205	Disentangling the complex relation of disability and depressive symptoms in old age " findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895.	1.0	30
206	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748.	3.9	30
207	Mind Diet Adherence and Cognitive Performance in the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 827-839.	2.6	30
208	Attenuation of the prepulse inhibition of the acoustic startle response within and between sessions. <i>Biological Psychology</i> , 2006, 71, 256-263.	2.2	29
209	Neuregulin 1 ICE-single nucleotide polymorphism in first episode schizophrenia correlates with cerebral activation in fronto-temporal areas. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 72-79.	3.2	29
210	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 84-97.	1.2	29
211	A hierarchy of predictors for dementia-free survival in old age: results of the AgeCoDe study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 63-72.	4.5	29
212	Harm avoidance and childhood adversities in patients with obsessive-compulsive disorder and their unaffected first-degree relatives. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 328-338.	4.5	29
213	Meta-analysis on the association between genetic polymorphisms and prepulse inhibition of the acoustic startle response. <i>Schizophrenia Research</i> , 2018, 198, 52-59.	2.0	29
214	Phospho serine and threonine analysis of normal and mutated granulocyte colony stimulating factor receptors. <i>Scientific Data</i> , 2019, 6, 21.	5.3	29
215	Non-response in surveys of very old people. <i>European Journal of Ageing</i> , 2019, 16, 249-258.	2.8	29
216	A microRNA signature that correlates with cognition and is a target against cognitive decline. <i>EMBO Molecular Medicine</i> , 2021, 13, e13659.	6.9	29

#	ARTICLE	IF	CITATIONS
217	Nicotine differentially modulates antisaccade performance in healthy male non-smoking volunteers stratified for low and high accuracy. <i>Psychopharmacology</i> , 2012, 221, 27-38.	3.1	28
218	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1469-1478.	2.6	28
219	Prognostic value of cerebral injury following transfemoral aortic valve implantation. <i>EuroIntervention</i> , 2013, 8, 1296-1306.	3.2	28
220	Different negative priming impairments in schizophrenia and subgroups of obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2002, 32, 459-468.	4.5	27
221	The effect of pictorial warnings on cigarette packages on attentional bias of smokers. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 292-298.	2.9	27
222	Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. <i>Scientific Reports</i> , 2017, 7, 9529.	3.3	27
223	A Novel Biomarker Panel to Identify Steroid Resistance in Childhood Idiopathic Nephrotic Syndrome. <i>Biomarker Insights</i> , 2017, 12, 117727191769583.	2.5	27
224	Soluble TAM receptors sAXL and sTyr03 predict structural and functional protection in Alzheimer's disease. <i>Neuron</i> , 2022, 110, 1009-1022.e4.	8.1	27
225	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	1.5	26
226	Does the Cognitive Dispute of Psychotic Symptoms do Harm to the Therapeutic Alliance?. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 478-485.	1.0	26
227	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: The POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010, 11, 123.	1.6	26
228	Spatial Mobility, Family Dynamics, and Housing Transitions. <i>Kolner Zeitschrift Fur Soziologie Und Sozialpsychologie</i> , 2015, 67, 111-135.	1.1	26
229	Impact of Noise on Nurses in Pediatric Intensive Care Units. <i>American Journal of Critical Care</i> , 2015, 24, 377-384.	1.6	26
230	CSF total tau levels are associated with hippocampal novelty irrespective of hippocampal volume. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 782-790.	2.4	26
231	SWARM: sLORETA-weighted accurate minimum norm inverse solutions. <i>International Congress Series</i> , 2007, 1300, 185-188.	0.2	25
232	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	2.6	25
233	Subjective cognitive decline and stage 2 of Alzheimer disease in patients from memory centers. <i>Alzheimer's and Dementia</i> , 2023, 19, 487-497.	0.8	25
234	Budesonide treatment of patients with collagenous colitis restores normal eosinophil and T-cell activity in the colon. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 1118-1126.	1.9	24

#	ARTICLE	IF	CITATIONS
235	P50 sensory gating and smoking in the general population. <i>Addiction Biology</i> , 2011, 16, 485-498.	2.6	24
236	Impact of TCF4 on the genetics of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 161-165.	3.2	24
237	Harmonizing neuropsychological assessment for mild neurocognitive disorders in Europe. <i>Alzheimer's and Dementia</i> , 2022, 18, 29-42.	0.8	24
238	Smooth reconstruction of cortical sources from EEG or MEG recordings. <i>NeuroImage</i> , 1996, 3, S168.	4.2	23
239	The German multi-centre study on smoking-related behavior—description of a population-based case-control study. <i>Addiction Biology</i> , 2011, 16, 638-653.	2.6	23
240	The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) is associated with schizophrenia and modulates verbal memory and the acoustic startle response. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1205-1215.	2.1	23
241	Sustained incentive value of heroin-related cues in short- and long-term abstinent heroin users. <i>European Neuropsychopharmacology</i> , 2013, 23, 1270-1279.	0.7	23
242	5-HT ₃ receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT ₃ receptor antagonists as novel treatment option. <i>European Neuropsychopharmacology</i> , 2014, 24, 86-94.	0.7	23
243	The Latent Dementia Phenotype $\hat{\tau}$ is Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease and Predicts Conversion to Dementia in Subjects with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 547-560.	2.6	23
244	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. <i>JAMA Psychiatry</i> , 2015, 72, 1029.	11.0	23
245	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 185-199.	2.6	23
246	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	1.6	23
247	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019, 256, 650-657.	4.1	23
248	Prevalence of abnormal Alzheimer's disease biomarkers in patients with subjective cognitive decline: cross-sectional comparison of three European memory clinic samples. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 8.	6.2	23
249	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021, 11, 91.	4.8	23
250	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 131-141.	1.2	22
251	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
252	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285.	2.6	22

#	ARTICLE	IF	CITATIONS
253	Information processing during eye tracking as revealed by event-related potentials in schizophrenics, alcoholics, and healthy controls. <i>Schizophrenia Research</i> , 1995, 16, 145-156.	2.0	21
254	From genes to psychoses and back: the role of the 5HT _{2A} -receptor and prepulse inhibition in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 40-43.	3.2	21
255	Evaluation of the "Jumping to conclusions" bias in different subgroups of the at-risk mental state: from cognitive basic symptoms to UHR criteria. <i>Psychological Medicine</i> , 2016, 46, 2071-2081.	4.5	21
256	Improving 3D convolutional neural network comprehensibility via interactive visualization of relevance maps: evaluation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 191.	6.2	21
257	Psychological and hormonal features of smokers at risk to gain weight after smoking cessation "Results of a multicenter study. <i>Hormones and Behavior</i> , 2011, 60, 58-64.	2.1	20
258	Nicotine enhances antisaccade performance in schizophrenia patients and healthy controls. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1473-1481.	2.1	20
259	Discovery of SERPINA3 as a candidate urinary biomarker of lupus nephritis activity. <i>Rheumatology</i> , 2019, 58, 321-330.	1.9	20
260	Association of amygdala volumes with cortisol secretion in unipolar depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 96-103.	1.8	19
261	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 481-493.	1.3	19
262	Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 17-27.	1.7	19
263	Advance directives and power of attorney for health care in the oldest-old " results of the AgeQualiDe study. <i>BMC Geriatrics</i> , 2017, 17, 85.	2.7	19
264	Multicenter Resting State Functional Connectivity in Prodromal and Dementia Stages of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 801-813.	2.6	19
265	Startle cue " reactivity differentiates between light and heavy smokers. <i>Addiction</i> , 2009, 104, 1757-1764.	3.3	18
266	Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. <i>Journal of Affective Disorders</i> , 2013, 150, 63-69.	4.1	18
267	Factors affecting functional impairment among elderly Germans " Results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 299-306.	3.3	18
268	Antisaccade and prosaccade eye movements in individuals clinically at risk for psychosis: comparison with first-episode schizophrenia and prediction of conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 921-930.	3.2	18
269	The Importance of Engaging in Physical Activity in Older Adulthood for Transitions Between Cognitive Status Categories and Death: A Coordinated Analysis of 14 Longitudinal Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1661-1667.	3.6	18
270	The NRW80+ study: conceptual background and study groups. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 76-84.	1.8	18

#	ARTICLE	IF	CITATIONS
271	Eicosapentaenoic Acid Is Associated with Decreased Incidence of Alzheimer's Dementia in the Oldest Old. <i>Nutrients</i> , 2021, 13, 461.	4.1	18
272	Cxcr2 signaling and the microbiome suppress inflammation, bile duct injury, and the phenotype of experimental biliary atresia. <i>PLoS ONE</i> , 2017, 12, e0182089.	2.5	18
273	Lifetime and current depression in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2023, 24, 865-880.	2.6	18
274	Functional Polymorphism in the Neuropeptide Y Gene Promoter (rs16147) Is Associated with Serum Leptin Levels and Waist-Hip Ratio in Women. <i>Annals of Nutrition and Metabolism</i> , 2013, 62, 271-276.	1.9	17
275	Blue "yellow colour vision impairment and cognitive deficits in occasional and dependent stimulant users. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 535-547.	2.1	17
276	Impaired planning in patients with obsessive-compulsive disorder and unaffected first-degree relatives: Evidence for a cognitive endophenotype. <i>Journal of Anxiety Disorders</i> , 2018, 57, 24-30.	3.2	17
277	Memorability of photographs in subjective cognitive decline and mild cognitive impairment: Implications for cognitive assessment. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 610-618.	2.4	17
278	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	2.6	17
279	Neuropsychiatric symptoms in at-risk groups for AD dementia and their association with worry and AD biomarkers" results from the DELCODE study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 131.	6.2	17
280	Hypermethylation of the oxytocin receptor gene (OXTR) in obsessive-compulsive disorder: further evidence for a biomarker of disease and treatment response. <i>Epigenetics</i> , 2022, 17, 642-652.	2.7	17
281	Amyloid pathology but not APOE ϵ 4 status is permissive for tau-related hippocampal dysfunction. <i>Brain</i> , 2022, 145, 1473-1485.	7.6	17
282	A coding variant of the novel serotonin receptor subunit 5-HT3E influences sustained attention in schizophrenia patients. <i>European Neuropsychopharmacology</i> , 2010, 20, 414-420.	0.7	16
283	Genetic Variation in the Neuropeptide Y Gene Promoter Is Associated with Increased Risk of Tobacco Smoking. <i>European Addiction Research</i> , 2012, 18, 246-252.	2.4	16
284	Computational dissection of human episodic memory reveals mental process-specific genetic profiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4939-48.	7.1	16
285	The transition from living apart together to a coresidential partnership. <i>Advances in Life Course Research</i> , 2019, 39, 77-86.	1.4	16
286	Cognitive and emotional empathy in individuals at clinical high risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 40-51.	4.5	16
287	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986.	2.6	16
288	Matrix metalloproteinase 10 is linked to the risk of progression to dementia of the Alzheimer's type. <i>Brain</i> , 2022, 145, 2507-2517.	7.6	16

#	ARTICLE	IF	CITATIONS
289	Relation between cerebrospinal fluid, gray matter and white matter changes in families with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006, 40, 646-655.	3.1	15
290	Antisaccade performance is related to genetic loading for schizophrenia. <i>Journal of Psychiatric Research</i> , 2009, 43, 291-297.	3.1	15
291	Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1286-1291.	2.6	15
292	Multicenter Tract-Based Analysis of Microstructural Lesions within the Alzheimer's Disease Spectrum: Association with Amyloid Pathology and Diagnostic Usefulness. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 455-465.	2.6	15
293	Temporal dynamics of suspiciousness and hallucinations in clinical high risk and first episode psychosis. <i>Psychiatry Research</i> , 2020, 290, 113039.	3.3	15
294	Association between composite scores of domain-specific cognitive functions and regional patterns of atrophy and functional connectivity in the Alzheimer's disease spectrum. <i>NeuroImage: Clinical</i> , 2021, 29, 102533.	2.7	15
295	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	2.8	15
296	Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010, 11, 100.	2.1	14
297	The effect of nicotine on sensorimotor gating is modulated by a CHRNA3 polymorphism. <i>Psychopharmacology</i> , 2013, 229, 31-40.	3.1	14
298	Prominent Non-Memory Deficits in Alzheimer's Disease Are Associated with Faster Disease Progression. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 1029-1039.	2.6	14
299	Methylomic profiling in trisomy 21 identifies cognition- and Alzheimer's disease-related dysregulation. <i>Clinical Epigenetics</i> , 2019, 11, 195.	4.1	14
300	Correlates of hospitalization among the oldest old: results of the AgeCoDe's "AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
301	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.8	14
302	Abnormal Regional and Global Connectivity Measures in Subjective Cognitive Decline Depending on Cerebral Amyloid Status. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 493-509.	2.6	14
303	Don't forget about tau: the effects of ApoE4 genotype on Alzheimer's disease cerebrospinal fluid biomarkers in subjects with mild cognitive impairment" data from the Dementia Competence Network. <i>Journal of Neural Transmission</i> , 2022, 129, 477-486.	2.8	14
304	Effects of cerebral hemispheric laterality on the span of apprehension of schizophrenic and healthy subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001, 251, 18-23.	3.2	13
305	WC2H A RANDOMISED CONTROLLED MULTICENTER TRIAL OF COGNITIVE BEHAVIOUR THERAPY IN THE EARLY INITIAL PRODROMAL STATE OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S8.	2.0	13
306	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13

#	ARTICLE	IF	CITATIONS
307	The polygenic risk for obsessive-compulsive disorder is associated with the personality trait harm avoidance. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 326-336.	4.5	13
308	Correlates of institutionalization among the oldest old—Evidence from the multicenter AgeCoDe—AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
309	Neurocognitive functioning in parents of schizophrenia patients: Attentional and executive performance vary with genetic loading. <i>Psychiatry Research</i> , 2015, 230, 885-891.	3.3	12
310	Exploring Genetic Associations of Alzheimer's Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 340.	3.4	12
311	Normative data for the Digit Symbol Substitution Test in a population-based sample aged 65–79 years: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Clinical Neuropsychologist</i> , 2018, 32, 114-132.	2.3	12
312	Impaired Antisaccades in Obsessive-Compulsive Disorder: Evidence From Meta-Analysis and a Large Empirical Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 284.	2.6	12
313	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069.	3.0	12
314	Resting-State Network Alterations Differ between Alzheimer's Disease Atrophy Subtypes. <i>Cerebral Cortex</i> , 2021, 31, 4901-4915.	2.9	12
315	Frontal alpha asymmetry in OCD patients and unaffected first-degree relatives.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 750-760.	1.9	12
316	Association of Cholinergic Basal Forebrain Volume and Functional Connectivity with Markers of Inflammatory Response in the Alzheimer's Disease Spectrum. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1267-1282.	2.6	12
317	Feasibility of Digital Memory Assessments in an Unsupervised and Remote Study Setting. <i>Frontiers in Digital Health</i> , 0, 4, .	2.8	12
318	Investigation of tryptophan hydroxylase 2 (TPH2) in schizophrenia and in the response to antipsychotics. <i>Journal of Psychiatric Research</i> , 2012, 46, 1073-1080.	3.1	11
319	Selective attention to smoking cues in former smokers. <i>European Neuropsychopharmacology</i> , 2018, 28, 276-284.	0.7	11
320	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe—AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250.	3.0	11
321	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.	2.6	11
322	Problems in measuring the JTC-bias in patients with psychotic disorders with the fish task: a secondary analysis of a baseline assessment of a randomized controlled trial. <i>BMC Psychiatry</i> , 2020, 20, 554.	2.6	11
323	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe—AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	2.9	10
324	The assessment of childhood maltreatment and its associations with affective symptoms in adulthood: Results of the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2023, 24, 897-908.	2.6	10

#	ARTICLE	IF	CITATIONS
325	Schizophrenia Spectrum Disorders: A Review. , 2001, , 311-405.		9
326	The Identification and Prevention of Publication Bias in the Social Sciences and Economics. Jahrbucher Fur Nationalokonomie Und Statistik, 2011, 231, 661-684.	0.7	9
327	Duplications in RB1CC1 are associated with schizophrenia; identification in large European sample sets. Translational Psychiatry, 2013, 3, e326-e326.	4.8	9
328	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. Psychological Assessment, 2015, 27, 895-904.	1.5	9
329	Association of Common Polymorphisms in the Nicotinic Acetylcholine Receptor Alpha4 Subunit Gene with an Electrophysiological Endophenotype in a Large Population-Based Sample. PLoS ONE, 2016, 11, e0152984.	2.5	9
330	Facilitating end-user developers by estimating time cost of foraging a webpage. , 2017, , .		9
331	Schizotypy and smooth pursuit eye movements as potential endophenotypes of obsessive-compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 235-243.	3.2	9
332	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. International Psychogeriatrics, 2020, 32, 645-659.	1.0	9
333	EQ-5D-3L health status and health state utilities of the oldest-old (85â€%+) in Germany: results from the AgeCoDe-AgeQualiDe study. Quality of Life Research, 2020, 29, 3223-3232.	3.1	9
334	Associations and correlates of general versus specific successful ageing components. European Journal of Ageing, 2021, 18, 549-563.	2.8	9
335	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. Gerontology, 2020, 66, 460-466.	2.8	9
336	An ERP Investigation of Semantic Priming, Repetition Priming, and Negative Priming in Schizophrenic Patients. Journal of Psychophysiology, 2006, 20, 195-211.	0.7	9
337	Event-related potential correlates of proactive interference in schizophrenic patients and controls. Psychophysiology, 1999, 36, 199-208.	2.4	8
338	Novel approaches for prevention of stroke related to transcatheter aortic valve implantation. Expert Review of Cardiovascular Therapy, 2013, 11, 1311-1320.	1.5	8
339	Different Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. American Journal of Geriatric Psychiatry, 2018, 26, 463-475.	1.2	8
340	P3â€591: A GERMAN VERSION OF THE LIFETIME OF EXPERIENCES QUESTIONNAIRE (LEQ) TO MEASURE COGNITIVE RESERVE: VALIDATION RESULTS FROM THE DELCODE STUDY. Alzheimer's and Dementia, 2018, 14, P1352.	0.8	8
341	The temporal association between incident lateâ€life depression and incident dementia. Acta Psychiatrica Scandinavica, 2020, 142, 402-412.	4.5	8
342	Do selfâ€reported hearing and visual impairments predict longitudinal dementia in older adults?. Journal of the American Geriatrics Society, 2021, 69, 1519-1528.	2.6	8

#	ARTICLE	IF	CITATIONS
343	Polygenic risk for obsessive-compulsive disorder (OCD) predicts brain response during working memory task in OCD, unaffected relatives, and healthy controls. <i>Scientific Reports</i> , 2021, 11, 18914.	3.3	8
344	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. <i>Molecular Psychiatry</i> , 2021, 26, 7522-7529.	7.9	8
345	SSR-Modulation During Slow Cortical Potentials. , 1994, , 325-341.		8
346	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe/“AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3109-3115.	2.9	8
347	Subjective cognitive decline in idiopathic Parkinson’s disease: A systematic review. <i>Ageing Research Reviews</i> , 2022, 74, 101508.	10.9	8
348	The assessment of cognitive function in the German National Cohort (NAKO) –“ Associations of demographics and psychiatric symptoms with cognitive test performance. <i>World Journal of Biological Psychiatry</i> , 2022, , 1-15.	2.6	8
349	Associations between therapy skills and patient experiences of change processes in cognitive behavioral therapy for psychosis. <i>Psychiatry Research</i> , 2013, 210, 702-709.	3.3	7
350	The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) influences age at onset of obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1951-1958.	2.1	7
351	Lack of Association of a Functional Catechol-O-Methyltransferase Gene Polymorphism With Risk of Tobacco Smoking: Results From a Multicenter Case-Control Study. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1322-1327.	2.6	7
352	Smaller than expected cognitive deficits in schizophrenia patients from the population-representative ABC catchment cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 423-431.	3.2	7
353	Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019, 14, 100200.	1.3	7
354	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 151-161.	2.6	7
355	Help-seeking for psychological distress and its association with anxiety in the oldest old –“ results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021, 25, 923-929.	2.8	7
356	The Transition to a Coresidential Partnership: Who Moves and Who Has the Partner Move In?. <i>Population Research and Policy Review</i> , 2022, 41, 757-779.	2.2	7
357	Generalized Anxiety and Panic Symptoms in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2021, , 1-37.	2.6	7
358	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/“AgeQualiDe Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12786.	2.6	7
359	Intracranial Recording and Source Localization of Auditory Brain Responses Elicited at the 50ms Latency in Three Children Aged from 3 to 16 Years. <i>Brain Topography</i> , 2009, 22, 166-175.	1.8	6
360	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 204, 247-254.	4.1	6

#	ARTICLE	IF	CITATIONS
361	Replication of the association between CHRNA4 rs1044396 and harm avoidance in a large population-based sample. <i>European Neuropsychopharmacology</i> , 2016, 26, 150-155.	0.7	6
362	Cognitive functioning in the general population: Factor structure and association with mental disordersâ€”The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1â€”MH). <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	2.1	6
363	Negative schemata about the self and others and paranoid ideation in atâ€”risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 1157-1165.	1.7	6
364	Advance directives for future dementia can be modified by a brief video presentation on dementia care: An experimental study. <i>PLoS ONE</i> , 2018, 13, e0197229.	2.5	6
365	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 811-820.	3.9	6
366	Effect of Regional Long-Term Care Service Supply on Choice of Care Arrangement in Old Age. <i>Journal of Population Ageing</i> , 2022, 15, 337-361.	1.4	6
367	Theory of mind, emotion recognition, delusions and the quality of the therapeutic relationship in patients with psychosis â€” a secondary analysis of a randomized-controlled therapy trial. <i>BMC Psychiatry</i> , 2020, 20, 59.	2.6	6
368	Housing Affordability, Housing Tenure Status and Household Density: Are Housing Characteristics Associated with Union Dissolution?. <i>European Journal of Population</i> , 2020, 36, 735-764.	2.0	6
369	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902.	2.8	6
370	Social support and health-related quality of life among the oldest old â€” longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2021, , 1.	3.1	6
371	On the impact of social network information diversity on end-user programming productivity: a foraging-theoretic study. , 2016, , .		5
372	No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. <i>Epigenomics</i> , 2016, 8, 593-598.	2.1	5
373	Identification of rare variants in KCTD13 at the schizophrenia risk locus 16p11.2. <i>Psychiatric Genetics</i> , 2016, 26, 293-296.	1.1	5
374	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 705-710.	1.5	5
375	The value of the GPâ€™s clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019, 69, e786-e793.	1.4	5
376	Predictors of treatment response to psychological interventions in people at clinical high risk of firstâ€”episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 120-127.	1.7	5
377	General cognitive ability assessment in the German National Cohort (NAKO) â€” The block-adaptive number series task. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 924-935.	2.6	5
378	Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3137.	2.6	5

#	ARTICLE	IF	CITATIONS
379	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 577-582.e2.	2.5	4
380	Effects of <sc>APOE</sc> e4â€œallele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (<sc>AgeCoDe</sc>). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 152-162.	2.7	4
381	Grief and loss in old age: Exploration of the association between grief and depression.. <i>Journal of Affective Disorders</i> , 2021, 283, 285-292.	4.1	4
382	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7959.	2.6	4
383	Social relationships, living arrangements and loneliness. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 120-125.	1.8	4
384	Cognitive profiles of patients with mild cognitive impairment due to Alzheimer's versus Parkinson's disease defined using a base rate approach: Implications for neuropsychological assessments. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12223.	2.4	4
385	A Comparison of Operational Definitions for Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1663-1678.	2.6	4
386	Reply to: Cognitive dysfunction in spinocerebellar ataxia type 3: Variable topographies and patterns. <i>Movement Disorders</i> , 2014, 29, 157-158.	3.9	3
387	Volitional saccade performance in a large sample of patients with obsessiveâ€œcompulsive disorder and unaffected firstâ€œdegree relatives. <i>Psychophysiology</i> , 2017, 54, 1284-1294.	2.4	3
388	Cognitive Complaints in Memory Clinic Patients and in Depressive Patients: An Interpretative Phenomenological Analysis. <i>Gerontologist</i> , The, 2019, 59, 290-302.	3.9	3
389	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021, 67, 591-598.	2.8	3
390	Cortical thickness across the cingulate gyrus in schizophrenia and its association to illness duration and memory performance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1241-1251.	3.2	3
391	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	2.6	3
392	Amyloid Pathology, Cognitive Impairment, and Alzheimer Disease Risk. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 1177.	7.4	2
393	[P3â€œ437]: LATENTâ€œFACTOR STRUCTURE OF THE DELCODE STUDY NEUROPSYCHOLOGICAL TEST BATTERY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1136.	0.8	2
394	[P2â€œ088]: CHRONIC AND ACUTE SYSTEMIC INFLAMMATION AND LONGâ€œTERM COGNITIVE DECLINE. <i>Alzheimer's and Dementia</i> , 2017, 13, P640.	0.8	2
395	<p>Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients â€œ A Longitudinal Cohort Study</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888.	2.9	2
396	Delinquency among majority and minority youths in Cologne, Mannheim and Brussels: the role of religion. <i>Journal of Ethnic and Migration Studies</i> , 2020, 46, 3603-3629.	2.8	2

#	ARTICLE	IF	CITATIONS
397	Error-Related Brain Activity in Patients With Obsessive-Compulsive Disorder and Unaffected First-Degree Relatives: Evidence for Protective Patterns. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 79-87.	2.2	2
398	Health-related quality of life and ego integrity among the oldest old " Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408.	3.0	2
399	Housing density and its consequences for couples in Germany: staying, moving, or breaking up?. <i>Housing Studies</i> , 2023, 38, 1560-1588.	2.4	2
400	Discrepancies between subjective importance and actual everyday practice among very old adults and the consequences for autonomy. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 101-107.	1.8	2
401	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	4.1	2
402	Uncovering the Contribution of Moderate-Penetrance Susceptibility Genes to Breast Cancer by Whole-Exome Sequencing and Targeted Enrichment Sequencing of Candidate Genes in Women of European Ancestry. <i>Cancers</i> , 2022, 14, 3363.	3.7	2
403	Schizophrenia Spectrum Disorders: A Review. , 2003, , 317-411.		1
404	Impaired sensorimotor gating of the acoustic startle response in the prodrome of schizophrenia. <i>European Psychiatry</i> , 2008, 23, S70.	0.2	1
405	P4"153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Non"AD in Memory Clinic and Community"Based Cohorts. <i>Alzheimer's and Dementia</i> , 2016, 12, P1073.	0.8	1
406	P4"068: LEVELS OF THE ASTROCYTE"DERIVED PROTEINS GFAP AND S100B IN THE CEREBROSPINAL FLUID OF HEALTHY INDIVIDUALS AND ALZHEIMER'S DISEASE PATIENTS AT DIFFERENT DISEASE STAGES. <i>Alzheimer's and Dementia</i> , 2018, 14, P1458.	0.8	1
407	P2"637: THE EFFECT OF AEROBIC EXERCISE TRAINING ON SERUM BDNF IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P986.	0.8	1
408	Acute Impact of Dietary Pattern and Walking on Postprandial Attention, Mood, and Satiety in Older Adults: A Randomized Crossover Trial. <i>Nutrients</i> , 2019, 11, 2294.	4.1	1
409	Feasibility of mobile app"based assessment of memory functions: Insights from a citizen science study. <i>Alzheimer's and Dementia</i> , 2020, 16, e039149.	0.8	1
410	Decreased cortical thickness in individuals with subjective cognitive decline with and without CSF"AD"Pathology: Data from the DELCODE Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044741.	0.8	1
411	GPs"™ awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0145.	1.8	1
412	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1589-1599.	2.6	1
413	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873.	2.8	1
414	Genetische Aspekte der Neuropsychologie psychischer St"rungen. , 2004, , 147-166.		1

#	ARTICLE	IF	CITATIONS
415	Spatial working memory performance in people with obsessive-compulsive disorder, their unaffected first-degree relatives and healthy controls. <i>BJPsych Open</i> , 2021, 7, .	0.7	1
416	Lifelong music practice as reserve factor: Associations with cognition and brain structure in older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
417	Exome sequencing identifies rare damaging variants in the <i>ATB8B4</i> and <i>ABCA1</i> genes as novel risk factors for Alzheimer's disease.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e055982.	0.8	1
418	Neural Correlates of Smooth Pursuit Eye Movements in Schizotypy and Recent Onset Psychosis: A Multivariate Pattern Classification Approach. <i>Schizophrenia Bulletin Open</i> , 0, , .	1.7	1
419	Social Isolation and Incident Dementia in the Oldest-Old—A Competing Risk Analysis. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	1
420	P4-192: TREM2 is not associated with accelerated decline of the mini mental status examination in late onset Alzheimer's disease. , 2015, 11, P853-P854.		0
421	P2-351: "Healthy Diet"™ and Cognitive Status in the Oldest Old. <i>Alzheimer's and Dementia</i> , 2016, 12, P779.	0.8	0
422	P3-144: Cognitive Subtypes Identified Using Nonnegative Matrix Factorisation in Four Large Alzheimer's Disease Dementia Cohorts. <i>Alzheimer's and Dementia</i> , 2016, 12, P873.	0.8	0
423	P1-217: Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. <i>Alzheimer's and Dementia</i> , 2016, 12, P488.	0.8	0
424	P1-223: Functional Markers for Cerebral Norepinephrine Deficiency in Alzheimer's Disease. , 2016, 12, P492-P493.		0
425	P2-335: Prevalence of Preclinical Alzheimer's Disease in Patients with Subjective Cognitive Decline: Comparison of Three European Memory Clinic Samples. <i>Alzheimer's and Dementia</i> , 2016, 12, P770.	0.8	0
426	[P1-320]: INTERPRETATIVE PHENOMENOLOGICAL ANALYSIS OF COGNITIVE COMPLAINTS REVEALS COMMONALITIES AND DIFFERENCES BETWEEN MEMORY CLINIC PATIENTS, DEPRESSIVE PATIENTS, AND HEALTHY ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P377.	0.8	0
427	[P4-139]: APPLICATION OF THE "A/T/N"™ BIOMARKER CLASSIFICATION SYSTEM IN PATIENTS WITH MILD COGNITIVE IMPAIRMENT: CONVERSION RATES TO AD AND OTHER DEMENTIAS. <i>Alzheimer's and Dementia</i> , 2017, 13, P1310.	0.8	0
428	[P1-554]: OPTIMAL HARMONIZATION OF COGNITIVE MEASURES ENHANCES THE DETECTION OF GENETIC EFFECTS ON ALZHEIMER'S DISEASE PROGRESSION: A COMPARISON OF SIX STATISTICAL APPROACHES IN 1796 MCI PATIENTS FROM THREE COHORTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P506.	0.8	0
429	[P4-532]: OBJECT AND SCENE MEMORY ARE DIFFERENTIALLY ASSOCIATED WITH CSF MARKERS OF ALZHEIMER'S DISEASE AND MRI VOLUMETRY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1553.	0.8	0
430	P3-616: EICOSAPENTAENOIC ACID BUT NOT DOCOSAHEXAENOIC ACID IS ASSOCIATED WITH ALZHEIMER'S DISEASE RISK IN THE OLDEST-OLD. <i>Alzheimer's and Dementia</i> , 2018, 14, P1366.	0.8	0
431	P1-379: CORTICAL THINNING IN SUBJECTIVE COGNITIVE DECLINE WITH AND WITHOUT AD PATHOLOGY: DATA FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P443.	0.8	0
432	P3-327: NEUROPSYCHIATRIC SYMPTOMS IN AT-RISK GROUPS FOR AD DEMENTIA AND THEIR RELATION TO AD BIOMARKERS: DATA FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1206.	0.8	0

#	ARTICLE	IF	CITATIONS
433	P2â€434: EFFECTS OF AGE AND CSF MEASURES OF TAU ON MNEMONIC DISCRIMINATION OF OBJECTS AND SCENES IN MEDIAL TEMPORAL LOBE PATHWAYS. Alzheimer's and Dementia, 2018, 14, P879.	0.8	0
434	P2â€455: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY. Alzheimer's and Dementia, 2018, 14, P894.	0.8	0
435	P3â€289: HARMONIZATION OF SCD OPERATIONALIZATION ACROSS DIFFERENT MEMORY CLINIC SETTINGS: THE EUROâ€SCD STUDY. Alzheimer's and Dementia, 2018, 14, P1191.	0.8	0
436	ICâ€Pâ€084: EFFECTS OF AGE AND CSF MEASURES OF TAU ON MNEMONIC DISCRIMINATION OF OBJECTS AND SCENES IN MEDIAL TEMPORAL LOBE PATHWAYS. Alzheimer's and Dementia, 2018, 14, P72.	0.8	0
437	P1â€028: OCCUPATIONAL COGNITIVE REQUIREMENTS ARE AN IMPORTANT PROXY MEASURE OF COGNITIVE RESERVE: EVIDENCE FROM THE AGECODE AND DELCODE STUDIES. Alzheimer's and Dementia, 2018, 14, P276.	0.8	0
438	P3â€366: MULTICENTER RESTING STATE FUNCTIONAL CONNECTIVITY IN PRODROMAL AND DEMENTIA STAGES OF ALZHEIMER'S DISEASE: RESULTS FROM THE DZNE DELCODE STUDY. Alzheimer's and Dementia, 2018, 14, P1228.	0.8	0
439	ICâ€Pâ€155: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY. Alzheimer's and Dementia, 2018, 14, P131.	0.8	0
440	P1â€140: A GENERIC LATENT VARIABLE APPROACH FOR MEASURING COGNITIVE RESERVE: PHENOTYPE VALIDATION AND GENETIC ASSOCIATION RESULTS. Alzheimer's and Dementia, 2018, 14, P328.	0.8	0
441	P3â€122: <i>APOE</i>â€4 MODULATES LEVELS OF OMEGAâ€3 AND OMEGAâ€6 FATTY ACIDS IN ALZHEIMER'S DISEASE DEMENTIA. Alzheimer's and Dementia, 2018, 14, P1114.	0.8	0
442	F4â€07â€03: RELATIONSHIP BETWEEN LOCUS COERULEUS MRI CONTRAST, COGNITION AND CSF BIOMARKERS IN AGING AND ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1393.	0.8	0
443	F1â€04â€02: ASSOCIATION BETWEEN NEURAL NOVELTY RESPONSES AND CSF BIOMARKERS OF ALZHEIMER'S DISEASE: ANATOMICAL SPECIFICITY AND DEPENDENCE ON ATROPHY. Alzheimer's and Dementia, 2018, 14, P206.	0.8	0
444	O3â€07â€01: AEROBIC TRAINING IS RELATED TO COGNITIVE HEALTH IN ADULTS AT RISK FOR ALZHEIMER'S DISEASE: RESULTS FROM THE AEROBIC EXERCISE AND COGNITIVE HEALTH (REACH) PILOT STUDY. Alzheimer's and Dementia, 2018, 14, P1028.	0.8	0
445	F4â€08â€04: SUBJECTIVE COGNITIVE DECLINE, AS MEASURED WITH A STRUCTURED INTERVIEW, IS RELATED TO AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P1396.	0.8	0
446	O1â€08â€05: MILD NEUROCOGNITIVE DISORDER IN DSMâ€5: BALANCING SENSITIVITY AND SPECIFICITY BY USING OPERATIONAL CRITERIA. Alzheimer's and Dementia, 2018, 14, P237.	0.8	0
447	F1â€04â€03: EFFECTS OF AGE AND TAU MEASURED IN CSF ON MNEMONIC DISCRIMINATION OF OBJECTS AND SCENES IN MEDIAL TEMPORAL LOBE PATHWAYS. Alzheimer's and Dementia, 2018, 14, P207.	0.8	0
448	P2â€431: RELATIONSHIP BETWEEN LOCAL RESTING STATE ACTIVITY, Î²â€AMYLOID DEPOSITION AND MEMORY PERFORMANCE IN THE DZNE: LONGITUDINAL COGNITIVE IMPAIRMENT AND DEMENTIA STUDY (DELCODE). Alzheimer's and Dementia, 2018, 14, P877.	0.8	0
449	6 .Diagnostische Methoden. , 2018, , 187-352.		0
450	P3â€561: ADHERENCE TO THE MIND DIET IS ASSOCIATED WITH BETTER COGNITION IN THE FRAMINGHAM HEART STUDY. Alzheimer's and Dementia, 2018, 14, P1338.	0.8	0

#	ARTICLE	IF	CITATIONS
451	THE APOE- ϵ 4 ALLELE AND AGE SYNERGISTICALLY DRIVE DISEASE PROGRESSION IN ALZHEIMER'S DISEASE. <i>Innovation in Aging</i> , 2019, 3, S943-S943.	0.1	0
452	Identification of a Cascade of Changes in Activities of Daily Living Preceding Short-Term Clinical Deterioration in Mild Alzheimer's Disease Dementia via Lead-Lag Analysis. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1005-1015.	2.6	0
453	Risk for disorientation: Longitudinal evidence from three old-age cohorts in Germany (AgeDifferent.de). <i>Alzheimer's and Dementia</i> , 2020, 16, e039676.	0.8	0
454	Development of a fast and versatile method for genome-wide association studies of longitudinal data. <i>Alzheimer's and Dementia</i> , 2020, 16, e042441.	0.8	0
455	Lifestyle differences modulate the effects of cognitive reserve on functional connectivity. <i>Alzheimer's and Dementia</i> , 2020, 16, e042947.	0.8	0
456	Hippocampal volumetric variability is associated with memory in subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, e043527.	0.8	0
457	Awareness of cognitive decline and CSF biomarkers in memory clinic patients: Results from the DELCODE study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044744.	0.8	0
458	The effects of Mediterranean diet on memory and Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia</i> , 2020, 16, e045349.	0.8	0
459	1428 Factors leading to institutionalization among the oldest old. Longitudinal findings from the AgeCoDe-AgeQualiDe study. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
460	Incidence and Predictors of Depression in Late Life. Results from the AgeCoDe-/AgeQualiDe study. , 2021, 83, .		0
461	Genetische Aspekte der Neuropsychologie psychischer Störungen. , 2010, , 145-164.		0
462	Author Response: Mediterranean Diet, Alzheimer Disease Biomarkers, and Brain Atrophy in Old Age. <i>Neurology</i> , 2022, 98, 89-90.	1.1	0
463	Association between SCD-Plus features and GDS factors in subjective cognitive decline and healthy controls in the studies DELCODE and SILCODE. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
464	Characterization of the NIA-AA Research Framework stage 2 in the longitudinal multicenter DELCODE study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
465	In vivo amyloid staging in individuals with subjective cognitive decline in DELCODE Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
466	Artificial neural network visualization methods reveal diagnostically relevant brain regions to detect Alzheimer's disease: The first step towards comprehensive artificial intelligence. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
467	Prediction of amyloid positivity in individuals with subjective cognitive decline: Machine learning approaches to optimize number-needed-to-screen. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
468	Effect of Commitment on Supportive Dyadic Coping: A Longitudinal Test of Interdependence Theory With German Couples. <i>Journal of Family Issues</i> , 0, , 0192513X2211067.	1.6	0