

Michael Wagner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8421067/publications.pdf>

Version: 2024-02-01

468
papers

26,338
citations

7096

78
h-index

11052

137
g-index

515
all docs

515
docs citations

515
times ranked

26856
citing authors

#	ARTICLE	IF	CITATIONS
1	Housing density and its consequences for couples in Germany: staying, moving, or breaking up?. <i>Housing Studies</i> , 2023, 38, 1560-1588.	2.4	2
2	General cognitive ability assessment in the German National Cohort (NAKO) â€“ The block-adaptive number series task. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 924-935.	2.6	5
3	Lifetime and current depression in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2023, 24, 865-880.	2.6	18
4	The assessment of childhood maltreatment and its associations with affective symptoms in adulthood: Results of the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2023, 24, 897-908.	2.6	10
5	Subjective cognitive decline and stage 2 of Alzheimer disease in patients from memory centers. <i>Alzheimer's and Dementia</i> , 2023, 19, 487-497.	0.8	25
6	Effect of Regional Long-Term Care Service Supply on Choice of Care Arrangement in Old Age. <i>Journal of Population Ageing</i> , 2022, 15, 337-361.	1.4	6
7	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	2.8	15
8	Harmonizing neuropsychological assessment for mild neurocognitive disorders in Europe. <i>Alzheimer's and Dementia</i> , 2022, 18, 29-42.	0.8	24
9	The Transition to a Coresidential Partnership: Who Moves and Who Has the Partner Move In?. <i>Population Research and Policy Review</i> , 2022, 41, 757-779.	2.2	7
10	Hypermethylation of the oxytocin receptor gene (OXTR) in obsessive-compulsive disorder: further evidence for a biomarker of disease and treatment response. <i>Epigenetics</i> , 2022, 17, 642-652.	2.7	17
11	Error-Related Brain Activity in Patients With Obsessive-Compulsive Disorder and Unaffected First-Degree Relatives: Evidence for Protective Patterns. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 79-87.	2.2	2
12	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873.	2.8	1
13	Amyloid pathology but not <i>APOE</i> ϵ 4 status is permissive for tau-related hippocampal dysfunction. <i>Brain</i> , 2022, 145, 1473-1485.	7.6	17
14	Subjective cognitive decline in idiopathic Parkinson's disease: A systematic review. <i>Ageing Research Reviews</i> , 2022, 74, 101508.	10.9	8
15	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902.	2.8	6
16	Author Response: Mediterranean Diet, Alzheimer Disease Biomarkers, and Brain Atrophy in Old Age. <i>Neurology</i> , 2022, 98, 89-90.	1.1	0
17	Don't forget about tau: the effects of ApoE4 genotype on Alzheimer's disease cerebrospinal fluid biomarkers in subjects with mild cognitive impairment" data from the Dementia Competence Network. <i>Journal of Neural Transmission</i> , 2022, 129, 477-486.	2.8	14
18	Cortical thickness across the cingulate gyrus in schizophrenia and its association to illness duration and memory performance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1241-1251.	3.2	3

#	ARTICLE	IF	CITATIONS
19	Soluble TAM receptors sAXL and sTyro3 predict structural and functional protection in Alzheimer's disease. <i>Neuron</i> , 2022, 110, 1009-1022.e4.	8.1	27
20	Matrix metalloproteinase 10 is linked to the risk of progression to dementia of the Alzheimer's type. <i>Brain</i> , 2022, 145, 2507-2517.	7.6	16
21	Association of Cholinergic Basal Forebrain Volume and Functional Connectivity with Markers of Inflammatory Response in the Alzheimer's Disease Spectrum. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1267-1282.	2.6	12
22	The assessment of cognitive function in the German National Cohort (NAKO) – Associations of demographics and psychiatric symptoms with cognitive test performance. <i>World Journal of Biological Psychiatry</i> , 2022, , 1-15.	2.6	8
23	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	2.6	3
24	Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3137.	2.6	5
25	New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	21.4	700
26	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	4.1	2
27	Uncovering the Contribution of Moderate-Penetrance Susceptibility Genes to Breast Cancer by Whole-Exome Sequencing and Targeted Enrichment Sequencing of Candidate Genes in Women of European Ancestry. <i>Cancers</i> , 2022, 14, 3363.	3.7	2
28	A Comparison of Operational Definitions for Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1663-1678.	2.6	4
29	The Importance of Engaging in Physical Activity in Older Adulthood for Transitions Between Cognitive Status Categories and Death: A Coordinated Analysis of 14 Longitudinal Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1661-1667.	3.6	18
30	Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021, 18, 549-563.	2.8	9
31	Dietary patterns are related to cognitive functioning in elderly enriched with individuals at increased risk for Alzheimer's disease. <i>European Journal of Nutrition</i> , 2021, 60, 849-860.	3.9	31
32	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021, 25, 923-929.	2.8	7
33	The BDNF Val66Met SNP modulates the association between beta-amyloid and hippocampal disconnection in Alzheimer's disease. <i>Molecular Psychiatry</i> , 2021, 26, 614-628.	7.9	61
34	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. <i>Journal of the American Medical Association</i> , 2021, 22, 577-582.e2.	2.5	4
35	Abnormal Regional and Global Connectivity Measures in Subjective Cognitive Decline Depending on Cerebral Amyloid Status. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 493-509.	2.6	14
36	Effects of APOE ε4 allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 152-162.	2.7	4

#	ARTICLE	IF	CITATIONS
37	Association between composite scores of domain-specific cognitive functions and regional patterns of atrophy and functional connectivity in the Alzheimer's disease spectrum. <i>NeuroImage: Clinical</i> , 2021, 29, 102533.	2.7	15
38	Synaptic processes and immune-related pathways implicated in Tourette syndrome. <i>Translational Psychiatry</i> , 2021, 11, 56.	4.8	31
39	GPs' awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0145.	1.8	1
40	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021, 11, 91.	4.8	23
41	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1589-1599.	2.6	1
42	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021, 67, 591-598.	2.8	3
43	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1519-1528.	2.6	8
44	Grief and loss in old age: Exploration of the association between grief and depression.. <i>Journal of Affective Disorders</i> , 2021, 283, 285-292.	4.1	4
45	Correlates of institutionalization among the oldest old? Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
46	Mediterranean Diet, Alzheimer Disease Biomarkers, and Brain Atrophy in Old Age. <i>Neurology</i> , 2021, 96, .	1.1	72
47	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	12.8	140
48	Resting-State Network Alterations Differ between Alzheimer's Disease Atrophy Subtypes. <i>Cerebral Cortex</i> , 2021, 31, 4901-4915.	2.9	12
49	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986.	2.6	16
50	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7959.	2.6	4
51	Health-related quality of life and ego integrity among the oldest old " Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408.	3.0	2
52	Mind Diet Adherence and Cognitive Performance in the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 827-839.	2.6	30
53	Social relationships, living arrangements and loneliness. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 120-125.	1.8	4
54	1428 Factors leading to institutionalization among the oldest old. Longitudinal findings from the AgeCoDe-AgeQualiDe study. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0

#	ARTICLE	IF	CITATIONS
55	The NRW80+ study: conceptual background and study groups. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 76-84.	1.8	18
56	Polygenic risk for obsessive-compulsive disorder (OCD) predicts brain response during working memory task in OCD, unaffected relatives, and healthy controls. <i>Scientific Reports</i> , 2021, 11, 18914.	3.3	8
57	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. <i>Molecular Psychiatry</i> , 2021, 26, 7522-7529.	7.9	8
58	Eicosapentaenoic Acid Is Associated with Decreased Incidence of Alzheimer's Dementia in the Oldest Old. <i>Nutrients</i> , 2021, 13, 461.	4.1	18
59	Cognitive profiles of patients with mild cognitive impairment due to Alzheimer's versus Parkinson's disease defined using a base rate approach: Implications for neuropsychological assessments. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12223.	2.4	4
60	Incidence and Predictors of Depression in Late Life. Results from the AgeCoDe-/AgeQualiDe study. , 2021, 83, .		0
61	Discrepancies between subjective importance and actual everyday practice among very old adults and the consequences for autonomy. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 101-107.	1.8	2
62	A microRNA signature that correlates with cognition and is a target against cognitive decline. <i>EMBO Molecular Medicine</i> , 2021, 13, e13659.	6.9	29
63	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe/AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3109-3115.	2.9	8
64	Generalized Anxiety and Panic Symptoms in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2021, , 1-37.	2.6	7
65	Improving 3D convolutional neural network comprehensibility via interactive visualization of relevance maps: evaluation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 191.	6.2	21
66	Spatial working memory performance in people with obsessive-compulsive disorder, their unaffected first-degree relatives and healthy controls. <i>BJPsych Open</i> , 2021, 7, .	0.7	1
67	Lifelong music practice as reserve factor: Associations with cognition and brain structure in older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
68	Association between SCD-Plus features and GDS factors in subjective cognitive decline and healthy controls in the studies DELCODE and SILCODE. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
69	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12786.	2.6	7
70	Characterization of the NIA-AA Research Framework stage 2 in the longitudinal multicenter DELCODE study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
71	In vivo amyloid staging in individuals with subjective cognitive decline in DELCODE Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
72	Artificial neural network visualization methods reveal diagnostically relevant brain regions to detect Alzheimer's disease: The first step towards comprehensive artificial intelligence. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0

#	ARTICLE	IF	CITATIONS
73	Social support and health-related quality of life among the oldest old – longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2021, , 1.	3.1	6
74	Prediction of amyloid-positivity in individuals with subjective cognitive decline: Machine learning approaches to optimize number-needed-to-screen. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
75	Exome sequencing identifies rare damaging variants in the ATB8B4 and ABCA1 genes as novel risk factors for Alzheimer's disease.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e055982.	0.8	1
76	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 811-820.	3.9	6
77	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	4.3	60
78	Delinquency among majority and minority youths in Cologne, Mannheim and Brussels: the role of religion. <i>Journal of Ethnic and Migration Studies</i> , 2020, 46, 3603-3629.	2.8	2
79	Correlates of hospitalization among the oldest old: results of the AgeCoDe-AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
80	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	1.0	9
81	Neuropsychiatric symptoms in at-risk groups for AD dementia and their association with worry and AD biomarkers – results from the DELCODE study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 131.	6.2	17
82	Identification of a Cascade of Changes in Activities of Daily Living Preceding Short-Term Clinical Deterioration in Mild Alzheimer's Disease Dementia via Lead-Lag Analysis. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1005-1015.	2.6	0
83	The temporal association between incident late-life depression and incident dementia. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 402-412.	4.5	8
84	The polygenic risk for obsessive-compulsive disorder is associated with the personality trait harm avoidance. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 326-336.	4.5	13
85	EQ-5D-3L health status and health state utilities of the oldest-old (85+) in Germany: results from the AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2020, 29, 3223-3232.	3.1	9
86	Problems in measuring the JTC-bias in patients with psychotic disorders with the fish task: a secondary analysis of a baseline assessment of a randomized controlled trial. <i>BMC Psychiatry</i> , 2020, 20, 554.	2.6	11
87	Feasibility of mobile app-based assessment of memory functions: Insights from a citizen science study. <i>Alzheimer's and Dementia</i> , 2020, 16, e039149.	0.8	1
88	Risk for disorientation: Longitudinal evidence from three old-age cohorts in Germany (AgeDifferent.de). <i>Alzheimer's and Dementia</i> , 2020, 16, e039676.	0.8	0
89	Development of a fast and versatile method for genome-wide association studies of longitudinal data. <i>Alzheimer's and Dementia</i> , 2020, 16, e042441.	0.8	0
90	Lifestyle differences modulate the effects of cognitive reserve on functional connectivity. <i>Alzheimer's and Dementia</i> , 2020, 16, e042947.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Hippocampal volumetric variability is associated with memory in subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, e043527.	0.8	0
92	Decreased cortical thickness in individuals with subjective cognitive decline with and without CSF β -amyloid pathology: Data from the DELCODE Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044741.	0.8	1
93	Awareness of cognitive decline and CSF β -biomarkers in memory clinic patients: Results from the DELCODE study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044744.	0.8	0
94	The effects of Mediterranean diet on memory and Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia</i> , 2020, 16, e045349.	0.8	0
95	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.8	14
96	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	2.6	25
97	Temporal dynamics of suspiciousness and hallucinations in clinical high risk and first episode psychosis. <i>Psychiatry Research</i> , 2020, 290, 113039.	3.3	15
98	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044.	7.7	40
99	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 151-161.	2.6	7
100	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. <i>Gerontology</i> , 2020, 66, 460-466.	2.8	9
101	Minor neuropsychological deficits in patients with subjective cognitive decline. <i>Neurology</i> , 2020, 95, e1134-e1143.	1.1	58
102	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	2.9	10
103	Theory of mind, emotion recognition, delusions and the quality of the therapeutic relationship in patients with psychosis – a secondary analysis of a randomized-controlled therapy trial. <i>BMC Psychiatry</i> , 2020, 20, 59.	2.6	6
104	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , The, 2020, 19, 271-278.	10.2	627
105	Housing Affordability, Housing Tenure Status and Household Density: Are Housing Characteristics Associated with Union Dissolution?. <i>European Journal of Population</i> , 2020, 36, 735-764.	2.0	6
106	Cognitive and emotional empathy in individuals at clinical high risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 40-51.	4.5	16
107	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069.	3.0	12
108	Role of Vitamin D in Preventing and Treating Selected Extraskeletal Diseases – An Umbrella Review. <i>Nutrients</i> , 2020, 12, 969.	4.1	67

#	ARTICLE	IF	CITATIONS
109	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748.	3.9	30
110	Schizotypy and smooth pursuit eye movements as potential endophenotypes of obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 235-243.	3.2	9
111	Which features of subjective cognitive decline are related to amyloid pathology? Findings from the DELCODE study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 66.	6.2	74
112	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019, 256, 650-657.	4.1	23
113	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 705-710.	1.5	5
114	Acute Impact of Dietary Pattern and Walking on Postprandial Attention, Mood, and Satiety in Older Adults: A Randomized Crossover Trial. <i>Nutrients</i> , 2019, 11, 2294.	4.1	1
115	Memorability of photographs in subjective cognitive decline and mild cognitive impairment: Implications for cognitive assessment. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 610-618.	2.4	17
116	Multicenter Tract-Based Analysis of Microstructural Lesions within the Alzheimer's Disease Spectrum: Association with Amyloid Pathology and Diagnostic Usefulness. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 455-465.	2.6	15
117	Higher CSF Tau Levels Are Related to Hippocampal Hyperactivity and Object Mnemonic Discrimination in Older Adults. <i>Journal of Neuroscience</i> , 2019, 39, 8788-8797.	3.6	64
118	Prevalence of abnormal Alzheimer's disease biomarkers in patients with subjective cognitive decline: cross-sectional comparison of three European memory clinic samples. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 8.	6.2	23
119	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285.	2.6	22
120	A nonsynonymous mutation in PLCG2 reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. <i>Acta Neuropathologica</i> , 2019, 138, 237-250.	7.7	87
121	Structural integrity in subjective cognitive decline, mild cognitive impairment and Alzheimer's disease based on multicenter diffusion tensor imaging. <i>Journal of Neurology</i> , 2019, 266, 2465-2474.	3.6	35
122	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	2.6	17
123	Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019, 14, 100200.	1.3	7
124	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1469-1478.	2.6	28
125	Interrogating the Genetic Determinants of Tourette's Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. <i>American Journal of Psychiatry</i> , 2019, 176, 217-227.	7.2	242
126	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250.	3.0	11

#	ARTICLE	IF	CITATIONS
127	Phospho serine and threonine analysis of normal and mutated granulocyte colony stimulating factor receptors. <i>Scientific Data</i> , 2019, 6, 21.	5.3	29
128	Error-related brain activity as a transdiagnostic endophenotype for obsessive-compulsive disorder, anxiety and substance use disorder. <i>Psychological Medicine</i> , 2019, 49, 1207-1217.	4.5	81
129	THE APOE- ϵ 4 ALLELE AND AGE SYNERGISTICALLY DRIVE DISEASE PROGRESSION IN ALZHEIMER'S DISEASE. <i>Innovation in Aging</i> , 2019, 3, S943-S943.	0.1	0
130	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019, 69, e786-e793.	1.4	5
131	Alzheimer's disease-associated (hydroxy)methylomic changes in the brain and blood. <i>Clinical Epigenetics</i> , 2019, 11, 164.	4.1	88
132	<p>Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients – A Longitudinal Cohort Study</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888.	2.9	2
133	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.	2.6	11
134	Methylomic profiling in trisomy 21 identifies cognition- and Alzheimer's disease-related dysregulation. <i>Clinical Epigenetics</i> , 2019, 11, 195.	4.1	14
135	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.8	232
136	The transition from living apart together to a coresidential partnership. <i>Advances in Life Course Research</i> , 2019, 39, 77-86.	1.4	16
137	Antisaccade and prosaccade eye movements in individuals clinically at risk for psychosis: comparison with first-episode schizophrenia and prediction of conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 921-930.	3.2	18
138	Comparison of performance and metabolism from late pregnancy to early lactation in dairy cows with elevated v. normal body condition at dry-off. <i>Animal</i> , 2019, 13, 1478-1488.	3.3	38
139	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	2.7	41
140	Subregional volume reduction of the cholinergic forebrain in subjective cognitive decline (SCD). <i>NeuroImage: Clinical</i> , 2019, 21, 101612.	2.7	35
141	Non-response in surveys of very old people. <i>European Journal of Ageing</i> , 2019, 16, 249-258.	2.8	29
142	Discovery of SERPINA3 as a candidate urinary biomarker of lupus nephritis activity. <i>Rheumatology</i> , 2019, 58, 321-330.	1.9	20
143	Predictors of treatment response to psychological interventions in people at clinical high risk of first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 120-127.	1.7	5
144	Cognitive Complaints in Memory Clinic Patients and in Depressive Patients: An Interpretative Phenomenological Analysis. <i>Gerontologist</i> , The, 2019, 59, 290-302.	3.9	3

#	ARTICLE	IF	CITATIONS
145	Left frontal hub connectivity delays cognitive impairment in autosomal-dominant and sporadic Alzheimer's disease. <i>Brain</i> , 2018, 141, 1186-1200.	7.6	83
146	Selective attention to smoking cues in former smokers. <i>European Neuropsychopharmacology</i> , 2018, 28, 276-284.	0.7	11
147	Design and first baseline data of the DZNE multicenter observational study on predementia Alzheimer's disease (DELCODE). <i>Alzheimer's Research and Therapy</i> , 2018, 10, 15.	6.2	131
148	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 707-722.	0.8	143
149	Meta-analysis on the association between genetic polymorphisms and prepulse inhibition of the acoustic startle response. <i>Schizophrenia Research</i> , 2018, 198, 52-59.	2.0	29
150	Quality of life of the very old. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018, 51, 193-199.	1.8	55
151	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
152	Physical exercise and cognitive function across the life span: Results of a nationwide population-based study. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 489-494.	1.3	34
153	Neural correlates of working memory deficits and associations to response inhibition in obsessive compulsive disorder. <i>NeuroImage: Clinical</i> , 2018, 17, 426-434.	2.7	39
154	Impact of SSRI Therapy on Risk of Conversion From Mild Cognitive Impairment to Alzheimer's Dementia in Individuals With Previous Depression. <i>American Journal of Psychiatry</i> , 2018, 175, 232-241.	7.2	133
155	Different Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 463-475.	1.2	8
156	Cognitive functioning in the general population: Factor structure and association with mental disorders – The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	2.1	6
157	Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 1157-1165.	1.7	6
158	P3-616: EICOSAPENTAENOIC ACID BUT NOT DOCOSAHEXAENOIC ACID IS ASSOCIATED WITH ALZHEIMER'S DISEASE RISK IN THE OLDEST-OLD. <i>Alzheimer's and Dementia</i> , 2018, 14, P1366.	0.8	0
159	P1-379: CORTICAL THINNING IN SUBJECTIVE COGNITIVE DECLINE WITH AND WITHOUT AD PATHOLOGY: DATA FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P443.	0.8	0
160	P3-327: NEUROPSYCHIATRIC SYMPTOMS IN AT-RISK GROUPS FOR AD DEMENTIA AND THEIR RELATION TO AD BIOMARKERS: DATA FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1206.	0.8	0
161	P2-434: EFFECTS OF AGE AND CSF MEASURES OF TAU ON MNEMONIC DISCRIMINATION OF OBJECTS AND SCENES IN MEDIAL TEMPORAL LOBE PATHWAYS. <i>Alzheimer's and Dementia</i> , 2018, 14, P879.	0.8	0
162	P2-455: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P894.	0.8	0

#	ARTICLE	IF	CITATIONS
163	P3â€289: HARMONIZATION OF SCD OPERATIONALIZATION ACROSS DIFFERENT MEMORY CLINIC SETTINGS: THE EUROâ€SCD STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1191.	0.8	0
164	ICâ€Pâ€084: EFFECTS OF AGE AND CSF MEASURES OF TAU ON MNEMONIC DISCRIMINATION OF OBJECTS AND SCENES IN MEDIAL TEMPORAL LOBE PATHWAYS. <i>Alzheimer's and Dementia</i> , 2018, 14, P72.	0.8	0
165	P1â€028: OCCUPATIONAL COGNITIVE REQUIREMENTS ARE AN IMPORTANT PROXY MEASURE OF COGNITIVE RESERVE: EVIDENCE FROM THE AGECODE AND DELCODE STUDIES. <i>Alzheimer's and Dementia</i> , 2018, 14, P276.	0.8	0
166	P3â€366: MULTICENTER RESTING STATE FUNCTIONAL CONNECTIVITY IN PRODROMAL AND DEMENTIA STAGES OF ALZHEIMER'S DISEASE: RESULTS FROM THE DZNE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1228.	0.8	0
167	ICâ€Pâ€155: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P131.	0.8	0
168	P1â€140: A GENERIC LATENT VARIABLE APPROACH FOR MEASURING COGNITIVE RESERVE: PHENOTYPE VALIDATION AND GENETIC ASSOCIATION RESULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P328.	0.8	0
169	P3â€591: A GERMAN VERSION OF THE LIFETIME OF EXPERIENCES QUESTIONNAIRE (LEQ) TO MEASURE COGNITIVE RESERVE: VALIDATION RESULTS FROM THE DELCODE STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1352.	0.8	8
170	P3â€122: <i>APOE</i>â€4 MODULATES LEVELS OF OMEGAâ€3 AND OMEGAâ€6 FATTY ACIDS IN ALZHEIMER'S DISEASE DEMENTIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P1114.	0.8	0
171	F4â€07â€03: RELATIONSHIP BETWEEN LOCUS COERULEUS MRI CONTRAST, COGNITION AND CSF BIOMARKERS IN AGING AND ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1393.	0.8	0
172	F1â€04â€02: ASSOCIATION BETWEEN NEURAL NOVELTY RESPONSES AND CSF BIOMARKERS OF ALZHEIMER'S DISEASE: ANATOMICAL SPECIFICITY AND DEPENDENCE ON ATROPHY. <i>Alzheimer's and Dementia</i> , 2018, 14, P206.	0.8	0
173	O3â€07â€01: AEROBIC TRAINING IS RELATED TO COGNITIVE HEALTH IN ADULTS AT RISK FOR ALZHEIMER'S DISEASE: RESULTS FROM THE AEROBIC EXERCISE AND COGNITIVE HEALTH (REACH) PILOT STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1028.	0.8	0
174	F4â€08â€04: SUBJECTIVE COGNITIVE DECLINE, AS MEASURED WITH A STRUCTURED INTERVIEW, IS RELATED TO AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1396.	0.8	0
175	O1â€08â€05: MILD NEUROCOGNITIVE DISORDER IN DSMâ€5: BALANCING SENSITIVITY AND SPECIFICITY BY USING OPERATIONAL CRITERIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P237.	0.8	0
176	F1â€04â€03: EFFECTS OF AGE AND TAU MEASURED IN CSF ON MNEMONIC DISCRIMINATION OF OBJECTS AND SCENES IN MEDIAL TEMPORAL LOBE PATHWAYS. <i>Alzheimer's and Dementia</i> , 2018, 14, P207.	0.8	0
177	P4â€068: LEVELS OF THE ASTROCYTEâ€DERIVED PROTEINS GFAP AND S100B IN THE CEREBROSPINAL FLUID OF HEALTHY INDIVIDUALS AND ALZHEIMER'S DISEASE PATIENTS AT DIFFERENT DISEASE STAGES. <i>Alzheimer's and Dementia</i> , 2018, 14, P1458.	0.8	1
178	P2â€431: RELATIONSHIP BETWEEN LOCAL RESTING STATE ACTIVITY, Î²â€AMYLOID DEPOSITION AND MEMORY PERFORMANCE IN THE DZNE: LONGITUDINAL COGNITIVE IMPAIRMENT AND DEMENTIA STUDY (DELCODE). <i>Alzheimer's and Dementia</i> , 2018, 14, P877.	0.8	0
179	6 .Diagnostische Methoden. , 2018, , 187-352.		0
180	Exploring Genetic Associations of Alzheimerâ€™s Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 340.	3.4	12

#	ARTICLE	IF	CITATIONS
181	P3â€561: ADHERENCE TO THE MIND DIET IS ASSOCIATED WITH BETTER COGNITION IN THE FRAMINGHAM HEART STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1338.	0.8	0
182	Advance directives for future dementia can be modified by a brief video presentation on dementia care: An experimental study. <i>PLoS ONE</i> , 2018, 13, e0197229.	2.5	6
183	P2â€637: THE EFFECT OF AEROBIC EXERCISE TRAINING ON SERUM BDNF IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P986.	0.8	1
184	CSF total tau levels are associated with hippocampal novelty irrespective of hippocampal volume. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 782-790.	2.4	26
185	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	12.8	484
186	Impaired planning in patients with obsessive-compulsive disorder and unaffected first-degree relatives: Evidence for a cognitive endophenotype. <i>Journal of Anxiety Disorders</i> , 2018, 57, 24-30.	3.2	17
187	Normative data for the Digit Symbol Substitution Test in a population-based sample aged 65â€“79 years: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Clinical Neuropsychologist</i> , 2018, 32, 114-132.	2.3	12
188	Impaired Antisaccades in Obsessive-Compulsive Disorder: Evidence From Meta-Analysis and a Large Empirical Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 284.	2.6	12
189	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13
190	Prospective Associations between Single Foods, Alzheimerâ€™s Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	4.1	57
191	Prominent Non-Memory Deficits in Alzheimerâ€™s Disease Are Associated with Faster Disease Progression. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 1029-1039.	2.6	14
192	Multicenter Resting State Functional Connectivity in Prodromal and Dementia Stages of Alzheimerâ€™s Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 801-813.	2.6	19
193	SLICE: determining cell differentiation and lineage based on single cell entropy. <i>Nucleic Acids Research</i> , 2017, 45, gkw1278.	14.5	102
194	Genome-wide significant risk factors for Alzheimerâ€™s disease: role in progression to dementia due to Alzheimer's disease among subjects with mild cognitive impairment. <i>Molecular Psychiatry</i> , 2017, 22, 153-160.	7.9	102
195	Clinical high risk for psychosis: gender differences in symptoms and social functioning. <i>Microbial Biotechnology</i> , 2017, 11, 306-313.	1.7	54
196	Disentangling the complex relation of disability and depressive symptoms in old age â€“ findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895.	1.0	30
197	Impact of coronary heart disease on cognitive decline in Alzheimerâ€™s disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117.	1.4	33
198	Face-Name Associative Recognition Deficits in Subjective Cognitive Decline and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 1185-1196.	2.6	37

#	ARTICLE	IF	CITATIONS
199	Factors affecting functional impairment among elderly Germans â€” Results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 299-306.	3.3	18
200	Harm avoidance and childhood adversities in patients with obsessiveâ€”compulsive disorder and their unaffected firstâ€”degree relatives. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 328-338.	4.5	29
201	Clinical high risk for psychosis: the association between momentary stress, affective and psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 63-73.	4.5	70
202	Cognitive subtypes of probable Alzheimer's disease robustly identified in four cohorts. <i>Alzheimer's and Dementia</i> , 2017, 13, 1226-1236.	0.8	59
203	Volitional saccade performance in a large sample of patients with obsessiveâ€”compulsive disorder and unaffected firstâ€”degree relatives. <i>Psychophysiology</i> , 2017, 54, 1284-1294.	2.4	3
204	A peripheral epigenetic signature of immune system genes is linked to neocortical thickness and memory. <i>Nature Communications</i> , 2017, 8, 15193.	12.8	32
205	Cerebrospinal Fluid Biomarkers and Clinical Progression in Patients with Subjective Cognitive Decline and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 939-950.	2.6	74
206	Reduced futureâ€”oriented decision making in individuals with subjective cognitive decline: A functional MRI study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 6, 222-231.	2.4	34
207	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	1.6	23
208	Integrating evolutionary and regulatory information with a multispecies approach implicates genes and pathways in obsessive-compulsive disorder. <i>Nature Communications</i> , 2017, 8, 774.	12.8	52
209	Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. <i>Scientific Reports</i> , 2017, 7, 9529.	3.3	27
210	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
211	A Novel Biomarker Panel to Identify Steroid Resistance in Childhood Idiopathic Nephrotic Syndrome. <i>Biomarker Insights</i> , 2017, 12, 117727191769583.	2.5	27
212	[P1â€”320]: INTERPRETATIVE PHENOMENOLOGICAL ANALYSIS OF COGNITIVE COMPLAINTS REVEALS COMMONALITIES AND DIFFERENCES BETWEEN MEMORYâ€”CLINIC PATIENTS, DEPRESSIVE PATIENTS, AND HEALTHY ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P377.	0.8	0
213	Advance directives and power of attorney for health care in the oldest-old â€” results of the AgeQualiDe study. <i>BMC Geriatrics</i> , 2017, 17, 85.	2.7	19
214	Prevalence of metabolic syndrome in female and male patients at risk of psychosis. <i>Schizophrenia Research</i> , 2017, 181, 38-42.	2.0	34
215	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 131-141.	1.2	22
216	Implementation of subjective cognitive decline criteria in research studies. <i>Alzheimer's and Dementia</i> , 2017, 13, 296-311.	0.8	375

#	ARTICLE	IF	CITATIONS
217	Which types of mental work demands may be associated with reduced risk of dementia?. Alzheimer's and Dementia, 2017, 13, 431-440.	0.8	33
218	[P3â€“437]: LATENTâ€“FACTOR STRUCTURE OF THE DELCODE STUDY NEUROPSYCHOLOGICAL TEST BATTERY. Alzheimer's and Dementia, 2017, 13, P1136.	0.8	2
219	[P4â€“139]: APPLICATION OF THE â€“A/T/Nâ€“™ BIOMARKER CLASSIFICATION SYSTEM IN PATIENTS WITH MILD COGNITIVE IMPAIRMENT: CONVERSION RATES TO AD AND OTHER DEMENTIAS. Alzheimer's and Dementia, 2017, 13, P1310.	0.8	0
220	[P1â€“554]: OPTIMAL HARMONIZATION OF COGNITIVE MEASURES ENHANCES THE DETECTION OF GENETIC EFFECTS ON ALZHEIMER'S DISEASE PROGRESSION: A COMPARISON OF SIX STATISTICAL APPROACHES IN 1796 MCI PATIENTS FROM THREE COHORTS. Alzheimer's and Dementia, 2017, 13, P506.	0.8	0
221	[P2â€“088]: CHRONIC AND ACUTE SYSTEMIC INFLAMMATION AND LONGâ€“TERM COGNITIVE DECLINE. Alzheimer's and Dementia, 2017, 13, P640.	0.8	2
222	[P4â€“532]: OBJECT AND SCENE MEMORY ARE DIFFERENTIALLY ASSOCIATED WITH CSF MARKERS OF ALZHEIMER'S DISEASE AND MRI VOLUMETRY. Alzheimer's and Dementia, 2017, 13, P1553.	0.8	0
223	Facilitating end-user developers by estimating time cost of foraging a webpage. , 2017, , .		9
224	Incremental value of biomarker combinations to predict progression of mild cognitive impairment to Alzheimer's dementia. Alzheimer's Research and Therapy, 2017, 9, 84.	6.2	58
225	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. Health and Quality of Life Outcomes, 2017, 15, 140.	2.4	48
226	Frontal alpha asymmetry in OCD patients and unaffected first-degree relatives.. Journal of Abnormal Psychology, 2017, 126, 750-760.	1.9	12
227	Cxcr2 signaling and the microbiome suppress inflammation, bile duct injury, and the phenotype of experimental biliary atresia. PLoS ONE, 2017, 12, e0182089.	2.5	18
228	Association of Common Polymorphisms in the Nicotinic Acetylcholine Receptor Alpha4 Subunit Gene with an Electrophysiological Endophenotype in a Large Population-Based Sample. PLoS ONE, 2016, 11, e0152984.	2.5	9
229	On the impact of social network information diversity on end-user programming productivity: a foraging-theoretic study. , 2016, , .		5
230	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. Journal of Alzheimer's Disease, 2016, 54, 185-199.	2.6	23
231	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2016, 54, 1135-1146.	2.6	70
232	Evaluation of the â€“Jumping to conclusionsâ€“™ bias in different subgroups of the at-risk mental state: from cognitive basic symptoms to UHR criteria. Psychological Medicine, 2016, 46, 2071-2081.	4.5	21
233	P2â€“351: â€“Healthy Dietâ€“™ and Cognitive Status in the Oldest Old. Alzheimer's and Dementia, 2016, 12, P779.	0.8	0
234	P3â€“144: Cognitive Subtypes Identified Using Nonnegative Matrix Factorisation in Four Large Alzheimer's Disease Dementia Cohorts. Alzheimer's and Dementia, 2016, 12, P873.	0.8	0

#	ARTICLE	IF	CITATIONS
235	P4-153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Non-AD in Memory Clinic and Community-Based Cohorts. <i>Alzheimer's and Dementia</i> , 2016, 12, P1073.	0.8	1
236	P1-217: Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. <i>Alzheimer's and Dementia</i> , 2016, 12, P488.	0.8	0
237	P1-223: Functional Markers for Cerebral Norepinephrine Deficiency in Alzheimer's Disease. , 2016, 12, P492-P493.		0
238	No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. <i>Epigenomics</i> , 2016, 8, 593-598.	2.1	5
239	Excess health care costs of late-life depression – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 199, 139-147.	4.1	40
240	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 204, 247-254.	4.1	6
241	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
242	P2-335: Prevalence of Preclinical Alzheimer's Disease in Patients with Subjective Cognitive Decline: Comparison of Three European Memory Clinic Samples. <i>Alzheimer's and Dementia</i> , 2016, 12, P770.	0.8	0
243	Identification of rare variants in KCTD13 at the schizophrenia risk locus 16p11.2. <i>Psychiatric Genetics</i> , 2016, 26, 293-296.	1.1	5
244	Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 17-27.	1.7	19
245	Replication of the association between CHRNA4 rs1044396 and harm avoidance in a large population-based sample. <i>European Neuropsychopharmacology</i> , 2016, 26, 150-155.	0.7	6
246	Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 872-881.	0.8	50
247	Smaller than expected cognitive deficits in schizophrenia patients from the population-representative ABC catchment cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 423-431.	3.2	7
248	P4-192: TREM2 is not associated with accelerated decline of the mini mental status examination in late onset Alzheimer's disease. , 2015, 11, P853-P854.		0
249	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. <i>Psychological Assessment</i> , 2015, 27, 895-904.	1.5	9
250	Subjective Cognitive Decline from a Phenomenological Perspective: A Review of the Qualitative Literature. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S125-S140.	2.6	42
251	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86.	2.6	317
252	Feature Binding Deficits in Subjective Cognitive Decline and in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S161-S170.	2.6	41

#	ARTICLE	IF	CITATIONS
253	Spatial Mobility, Family Dynamics, and Housing Transitions. <i>Kolner Zeitschrift Fur Soziologie Und Sozialpsychologie</i> , 2015, 67, 111-135.	1.1	26
254	Twelve-months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults – Mental Health Module (DEGS1-MH): a methodological addendum and correction. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 305-313.	2.1	110
255	The Latent Dementia Phenotype Is Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease and Predicts Conversion to Dementia in Subjects with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 547-560.	2.6	23
256	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205.	2.4	110
257	Neurocognitive functioning in parents of schizophrenia patients: Attentional and executive performance vary with genetic loading. <i>Psychiatry Research</i> , 2015, 230, 885-891.	3.3	12
258	Cerebrospinal fluid cortisol and clinical disease progression in MCI and dementia of Alzheimer's type. <i>Neurobiology of Aging</i> , 2015, 36, 601-607.	3.1	125
259	Cortical Thinning in Individuals with Subjective Memory Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 139-146.	2.6	66
260	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Tourette Syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015, 172, 82-93.	7.2	117
261	Subjective cognitive decline is related to CSF biomarkers of AD in patients with MCI. <i>Neurology</i> , 2015, 84, 1261-1268.	1.1	41
262	Impact of Noise on Nurses in Pediatric Intensive Care Units. <i>American Journal of Critical Care</i> , 2015, 24, 377-384.	1.6	26
263	Computational dissection of human episodic memory reveals mental process-specific genetic profiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4939-48.	7.1	16
264	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
265	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. <i>JAMA Psychiatry</i> , 2015, 72, 1029.	11.0	23
266	Amyloid Pathology, Cognitive Impairment, and Alzheimer Disease Risk. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 1177.	7.4	2
267	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	2.5	128
268	Memory Concerns, Memory Performance and Risk of Dementia in Patients with Mild Cognitive Impairment. <i>PLoS ONE</i> , 2014, 9, e100812.	2.5	41
269	The struggle to find reliable results in exome sequencing data: filtering out Mendelian errors. <i>Frontiers in Genetics</i> , 2014, 5, 16.	2.3	51
270	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 481-493.	1.3	19

#	ARTICLE	IF	CITATIONS
271	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 304-319.	2.1	393
272	A hierarchy of predictors for dementia-free survival in old age: results of the AgeCoDe study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 63-72.	4.5	29
273	Obsessive-compulsive symptoms in at-risk mental states for psychosis: associations with clinical impairment and cognitive function. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 214-226.	4.5	42
274	Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. <i>Psychological Medicine</i> , 2014, 44, 1319-1329.	4.5	71
275	Genetics, Cognition, and Neurobiology of Schizotypal Personality: A Review of the Overlap with Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 18.	2.6	208
276	Impaired sleep quality and sleep duration in smokers—results from the German Multicenter Snicotine Dependence Study. <i>Addiction Biology</i> , 2014, 19, 486-496.	2.6	116
277	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, 844-852.	0.8	1,863
278	Why Do Bad Things Happen to Me? Attributional Style, Depressed Mood, and Persecutory Delusions in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1338-1346.	4.3	46
279	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. <i>Neuron</i> , 2014, 81, 1203-1213.	8.1	86
280	5-HT3 receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT3 receptor antagonists as novel treatment option. <i>European Neuropsychopharmacology</i> , 2014, 24, 86-94.	0.7	23
281	Sleep Deprivation Disrupts Prepulse Inhibition and Induces Psychosis-Like Symptoms in Healthy Humans. <i>Journal of Neuroscience</i> , 2014, 34, 9134-9140.	3.6	89
282	Investigation of the role of rare TREM2 variants in frontotemporal dementia subtypes. <i>Neurobiology of Aging</i> , 2014, 35, 2657.e13-2657.e19.	3.1	34
283	Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 910-919.	0.5	111
284	The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1017-1028.	1.2	56
285	Attenuated prefrontal activation during decision-making under uncertainty in schizophrenia: A multi-center fMRI study. <i>Schizophrenia Research</i> , 2014, 152, 176-183.	2.0	32
286	Gray matter atrophy pattern in elderly with subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 99-108.	0.8	129
287	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 76-83.	0.8	414
288	Reply to: Cognitive dysfunction in spinocerebellar ataxia type 3: Variable topographies and patterns. <i>Movement Disorders</i> , 2014, 29, 157-158.	3.9	3

#	ARTICLE	IF	CITATIONS
289	Neurocognitive impairments in non-deprived smokers-results from a population-based multi-center study on smoking-related behavior. <i>Addiction Biology</i> , 2013, 18, 752-761.	2.6	52
290	The effect of nicotine on sensorimotor gating is modulated by a <i>CHRNA3</i> polymorphism. <i>Psychopharmacology</i> , 2013, 229, 31-40.	3.1	14
291	Progressive cognitive dysfunction in spinocerebellar ataxia type 3. <i>Movement Disorders</i> , 2013, 28, 1435-1438.	3.9	36
292	Associations between therapy skills and patient experiences of change processes in cognitive behavioral therapy for psychosis. <i>Psychiatry Research</i> , 2013, 210, 702-709.	3.3	7
293	Genome-wide association study of Tourette's syndrome. <i>Molecular Psychiatry</i> , 2013, 18, 721-728.	7.9	161
294	Sustained incentive value of heroin-related cues in short- and long-term abstinent heroin users. <i>European Neuropsychopharmacology</i> , 2013, 23, 1270-1279.	0.7	23
295	Genome-wide association study of obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 788-798.	7.9	312
296	Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. <i>Journal of Affective Disorders</i> , 2013, 150, 63-69.	4.1	18
297	The precuneus and the insula in self-attributional processes. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2013, 13, 330-345.	2.0	78
298	The functional coding variant Asn107Ile of the neuropeptide S receptor gene (<i>NPSR1</i>) influences age at onset of obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1951-1958.	2.1	7
299	Functional Polymorphism in the Neuropeptide Y Gene Promoter (rs16147) Is Associated with Serum Leptin Levels and Waist-Hip Ratio in Women. <i>Annals of Nutrition and Metabolism</i> , 2013, 62, 271-276.	1.9	17
300	Nicotine enhances antisaccade performance in schizophrenia patients and healthy controls. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1473-1481.	2.1	20
301	Novel approaches for prevention of stroke related to transcatheter aortic valve implantation. <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 1311-1320.	1.5	8
302	Blue-yellow colour vision impairment and cognitive deficits in occasional and dependent stimulant users. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 535-547.	2.1	17
303	N-Acetylaspartylglutamate (NAAG) and N-Acetylaspartate (NAA) in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 197-205.	4.3	63
304	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. <i>PLoS Genetics</i> , 2013, 9, e1003864.	3.5	241
305	Lack of Association of a Functional Catechol-O-Methyltransferase Gene Polymorphism With Risk of Tobacco Smoking: Results From a Multicenter Case-Control Study. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1322-1327.	2.6	7
306	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 83-99.	2.1	86

#	ARTICLE	IF	CITATIONS
307	Cognitive Trajectory After Transcatheter Aortic Valve Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2013, 6, 615-624.	3.9	82
308	Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>Psychological Medicine</i> , 2013, 43, 1597-1610.	4.5	91
309	Duplications in RB1CC1 are associated with schizophrenia; identification in large European sample sets. <i>Translational Psychiatry</i> , 2013, 3, e326-e326.	4.8	9
310	A variant of the neuronal amino acid transporter SLC6A15 is associated with ACTH and cortisol responses and cognitive performance in unipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 83-90.	2.1	45
311	Verbal Memory Deficits Are Correlated with Prefrontal Hypometabolism in 18FDG PET of Recreational MDMA Users. <i>PLoS ONE</i> , 2013, 8, e61234.	2.5	32
312	Characterization of SLITRK1 Variation in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2013, 8, e70376.	2.5	47
313	Prognostic value of cerebral injury following transfemoral aortic valve implantation. <i>EuroIntervention</i> , 2013, 8, 1296-1306.	3.2	28
314	Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease.. <i>Psychology and Aging</i> , 2012, 27, 353-363.	1.6	31
315	Glucose metabolism, gray matter structure, and memory decline in subjective memory impairment. <i>Neurology</i> , 2012, 79, 1332-1339.	1.1	235
316	Biomarker validation of a cued recall memory deficit in prodromal Alzheimer disease. <i>Neurology</i> , 2012, 78, 379-386.	1.1	141
317	Neurophysiological Correlates of Impaired Facial Affect Recognition in Individuals at Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1021-1029.	4.3	60
318	Schizophrenia risk polymorphisms in the <i>TCF4</i> gene interact with smoking in the modulation of auditory sensory gating. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6271-6276.	7.1	60
319	The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) is associated with schizophrenia and modulates verbal memory and the acoustic startle response. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1205-1215.	2.1	23
320	Antisaccade performance in patients with obsessive-compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 625-634.	3.2	45
321	Assessing cognitive changes in the elderly: Reliable Change Indices for the Mini-Mental State Examination. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 208-218.	4.5	50
322	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 84-97.	1.2	29
323	Preventing progression to first-episode psychosis in early initial prodromal states. <i>British Journal of Psychiatry</i> , 2012, 200, 22-29.	2.8	196
324	Investigation of tryptophan hydroxylase 2 (TPH2) in schizophrenia and in the response to antipsychotics. <i>Journal of Psychiatric Research</i> , 2012, 46, 1073-1080.	3.1	11

#	ARTICLE	IF	CITATIONS
325	Genetic Variation in the Neuropeptide Y Gene Promoter Is Associated with Increased Risk of Tobacco Smoking. <i>European Addiction Research</i> , 2012, 18, 246-252.	2.4	16
326	Nicotine differentially modulates antisaccade performance in healthy male non-smoking volunteers stratified for low and high accuracy. <i>Psychopharmacology</i> , 2012, 221, 27-38.	3.1	28
327	The schizophrenia risk gene ZNF804A influences the antipsychotic response of positive schizophrenia symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 193-197.	3.2	33
328	Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1286-1291.	2.6	15
329	Association of amygdala volumes with cortisol secretion in unipolar depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 96-103.	1.8	19
330	A promoter variant of SHANK1 affects auditory working memory in schizophrenia patients and in subjects clinically at risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 117-124.	3.2	47
331	Neuropsychological Profiles in Different At-Risk States of Psychosis: Executive Control Impairment in the Early" and Additional Memory Dysfunction in the Late" Prodromal State. <i>Schizophrenia Bulletin</i> , 2011, 37, 861-873.	4.3	124
332	Prediction of Psychosis by Mismatch Negativity. <i>Biological Psychiatry</i> , 2011, 69, 959-966.	1.3	273
333	Psychological and hormonal features of smokers at risk to gain weight after smoking cessation " Results of a multicenter study. <i>Hormones and Behavior</i> , 2011, 60, 58-64.	2.1	20
334	A genome-wide survey of human short-term memory. <i>Molecular Psychiatry</i> , 2011, 16, 184-192.	7.9	34
335	Prediction of Dementia in Primary Care Patients. <i>PLoS ONE</i> , 2011, 6, e16852.	2.5	116
336	PCLO rs2522833 modulates HPA system response to antidepressant treatment in major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 237-245.	2.1	36
337	The Identification and Prevention of Publication Bias in the Social Sciences and Economics. <i>Jahrbucher Fur Nationalokonomie Und Statistik</i> , 2011, 231, 661-684.	0.7	9
338	P50 sensory gating and smoking in the general population. <i>Addiction Biology</i> , 2011, 16, 485-498.	2.6	24
339	The German multi-centre study on smoking-related behavior" description of a population-based case-control study. <i>Addiction Biology</i> , 2011, 16, 638-653.	2.6	23
340	The effect of pictorial warnings on cigarette packages on attentional bias of smokers. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 292-298.	2.9	27
341	Impact of TCF4 on the genetics of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 161-165.	3.2	24
342	Evidence of Neuronal Compensation During Episodic Memory in Subjective Memory Impairment. <i>Archives of General Psychiatry</i> , 2011, 68, 845.	12.3	126

#	ARTICLE	IF	CITATIONS
343	Novel Schizophrenia Risk Gene TCF4 Influences Verbal Learning and Memory Functioning in Schizophrenia Patients. <i>Neuropsychobiology</i> , 2011, 63, 131-136.	1.9	40
344	The Schizophrenia Risk Allele C of the <i>TCF4</i> rs9960767 Polymorphism Disrupts Sensorimotor Gating in Schizophrenia Spectrum and Healthy Volunteers. <i>Journal of Neuroscience</i> , 2011, 31, 6684-6691.	3.6	85
345	Interaction effects of subjective memory impairment and ApoE4 genotype on episodic memory and hippocampal volume. <i>Psychological Medicine</i> , 2011, 41, 1997-2006.	4.5	52
346	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 81-88.	1.5	31
347	Rationale and Baseline Characteristics of PREVENT: A Second-Generation Intervention Trial in Subjects At-Risk (Prodromal) of Developing First-Episode Psychosis Evaluating Cognitive Behavior Therapy, Aripiprazole, and Placebo for the Prevention of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, S111-S121.	4.3	69
348	Dipole Versus Distributed EEG Source Localization for Single Versus Averaged Spikes in Focal Epilepsy. <i>Journal of Clinical Neurophysiology</i> , 2010, 27, 141-162.	1.7	30
349	Does the Cognitive Dispute of Psychotic Symptoms do Harm to the Therapeutic Alliance?. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 478-485.	1.0	26
350	DAOA/G72 predicts the progression of prodromal syndromes to first episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 209-215.	3.2	33
351	Anticholinergic drug use and risk for dementia: target for dementia prevention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 111-115.	3.2	99
352	Budesonide treatment of patients with collagenous colitis restores normal eosinophil and T-cell activity in the colon. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 1118-1126.	1.9	24
353	Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010, 11, 100.	2.1	14
354	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: The POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010, 11, 123.	1.6	26
355	Perceived parental rearing in subjects with obsessive-compulsive disorder and their siblings. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 280-288.	4.5	33
356	Risk factors for incident mild cognitive impairment – results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 260-272.	4.5	107
357	Volume Loss of the Medial Temporal Lobe Structures in Subjective Memory Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 75-81.	1.5	152
358	Sensorimotor Gating of Schizophrenia Patients Depends on Catechol O-Methyltransferase Val158Met Polymorphism. <i>Schizophrenia Bulletin</i> , 2010, 36, 341-346.	4.3	56
359	Sensorimotor Gating is Associated with CHRNA3 Polymorphisms in Schizophrenia and Healthy Volunteers. <i>Neuropsychopharmacology</i> , 2010, 35, 1429-1439.	5.4	72
360	Prediction of Dementia by Subjective Memory Impairment<sub>title>Effects of Severity and Temporal Association With Cognitive Impairment<sub>title><alt-title>Dementia and Subjective Memory Impairment</alt-title>. <i>Archives of General Psychiatry</i> , 2010, 67, 414.	12.3	559

#	ARTICLE	IF	CITATIONS
361	Oxytocin Enhances Amygdala-Dependent, Socially Reinforced Learning and Emotional Empathy in Humans. <i>Journal of Neuroscience</i> , 2010, 30, 4999-5007.	3.6	712
362	Clinical utility of distributed source modelling of interictal scalp EEG in focal epilepsy. <i>Clinical Neurophysiology</i> , 2010, 121, 1726-1739.	1.5	40
363	The P300 event-related potential and smoking " A population-based case-control study. <i>International Journal of Psychophysiology</i> , 2010, 77, 166-175.	1.0	30
364	Evidence for specific cognitive deficits in visual information processing in patients with OCD compared to patients with unipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 984-991.	4.8	31
365	A coding variant of the novel serotonin receptor subunit 5-HT3E influences sustained attention in schizophrenia patients. <i>European Neuropsychopharmacology</i> , 2010, 20, 414-420.	0.7	16
366	Genetische Aspekte der Neuropsychologie psychischer Störungen. , 2010, , 145-164.		0
367	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? " Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	1.5	26
368	Antisaccade performance is related to genetic loading for schizophrenia. <i>Journal of Psychiatric Research</i> , 2009, 43, 291-297.	3.1	15
369	Early onset of obsessive-compulsive disorder and associated comorbidity. <i>Depression and Anxiety</i> , 2009, 26, 1012-1017.	4.1	41
370	Gene polymorphisms in prodynorphin (PDYN) are associated with episodic memory in the elderly. <i>Journal of Neural Transmission</i> , 2009, 116, 897-903.	2.8	33
371	Neuregulin 1 ICE-single nucleotide polymorphism in first episode schizophrenia correlates with cerebral activation in fronto-temporal areas. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 72-79.	3.2	29
372	Intracranial Recording and Source Localization of Auditory Brain Responses Elicited at the 50ms Latency in Three Children Aged from 3 to 16 Years. <i>Brain Topography</i> , 2009, 22, 166-175.	1.8	6
373	Startle cue " reactivity differentiates between light and heavy smokers. <i>Addiction</i> , 2009, 104, 1757-1764.	3.3	18
374	Sensorimotor Gating Depends on Polymorphisms of the Serotonin-2A Receptor and Catechol-O-Methyltransferase, but Not on Neuregulin-1 Arg38Gln Genotype: A Replication Study. <i>Biological Psychiatry</i> , 2009, 66, 614-620.	1.3	93
375	The influence of baseline symptoms and insight on the therapeutic alliance early in the treatment of schizophrenia. <i>European Psychiatry</i> , 2009, 24, 259-267.	0.2	72
376	Functional serotonin 1A receptor variant influences treatment response to atypical antipsychotics in schizophrenia. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 91-94.	1.5	51
377	Influence of 5-HT3 receptor subunit genes HTR3A, HTR3B, HTR3C, HTR3D and HTR3E on treatment response to antipsychotics in schizophrenia. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 843-851.	1.5	30
378	Executive performance of depressed suicide attempters: the role of suicidal ideation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 414-421.	3.2	173

#	ARTICLE	IF	CITATIONS
379	Neuropsychological impairments predict the clinical course in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 28-34.	3.2	54
380	From genes to psychoses and back: the role of the 5HT _{2A} -receptor and prepulse inhibition in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 40-43.	3.2	21
381	Reduced subjective quality of life in persons at risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 357-368.	4.5	68
382	Harm avoidance in subjects with obsessive-compulsive disorder and their families. <i>Journal of Affective Disorders</i> , 2008, 107, 265-269.	4.1	58
383	Neuregulin-1 haplotype HAPICE is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members. <i>Journal of Psychiatric Research</i> , 2008, 43, 1-6.	3.1	44
384	The hippocampus in families with schizophrenia in relation to obstetric complications. <i>Schizophrenia Research</i> , 2008, 104, 71-78.	2.0	34
385	Reduction of the Internal Capsule in Families Affected with Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 65-71.	1.3	40
386	Sensorimotor Gating of Schizophrenia Patients Is Influenced by 5-HT _{2A} Receptor Polymorphisms. <i>Biological Psychiatry</i> , 2008, 64, 434-437.	1.3	72
387	Impaired Sensorimotor Gating of the Acoustic Startle Response in the Prodrome of Schizophrenia. <i>Biological Psychiatry</i> , 2008, 64, 766-773.	1.3	132
388	Auditory P300 in individuals clinically at risk for psychosis. <i>International Journal of Psychophysiology</i> , 2008, 70, 192-205.	1.0	83
389	KIBRA gene variants are associated with episodic memory in healthy elderly. <i>Neurobiology of Aging</i> , 2008, 29, 1123-1125.	3.1	97
390	Spatiotemporal dynamics of audiovisual speech processing. <i>NeuroImage</i> , 2008, 39, 423-435.	4.2	95
391	Further evidence for a functional role of the glutamate receptor gene GRM3 in schizophrenia. <i>European Neuropsychopharmacology</i> , 2008, 18, 768-772.	0.7	47
392	Impaired sensorimotor gating of the acoustic startle response in the prodrome of schizophrenia. <i>European Psychiatry</i> , 2008, 23, S70.	0.2	1
393	Obsessive-Compulsive Disorder and Posttraumatic Stress Disorder. <i>Psychopathology</i> , 2008, 41, 129-134.	1.5	34
394	The His452Tyr variant of the gene encoding the 5-HT _{2A} receptor is specifically associated with consolidation of episodic memory in humans. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 1163.	2.1	33
395	Interrelated neuropsychological and anatomical evidence of hippocampal pathology in the at-risk mental state. <i>Psychological Medicine</i> , 2008, 38, 843-851.	4.5	71
396	Fecal markers of inflammation used as surrogate markers for treatment outcome in relapsing inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2008, 14, 5584.	3.3	128

#	ARTICLE	IF	CITATIONS
397	Acute effects of treatment for prodromal symptoms for people putatively in a late initial prodromal state of psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s88-s95.	2.8	122
398	SWARM: sLORETA-weighted accurate minimum norm inverse solutions. <i>International Congress Series</i> , 2007, 1300, 185-188.	0.2	25
399	Generators of the intracranial P50 response in auditory sensory gating. <i>NeuroImage</i> , 2007, 35, 814-826.	4.2	159
400	Neural correlates of working memory dysfunction in first-episode schizophrenia patients: An fMRI multi-center study. <i>Schizophrenia Research</i> , 2007, 89, 198-210.	2.0	148
401	Randomized controlled multicentre trial of cognitive behaviour therapy in the early initial prodromal state: effects on social adjustment post treatment. <i>Microbial Biotechnology</i> , 2007, 1, 71-78.	1.7	54
402	Improvement of cognitive functions in chronic schizophrenic patients by recombinant human erythropoietin. <i>Molecular Psychiatry</i> , 2007, 12, 206-220.	7.9	241
403	Impulsiveness in obsessive-compulsive disorder: results from a family study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 41-47.	4.5	116
404	Amygdala control of emotion-induced forgetting and remembering: Evidence from Urbach-Wiethe disease. <i>Neuropsychologia</i> , 2007, 45, 877-884.	1.6	83
405	Disturbed frontal gyrification within families affected with schizophrenia. <i>Journal of Psychiatric Research</i> , 2007, 41, 805-813.	3.1	59
406	5-HT2A receptor density is decreased in the at-risk mental state. <i>Psychopharmacology</i> , 2007, 195, 579-590.	3.1	80
407	Neuropsychological performance in partly remitted unipolar depressive patients: focus on executive functioning. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 389-395.	3.2	46
408	WC2H A RANDOMISED CONTROLLED MULTICENTER TRIAL OF COGNITIVE BEHAVIOUR THERAPY IN THE EARLY INITIAL PRODRAMAL STATE OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S8.	2.0	13
409	Alexithymia in Obsessive-Compulsive Disorder – Results from a Family Study. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 312-318.	8.8	48
410	Sensorimotor Gating and Habituation of the Startle Response in Schizophrenic Patients Randomly Treated With Amisulpride or Olanzapine. <i>Biological Psychiatry</i> , 2006, 59, 536-545.	1.3	98
411	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. <i>Biological Psychiatry</i> , 2006, 60, 202-203.	1.3	49
412	Proton magnetic resonance spectroscopy in subjects at risk for schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 81-88.	2.0	74
413	Attenuation of the prepulse inhibition of the acoustic startle response within and between sessions. <i>Biological Psychology</i> , 2006, 71, 256-263.	2.2	29
414	Familiarity of Obsessive-Compulsive Disorder in Nonclinical and Clinical Subjects. <i>American Journal of Psychiatry</i> , 2006, 163, 1986-1992.	7.2	83

#	ARTICLE	IF	CITATIONS
415	Schizophrenia and bipolar disorder: differences and overlaps. <i>Current Opinion in Psychiatry</i> , 2006, 19, 165-170.	6.3	127
416	Elevated impulsivity and impaired decision-making cognition in heavy users of MDMA (‘‘Ecstasy’’). <i>Psychopharmacology</i> , 2006, 189, 517-530.	3.1	108
417	Normal prepulse inhibition and habituation of acoustic startle response in suicidal depressive patients without psychotic symptoms. <i>Journal of Affective Disorders</i> , 2006, 92, 299-303.	4.1	40
418	Relation between cerebrospinal fluid, gray matter and white matter changes in families with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006, 40, 646-655.	3.1	15
419	Repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex affects divided attention immediately after cessation of stimulation. <i>Journal of Psychiatric Research</i> , 2006, 40, 315-321.	3.1	56
420	On the Variation of Divorce Risks in Europe: Findings from a Meta-Analysis of European Longitudinal Studies. <i>European Sociological Review</i> , 2006, 22, 483-500.	2.3	147
421	Memory deficits in abstinent MDMA (ecstasy) users: neuropsychological evidence of frontal dysfunction. <i>Journal of Psychopharmacology</i> , 2006, 20, 373-384.	4.0	106
422	An ERP Investigation of Semantic Priming, Repetition Priming, and Negative Priming in Schizophrenic Patients. <i>Journal of Psychophysiology</i> , 2006, 20, 195-211.	0.7	9
423	Psychoeducation and Compliance in the Treatment of Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 443-452.	2.2	117
424	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005, 10, 1059-1061.	7.9	46
425	Decreased prefrontal 5-HT2A receptor binding in subjects at enhanced risk for schizophrenia. <i>Anatomy and Embryology</i> , 2005, 210, 519-523.	1.5	39
426	Interventions in the initial prodromal states of psychosis in Germany: concept and recruitment. <i>British Journal of Psychiatry</i> , 2005, 187, s45-s48.	2.8	57
427	Cognitive Improvement in Schizophrenic Patients does not Require a Serotonergic Mechanism: Randomized Controlled Trial of Olanzapine vs Amisulpride. <i>Neuropsychopharmacology</i> , 2005, 30, 381-390.	5.4	75
428	Linear Regression Models for Solvent Accessibility Prediction in Proteins. <i>Journal of Computational Biology</i> , 2005, 12, 355-369.	1.6	100
429	Distinctive neurocognitive effects of repetitive transcranial magnetic stimulation and electroconvulsive therapy in major depression. <i>British Journal of Psychiatry</i> , 2005, 186, 410-416.	2.8	97
430	Cognitive-behavioral therapy in the pre-psychotic phase: An exploratory study. <i>Psychiatry Research</i> , 2005, 136, 251-255.	3.3	57
431	Impaired Prepulse Inhibition of Acoustic Startle in Obsessive-Compulsive Disorder. <i>Biological Psychiatry</i> , 2005, 57, 1153-1158.	1.3	175
432	High neuroticism and depressive temperament are associated with dysfunctional regulation of the hypothalamic-pituitary-adrenocortical system in healthy volunteers. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 392-399.	4.5	95

#	ARTICLE	IF	CITATIONS
433	Improvement of working but not declarative memory is correlated with HPA normalization during antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2004, 38, 377-383.	3.1	71
434	Computational protein biomarker prediction: a case study for prostate cancer. <i>BMC Bioinformatics</i> , 2004, 5, 26.	2.6	79
435	Early detection and secondary prevention of psychosis: facts and visions*. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 117-128.	3.2	183
436	Prepulse Inhibition and Habituation of Acoustic Startle Response in Male MDMA (â€œEcstasyâ€™) Users, Cannabis Users, and Healthy Controls. <i>Neuropsychopharmacology</i> , 2004, 29, 982-990.	5.4	111
437	Genetische Aspekte der Neuropsychologie psychischer StÃ¶rungen. , 2004, , 147-166.		1
438	Evaluation of sLORETA in the Presence of Noise and Multiple Sources. <i>Brain Topography</i> , 2003, 16, 277-280.	1.8	188
439	Effects of serotonergic and noradrenergic antidepressants on auditory startle response in patients with major depression. <i>Psychopharmacology</i> , 2003, -1, 1-1.	3.1	43
440	Protocols for disease classification from mass spectrometry data. <i>Proteomics</i> , 2003, 3, 1692-1698.	2.2	120
441	Effects of Scopolamine on Matching to Sample Paradigm and Related Tests in Human Subjects. <i>Neuropsychobiology</i> , 2003, 48, 87-94.	1.9	35
442	Schizophrenia Spectrum Disorders: A Review. , 2003, , 317-411.		1
443	Executive and visuospatial deficits in patients with chronic progressive external ophthalmoplegia and Kearns-Sayre syndrome. <i>Brain</i> , 2003, 126, 1231-1240.	7.6	61
444	Different negative priming impairments in schizophrenia and subgroups of obsessiveâ€“compulsive disorder. <i>Psychological Medicine</i> , 2002, 32, 459-468.	4.5	27
445	Further Evidence for Delayed Alternation Deficits in Obsessive-Compulsive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2001, 189, 562-564.	1.0	31
446	Increased semantic and repetition priming in schizophrenic patients.. <i>Journal of Abnormal Psychology</i> , 2001, 110, 67-75.	1.9	43
447	Schizophrenia Spectrum Disorders: A Review. , 2001, , 311-405.		9
448	Effects of cerebral hemispheric laterality on the span of apprehension of schizophrenic and healthy subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001, 251, 18-23.	3.2	13
449	Differential sustained attention/vigilance changes over time in schizophrenics and controls during a degraded stimulus Continuous Performance Test. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000, 250, 24-30.	3.2	36
450	Event-related potential correlates of proactive interference in schizophrenic patients and controls. <i>Psychophysiology</i> , 1999, 36, 199-208.	2.4	8

#	ARTICLE	IF	CITATIONS
451	Enhanced Expression of the Type II Transforming Growth Factor- β Receptor Is Associated with Decreased Survival in Human Pancreatic Cancer. <i>Pancreas</i> , 1999, 19, 370-376.	1.1	76
452	Linear and Nonlinear Current Density Reconstructions. <i>Journal of Clinical Neurophysiology</i> , 1999, 16, 267-295.	1.7	390
453	Improving source reconstructions by combining bioelectric and biomagnetic data. <i>Electroencephalography and Clinical Neurophysiology</i> , 1998, 107, 93-111.	0.3	208
454	An improved boundary element method for realistic volume-conductor modeling. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 980-997.	4.2	283
455	Transfection of the type I TGF- β receptor restores TGF- β responsiveness in pancreatic cancer. , 1998, 78, 255-260.		63
456	Modulation of auditory responses during oddball tasks. <i>Biological Psychology</i> , 1996, 43, 41-55.	2.2	35
457	CNV, PINV and probe-evoked potentials in schizophrenics. <i>Electroencephalography and Clinical Neurophysiology</i> , 1996, 98, 130-143.	0.3	42
458	Smooth reconstruction of cortical sources from EEG or MEG recordings. <i>NeuroImage</i> , 1996, 3, S168.	4.2	23
459	Delayed peak latency of the mismatch negativity in schizophrenics and alcoholics. <i>Biological Psychiatry</i> , 1995, 37, 754-757.	1.3	77
460	Information processing during eye tracking as revealed by event-related potentials in schizophrenics, alcoholics, and healthy controls. <i>Schizophrenia Research</i> , 1995, 16, 145-156.	2.0	21
461	Event-related and motor responses to probes in a forewarned reaction time task in schizophrenic patients. <i>Schizophrenia Research</i> , 1994, 13, 23-34.	2.0	32
462	SSR-Modulation During Slow Cortical Potentials. , 1994, , 325-341.		8
463	Migration and marriage in the life course: a method for studying synchronized events. <i>European Journal of Population</i> , 1993, 9, 55-76.	2.0	185
464	“Probing” the nature of the CNV. <i>Electroencephalography and Clinical Neurophysiology</i> , 1993, 87, 235-241.	0.3	80
465	Feasibility of Digital Memory Assessments in an Unsupervised and Remote Study Setting. <i>Frontiers in Digital Health</i> , 0, 4, .	2.8	12
466	Neural Correlates of Smooth Pursuit Eye Movements in Schizotypy and Recent Onset Psychosis: A Multivariate Pattern Classification Approach. <i>Schizophrenia Bulletin Open</i> , 0, , .	1.7	1
467	Effect of Commitment on Supportive Dyadic Coping: A Longitudinal Test of Interdependence Theory With German Couples. <i>Journal of Family Issues</i> , 0, , 0192513X2211067.	1.6	0
468	Social Isolation and Incident Dementia in the Oldest-Old—A Competing Risk Analysis. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	1