

Klaske Wynia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8427392/publications.pdf>

Version: 2024-02-01

33
papers

972
citations

430874

18
h-index

454955

30
g-index

39
all docs

39
docs citations

39
times ranked

1465
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus Based Definition of Growth Restriction in the Newborn. <i>Journal of Pediatrics</i> , 2018, 196, 71-76.e1.	1.8	119
2	Effects of Case Management for Frail Older People or Those With Chronic Illness. <i>Nursing Research</i> , 2009, 58, 201-210.	1.7	83
3	Gender-Related Needs and Preferences in Cancer Care Indicate the Need for an Individualized Approach to Cancer Patients. <i>Oncologist</i> , 2010, 15, 648-655.	3.7	67
4	Embrace, a model for integrated elderly care: study protocol of a randomized controlled trial on the effectiveness regarding patient outcomes, service use, costs, and quality of care. <i>BMC Geriatrics</i> , 2013, 13, 62.	2.7	59
5	The association between health literacy and self-management abilities in adults aged 75 and older, and its moderators. <i>Quality of Life Research</i> , 2016, 25, 2869-2877.	3.1	58
6	Experiences of Community-Living Older Adults Receiving Integrated Care Based on the Chronic Care Model: A Qualitative Study. <i>PLoS ONE</i> , 2015, 10, e0137803.	2.5	50
7	Integrated Care for Older Adults Improves Perceived Quality of Care: Results of a Randomized Controlled Trial of Embrace. <i>Journal of General Internal Medicine</i> , 2017, 32, 516-523.	2.6	45
8	Effects of a population-based, person-centred and integrated care service on health, wellbeing and self-management of community-living older adults: A randomised controlled trial on Embrace. <i>PLoS ONE</i> , 2018, 13, e0190751.	2.5	42
9	The Geriatric ICF Core Set reflecting health-related problems in community-living older adults aged 75 years and older without dementia: development and validation. <i>Disability and Rehabilitation</i> , 2015, 37, 2337-2343.	1.8	41
10	The Multiple Sclerosis Impact Profile (MSIP). Development and testing psychometric properties of an ICF-based health measure. <i>Disability and Rehabilitation</i> , 2008, 30, 261-274.	1.8	39
11	The impact of self-perceived limitations, stigma and sense of coherence on quality of life in multiple sclerosis patients: results of a cross-sectional study. <i>Clinical Rehabilitation</i> , 2018, 32, 536-545.	2.2	32
12	Are Edentulousness, Oral Health Problems and Poor Health-Related Quality of Life Associated with Malnutrition in Community-Dwelling Elderly (Aged 75 Years and Over)? A Cross-Sectional Study. <i>Nutrients</i> , 2018, 10, 1965.	4.1	31
13	Development and psychometric evaluation of a measure to evaluate the quality of integrated care: the Patient Assessment of Integrated Elderly Care. <i>Health Expectations</i> , 2016, 19, 962-972.	2.6	26
14	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 110-119.	5.0	26
15	Broadening the scope on health problems among the chronically neurologically ill with the International Classification of Functioning (ICF). <i>Disability and Rehabilitation</i> , 2006, 28, 1445-1454.	1.8	23
16	Experienced stigmatization reduced quality of life of patients with a neuromuscular disease: a cross-sectional study. <i>Clinical Rehabilitation</i> , 2013, 27, 1029-1038.	2.2	23
17	Are health care professionals able to judge cancer patients' health care preferences correctly? A cross-sectional study. <i>BMC Health Services Research</i> , 2010, 10, 198.	2.2	20
18	Adding a subjective dimension to an ICF-based disability measure for people with multiple sclerosis: development and use of a measure for perception of disabilities. <i>Disability and Rehabilitation</i> , 2009, 31, 1008-1017.	1.8	19

#	ARTICLE	IF	CITATIONS
19	Design of a Randomised Controlled Trial (RCT) on the effectiveness of a Dutch patient advocacy case management intervention among severely disabled Multiple Sclerosis patients. BMC Health Services Research, 2010, 10, 142.	2.2	19
20	Functioning assessment vs. conventional medical assessment: a comparative study on health professionals' clinical decision-making and the fit with patient's own perspective of health. Journal of Clinical Nursing, 2014, 23, 1044-1054.	3.0	18
21	Development and testing psychometric properties of an ICF-based health measure: The Neuromuscular Disease Impact Profile. Journal of Rehabilitation Medicine, 2015, 47, 445-453.	1.1	18
22	The prevalence and severity of disease-related disabilities and their impact on quality of life in neuromuscular diseases. Disability and Rehabilitation, 2019, 41, 1676-1681.	1.8	18
23	Integrated and Person-centered Care for Community-living Older Adults: A Cost-effectiveness Study. Health Services Research, 2018, 53, 3471-3494.	2.0	16
24	Experiences of case managers in providing person-centered and integrated care based on the Chronic Care Model: A qualitative study on embrace. PLoS ONE, 2018, 13, e0207109.	2.5	16
25	Integrated Care for Older Adults: A Struggle for Sustained Implementation in Northern Netherlands. International Journal of Integrated Care, 2020, 20, 1.	0.2	13
26	The Partners in Health scale for older adults: design and examination of its psychometric properties in a Dutch population of older adults. Health Expectations, 2017, 20, 601-607.	2.6	12
27	Explaining experiences of community-dwelling older adults with a pro-active comprehensive geriatric assessment program – a thorough evaluation by interviews. BMC Geriatrics, 2019, 19, 12.	2.7	11
28	Goal planning in person-centred care supports older adults receiving case management to attain their health-related goals. Disability and Rehabilitation, 2021, 43, 1682-1691.	1.8	10
29	Health-Related Problems and Changes After 1 Year as Assessed With the Geriatric ICF Core Set (GeriatrICS) in Community-Living Older Adults Who Are Frail Receiving Person-Centered and Integrated Care From Embrace. Archives of Physical Medicine and Rehabilitation, 2019, 100, 2334-2345.	0.9	10
30	Compromised intestinal integrity in older adults during daily activities: a pilot study. BMC Geriatrics, 2021, 21, 628.	2.7	2
31	Stability and relative validity of the Neuromuscular Disease Impact Profile (NMDIP). BMC Neurology, 2017, 17, 87.	1.8	1
32	The extremity function index (EFI), a disability severity measure for neuromuscular diseases: psychometric evaluation. Disability and Rehabilitation, 2018, 40, 1561-1568.	1.8	1
33	Ageing Better in the Netherlands. , 2018, , .		1