

Kurt WÃ¼thrich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8431988/publications.pdf>

Version: 2024-02-01

195
papers

32,163
citations

11908

72
h-index

4511

177
g-index

201
all docs

201
docs citations

201
times ranked

20237
citing authors

#	ARTICLE	IF	CITATIONS
1	GPCR large-amplitude dynamics by ¹⁹ F-NMR of aprepitant bound to the neurokinin 1 receptor. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2122682119.	3.3	16
2	Dual-acting antitumor agents targeting the A2A adenosine receptor and histone deacetylases: Design and synthesis of 4-(furan-2-yl)-1H-pyrazolo[3,4-d]pyrimidin-6-amine derivatives. European Journal of Medicinal Chemistry, 2022, 236, 114326.	2.6	5
3	G Protein-coupled Receptor (GPCR) Reconstitution and Labeling for Solution Nuclear Magnetic Resonance (NMR) Studies of the Structural Basis of Transmembrane Signaling. Molecules, 2022, 27, 2658.	1.7	8
4	OCRE Domains of Splicing Factors RBM5 and RBM10: Tyrosine Ringâ€˜Flip Frequencies Determined by Integrated Use of 1 H NMR Spectroscopy and Molecular Dynamics Simulations. ChemBioChem, 2021, 22, 565-570.	1.3	4
5	A2A Adenosine Receptor Partial Agonism Related to Structural Rearrangements in an Activation Microswitch. Structure, 2021, 29, 170-176.e3.	1.6	30
6	Design and preparation of the class B G proteinâ€˜coupled receptors GLPâ€˜1R and GCGR for ¹⁹ Fâ€˜NMR studies in solution. FEBS Journal, 2021, 288, 4053-4063.	2.2	9
7	SARS Coronavirus Unique Domain: Three-Domain Molecular Architecture in Solution and RNA Binding. , 2021, , 155-173.		0
8	Structural plasticity of the cellular prion protein and implications in health and disease. , 2021, , 127-132.		0
9	GPCR drug discovery: integrating solution NMR data with crystal and cryo-EM structures. , 2021, , 197-220.		1
10	Sequence-Specific Resonance Assignment of Soluble Nonglobular Proteins by 7D APSY-NMR Spectroscopy. , 2021, , 72-77.		0
11	Nuclear Magnetic Resonance Structure of a Novel Globular Domain in RBM10 Containing OCRE, the Octamer Repeat Sequence Motif. , 2021, , 105-111.		0
12	Biased Signaling Pathways in Î² ₂ -Adrenergic Receptor Characterized by ¹⁹ F-NMR. , 2021, , 179-183.		0
13	Allosteric Coupling of Drug Binding and Intracellular Signaling in the A2A Adenosine Receptor. , 2021, , 184-196.		0
14	Richard R. Ernst (1933â€˜2021) â€˜ A life of NMR, classical music and Tibetan art. Journal of Magnetic Resonance, 2021, 331, 107047.	1.2	0
15	Brownian motion, spin diffusion and protein structure determination in solution. Journal of Magnetic Resonance, 2021, 331, 107031.	1.2	5
16	Tumor Immunotherapy Using A2A Adenosine Receptor Antagonists. Pharmaceuticals, 2020, 13, 237.	1.7	23
17	Biased Signaling of the G-Protein-Coupled Receptor Î² ₂ AR Is Governed by Conformational Exchange Kinetics. Structure, 2020, 28, 371-377.e3.	1.6	36
18	Disulfideâ€˜Containing Detergents (DCDs) for the Structural Biology of Membrane Proteins. Chemistry - A European Journal, 2019, 25, 11635-11640.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Human substance P receptor binding mode of the antagonist drug aprepitant by NMR and crystallography. <i>Nature Communications</i> , 2019, 10, 638.	5.8	43
20	GPCR drug discovery: integrating solution NMR data with crystal and cryo-EM structures. <i>Nature Reviews Drug Discovery</i> , 2019, 18, 59-82.	21.5	179
21	Splicing Site Recognition by Synergy of Three Domains in Splicing Factor RBM10. <i>Biochemistry</i> , 2018, 57, 1563-1567.	1.2	8
22	Allosteric Coupling of Drug Binding and Intracellular Signaling in the A _{2A} Adenosine Receptor. <i>Cell</i> , 2018, 172, 68-80.e12.	13.5	173
23	A _{2A} adenosine receptor functional states characterized by ¹⁹ F-NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 12733-12738.	3.3	96
24	Molecular interactions connecting the function of the serine-arginine-rich protein SRSF1 to protein phosphatase 1. <i>Journal of Biological Chemistry</i> , 2018, 293, 16751-16760.	1.6	21
25	Extrinsic Tryptophans as NMR Probes of Allosteric Coupling in Membrane Proteins: Application to the A _{2A} Adenosine Receptor. <i>Journal of the American Chemical Society</i> , 2018, 140, 8228-8235.	6.6	41
26	Globally Monitoring Allosteric Coupling in the A _{2A} Adenosine Receptor by NMR in Solution. <i>FASEB Journal</i> , 2018, 32, 533.99.	0.2	0
27	Solvent-accessibility of discrete residue positions in the polypeptide hormone glucagon by ¹⁹ F-NMR observation of 4-fluorophenylalanine. <i>Journal of Biomolecular NMR</i> , 2017, 68, 1-6.	1.6	8
28	Prion protein Δ^{2-24} Δ^{1-2} 2 loop conformational landscape. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 9617-9622.	3.3	26
29	Protease resistance of infectious prions is suppressed by removal of a single atom in the cellular prion protein. <i>PLoS ONE</i> , 2017, 12, e0170503.	1.1	7
30	¹⁵ NMR reveals structural rearrangements associated to substrate insertion in nucleotide-binding enzymes. <i>Protein Science</i> , 2016, 25, 917-925.	3.1	1
31	¹⁵ NMR in structural genomics to increase structural coverage of the protein universe. <i>FEBS Journal</i> , 2016, 283, 3870-3881.	2.2	5
32	UHM-ULM interactions in the RBM39-U2AF65 splicing-factor complex. <i>Acta Crystallographica Section D: Structural Biology</i> , 2016, 72, 497-511.	1.1	36
33	Dynamic Local Polymorphisms in the Gbx1 Homeodomain Induced by DNA Binding. <i>Structure</i> , 2016, 24, 1372-1379.	1.6	2
34	Ring current shifts in ¹⁹ F-NMR of membrane proteins. <i>Journal of Biomolecular NMR</i> , 2016, 65, 1-5.	1.6	27
35	Δ^2 -Adrenergic Receptor Conformational Response to Fusion Protein in the Third Intracellular Loop. <i>Structure</i> , 2016, 24, 2190-2197.	1.6	43
36	Directional Phosphorylation and Nuclear Transport of the Splicing Factor SRSF1 Is Regulated by an RNA Recognition Motif. <i>Journal of Molecular Biology</i> , 2016, 428, 2430-2445.	2.0	27

#	ARTICLE	IF	CITATIONS
37	The acidic domain is a unique structural feature of the splicing factor SYNCRIP. <i>Protein Science</i> , 2016, 25, 1545-1550.	3.1	9
38	Dlx5 Homeodomain:DNA Complex: Structure, Binding and Effect of Mutations Related to Split Hand and Foot Malformation Syndrome. <i>Journal of Molecular Biology</i> , 2016, 428, 1130-1141.	2.0	10
39	Nuclear Magnetic Resonance Structure of a Novel Globular Domain in RBM10 Containing OCRE, the Octamer Repeat Sequence Motif. <i>Structure</i> , 2016, 24, 158-164.	1.6	18
40	Inâ€Membrane Chemical Modification (IMCM) for Siteâ€Specific Chromophore Labeling of GPCRs. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15246-15249.	7.2	23
41	Cofactorâ€induced reversible folding of <i>F</i> from <i>actobacillus acidophilus</i> . <i>Protein Science</i> , 2015, 24, 1600-1608.	3.1	2
42	Nonâ€Uniform Sampling and Jâ€UNIO Automation for Efficient Protein NMR Structure Determination. <i>Chemistry - A European Journal</i> , 2015, 21, 12363-12369.	1.7	3
43	APSY-NMR for protein backbone assignment in high-throughput structural biology. <i>Journal of Biomolecular NMR</i> , 2015, 61, 47-53.	1.6	22
44	NMR structure determination of the protein NP_344798.1 as the first representative of Pfam PF06042. <i>Journal of Biomolecular NMR</i> , 2015, 61, 83-87.	1.6	4
45	Single-molecule view of basal activity and activation mechanisms of the G protein-coupled receptor β^2 AR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14254-14259.	3.3	87
46	NMR structure and dynamics of the agonist dynorphin peptide bound to the human kappa opioid receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11852-11857.	3.3	80
47	J-UNIO protocol used for NMR structure determination of the 206-residue protein NP_346487.1 from <i>Streptococcus pneumoniae</i> TIGR4. <i>Journal of Biomolecular NMR</i> , 2015, 61, 65-72.	1.6	2
48	Micro-scale NMR Experiments for Monitoring the Optimization of Membrane Protein Solutions for Structural Biology. <i>Bio-protocol</i> , 2015, 5, .	0.2	1
49	Walter Jakob Gehring: A master of developmental biology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12574-12575.	3.3	2
50	Solutionâ€NMR Characterization of Outerâ€Membrane Protein A from <i>E. coli</i> in Lipid Bilayer Nanodiscs and Detergent Micelles. <i>ChemBioChem</i> , 2014, 15, 995-1000.	1.3	39
51	NMR Polypeptide Backbone Conformation of the <i>E. coli</i> Outer Membrane Protein W. <i>Structure</i> , 2014, 22, 1204-1209.	1.6	30
52	NMR Structures of $\hat{\pm}$ -Proteobacterial ATPase-Regulating $\hat{\Gamma}$ -Subunits. <i>Journal of Molecular Biology</i> , 2014, 426, 2547-2553.	2.0	18
53	Structural representative of the protein family PF14466 has a new fold and establishes links with the C2 and PLAT domains from the widely distant Pfams PF00168 and PF01477. <i>Protein Science</i> , 2013, 22, 1000-1007.	3.1	5
54	NMRâ€profiles of protein solutions. <i>Biopolymers</i> , 2013, 99, 825-831.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Fluorine-19 NMR of integral membrane proteins illustrated with studies of GPCRs. <i>Current Opinion in Structural Biology</i> , 2013, 23, 740-747.	2.6	81
56	Structural plasticity of the cellular prion protein and implications in health and disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8549-8554.	3.3	35
57	$\hat{\nu}^2$ Adrenergic Receptor Activation by Agonists Studied with ^{19}F -NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10762-10765.	7.2	71
58	The GPCR Network: a large-scale collaboration to determine human GPCR structure and function. <i>Nature Reviews Drug Discovery</i> , 2013, 12, 25-34.	21.5	252
59	$\hat{\nu}^2$ Adrenergic Receptor Solutions for Structural Biology Analyzed with Microscale NMR Diffusion Measurements. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 331-335.	7.2	21
60	Thermodynamic Stability of Psychrophilic and Mesophilic Pheromones of the Protozoan Ciliate <i>Euplotes</i> . <i>Biology</i> , 2013, 2, 142-150.	1.3	14
61	The J-UNIO protocol for automated protein structure determination by NMR in solution. <i>Journal of Biomolecular NMR</i> , 2012, 53, 341-354.	1.6	57
62	Micro-coil NMR to monitor optimization of the reconstitution conditions for the integral membrane protein <i>OmpW</i> in detergent micelles. <i>Journal of Biomolecular NMR</i> , 2012, 54, 129-133.	1.6	11
63	Translational Diffusion Measurements by Microcoil NMR in Aqueous Solutions of the Fos-10 Detergent-Solubilized Membrane Protein <i>OmpX</i> . <i>Journal of Physical Chemistry B</i> , 2012, 116, 6775-6780.	1.2	10
64	Coding genes and molecular structures of the diffusible signalling proteins (pheromones) of the polar ciliate, <i>Euplotes nobilii</i> . <i>Marine Genomics</i> , 2012, 8, 9-13.	0.4	11
65	Biased Signaling Pathways in $\hat{\nu}^2$ -Adrenergic Receptor Characterized by ^{19}F -NMR. <i>Science</i> , 2012, 335, 1106-1110.	6.0	618
66	Dynamic Conformational Equilibria in the Physiological Function of the <i>Bombyx mori</i> Pheromone-Binding Protein. <i>Journal of Molecular Biology</i> , 2011, 408, 922-931.	2.0	29
67	Translational Diffusion of Macromolecular Assemblies Measured Using Transverse-Relaxation-Optimized Pulsed Field Gradient NMR. <i>Journal of the American Chemical Society</i> , 2011, 133, 16354-16357.	6.6	28
68	Celebrating its 20th anniversary in 2011, the <i>Journal of Biomolecular NMR</i> looks forward to the second decade of the 21st century. <i>Journal of Biomolecular NMR</i> , 2011, 49, 1-2.	1.6	2
69	NMR structure of the <i>Bordetella bronchiseptica</i> protein NP_888769.1 establishes a new phage-related protein family PF13554. <i>Protein Science</i> , 2011, 20, 1137-1144.	3.1	5
70	Nuclear magnetic resonance spectroscopy with the stringent substrate rhodanese bound to the single-ring variant SR1 of the <i>E. coli</i> chaperonin GroEL. <i>Protein Science</i> , 2011, 20, 1380-1386.	3.1	20
71	Antarctic and Arctic populations of the ciliate <i>Euplotes nobilii</i> show common pheromone-mediated cell-cell signaling and cross-mating. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 3181-3186.	3.3	40
72	NMR structure of the protein NP_247299.1: comparison with the crystal structure. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 1367-1380.	0.7	13

#	ARTICLE	IF	CITATIONS
73	Comparison of NMR and crystal structures for the proteins TM1112 and TM1367. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 1381-1392.	0.7	14
74	NMR in a crystallography-based high-throughput protein structure-determination environment. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 1365-1366.	0.7	7
75	Comparison of NMR and crystal structures highlights conformational isomerism in protein active sites. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 1393-1405.	0.7	18
76	The JCSG high-throughput structural biology pipeline. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 1137-1142.	0.7	99
77	The water-born protein pheromones of the polar protozoan ciliate, <i>Euplotes nobilii</i> : Coding genes and molecular structures. <i>Polar Science</i> , 2010, 4, 237-244.	0.5	4
78	Prion Protein-Detergent Micelle Interactions Studied by NMR in Solution. <i>Journal of Biological Chemistry</i> , 2009, 284, 22713-22721.	1.6	29
79	Nuclear Magnetic Resonance Structure of the Nucleic Acid-Binding Domain of Severe Acute Respiratory Syndrome Coronavirus Nonstructural Protein 3. <i>Journal of Virology</i> , 2009, 83, 12998-13008.	1.5	63
80	Nuclear Magnetic Resonance Structure Shows that the Severe Acute Respiratory Syndrome Coronavirus-Unique Domain Contains a Macrodomain Fold. <i>Journal of Virology</i> , 2009, 83, 1823-1836.	1.5	50
81	Molecular cold-adaptation: Comparative analysis of two homologous families of psychrophilic and mesophilic signal proteins of the protozoan ciliate, <i>Euplotes</i> . <i>IUBMB Life</i> , 2009, 61, 838-845.	1.5	30
82	Molecular cold-adaptation: Comparative analysis of two homologous families of psychrophilic and mesophilic signal proteins of the protozoan ciliate, <i>Euplotes</i> . <i>IUBMB Life</i> , 2009, 61, spcone-spcone.	1.5	0
83	NMR Characterization of Membrane Protein~Detergent Micelle Solutions by Use of Microcoil Equipment. <i>Journal of the American Chemical Society</i> , 2009, 131, 18450-18456.	6.6	27
84	Automated sequence-specific protein NMR assignment using the memetic algorithm MATCH. <i>Journal of Biomolecular NMR</i> , 2008, 41, 127-138.	1.6	111
85	Automated amino acid side-chain NMR assignment of proteins using 13C- and 15N-resolved 3D [1H,1H]-NOESY. <i>Journal of Biomolecular NMR</i> , 2008, 42, 23-33.	1.6	66
86	APSY-NMR with proteins: practical aspects and backbone assignment. <i>Journal of Biomolecular NMR</i> , 2008, 42, 179-195.	1.6	55
87	Solution NMR structure determination of proteins revisited. <i>Journal of Biomolecular NMR</i> , 2008, 42, 155-158.	1.6	100
88	NMR assignment of the nonstructural protein nsp3(1066~1181) from SARS-CoV. <i>Biomolecular NMR Assignments</i> , 2008, 2, 135-138.	0.4	4
89	Interactions with Hydrophobic Clusters in the Urea~Unfolded Membrane Protein OmpX. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 977-981.	7.2	21
90	Microscale NMR Screening of New Detergents for Membrane Protein Structural Biology. <i>Journal of the American Chemical Society</i> , 2008, 130, 7357-7363.	6.6	49

#	ARTICLE	IF	CITATIONS
91	Proteomics Analysis Unravels the Functional Repertoire of Coronavirus Nonstructural Protein 3. <i>Journal of Virology</i> , 2008, 82, 5279-5294.	1.5	167
92	A key molecular switch specifies species barriers in prion disease. <i>FASEB Journal</i> , 2008, 22, 173.2.	0.2	0
93	Nuclear Magnetic Resonance Structure of the N-Terminal Domain of Nonstructural Protein 3 from the Severe Acute Respiratory Syndrome Coronavirus. <i>Journal of Virology</i> , 2007, 81, 12049-12060.	1.5	75
94	Cold-adaptation in Sea-water-borne Signal Proteins: Sequence and NMR Structure of the Pheromone En-6 from the Antarctic Ciliate <i>Euplotes nobilii</i> . <i>Journal of Molecular Biology</i> , 2007, 372, 277-286.	2.0	24
95	Sequence-Specific Resonance Assignment of Soluble Nonglobular Proteins by 7D APSY-NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2007, 129, 10823-10828.	6.6	71
96	NMR structure of a KlbA intein precursor from <i>Methanococcus jannaschii</i> . <i>Protein Science</i> , 2007, 16, 1316-1328.	3.1	44
97	Cold-adapted signal proteins: NMR structures of pheromones from the antarctic ciliate <i>Euplotes nobilii</i> . <i>IUBMB Life</i> , 2007, 59, 578-585.	1.5	17
98	NMR assignment of a KlbA intein precursor from <i>Methanococcus jannaschii</i> . <i>Biomolecular NMR Assignments</i> , 2007, 1, 19-21.	0.4	2
99	NMR assignment of the domain 513-651 from the SARS-CoV nonstructural protein nsp3. <i>Biomolecular NMR Assignments</i> , 2007, 1, 191-194.	0.4	4
100	Effective rotational correlation times of proteins from NMR relaxation interference. <i>Journal of Magnetic Resonance</i> , 2006, 178, 72-76.	1.2	238
101	Solution structure of Asl1650, an acyl carrier protein from <i>Anabaena</i> sp. PCC 7120 with a variant phosphopantetheinylation-site sequence. <i>Protein Science</i> , 2006, 15, 1030-1041.	3.1	19
102	Automated Resonance Assignment of Proteins: 6 DAPSY-NMR. <i>Journal of Biomolecular NMR</i> , 2006, 35, 27-37.	1.6	80
103	Towards miniaturization of a structural genomics pipeline using micro-expression and microcoil NMR. <i>Journal of Structural and Functional Genomics</i> , 2006, 6, 259-267.	1.2	32
104	Proton-proton Overhauser NMR spectroscopy with polypeptide chains in large structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15445-15450.	3.3	30
105	NMR structure of the conserved hypothetical protein TM0487 from <i>Thermotoga maritima</i> : Implications for 216 homologous DUF59 proteins. <i>Protein Science</i> , 2005, 14, 2880-2886.	3.1	14
106	Managing the solvent water polarization to obtain improved NMR spectra of large molecular structures. <i>Journal of Biomolecular NMR</i> , 2005, 32, 61-70.	1.6	46
107	Direct NMR observation of a substrate protein bound to the chaperonin GroEL. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12748-12753.	3.3	114
108	Automated projection spectroscopy (APSY). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10876-10881.	3.3	232

#	ARTICLE	IF	CITATIONS
109	NMR screening and crystal quality of bacterially expressed prokaryotic and eukaryotic proteins in a structural genomics pipeline. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 1901-1905.	3.3	81
110	Automated NMR structure determination and disulfide bond identification of the myotoxin crostamine from <i>Crotalus durissus terrificus</i> . Toxicon, 2005, 46, 759-767.	0.8	84
111	Letter to the Editor: ¹ H-, ¹³ C- and ¹⁵ N-NMR Assignment of the Conserved Hypothetical Protein TM0487 from <i>Thermotoga Maritima</i> . Journal of Biomolecular NMR, 2004, 29, 453-454.	1.6	4
112	Uniform and Residue-specific ¹⁵ N-labeling of Proteins on a Highly Deuterated Background. Journal of Biomolecular NMR, 2004, 29, 289-297.	1.6	70
113	Letter to the Editor: NMR Structure Determination of the Hypothetical Protein TM1290 from <i>Thermotoga Maritima</i> using Automated NOESY Analysis. Journal of Biomolecular NMR, 2004, 29, 403-406.	1.6	19
114	NMR for structural proteomics of <i>Thermotoga maritima</i> : Screening and structure determination. Journal of Structural and Functional Genomics, 2004, 5, 205-215.	1.2	31
115	Nonrandom Structure in the Urea-Unfolded <i>Escherichia coli</i> Outer Membrane Protein X (OmpX). Biochemistry, 2004, 43, 860-869.	1.2	49
116	NMR Structure of the Integral Membrane Protein OmpX. Journal of Molecular Biology, 2004, 336, 1211-1221.	2.0	173
117	NMR assignment of the conserved hypothetical protein TM1290 of <i>Thermotoga maritima</i> . Journal of Biomolecular NMR, 2003, 25, 167-168.	1.6	15
118	NMR-Untersuchungen von Struktur und Funktion biologischer Makromoleküle (Nobel-Vortrag). Angewandte Chemie, 2003, 115, 3462-3486.	1.6	36
119	NMR Studies of Structure and Function of Biological Macromolecules (Nobel Lecture). Angewandte Chemie - International Edition, 2003, 42, 3340-3363.	7.2	215
120	NMR solution structure determination of membrane proteins reconstituted in detergent micelles. FEBS Letters, 2003, 555, 144-150.	1.3	93
121	Lipid-protein interactions in DHPC micelles containing the integral membrane protein OmpX investigated by NMR spectroscopy. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 13533-13537.	3.3	125
122	TROSY-NMR reveals interaction between ERp57 and the tip of the calreticulin P-domain. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 1954-1959.	3.3	269
123	Solution NMR Techniques for Large Molecular and Supramolecular Structures. Journal of the American Chemical Society, 2002, 124, 12144-12153.	6.6	141
124	Protein NMR Structure Determination with Automated NOE Assignment Using the New Software CANDID and the Torsion Angle Dynamics Algorithm DYANA. Journal of Molecular Biology, 2002, 319, 209-227.	2.0	1,408
125	NMR analysis of a 900K GroEL-GroES complex. Nature, 2002, 418, 207-211.	13.7	394
126	A Structurally Deviant Member of the <i>Euplotes raikovi</i> Pheromone Family: Er-23. Journal of Eukaryotic Microbiology, 2002, 49, 86-92.	0.8	23

#	ARTICLE	IF	CITATIONS
127	Side chain NMR assignments in the membrane protein OmpX reconstituted in DHPC micelles. Journal of Biomolecular NMR, 2002, 23, 289-301.	1.6	51
128	Protein NMR structure determination with automated NOE-identification in the NOESY spectra using the new software ATNOS. Journal of Biomolecular NMR, 2002, 24, 171-189.	1.6	448
129	NMR structure of the Euplotes raikovi pheromone Er -23 and identification of its five disulfide bonds 1 1Edited by M. F. Summers. Journal of Molecular Biology, 2001, 313, 923-931.	2.0	33
130	Solution NMR studies of the integral membrane proteins OmpX and OmpA from Escherichia coli. FEBS Letters, 2001, 504, 173-178.	1.3	123
131	NMR structure of the pheromone Er-22 from Euplotes raikovi. Journal of Biomolecular NMR, 2001, 19, 75-78.	1.6	18
132	The way to NMR structures of proteins. , 2001, 8, 923-925.		139
133	[15N,1H]/[13C,1H]-TROSY for simultaneous detection of backbone 15N-1H, aromatic 13C-1H and side-chain 15N-1H2 correlations in large proteins. Journal of Biomolecular NMR, 2000, 17, 195-202.	1.6	35
134	[13C]-constant-time [15N,1H]-TROSY-HNCA for sequential assignments of large proteins. Journal of Biomolecular NMR, 1999, 14, 85-88.	1.6	56
135	Improved sensitivity and coherence selection for [15N,1H]-TROSY elements in triple resonance experiments. Journal of Biomolecular NMR, 1999, 15, 181-184.	1.6	94
136	TROSY-type Triple-Resonance Experiments for Sequential NMR Assignments of Large Proteins. Journal of the American Chemical Society, 1999, 121, 844-848.	6.6	315
137	Single Transition-to-single Transition Polarization Transfer (ST2-PT) in [15N,1H]-TROSY. Journal of Biomolecular NMR, 1998, 12, 345-348.	1.6	246
138	Automated Peak Picking and Peak Integration in Macromolecular NMR Spectra Using AUTOPSY. Journal of Magnetic Resonance, 1998, 135, 288-297.	1.2	121
139	Transverse Relaxation-Optimized Spectroscopy (TROSY) for NMR Studies of Aromatic Spin Systems in 13C-Labeled Proteins. Journal of the American Chemical Society, 1998, 120, 6394-6400.	6.6	288
140	NMR characterization of the full-length recombinant murine prion protein, m PrP(23-231). FEBS Letters, 1997, 413, 282-288.	1.3	659
141	GARANT-a general algorithm for resonance assignment of multidimensional nuclear magnetic resonance spectra. , 1997, 18, 139-149.		129
142	Hydration and DNA Recognition by Homeodomains. Cell, 1996, 85, 1057-1065.	18.5	112
143	MOLMOL: A program for display and analysis of macromolecular structures. Journal of Molecular Graphics, 1996, 14, 51-55.	1.7	6,760
144	Automated sequence-specific NMR assignment of homologous proteins using the program GARANT. Journal of Biomolecular NMR, 1996, 7, 207-13.	1.6	117

#	ARTICLE	IF	CITATIONS
145	Three-dimensional 1H-TOCSY-relayed ct-[13C,1H]-HMQC for aromatic spin system identification in uniformly 13C-labeled proteins. <i>Journal of Biomolecular NMR</i> , 1996, 7, 99-106.	1.6	40
146	The NMR solution structure of the pheromone Erâ€11 from the ciliated protozoan <i>Euplotes raikovi</i>. <i>Protein Science</i> , 1996, 5, 1512-1522.	3.1	30
147	NMR structure of the mouse prion protein domain PrP(121â€231). <i>Nature</i> , 1996, 382, 180-182.	13.7	1,201
148	Statistical Basis for the Use of13CÎ±Chemical Shifts in Protein Structure Determination. <i>Journal of Magnetic Resonance Series B</i> , 1995, 109, 229-233.	1.6	103
149	Structure comparison of the pheromones E<i>r</i>â€1, E<i>r</i>â€10, and E<i>r</i>â€2 from <i>Euplotes raikovi</i>. <i>Protein Science</i> , 1994, 3, 1537-1546.	3.1	48
150	Destabilization of the complete protein secondary structure on binding to the chaperone GroEL. <i>Nature</i> , 1994, 368, 261-265.	13.7	157
151	NMR assignments as a basis for structural characterization of denatured states of globular proteins. <i>Current Opinion in Structural Biology</i> , 1994, 4, 93-99.	2.6	91
152	Determination of the Nuclear Magnetic Resonance Solution Structure of an Antennapedia Homeodomain-DNA Complex. <i>Journal of Molecular Biology</i> , 1993, 234, 1084-1097.	2.0	278
153	Determination of the nuclear magnetic resonance solution structure of the DNA-binding domain (residues 1 to 69) of the 434 repressor and comparison with the X-ray crystal structure. <i>Journal of Molecular Biology</i> , 1992, 223, 743-767.	2.0	70
154	Processing of multi-dimensional NMR data with the new software PROSA. <i>Journal of Biomolecular NMR</i> , 1992, 2, 619-629.	1.6	281
155	Structure of human cyclophilin and its binding site for cyclosporin A determined by X-ray crystallography and NMR spectroscopy. <i>Nature</i> , 1991, 353, 276-279.	13.7	281
156	Solution of the phase problem in the X-ray diffraction method for proteins with the nuclear magnetic resonance solution structure as initial model. <i>Journal of Molecular Biology</i> , 1989, 206, 669-676.	2.0	45
157	Comparison of the high-resolution structures of the Î±-amylase inhibitor tendamistat determined by nuclear magnetic resonance in solution and by X-ray diffraction in single crystals. <i>Journal of Molecular Biology</i> , 1989, 206, 677-687.	2.0	157
158	Conformation of [Cd7]-metallothionein-2 from rat liver in aqueous solution determined by nuclear magnetic resonance spectroscopy. <i>Journal of Molecular Biology</i> , 1988, 203, 251-268.	2.0	204
159	Determination of the complete three-dimensional structure of the Î±-amylase inhibitor tendamistat in aqueous solution by nuclear magnetic resonance and distance geometry. <i>Journal of Molecular Biology</i> , 1988, 204, 675-724.	2.0	232
160	Three-dimensional structure of rabbit liver [Cd7]metallothionein-2a in aqueous solution determined by nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1988, 201, 637-657.	2.0	315
161	Protein structures in solution by nuclear magnetic resonance and distance geometry. <i>Journal of Molecular Biology</i> , 1987, 196, 611-639.	2.0	646
162	Reinvestigation of the aromatic side-chains in the basic pancreatic trypsin inhibitor by heteronuclear two-dimensional nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1987, 196, 227-231.	2.0	53

#	ARTICLE	IF	CITATIONS
163	Metal co-ordination in rat liver metallothionein-2 prepared with or without reconstitution of the metal clusters, and comparison with rabbit liver metallothionein-2. <i>Journal of Molecular Biology</i> , 1987, 196, 711-719.	2.0	58
164	Sequence-specific 1H-NMR assignments in rat-liver metallothionein-2. <i>FEBS Journal</i> , 1987, 167, 457-466.	0.2	13
165	Studies by 1H nuclear magnetic resonance and distance geometry of the solution conformation of the Î±-amylase inhibitor Tendamistat. <i>Journal of Molecular Biology</i> , 1986, 189, 377-382.	2.0	194
166	Polypeptide fold in the two metal clusters of metallothionein-2 by nuclear magnetic resonance in solution. <i>Journal of Molecular Biology</i> , 1986, 187, 125-129.	2.0	146
167	NMR with Proteins and Nucleic Acids. <i>Europhysics News</i> , 1986, 17, 11-13.	0.1	4,189
168	Display algorithm for space-filling molecular models using a video array processor. <i>Journal of Molecular Graphics</i> , 1986, 4, 108-111.	1.7	4
169	Sequence-specific 1H-NMR assignments in rabbit-liver metallothionein-2. <i>FEBS Journal</i> , 1986, 157, 275-289.	0.2	59
170	An evaluation of the combined use of nuclear magnetic resonance and distance geometry for the determination of protein conformations in solution. <i>Journal of Molecular Biology</i> , 1985, 182, 281-294.	2.0	383
171	Secondary structure of the Î±-amylase polypeptide inhibitor Tendamistat from <i>Streptomyces tendae</i> determined in solution by 1H nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1985, 183, 503-507.	2.0	170
172	Solution conformation of proteinase inhibitor IIA from bull seminal plasma by 1H nuclear magnetic resonance and distance geometry. <i>Journal of Molecular Biology</i> , 1985, 182, 295-315.	2.0	599
173	113Cd-1H spin-spin couplings in homonuclear 1H correlated spectroscopy of metallothionein. Identification of the cysteine 1H spin systems. <i>FEBS Journal</i> , 1984, 143, 659-667.	0.2	55
174	Polypeptide secondary structure determination by nuclear magnetic resonance observation of short proton-proton distances. <i>Journal of Molecular Biology</i> , 1984, 180, 715-740.	2.0	771
175	Secondary structure in the solution conformation of the proteinase inhibitor IIA from bull seminal plasma by nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1984, 173, 341-359.	2.0	96
176	Sequential Individual Resonance Assignments in the 1H Nuclear-Magnetic-Resonance Spectrum of Cardiotoxin VII 2 from <i>Naja mossambica mossambica</i> . <i>FEBS Journal</i> , 1983, 130, 497-508.	0.2	35
177	Sequence-specific resonance assignments in the 1H nuclear-magnetic-resonance spectrum of the Lac repressor DNA-binding domain 1-51 from <i>Escherichia coli</i> by two-dimensional spectroscopy. <i>FEBS Journal</i> , 1983, 137, 279-292.	0.2	87
178	Characterization of the proteinase inhibitor IIA from bull seminal plasma by 1H nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1983, 166, 631-640.	2.0	14
179	Assignment of the 1H nuclear magnetic resonance spectrum of the proteinase inhibitor IIA from bull seminal plasma by two-dimensional nuclear magnetic resonance at 500 MHz. <i>Journal of Molecular Biology</i> , 1983, 166, 641-665.	2.0	82
180	Preliminary structural comparison of the proteinase isoinhibitors IIA and IIB from bull seminal plasma based on individual assignments of the 1H nuclear magnetic resonance spectra by two-dimensional nuclear magnetic resonance at 500 MHz. <i>Journal of Molecular Biology</i> , 1983, 166, 669-676.	2.0	11

#	ARTICLE	IF	CITATIONS
181	Sequential resonance assignments as a basis for determination of spatial protein structures by high resolution proton nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1982, 155, 311-319.	2.0	568
182	Sequential resonance assignments in protein 1H nuclear magnetic resonance spectra. <i>Journal of Molecular Biology</i> , 1982, 155, 321-346.	2.0	608
183	Sequential resonance assignments in protein 1H nuclear magnetic resonance spectra. <i>Journal of Molecular Biology</i> , 1982, 155, 347-366.	2.0	583
184	Sequential resonance assignments in protein 1H nuclear magnetic resonance spectra. <i>Journal of Molecular Biology</i> , 1982, 155, 367-388.	2.0	177
185	Assignment of the 1H nuclear magnetic resonance spectrum of the trypsin inhibitor E from <i>Dendroaspis polylepis polylepis</i> . <i>Journal of Molecular Biology</i> , 1982, 159, 323-351.	2.0	73
186	Melittin bound to dodecylphosphocholine micelles 1H-NMR assignments and global conformational features. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1981, 647, 95-111.	1.4	67
187	Systematic Application of Two-Dimensional 1H Nuclear-Magnetic-Resonance Techniques for Studies of Proteins. 1. Combined Use of Spin-Echo-Correlated Spectroscopy and J-Resolved Spectroscopy for the Identification of Complete Spin Systems of Non-labile Protons in Amino-Acid Residues. <i>FEBS Journal</i> , 1981, 114, 365-374.	0.2	118
188	Systematic Application of Two-Dimensional 1H Nuclear-Magnetic-Resonance Techniques for Studies of Proteins. 2. Combined Use of Correlated Spectroscopy and Nuclear Overhauser Spectroscopy for Sequential Assignments of Backbone Resonances and Elucidation of Polypeptide Secondary Structures. <i>FEBS Journal</i> , 1981, 114, 375-384.	0.2	274
189	Combined use of proton-proton overhauser enhancements and a distance geometry algorithm for determination of polypeptide conformations. Application to micelle-bound glucagon. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1981, 667, 377-396.	1.7	259
190	Structural study of the heme crevice in cytochrome based on individual assignments of the 1H-NMR lines of the heme group and selected amino acid residues. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1980, 621, 204-217.	1.7	95
191	Individual assignments of amide proton resonances in the proton NMR spectrum of the basic pancreatic trypsin inhibitor. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1979, 577, 177-194.	1.7	174
192	Ring current effects in the conformation dependent NMR chemical shifts of aliphatic protons in the basic pancreatic trypsin inhibitor. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1979, 576, 409-423.	1.7	103
193	Dynamic model of globular protein conformations based on NMR studies in solution. <i>Nature</i> , 1978, 275, 247-248.	13.7	103
194	Internal motion in globular proteins. <i>Trends in Biochemical Sciences</i> , 1978, 3, 227-230.	3.7	130
195	Dynamics of the aromatic amino acid residues in the globular conformation of the basic pancreatic trypsin inhibitor (BPTI). <i>Biophysics of Structure and Mechanism</i> , 1976, 2, 159-180.	1.9	81