

Zhouyang Pan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8435838/publications.pdf>

Version: 2024-02-01

511
papers

8,587
citations

46918

47
h-index

79541

73
g-index

512
all docs

512
docs citations

512
times ranked

2680
citing authors

#	ARTICLE	IF	CITATIONS
1	Photonics-Assisted Radio Frequency Memory. Journal of Lightwave Technology, 2022, 40, 624-631.	2.7	8
2	Deep-learning-based time-frequency domain signal recovery for fiber-connected radar networks. Optics Letters, 2022, 47, 50.	1.7	2
3	Photonics-Based Adaptive RF Self-Interference Cancellation and Frequency Downconversion. Journal of Lightwave Technology, 2022, 40, 1989-1999.	2.7	13
4	Large Dynamic and Precision Optical Vector Analysis Assisted by SBS Processing. Journal of Lightwave Technology, 2022, 40, 2435-2440.	2.7	0
5	An RF-Source-Free Reconfigurable Microwave Photonic Radar With High-Resolution and Fast Detection Capability. Journal of Lightwave Technology, 2022, 40, 2862-2869.	2.7	14
6	RF Multiplier Based on Harmonic-Locked SMFP-LD and OEO Structure. IEEE Access, 2022, 10, 435-440.	2.6	2
7	Towards High-Resolution Imaging With Photonics-Based Time Division Multiplexing MIMO Radar. IEEE Journal of Selected Topics in Quantum Electronics, 2022, 28, 1-10.	1.9	12
8	Wideband Optical Vector Analysis Based on Microwave Photonic Frequency Downconversion. IEEE Photonics Technology Letters, 2022, 34, 145-148.	1.3	0
9	Simulation investigation of coupled optoelectronic oscillator with high supermode suppression ratio. , 2022, , .		0
10	Microwave photonic sparse radar with a high range resolution. , 2022, , .		4
11	Period-One Laser Dynamics for Photonic Microwave Signal Generation and Applications. Photonics, 2022, 9, 227.	0.9	5
12	Ultra-compact wideband filter with sidelobe suppression based on double modulated grating-assisted microring resonator. , 2022, 1, 623.		2
13	Photonicallly Generated Frequency Hopped Linear Frequency Modulated Signal Using a DFB Laser. Journal of Lightwave Technology, 2022, 40, 6729-6736.	2.7	6
14	Advances in cost-effective integrated spectrometers. Light: Science and Applications, 2022, 11, .	7.7	59
15	Simultaneous Measurement of Microwave Doppler Frequency Shift and Angle of Arrival Based on a Silicon Integrated Chip. IEEE Transactions on Microwave Theory and Techniques, 2022, 70, 4243-4251.	2.9	5
16	High-Accuracy and Fast Measurement of Optical Transfer Delay. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-4.	2.4	9
17	Multi-Functional Radar Waveform Generation Based on Optical Frequency-Time Stitching Method. Journal of Lightwave Technology, 2021, 39, 458-464.	2.7	16
18	Multi-Band RF Transceiver Based on the Polarization Multiplexed Photonic LOs and Mixers. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-9.	1.9	11

#	ARTICLE	IF	CITATIONS
19	Microwave Photonic MIMO Radar for High-Resolution Imaging. Journal of Lightwave Technology, 2021, 39, 7726-7733.	2.7	17
20	Microwave Omnidirectional Angle-of-Arrival Measurement based on an Optical Ten-Port Receiver. Journal of Lightwave Technology, 2021, , 1-1.	2.7	1
21	Photonics-Based Simultaneous Angle of Arrival and Frequency Measurement System With Multiple-Target Detection Capability. Journal of Lightwave Technology, 2021, 39, 7656-7663.	2.7	10
22	High-Accuracy Optical Fiber Transfer Delay Measurement Using Fiber-Optic Microwave Interferometry. Journal of Lightwave Technology, 2021, 39, 627-632.	2.7	8
23	Broadband Instantaneous Multi-Frequency Measurement Based on a Fourier Domain Mode-Locked Laser. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 4576-4583.	2.9	11
24	Optical vector analyzer with time-domain analysis capability. Optics Letters, 2021, 46, 186.	1.7	4
25	Microwave Photonic Array Radars. IEEE Journal of Microwaves, 2021, 1, 176-190.	4.9	61
26	Broadband Optoelectronic Frequency Response Measurement Utilizing Frequency Conversion. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-5.	2.4	7
27	Arbitrary Bias Point Control for Mach-Zehnder Modulator Using a Linear-Frequency Modulated Signal. IEEE Photonics Technology Letters, 2021, 33, 577-580.	1.3	11
28	Large-Scale 3D Baseline Measurement Based on Phase-Stabilized GNSS-Over-Fiber System. Journal of Lightwave Technology, 2021, 39, 6796-6804.	2.7	0
29	Comprehensive vector analysis for electro-optical, opto-electronic, and optical devices. Optics Letters, 2021, 46, 1856.	1.7	1
30	Multi-Band LFM Signal With Unidentical Bandwidths Subjected to Optical Injection in a DFB Laser. IEEE Photonics Technology Letters, 2021, 33, 391-394.	1.3	14
31	Deep-learning based noise-resistant broadband signal recovery for fiber-connected radar networks. , 2021, , .		0
32	Photonic approach for simultaneous measurement of microwave DFS and AOA. Applied Optics, 2021, 60, 4622.	0.9	19
33	Photonics-based dechirp processor with the capability of processing dual-band signals. Electronics Letters, 2021, 57, 483.	0.5	1
34	High-Resolution Optical Vector Analysis With Enhanced Sensitivity. IEEE Photonics Technology Letters, 2021, 33, 581-584.	1.3	2
35	Photonics-based 3D radar imaging with CNN-assisted fast and noise-resistant image construction. Optics Express, 2021, 29, 19352.	1.7	13
36	Multi-Band Linear Frequency Modulation in External Cavity FP-LD Subjected to Multi-Input Injection. IEEE Photonics Technology Letters, 2021, 33, 565-568.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Towards small target recognition with photonics-based high resolution radar range profiles. Optics Express, 2021, 29, 31574.	1.7	10
38	Dual-output filter-free microwave photonic single sideband up-converter with high mixing spur suppression. Applied Optics, 2021, 60, 7888.	0.9	2
39	High-Speed Switchable Dual-Passband Microwave Photonic Filter With Dual-Beam Injection in an SMFP-LD. Journal of Lightwave Technology, 2021, 39, 7966-7972.	2.7	5
40	Frequency-modulated continuous-wave laser ranging using low-duty-cycle signals for the applications of real-time super-resolved ranging. Optics Letters, 2021, 46, 258.	1.7	2
41	Machine Learning based LFM Signal Recovery for Fiber-Connected Radar Networks. , 2021, , .		1
42	A microwave photonic phase detector based on a dual-polarization dual-drive Mach-Zehnder modulator. , 2021, , .		2
43	Optical Transfer Delay Measurement Based on Multi-frequency Phase-Derived Ranging. , 2021, , .		2
44	Coherent Random-Modulated Continuous-Wave LiDAR Based on Phase-Coded Subcarrier Modulation. Photonics, 2021, 8, 475.	0.9	10
45	Millimeter-level resolution through-the-wall radar imaging enabled by an optically injected semiconductor laser. Optics Letters, 2021, 46, 5659.	1.7	14
46	Demonstration of a RF-Source-Free Microwave Photonic Radar Based on an Optically Injected Semiconductor Laser. , 2021, , .		1
47	High-resolution 3D imaging with a photonics-based broadband MIMO radar. , 2021, , .		2
48	Back-propagation neural network assisted photonic real-time Fourier transformation system. , 2021, , .		0
49	Photonics-based reconfigurable chirp signal generation with controllable amplitude, phase, and frequency. , 2021, , .		0
50	Optical Transfer Delay Measurement Based on Stimulated Brillouin Scattering. , 2021, , .		0
51	A Photonics-Assisted RF self-interference Cancellation System with an Improved Signal to Noise Ratio. , 2021, , .		0
52	High-accuracy Small Target Recognition with Photonics-Based Radar HRRP. , 2021, , .		0
53	A hitless and gridless wavelength selective switch for versatile spectral shapings. , 2021, , .		0
54	Time Delay Measurement of Optical Fiber Link with Spatial Resolution. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
55	Speed-enhanced optical fiber transfer delay measurement based on digital phase detecting. , 2021, , .		0
56	Synchronization of two microwave oscillators based on an MLL-based microwave photonic phase detector. , 2021, , .		0
57	High-resolution 3D imaging with a photonics-based broadband MIMO radar. , 2021, , .		2
58	Linear Frequency Modulated Photonics RADAR using Injection Locking in Semiconductor Laser. , 2021, , .		2
59	Human Motion Sensing based on a Microwave Photonic Doppler Radar and a Deep Neural Network. , 2021, , .		0
60	Integrated Forward-Propagating Add-Drop Filter based on Cladding-Modulated Multimode Long Period Grating. , 2021, , .		0
61	High-resolution Detection by Multiband Fusion of Photonics-based Radars. , 2021, , .		3
62	Photonics-based RF self-interference cancellation for distributed systems. , 2021, , .		1
63	Photonic Real-time Fourier Transform Based on Frequency Stretching of RF Signals. , 2021, , .		1
64	Ultrahigh-Resolution Optoelectronic Vector Analysis for Characterization of High-Speed Integrated Coherent Receivers. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 3812-3817.	2.4	4
65	Compact All-Fiber Polarization Coherent Lidar Based on a Polarization Modulator. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 2193-2198.	2.4	6
66	Photonics-Based Microwave Frequency Mixing: Methodology and Applications. Laser and Photonics Reviews, 2020, 14, 1800350.	4.4	63
67	Microwave Photonic Bistatic Radar for Real-Time and High-Resolution Imaging. IEEE Photonics Technology Letters, 2020, 32, 1397-1400.	1.3	8
68	Photonics-Enhanced RF Spectrum Sensing. , 2020, , .		1
69	Photonics-Based Radar-Lidar Integrated System for Multi-Sensor Fusion Applications. IEEE Sensors Journal, 2020, 20, 15068-15074.	2.4	12
70	Hybrid Fourier-domain mode-locked laser for ultra-wideband linearly chirped microwave waveform generation. Nature Communications, 2020, 11, 3814.	5.8	42
71	Photonic Generation of Linearly Chirped Microwave Waveforms With Tunable Parameters. IEEE Photonics Technology Letters, 2020, 32, 1037-1040.	1.3	15
72	Chip-Based Microwave-Photonic Radar for High-Resolution Imaging. Laser and Photonics Reviews, 2020, 14, 1900239.	4.4	37

#	ARTICLE	IF	CITATIONS
73	Microwave Frequency Measurement Based on an Optically Injected Semiconductor Laser. IEEE Photonics Technology Letters, 2020, 32, 1485-1488.	1.3	14
74	Broadband Cognitive Radio Enabled by Photonics. Journal of Lightwave Technology, 2020, 38, 3076-3088.	2.7	54
75	Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. Journal of Lightwave Technology, 2020, 38, 4948-4954.	2.7	36
76	Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. Journal of Lightwave Technology, 2020, , 1-1.	2.7	7
77	Broadband Image-Reject Mixing Based on a Polarization-Modulated Dual-Channel Photonic Microwave Phase Shifter. IEEE Photonics Journal, 2020, 12, 1-9.	1.0	8
78	Photonic-assisted high-resolution incoherent back projection synthetic aperture radar imaging. Optics Communications, 2020, 466, 125633.	1.0	9
79	Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. Journal of Lightwave Technology, 2020, 38, 2171-2179.	2.7	35
80	Reflective-Type Microring Resonator for On-Chip Reconfigurable Microwave Photonic Systems. IEEE Journal of Selected Topics in Quantum Electronics, 2020, 26, 1-12.	1.9	13
81	Frequency-domain versus time-domain imaging for photonics-based broadband radar. Electronics Letters, 2020, 56, 1330-1332.	0.5	11
82	Microwave Photonic Radars. Journal of Lightwave Technology, 2020, 38, 5450-5484.	2.7	225
83	Photonic generation of tunable dual-chirp microwave waveforms using a dual-beam optically injected semiconductor laser. Optics Letters, 2020, 45, 1342.	1.7	26
84	Deep neural network-assisted high-accuracy microwave instantaneous frequency measurement with a photonic scanning receiver. Optics Letters, 2020, 45, 3038.	1.7	18
85	A Frequency-Modulated Lidar System Based on an Optical Frequency Shifting Loop. , 2020, , .		0
86	A Multi-functional radar waveform generator based on an optical frequency shifting loop and an optical wavelength generator. , 2020, , .		0
87	Frequency-Modulated Continuous-Wave Coherent Lidar With Downlink Communications Capability. IEEE Photonics Technology Letters, 2020, 32, 655-658.	1.3	5
88	Experimental Analysis of laser Dynamics in Single Mode FP-LD Subjected to Dual-Beam Injection. , 2020, , .		2
89	Microwave Photonic Frequency Divider with Switchable Ratios enabled by an Opto-electronic Oscillator. , 2020, , .		0
90	Super-resolution FMCW laser ranging using two coherent LFM optical signals with different periods. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
91	Dual-Chirp Microwave Waveform Generation by a Dual-Beam Optically injected Semiconductor Laser. , 2020, , .		0
92	Multioctave and reconfigurable frequency-stepped radar waveform generation based on an optical frequency shifting loop. Optics Letters, 2020, 45, 2038.	1.7	17
93	Optical fiber temperature and strain sensing system based on high accuracy time delay measurement. , 2020, , .		0
94	Photonics-based inverse synthetic aperture radar for near-field RCS calculation. , 2020, , .		1
95	One-Third optical frequency divider for dual-wavelength optical signals based on an optoelectronic oscillator. Electronics Letters, 2020, 56, 727-729.	0.5	5
96	FBG Demodulation With Enhanced Performance Based on Optical Fiber Relative Delay Measurement. IEEE Photonics Technology Letters, 2020, 32, 775-778.	1.3	1
97	Two-stage XOR electro-optic directed logic gates based on a reflective-type microring resonator. , 2020, , .		0
98	Simultaneous distance and velocity measurement based on a bidirectional chirped fiber Bragg grating (CFBG). , 2020, , .		0
99	Photonic scanning receiver for wide-range microwave frequency measurement by photonic frequency octupling and in-phase and quadrature mixing. Optics Letters, 2020, 45, 5381.	1.7	12
100	Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. Journal of Lightwave Technology, 2020, 38, 5500-5508.	2.7	14
101	Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. Journal of Lightwave Technology, 2020, 38, 4664-4676.	2.7	8
102	Photonics-based Simultaneous Angle of Arrival and Frequency Measurement for Multiple Targets Detection. , 2020, , .		2
103	Resonant Frequency Drifting of the Mach-Zehnder Interferometer Coupler Assisted Reflective-Type Microring Resonator. , 2020, , .		0
104	A Multi-Antenna GNSS-Over-Fiber System for High Accuracy Three-Dimensional Baseline Measurement. Journal of Lightwave Technology, 2019, 37, 4201-4209.	2.7	8
105	Optical Fiber Transfer Delay Measurement Based on Phase-Derived Ranging. IEEE Photonics Technology Letters, 2019, 31, 1351-1354.	1.3	16
106	RoF System Based on an III-V-on-Silicon Transceiver With a Transfer-Printed PD. IEEE Photonics Technology Letters, 2019, 31, 1045-1048.	1.3	4
107	Low-Noise Repetition-Rate Multiplication by Injection Locking and Gain-Saturated Amplification. IEEE Photonics Technology Letters, 2019, 31, 997-1000.	1.3	2
108	Photonics-Based High-Resolution 3D Inverse Synthetic Aperture Radar Imaging. IEEE Access, 2019, 7, 79503-79509.	2.6	27

#	ARTICLE	IF	CITATIONS
109	Analysis of a flat-top optical ring resonator. Optics Communications, 2019, 451, 290-295.	1.0	8
110	FMCW Lidar Using Phase-Diversity Coherent Detection to Avoid Signal Aliasing. IEEE Photonics Technology Letters, 2019, 31, 1822-1825.	1.3	23
111	Photonics-based integrated communication and radar system. , 2019, , .		24
112	Microwave Photonic Channelizer Based on Polarization Multiplexing and Photonic Dual Output Image Reject Mixer. IEEE Access, 2019, 7, 158308-158316.	2.6	8
113	Three-dimensional Multiple Signal Classification (3D-MUSIC) for Super-resolution FMCW Radar Detection. , 2019, , .		11
114	Image reject mixer with greatly improved rejection ratio based on the balanced Hartley architecture. , 2019, , .		4
115	High-Precision Optical Time Delay Measurement Based on Carrier-Suppressed Optical Double-Sideband Modulation. , 2019, , .		0
116	Optical Vector Analysis With Improved Accuracy and Enhanced Dynamic Range. IEEE Photonics Technology Letters, 2019, 31, 1565-1568.	1.3	3
117	High-resolution phased array radar imaging by photonics-based broadband digital beamforming. Optics Express, 2019, 27, 13194.	1.7	35
118	Improved Incoherent Back Projection Imaging based on Self-amplitude Weighting and Multiplicative Tomography Weighting. , 2019, , .		0
119	Large-Dynamic Frequency Response Measurement for Broadband Electro-Optic Phase Modulators. IEEE Photonics Technology Letters, 2019, 31, 291-294.	1.3	3
120	Multiantenna GPS-Over-Fiber System for Attitude Determination Using Phase-Derived Range Measurement. IEEE Photonics Journal, 2019, 11, 1-10.	1.0	3
121	Writing 10 Gb/s Data Bits With Addressing Using External Cavity-Based SMFP-LDs. IEEE Journal of Selected Topics in Quantum Electronics, 2019, 25, 1-9.	1.9	3
122	Multifunction Lidar System Based on Polarization-Division Multiplexing. Journal of Lightwave Technology, 2019, 37, 2000-2007.	2.7	11
123	Wideband Microwave Frequency Division Based on an Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2019, 31, 389-392.	1.3	25
124	Optical Behavior Analysis of Negative Wavelength Detuning in SMFP-LD and Its Effect on Multi-RF Generation. IEEE Photonics Journal, 2019, 11, 1-9.	1.0	3
125	Broadband cognitive radio enabled by photonics. , 2019, , .		0
126	Simultaneous Measurement of Doppler-Frequency-Shift and Angle-of-Arrival of Microwave Signals for Automotive Radars. , 2019, , .		16

#	ARTICLE	IF	CITATIONS
127	Ring-modulator-based RoF system with local SSB modulation and remote carrier reuse. Electronics Letters, 2019, 55, 1101-1104.	0.5	6
128	Dual-LFM Waveform Generation Based on Optical Injection to a Semiconductor Laser. , 2019, , .		0
129	Simultaneous Radar Detection and Microwave Frequency Measurement Based on Microwave Photonics. , 2019, , .		1
130	Time Lens with Improved Aperture to Resolution Ratio Based on a Phase Modulator. , 2019, , .		0
131	On-chip Photonic Method for Doppler Frequency Shift Measurement. , 2019, , .		3
132	Photonics-based super-resolution phased array radar detection applying two-dimensional multiple signal classification (2D-MUSIC). , 2019, , .		2
133	Optical vector analysis with attometer resolution, 90-dB dynamic range and THz bandwidth. Nature Communications, 2019, 10, 5135.	5.8	33
134	Broadband two-thirds photonic microwave frequency divider. Electronics Letters, 2019, 55, 1141-1143.	0.5	8
135	Notch/bandpass Microwave Photonic Filter Based on a Microring Resonator and a LiNbO ₃ Phase Modulator. , 2019, , .		4
136	Photonics-based receiver for decoupled velocity and range measurement. , 2019, , .		1
137	Microwave Channelizer Based on Polarization Multiplexing and Photonic Image-Reject Mixing. , 2019, , .		0
138	FMCW lidar with communication capability using phase-diversity coherent detection. , 2019, , .		2
139	High-Sensitivity Instantaneous Microwave Frequency Measurement Based on a Silicon Photonic Integrated Fano Resonator. Journal of Lightwave Technology, 2019, 37, 2527-2533.	2.7	34
140	Photonics-Based Broadband Microwave Instantaneous Frequency Measurement by Frequency-to-Phase-Slope Mapping. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 544-552.	2.9	18
141	Terahertz generation by optically injected semiconductor laser for radar and communication applications. Journal of Engineering, 2019, 2019, 7193-7195.	0.6	3
142	K-band optoelectronic oscillator based on a double-Brillouin-frequency shifter. Optical Engineering, 2019, 58, 1.	0.5	1
143	Tunable triangular frequency modulated microwave waveform generation with improved linearity using an optically injected semiconductor laser. Applied Optics, 2019, 58, 5479.	0.9	11
144	Photonics-based dual-functional system for simultaneous high-resolution radar imaging and fast frequency measurement. Optics Letters, 2019, 44, 1948.	1.7	18

#	ARTICLE	IF	CITATIONS
145	Ultrafast and ultrahigh-resolution optical vector analysis using linearly frequency-modulated waveform and dechirp processing. Optics Letters, 2019, 44, 3322.	1.7	18
146	Microwave channelizer based on a photonic dual-output image-reject mixer. Optics Letters, 2019, 44, 4052.	1.7	30
147	Photonic microwave harmonic down-converter based on stabilized period-one nonlinear dynamics of semiconductor lasers. Optics Letters, 2019, 44, 4869.	1.7	18
148	Photonics-enabled simultaneous self-interference cancellation and image-reject mixing. Optics Letters, 2019, 44, 5541.	1.7	22
149	Photonics-based radar with balanced I/Q de-chirping for interference-suppressed high-resolution detection and imaging. Photonics Research, 2019, 7, 265.	3.4	65
150	Title is missing!. Chinese Optics Letters, 2019, 17, 060601.	1.3	21
151	Frequency-modulated continuous-wave lidar using a phase-diversity coherent optical receiver for simultaneous ranging and velocimetry. , 2019, , .		1
152	Repetition-Rate Multiplication of Mode-locked Lasers Using Harmonic Injection Locking and Gain-Saturated SOA. , 2019, , .		0
153	Microwave frequency division based on an optoelectronic oscillator. , 2019, , .		1
154	Two-dimensional optical phased array with grating lobe suppression by element distribution and emitting amplitude optimization. , 2019, , .		0
155	A feedback system for the stability improvement of optical frequency comb generating system based on a single integrated PM-DMZM. , 2019, , .		1
156	Integratable microwave photonic phase shifter based on a tunable optical coupler. , 2019, , .		0
157	High-resolution optical vector network analyser employing optical double-sideband modulation and optical Hilbert transform. Electronics Letters, 2019, 55, 337-339.	0.5	1
158	Microwave comb generation using single-mode Fabry-Perot laser diode. , 2019, , .		0
159	Feedback method and structure to improve the stability of the OFC-generated system based on electro-optic modulation. Optical Engineering, 2019, 58, 1.	0.5	1
160	Demonstration of RF multiplier using an injection-locked laser with OEO. , 2019, , .		0
161	Analysis of red-shift in SMFP-LD with positive and negative wavelength detuning. , 2019, , .		0
162	RF signal generation, hopping and switching based on negative wavelength detuning in SMFP-LDs. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
163	Stable OFC generator based on cascaded phase modulators. , 2019, , .		0
164	Ultrahigh-Resolution Electro-Optic Vector Analysis for Characterization of High-Speed Electro-Optic Phase Modulators. Journal of Lightwave Technology, 2018, 36, 1644-1649.	2.7	6
165	Photonics-Based Instantaneous Multi-Parameter Measurement of a Linear Frequency Modulation Microwave Signal. Journal of Lightwave Technology, 2018, 36, 2589-2596.	2.7	20
166	Tuning of Transmission Responses of an Optical Microring With Negligible Wavelength Shift. IEEE Photonics Technology Letters, 2018, 30, 227-230.	1.3	3
167	High-Resolution Optical Vector Analysis Based on Symmetric Double-Sideband Modulation. IEEE Photonics Technology Letters, 2018, 30, 491-494.	1.3	30
168	Microwave Frequency Generation, Switching, and Controlling Using Single-Mode FP-LDs. Journal of Lightwave Technology, 2018, 36, 4273-4281.	2.7	7
169	Grating-lobe-suppressed optical phased array with optimized element distribution. Optics Communications, 2018, 419, 47-52.	1.0	21
170	Simultaneous Generation of Multiband Signals Using External Cavity-Based Fabry-Perot Laser Diode. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 606-617.	2.9	6
171	A Multi-antenna GNSS-over-fiber System with High Vertical Precision. , 2018, , .		3
172	Photonics-based Radar Transceiver For Full-Polarimetric Inverse Synthetic Aperture Imaging. , 2018, , .		3
173	Ultra-High Resolution Real-Time Radar Imaging Based on Microwave Photonics. , 2018, , .		1
174	Ultralow Noise Microwave Generation based on All-Fiber Michelson Interferometer and Sagnac Loop. , 2018, , .		0
175	Photonics-based Multiband Radar Applying an Optical Frequency Sweeping Comb and Photonic Dechirp Receiving. , 2018, , .		5
176	Photonics-Assisted Radio-Frequency Self-Interference Cancellation and Fiber Transmission Using a DP-QPSK modulator. , 2018, , .		2
177	Ultra-high resolution real-time radar imaging based on microwave photonics. , 2018, , .		3
178	Photonic-Assisted Multi-Frequency Phase-Coded Microwave Signal Generation. , 2018, , .		1
179	Ultra-high resolution radar imaging based on microwave photonics. , 2018, , .		0
180	Fast and wide-range optical beam steering with ultralow side lobes by applying an optimized multi-circular optical phased array. Applied Optics, 2018, 57, 4977.	0.9	23

#	ARTICLE	IF	CITATIONS
181	Coherent Optical RF Channelizer With Large Instantaneous Bandwidth and Large In-Band Interference Suppression. <i>Journal of Lightwave Technology</i> , 2018, 36, 4219-4226.	2.7	50
182	Flat-top optical resonance in a single-ring resonator based on manipulation of fast- and slow-light effects. <i>Optics Express</i> , 2018, 26, 23215.	1.7	25
183	Polarization-division multiplexing based multi-function lidar system. , 2018, , .		0
184	Wideband Microwave Phase Noise Analyzer Based on an All-Optical Microwave I/Q Mixer. <i>Journal of Lightwave Technology</i> , 2018, 36, 4319-4325.	2.7	11
185	Compact Phase Detector for Optical-Microwave Synchronization Using Polarization Modulation. <i>Journal of Lightwave Technology</i> , 2018, 36, 4267-4272.	2.7	11
186	Phase Noise Measurement of RF Signals by Photonic Time Delay and Digital Phase Demodulation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018, 66, 4306-4315.	2.9	9
187	Wideband microwave photonic I/Q mixer based on parallel installed phase modulator and Mach-Zehnder modulator. , 2018, , .		6
188	Ultra-high-resolution coherent optical spectrum analysis based on electrical frequency sweeping with a doubled measurement range. <i>Electronics Letters</i> , 2018, 54, 842-844.	0.5	1
189	Fiber-distributed ultra-wideband radar network based on wavelength reusing transceivers. <i>Optics Express</i> , 2018, 26, 18457.	1.7	12
190	Photonics-based MIMO radar with high-resolution and fast detection capability. <i>Optics Express</i> , 2018, 26, 17529.	1.7	86
191	All-fiber-photonics-based ultralow-noise agile frequency synthesizer for X-band radars. <i>Photonics Research</i> , 2018, 6, 12.	3.4	14
192	A Modulator-Free Photonic Triangular Pulse Generator Based on Semiconductor Lasers. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1317-1320.	1.3	6
193	Multi-format signal generation using a frequency-tunable optoelectronic oscillator. <i>Optics Express</i> , 2018, 26, 3404.	1.7	20
194	Performance-improved microwave photonic single-passband filter using birefringence of phase-shifted fiber Bragg grating. <i>Optics Communications</i> , 2018, 428, 41-46.	1.0	6
195	Ultra-high-resolution and wideband optical vector analysis for arbitrary responses. <i>Optics Letters</i> , 2018, 43, 727.	1.7	14
196	Dual-chirp microwave waveform generation for radar application based on an optically injected semiconductor laser. , 2018, , .		1
197	Photonics-Based Microwave Image-Reject Mixer. <i>Photonics</i> , 2018, 5, 6.	0.9	38
198	A Coupled Optoelectronic Oscillator With Performance Improved by Enhanced Spatial Hole Burning in an Erbium-Doped Fiber. <i>Journal of Lightwave Technology</i> , 2018, 36, 3726-3732.	2.7	23

#	ARTICLE	IF	CITATIONS
199	Ultrahigh-Resolution Optical Vector Analysis for Arbitrary Responses Using Low-Frequency Detection. IEEE Photonics Technology Letters, 2018, 30, 1523-1526.	1.3	3
200	Generation of Linear Frequency-Modulated Waveforms by a Frequency-Sweeping Optoelectronic Oscillator. Journal of Lightwave Technology, 2018, 36, 3927-3934.	2.7	54
201	Ultrahigh-resolution optical vector analysis using fixed low-frequency electrical phase-magnitude detection. Optics Letters, 2018, 43, 3041.	1.7	5
202	Simultaneous wideband radio-frequency self-interference cancellation and frequency downconversion for in-band full-duplex radio-over-fiber systems. Optics Letters, 2018, 43, 3124.	1.7	51
203	Photonics-based wideband Doppler frequency shift measurement by in-phase and quadrature detection. Electronics Letters, 2018, 54, 708-710.	0.5	16
204	60-GHz RoF System for Dispersion-Free Transmission of HD and Multi-Band 16QAM. IEEE Photonics Technology Letters, 2018, 30, 1305-1308.	1.3	9
205	Broadband Microwave Signal Processing Enabled by Polarization-Based Photonic Microwave Phase Shifters. IEEE Journal of Quantum Electronics, 2018, 54, 1-12.	1.0	164
206	Photonic Generation of Tunable Frequency-Multiplied Phase-Coded Microwave Waveforms. IEEE Photonics Technology Letters, 2018, 30, 1230-1233.	1.3	21
207	Photonics-enabled balanced Hartley architecture for broadband image-reject microwave mixing. Optics Express, 2018, 26, 28022.	1.7	36
208	Photonics-based reconfigurable multi-band linearly frequency-modulated signal generation. Optics Express, 2018, 26, 32491.	1.7	39
209	Demonstration of ultra-high-resolution photonics-based Ka-band inverse synthetic aperture radar imaging. , 2018, , .		20
210	Self-calibrating and high-sensitivity microwave phase noise analyzer applying an optical frequency comb generator and an optical-hybrid-based I/Q detector. Optics Letters, 2018, 43, 5029.	1.7	7
211	Performance enhancement of an optically-injected-semiconductor-laser-based optoelectronic oscillator by subharmonic microwave modulation. Optics Letters, 2018, 43, 5439.	1.7	17
212	Ultralow-Noise and Agile Microwave Synthesizer Based on a Femtosecond Mode-Locked Fiber Laser. , 2018, , .		0
213	Experimental Analysis of Multiple Beam Injection in SMFP-LD for Multi-RF Generation. , 2018, , .		0
214	Polarization-maintained coupled optoelectronic oscillator incorporating an unpumped erbium-doped fiber. Chinese Optics Letters, 2018, 16, 010604.	1.3	3
215	Multi-octave image-reject mixer with large suppression of mixing spurs based on balanced photodetectors. , 2018, , .		0
216	Application of the probe pulse with ergodic SOPs in detecting multi-vibrations using POTDR. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
217	Thirteen coherent comb lines generated by a single integrated modulator. <i>Optical Engineering</i> , 2018, 57, 1.	0.5	2
218	Compact photonic triangular waveform generator with wideband tunability. <i>Optical Engineering</i> , 2018, 57, 1.	0.5	1
219	Multi-vibration detection by probe pulses with ergodic SOPs in a POTDR system. <i>Optics Express</i> , 2018, 26, 28349.	1.7	5
220	Photonics-based dual-band RF receiver with large crosstalk suppression. , 2018, , .		1
221	Photonic Generation of Linear-Frequency-Modulated Waveforms With Improved Time-Bandwidth Product Based on Polarization Modulation. <i>Journal of Lightwave Technology</i> , 2017, 35, 1821-1829.	2.7	58
222	A Frequency-tunable Two-tone RF Signal Generator by Polarization Multiplexed Optoelectronic Oscillator. <i>IEEE Microwave and Wireless Components Letters</i> , 2017, 27, 192-194.	2.0	11
223	Influence of Unwanted First-Order Sideband on Optical Vector Analysis Based on Optical Single-Sideband Modulation. <i>Journal of Lightwave Technology</i> , 2017, 35, 2580-2586.	2.7	9
224	Reconfigurable Radar Waveform Generation Based on an Optically Injected Semiconductor Laser. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017, 23, 1-9.	1.9	47
225	Tunable Photonic Radio-Frequency Filter With a Record High Out-of-Band Rejection. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017, 65, 4502-4512.	2.9	24
226	Accuracy enhanced distance measurement system using double-sideband modulated frequency scanning interferometry. <i>Optical Engineering</i> , 2017, 56, 036114.	0.5	5
227	Photonics-based real-time ultra-high-range-resolution radar with broadband signal generation and processing. <i>Scientific Reports</i> , 2017, 7, 13848.	1.6	102
228	Injection With Negative Wavelength Detuning for Multispectrum Frequency Generation and Hopping Using SMFP-LD. <i>IEEE Photonics Journal</i> , 2017, 9, 1-11.	1.0	7
229	Generation of an orthogonally polarized dual-wavelength optical signal with large wavelength-spacing tunability by using an integrated modulator and a Sagnac loop. <i>Optical and Quantum Electronics</i> , 2017, 49, 1.	1.5	1
230	Dual-Band LFM Signal Generation by Optical Frequency Quadrupling and Polarization Multiplexing. <i>IEEE Photonics Technology Letters</i> , 2017, 29, 1320-1323.	1.3	63
231	Generation of Frequency-Multiplied and Phase-Coded Signal Using an Optical Polarization Division Multiplexing Modulator. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017, 65, 651-660.	2.9	42
232	Photonics-Based Microwave Switching Using Optical Single Sideband Wavelength Conversion in a Semiconductor Optical Amplifier. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017, 65, 245-252.	2.9	8
233	Photonics-Based Broadband Microwave Measurement. <i>Journal of Lightwave Technology</i> , 2017, 35, 3498-3513.	2.7	207
234	Ultrahigh-Resolution Optical Vector Analysis Based on Optical Single-Sideband Modulation. <i>Journal of Lightwave Technology</i> , 2017, 35, 836-845.	2.7	52

#	ARTICLE	IF	CITATIONS
235	Experimental demonstration of arbitrary waveform generation by a 4-bit photonic digital-to-analog converter. <i>Optics Communications</i> , 2017, 383, 191-196.	1.0	17
236	RF front-end based on microwave photonics. , 2017, , .		1
237	Simultaneous Real-Time Ranging and Velocimetry via a Dual-Sideband Chirped Lidar. <i>IEEE Photonics Technology Letters</i> , 2017, 29, 2254-2257.	1.3	48
238	Analysis of Photonics-Based RF Beamforming With Large Instantaneous Bandwidth. <i>Journal of Lightwave Technology</i> , 2017, 35, 5010-5019.	2.7	12
239	A compact optical-microwave phase detector based on a polarization modulator. , 2017, , .		1
240	An optically tunable frequency-multiplying optoelectronic oscillator through equivalent phase modulation. , 2017, , .		2
241	High-sensitivity phase noise measurement of RF sources by photonic-delay line and digital phase demodulation. , 2017, , .		3
242	Mirror-symmetric Fano-like resonances based on an add-drop microring resonator interferometer on a silicon chip. , 2017, , .		1
243	A Frequency-Tunable Binary Phase-Coded Microwave Signal Generator With a Tunable Frequency Multiplication Factor. <i>IEEE Photonics Journal</i> , 2017, 9, 1-15.	1.0	10
244	A photonic analog-to-digital converter with multiplied sampling rate using a fiber ring. , 2017, , .		1
245	Low-phase-noise frequency synthesizer based on optoelectronic oscillator. , 2017, , .		1
246	High-resolution and real-time inverse synthetic aperture imaging based on a broadband microwave photonic radar. , 2017, , .		6
247	Wideband microwave phase noise measurement based on photonic-assisted I/Q mixing and digital phase demodulation. <i>Optics Express</i> , 2017, 25, 22760.	1.7	12
248	Optical vector analysis based on asymmetrical optical double-sideband modulation using a dual-drive dual-parallel Mach-Zehnder modulator. <i>Optics Express</i> , 2017, 25, 4665.	1.7	31
249	Linearized phase-modulated analog photonic link with the dispersion-induced power fading effect suppressed based on optical carrier band processing. <i>Optics Express</i> , 2017, 25, 10397.	1.7	20
250	Photonics-based broadband radar for high-resolution and real-time inverse synthetic aperture imaging. <i>Optics Express</i> , 2017, 25, 16274.	1.7	206
251	Ultrawideband optical cancellation of RF interference with phase change. <i>Optics Express</i> , 2017, 25, 21259.	1.7	31
252	Coherent RF channelizer based on dual optical frequency combs and image-reject mixers. , 2017, , .		1

#	ARTICLE	IF	CITATIONS
253	Linear frequency-modulated waveform generation based on a tunable optoelectronic oscillator. , 2017, , .		5
254	Wideband optical cancellation of RF interference with phase change. , 2017, , .		2
255	Generation of a frequency-quadrupled phase-coded signal using optical carrier phase shifting and balanced detection. Applied Optics, 2017, 56, 1151.	2.1	21
256	Optical Spectrum Analysis with a Resolution of 6 fm Based on a Frequency-Swept Microwave-Photonic Source. , 2017, , .		3
257	Reconfigurable microwave photonic mixer with minimized path separation and large suppression of mixing spurs. Optics Letters, 2017, 42, 33.	1.7	41
258	Photonics-based multi-function analog signal processor based on a polarization division multiplexing Mach-Zehnder modulator. Optics Letters, 2017, 42, 5034.	1.7	17
259	Photonics-based real-time and high-resolution ISAR imaging of non-cooperative target. Chinese Optics Letters, 2017, 15, 112801.	1.3	21
260	Tunable Flat-top Microwave Photonic Filter Based on a Single Microring Resonator. , 2017, , .		0
261	Editorial for focus issue on microwave photonics. Chinese Optics Letters, 2017, 15, 010001-10001.	1.3	0
262	Generation of Frequency-Tripled Binary Phase-Coded Microwave Signals Using a DP-QPSK Modulator. , 2017, , .		0
263	Performance evaluation of optical beamforming-based wideband antenna array (Invited Paper). Chinese Optics Letters, 2017, 15, 010013-10017.	1.3	2
264	Laser Ranging of Frequency Scanning Interferometry System Based on Double-sideband Modulation. Guangzi Xuebao/Acta Photonica Sinica, 2017, 46, 612005.	0.1	0
265	Frequency-octupled phase-coded signal generation based on carrier-suppressed high-order double sideband modulation. Chinese Optics Letters, 2017, 15, 070603.	1.3	5
266	Chirped Microwave Waveform Generation Using an Unbalanced Sagnac Loop. , 2016, , .		0
267	Optical Vector Analysis with Ultra-high Resolution. , 2016, , .		1
268	Linearly chirped microwave waveform generation with large time-bandwidth product by optically injected semiconductor laser. Optics Express, 2016, 24, 18460.	1.7	107
269	Full-duty triangular pulse generation based on a polarization-multiplexing dual-drive Mach-Zehnder modulator. Optics Express, 2016, 24, 28606.	1.7	24
270	Microwave photonic signal generation for radar applications. , 2016, , .		12

#	ARTICLE	IF	CITATIONS
271	Generation of a Frequency-Quadrupled Phase-Coded Signal With Large Tunability. IEEE Photonics Technology Letters, 2016, 28, 1980-1983.	1.3	24
272	Optical networking special issue based on selected IEEE ICOCN 2015 papers. Photonic Network Communications, 2016, 32, 266-268.	1.4	0
273	Ultra-high-resolution optical vector analysis based on single-sideband modulation. , 2016, , .		0
274	Photonic generation of phase-coded microwave signals based on a micro-ring polarization rotator. , 2016, , .		0
275	Reflective-type ring resonators for flat-top optical filter and wideband true time delay line. , 2016, , .		0
276	Photonic microwave image-reject mixer with large suppression of mixing spurs. , 2016, , .		1
277	Optical Pulse Generation by an Optoelectronic Oscillator With Optically Injected Semiconductor Laser. IEEE Photonics Technology Letters, 2016, 28, 1827-1830.	1.3	31
278	Image-Reject Mixer With Large Suppression of Mixing Spurs Based on a Photonic Microwave Phase Shifter. Journal of Lightwave Technology, 2016, 34, 4729-4735.	2.7	65
279	Coherent photonic radio frequency channelization based on dual coherent optical frequency combs and stimulated Brillouin scattering. Optical Engineering, 2016, 55, 046106.	0.5	25
280	Linearized phase-modulated analog photonic link based on optical carrier band processing. , 2016, , .		1
281	A Reconfigurable Photonic Microwave Mixer Using a 90° Optical Hybrid. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 3017-3025.	2.9	82
282	Photonic Generation of Equivalent Single Sideband Vector Signals for RoF Systems. IEEE Photonics Technology Letters, 2016, 28, 2633-2636.	1.3	19
283	An Optical Frequency Shifter Based on High-Order Optical Single-Sideband Modulation and Polarization Multiplexing. Journal of Lightwave Technology, 2016, 34, 5094-5100.	2.7	6
284	Serial photonic digital-to-analog converter based on time and wavelength interleaving processing. , 2016, , .		0
285	Agile frequency-hopping microwave waveform generation by a semiconductor laser subject to optical injection. , 2016, , .		1
286	Frequency tunable two-tone signal generation based on polarization multiplexed optoelectronic oscillator. , 2016, , .		1
287	Compact optical true time delay beamformer for a 2D phased array antenna using tunable dispersive elements. Optics Letters, 2016, 41, 3956.	1.7	21
288	Multi-frequency optoelectronic oscillators: Realization and applications. , 2016, , .		2

#	ARTICLE	IF	CITATIONS
289	Flexible Frequency-Hopping Microwave Generation by Dynamic Control of Optically Injected Semiconductor Laser. IEEE Photonics Journal, 2016, 8, 1-9.	1.0	34
290	Optical spectral response measurement based on optical single-sideband modulation with doubled measurement range. Electronics Letters, 2016, 52, 852-853.	0.5	5
291	Time-Domain Waveform Synthesis Using a Dual-Polarization Modulator. IEEE Photonics Technology Letters, 2016, 28, 2689-2692.	1.3	12
292	Photonic microwave switching for satellite communication. , 2016, , .		0
293	High-accurate optical vector analysis based on optical single-sideband modulation. Proceedings of SPIE, 2016, , .	0.8	1
294	High-speed and broadband optical transmission system special issue based on selected IEEE ICOCN 2015 papers. Photonic Network Communications, 2016, 32, 171-173.	1.4	0
295	Large dynamic range optical vector analyzer based on optical single-sideband modulation and Hilbert transform. Applied Physics B: Lasers and Optics, 2016, 122, 1.	1.1	10
296	Broadband microwave measurement based on photonics technologies. , 2016, , .		2
297	Triangular Pulse Generation by Polarization Multiplexed Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2016, 28, 1645-1648.	1.3	20
298	Experimental investigation of photonic microwave switching based on XGM in a SOA. Optics Communications, 2016, 373, 95-99.	1.0	1
299	Multi-octave linearized analog photonic link based on a polarization-multiplexing dual-parallel Mach-Zehnder modulator. Optics Express, 2016, 24, 11009.	1.7	41
300	A Q-band radio-over-fiber system for distribution of uncompressed high-definition video signals. Photonic Network Communications, 2016, 32, 179-187.	1.4	4
301	Frequency-multiplying microwave photonic phase shifter for independent multichannel phase shifting. Optics Letters, 2016, 41, 1261.	1.7	24
302	GaAs-based polarization modulators for microwave photonic applications. Frontiers of Optoelectronics, 2016, 9, 497-507.	1.9	3
303	Optical pulse generation by polarisation modulation and fibre dispersion. Electronics Letters, 2016, 52, 217-219.	0.5	0
304	A Full-Duplex Radio-Over-Fiber Link Based on a Dual-Polarization Mach-Zehnder Modulator. IEEE Photonics Technology Letters, 2016, 28, 852-855.	1.3	36
305	A Filter-Free Photonic Microwave Single Sideband Mixer. IEEE Microwave and Wireless Components Letters, 2016, 26, 67-69.	2.0	42
306	Multi-frequency phase-coded microwave signal generation based on polarization modulation and balanced detection. Optics Letters, 2016, 41, 107.	1.7	26

#	ARTICLE	IF	CITATIONS
307	Wideband Optical Multipath Interference Cancellation Based on a Dispersive Element. IEEE Photonics Technology Letters, 2016, 28, 849-851.	1.3	52
308	Passive phase correction for stable radio frequency transfer via optical fiber. Photonic Network Communications, 2016, 31, 327-335.	1.4	13
309	Optical vector analysis based on double-sideband modulation and stimulated Brillouin scattering. Optics Letters, 2016, 41, 3671.	1.7	22
310	A multi-octave microwave downconverter based on a dual-drive Mach-Zehnder modulator. , 2016, , .		2
311	Arbitrary waveform generation by a 4-bit photonic digital-to-analog converter with 3.49 effective number of bits. , 2016, , .		1
312	A compact image-reject and single-sideband mixer with suppression of LO leakage based on a dual-polarization dual-drive Mach-Zehnder modulator. , 2016, , .		5
313	A simple method for photonic generation of linearly chirped microwave waveforms with ultralarge time-bandwidth product. , 2016, , .		3
314	A coupled optoelectronic oscillator based on enhanced spatial hole burning effect. , 2016, , .		1
315	Flat optical frequency comb generation using a single polarization modulator and a Mach-Zehnder interferometer. , 2015, , .		0
316	Stable frequency dissemination via optical fiber based on passive phase fluctuation cancellation. , 2015, , .		2
317	A two-stage optical frequency comb generator based on polarization modulators and a Mach-Zehnder interferometer. Optics Communications, 2015, 354, 94-102.	1.0	11
318	High-Efficiency Photonic Microwave Downconversion With Full-Frequency-Range Coverage. IEEE Photonics Journal, 2015, 7, 1-7.	1.0	14
319	Optoelectronic Oscillator Based on Polarization Modulation. Fiber and Integrated Optics, 2015, 34, 185-203.	1.7	17
320	Wideband microwave photonic analog RF interference cancellation. , 2015, , .		0
321	Reconfigurable microwave photonic filter based on polarization modulation. Optical Engineering, 2015, 55, 031120.	0.5	1
322	A Q-band radio-over-fiber system for the distribution of uncompressed high-definition video signal. , 2015, , .		0
323	Phase stable radio distribution over optic cable by phase conjugation using an optical frequency comb. , 2015, , .		8
324	A Microwave photonic system for simultaneous frequency mixing and phase shifting. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
325	Coherent photonic RF channelization based on stimulated Brillouin scattering. , 2015, , .		3
326	Photonic generation of linear frequency-modulated waveform with improved time-bandwidth product. , 2015, , .		8
327	A fiber-distributed bistatic ultra-wideband radar based on optical time division multiplexing. , 2015, , .		6
328	Stable frequency dissemination via optical fiber based on passive phase fluctuation cancellation. , 2015, , .		0
329	Phase noise measurement of wideband microwave sources based on a microwave photonic frequency down-converter. Optics Letters, 2015, 40, 1326.	1.7	30
330	Accurate optical vector network analyzer based on optical single-sideband modulation and balanced photodetection. Optics Letters, 2015, 40, 569.	1.7	20
331	Optical true time delay unit for multi-beamforming. Optics Express, 2015, 23, 10002.	1.7	55
332	Distributed MIMO chaotic radar based on wavelength-division multiplexing technology. Optics Letters, 2015, 40, 1631.	1.7	40
333	Simplified 2-bit photonic digital-to-analog conversion unit based on polarization multiplexing. Optical Engineering, 2015, 55, 031115.	0.5	11
334	Satellite Payloads Pay Off. IEEE Microwave Magazine, 2015, 16, 61-73.	0.7	123
335	A fiber-distributed multistatic ultra-wideband radar. , 2015, , .		0
336	Performance evaluation of RF beamforming based on a wideband antenna array and photonic true time delay. , 2015, , .		0
337	Phase-coded microwave signal generation based on a single electro-optical modulator and its application in accurate distance measurement. Optics Express, 2015, 23, 21867.	1.7	28
338	Microwave photonic mixer with suppression of mixing spurs. , 2015, , .		8
339	Photonic generation of binary differential phase-coded microwave signals. , 2015, , .		0
340	Reduction of signal distortion in SOA-based optical RF switches. , 2015, , .		0
341	A tunable multi-frequency optoelectronic oscillator based on stimulated Brillouin scattering. , 2015, , .		6
342	A bandwidth-tunable flat-top optical filter based on a single reflective-type microring resonator. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
343	Photonic-assisted wideband phase noise measurement of microwave signal sources. Electronics Letters, 2015, 51, 1272-1274.	0.5	16
344	Stabilize the Regeneratively Mode-Locked Fiber Laser based on a Polarization Maintained Dual-loop Structure. , 2015, , .		3
345	A Multi-frequency Optoelectronic Oscillator based on a Single Phase-Modulator. , 2015, , .		6
346	Phase Noise Measurement of Microwave Signal Sources based on Microwave Photonic Technologies. , 2015, , .		0
347	Two-bit Photonic Digital-to-Analog Conversion Unit based on Polarization Multiplexing. , 2015, , .		0
348	Characterization of Integrated Photonic Circuits with Ultrahigh Resolution Using Swept Optical Single Sideband Modulation (Invited). , 2015, , .		0
349	An optical true-time-delay unit for independent beamforming of multiple RF signals. , 2014, , .		0
350	Photonic RF channelization based on series-coupled asymmetric double-ring resonator filter. , 2014, , .		8
351	A reconfigurable photonic microwave mixer. , 2014, , .		15
352	A full-duplex radio-over-fiber system with centralized light source and bidirectional fiber transmission based on optical sideband reuse. , 2014, , .		4
353	Photonic time-stretched analog-to-digital converter with suppression of dispersion-induced power fading based on polarization modulation. , 2014, , .		0
354	A full-duplex OSSB modulated ROF system with centralized light source by optical sideband reuse. , 2014, , .		0
355	A photonic-assisted transceiver with wavelength reuse for distributed UWB radar. , 2014, , .		2
356	Stable fiber delivery of radio-frequency signal based on passive phase correction. Optics Letters, 2014, 39, 3360.	1.7	39
357	Accuracy improvement of optical vector network analyzer based on single-sideband modulation. Optics Letters, 2014, 39, 3595.	1.7	25
358	Photonic generation of widely tunable phase-coded microwave signals based on a dual-parallel polarization modulator. Optics Letters, 2014, 39, 3958.	1.7	42
359	Optical single sideband polarization modulation for radio-over-fiber system and microwave photonic signal processing. Photonics Research, 2014, 2, B80.	3.4	25
360	Series-coupled double-ring resonators with asymmetric radii for use in channelizer. Proceedings of SPIE, 2014, , .	0.8	2

#	ARTICLE	IF	CITATIONS
361	An optically controlled phased array antenna based on single sideband polarization modulation. Optics Express, 2014, 22, 3761.	1.7	29
362	Fiber-distributed Ultra-wideband noise radar with steerable power spectrum and colorless base station. Optics Express, 2014, 22, 4896.	1.7	30
363	Background-free pulsed microwave signal generation based on spectral shaping and frequency-to-time mapping. Photonics Research, 2014, 2, B5.	3.4	28
364	Measurement of optical magnitude response based on double-sideband modulation. Optics Letters, 2014, 39, 6174.	1.7	36
365	An electrically-tunable microwave photonic filter based on polarization modulation. , 2014, , .		2
366	Post phase correction for stable fiber delivery of radio-frequency signal. , 2014, , .		0
367	Wideband signal upconversion and phase shifting based on a frequency tunable optoelectronic oscillator. Optical Engineering, 2014, 53, 036101.	0.5	5
368	Wideband Phase Noise Measurement Using a Multifunctional Microwave Photonic Processor. IEEE Photonics Technology Letters, 2014, 26, 2434-2437.	1.3	24
369	Optoelectronic oscillators based on polarization modulation. , 2014, , .		0
370	Stimulated Brillouin scattering based optical frequency comb generation using a stocks wave recycling loop. , 2014, , .		2
371	A microwave photonic system with switchable functions based on cascaded polarization modulators. , 2014, , .		0
372	Stable radio frequency transfer via optical fiber based on passive phase correction. , 2014, , .		0
373	Photonic switching of RF signals based on optical single sideband wavelength conversion in a semiconductor optical amplifier. , 2014, , .		0
374	Fiber-connected position localization sensor networks. , 2014, , .		0
375	Photonic microwave downconverter based on an optoelectronic oscillator using a single dual-drive Mach-Zehnder modulator. Optics Express, 2014, 22, 305.	1.7	48
376	Multichannel Up-Conversion Based on Polarization-Modulated Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2014, 26, 544-547.	1.3	21
377	Optical Single Sideband Modulation With Tunable Optical Carrier-to-Sideband Ratio. IEEE Photonics Technology Letters, 2014, 26, 653-655.	1.3	48
378	Colorless optical remote antenna units for broadband wireless access networks. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
379	A Compact Optoelectronic Oscillator Based on an Electroabsorption Modulated Laser. IEEE Photonics Technology Letters, 2014, 26, 86-88.	1.3	24
380	Wavelength-Division Multiplexed Fiber-Connected Sensor Network for S-Source Localization. IEEE Photonics Technology Letters, 2014, 26, 1874-1877.	1.3	6
381	Optical Single-Sideband Modulation Based on a Dual-Drive MZM and a 120° Hybrid Coupler. Journal of Lightwave Technology, 2014, 32, 3317-3323.	2.7	70
382	A Colorless Remote Antenna Unit for Bidirectional Photonic Antenna Remoting. IEEE Microwave and Wireless Components Letters, 2014, 24, 275-277.	2.0	2
383	Microwave photonic signal processing based on polarization modulation. , 2014, , .		0
384	Stable radio transfer via an optic cable with multiple fibers based on passive phase error correction. , 2014, , .		7
385	A simple microwave photonic downconverter with high conversion efficiency based on a polarization modulator. , 2014, , .		4
386	Frequency-Doubled and Phase-Coded RF Signal Generation Based on Orthogonally Polarized Carrier-suppressed Double Sideband Modulation. , 2014, , .		5
387	On the Multi-signal Direct Modulation Characteristics of a Reconstruction-equivalent-chirp Distributed Feedback Laser Diode. Guangzi Xuebao/Acta Photonica Sinica, 2014, 43, 206006.	0.1	0
388	Optical RF Interference Cancellation Based on a Dual-parallel Polarization Modulator. , 2014, , .		15
389	Instantaneous frequency measurement with adjustable measurement range and resolution based on polarisation modulator. Electronics Letters, 2013, 49, 277-279.	0.5	11
390	A tunable and dispersion-insensitive microwave photonic filter. Science China Technological Sciences, 2013, 56, 603-607.	2.0	4
391	Generation of Seven-Line Optical Frequency Comb Based on a Single Polarization Modulator. IEEE Photonics Technology Letters, 2013, 25, 2164-2166.	1.3	28
392	Transmission of 3-Gb/s uncompressed HD video in a optoelectronic-oscillator-based radio over fiber link. , 2013, , .		0
393	Transmission of 3-Gb/s uncompressed HD video in a optoelectronic-oscillator-based radio over fiber link. , 2013, , .		0
394	A high-resolution optical vector network analyzer with the capability of measuring bandpass devices. , 2013, , .		6
395	Transmission of 3-Gb/s uncompressed HD video in a optoelectronic-oscillator-based radio over fiber link. , 2013, , .		2
396	Transmission of 3-Gb/s uncompressed HD video in a optoelectronic-oscillator-based radio over fiber link. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
397	A bidirectional radio-over-fiber system based on cross-polarization modulation effect in a semiconductor optical amplifier. , 2013, , .		0
398	A UWB over fiber system based on frequency-dependent gain saturation in a RSOA. , 2013, , .		1
399	UWB-over-fiber sensor network for accurate localization based on optical time-division multiplexing. , 2013, , .		2
400	A photonic frequency downconverter based on a single dual-drive Mach-Zehnder modulator. , 2013, , .		21
401	Tunable up-converting optoelectronic oscillator based on Stimulated Brillouin Scattering. , 2013, , .		4
402	Complex Coefficient Microwave Photonic Filter Using a Polarization-Modulator-Based Phase Shifter. IEEE Photonics Technology Letters, 2013, 25, 187-189.	1.3	26
403	A study on the measurement error of the optical vector network analyzer based on single-sideband modulation. , 2013, , .		1
404	Optical vector network analyzer based on optical single-sideband modulation. , 2013, , .		8
405	Frequency-Quadrupling Optoelectronic Oscillator for Multichannel Upconversion. IEEE Photonics Technology Letters, 2013, 25, 426-429.	1.3	21
406	Photonic generation of pulsed microwave signals with tunable frequency and phase based on spectral-shaping and frequency-to-time mapping. Optics Letters, 2013, 38, 4256.	1.7	25
407	Wavelength reuse in a bidirectional radio-over-fiber link based on cross-gain and cross-polarization modulation in a semiconductor optical amplifier. Optics Letters, 2013, 38, 3496.	1.7	12
408	Photonic generation of a phase-coded microwave signal based on a single dual-drive Mach-Zehnder modulator. Optics Letters, 2013, 38, 5365.	1.7	45
409	Polarization-insensitive photonic microwave downconversion. Optics Letters, 2013, 38, 2237.	1.7	10
410	Fiber-connected UWB sensor network for high-resolution localization using optical time-division multiplexing. Optics Express, 2013, 21, 21218.	1.7	9
411	Generation of a flat optical frequency comb based on a cascaded polarization modulator and phase modulator. Optics Letters, 2013, 38, 3137.	1.7	56
412	Tunable multitap microwave photonic filter with all complex coefficients. Optics Letters, 2013, 38, 802.	1.7	25
413	Performance analysis of optical vector analyzer based on optical single-sideband modulation. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 928.	0.9	35
414	Generation of phase-coded microwave signals using a polarization-modulator-based photonic microwave phase shifter. Optics Letters, 2013, 38, 766.	1.7	81

#	ARTICLE	IF	CITATIONS
415	Wideband optical vector network analyzer based on optical single-sideband modulation and optical frequency comb. Optics Letters, 2013, 38, 4900.	1.7	36
416	Tunable optoelectronic oscillator based on a chirped Mach-Zehnder modulator. Optical Engineering, 2013, 52, 055005.	0.5	3
417	Polarization-modulated microwave photonic signal processing. , 2013, , .		1
418	Fiber-optic remote Ultra-wideband noise radar with colorless base station. , 2013, , .		1
419	High Resolution Microwave Frequency Measurement Using a Dual-Parallel Mach-Zehnder Modulator. IEEE Microwave and Wireless Components Letters, 2013, 23, 623-625.	2.0	23
420	Background-free millimeter-wave ultra-wideband signal generation based on a dual-parallel Mach-Zehnder modulator. Optics Express, 2013, 21, 27017.	1.7	15
421	Transmission of 3-Gb/s uncompressed HD video in a optoelectronic-oscillator-based radio over fiber link. , 2013, , .		0
422	Triangular pulse generation using a dual-parallel Mach-Zehnder modulator driven by a single-frequency radio frequency signal. Optics Letters, 2013, 38, 4491.	1.7	66
423	Distribution of 1.5-Gbps HD Video using Beamforming-based Radio over Fiber System. , 2013, , .		1
424	A High-Resolution Demodulation Scheme for FBG Sensors. , 2013, , .		0
425	A UWB over Fiber System based on a Tunable Single Passband Microwave Photonic Filter. , 2013, , .		0
426	An Optically Controlled Beamforming Network Using Phase Shifters based on Single Sideband Polarization Modulation. , 2013, , .		0
427	An Optically Controlled Beamforming Network Using Phase Shifters based on Single Sideband Polarization Modulation. , 2013, , .		0
428	Transmission of GNSS Signals over Bidirectional Fiber Link with Compact Remote Antenna Unit. , 2013, , .		0
429	A UWB over Fiber System based on a Tunable Single Passband Microwave Photonic Filter. , 2013, , .		1
430	Distribution of 1.5-Gbps HD Video using Beamforming-based Radio over Fiber System. , 2013, , .		0
431	Photonic microwave up-conversion using optoelectronic oscillator based on polarisation modulator. Electronics Letters, 2012, 48, 271.	0.5	11
432	Linearized analog photonic links based on a dual-parallel polarization modulator. Optics Letters, 2012, 37, 1823.	1.7	79

#	ARTICLE	IF	CITATIONS
433	Photonic generation of ultrawideband signals based on frequency-dependent gain saturation in a reflective semiconductor optical amplifier. <i>Optics Letters</i> , 2012, 37, 4251.	1.7	6
434	Tunable and wideband microwave photonic phase shifter based on a single-sideband polarization modulator and a polarizer. <i>Optics Letters</i> , 2012, 37, 4483.	1.7	127
435	A high resolution optical vector network analyzer based on a wideband and wavelength-tunable optical single-sideband modulator. <i>Optics Express</i> , 2012, 20, 6555.	1.7	110
436	Photonic approach to the simultaneous measurement of the frequency, amplitude, pulse width, and time of arrival of a microwave signal. <i>Optics Letters</i> , 2012, 37, 7.	1.7	42
437	Ultraflat optical frequency comb generated based on cascaded polarization modulators. <i>Optics Letters</i> , 2012, 37, 3834.	1.7	88
438	Photonic microwave bandpass filter based on optical single-sideband polarization modulation for long-reach radio over fiber applications. , 2012, , .		0
439	Polarization-modulated analog photonic link with compensation of the dispersion-induced power fading. <i>Optics Letters</i> , 2012, 37, 866.	1.7	70
440	Line Width Measurement Based on a Delayed Self-heterodyne Interferometer Using a Mach-Zehnder Modulator. , 2012, , .		1
441	UWB over WDM-PON. , 2012, , .		0
442	Experimental demonstration of frequency-octupled millimeter-wave signal generation based on a dual-parallel Mach-Zehnder modulator. , 2012, , .		17
443	UWB over WDM-PON. , 2012, , .		0
444	High-Performance Photonic Microwave Downconverter Based on a Frequency-Doubling Optoelectronic Oscillator. <i>Journal of Lightwave Technology</i> , 2012, 30, 3036-3042.	2.7	47
445	A radio over fiber link for the wireless distribution of 3-Gb/s uncompressed HD video (invited paper). , 2012, , .		0
446	Tunable Optoelectronic Oscillator Based on a Polarization Modulator and a Chirped FBC. <i>IEEE Photonics Technology Letters</i> , 2012, 24, 1487-1489.	1.3	68
447	Tunable Frequency-Quadrupling Dual-Loop Optoelectronic Oscillator. <i>IEEE Photonics Technology Letters</i> , 2012, 24, 194-196.	1.3	62
448	Coupled frequency-doubling optoelectronic oscillator based on polarization modulation and polarization multiplexing. <i>Optics Communications</i> , 2012, 285, 1140-1143.	1.0	22
449	Proposal and simulation investigation of optical format conversion between quaternary amplitude-shift keying signals based on cascaded modulators. <i>Optical Fiber Technology</i> , 2012, 18, 117-120.	1.4	1
450	Linear Analog Photonic Link Based on Cascaded Polarization Modulators. , 2012, , .		2

#	ARTICLE	IF	CITATIONS
451	Stabilize the Coupled Optoelectronic Oscillator by an Unpumped Erbium-Doped Fiber. , 2012, , .		3
452	Linear Analog Photonic Link Based on Cascaded Polarization Modulators. , 2012, , .		2
453	Wideband Photonic Microwave Downconversion Based on an Optoelectronic Oscillator for Uncompressed HD Video Distribution. Guangzi Xuebao/Acta Photonica Sinica, 2012, 41, 1161-1166.	0.1	0
454	Stabilize the Coupled Optoelectronic Oscillator by an Unpumped Erbium-Doped Fiber. , 2012, , .		0
455	Photonic-Assisted Tunable Microwave Pulse Fractional Hilbert Transformer Based on a Temporal Pulse Shaping System. IEEE Photonics Technology Letters, 2011, 23, 570-572.	1.3	5
456	Experimental Demonstration of Symmetrical Waveform Generation Based on Amplitude-Only Modulation in a Fiber-Based Temporal Pulse Shaping System. IEEE Photonics Technology Letters, 2011, 23, 715-717.	1.3	18
457	Simultaneous generation and transmission of UWB wireless and baseband wired signals employing a dual-drive modulator. , 2011, , .		2
458	IR-UWB-Over-Fiber Systems Compatible With WDM-PON Networks. Journal of Lightwave Technology, 2011, 29, 3025-3034.	2.7	33
459	Influence of large signal modulation on photonic UWB generation based on electro-optic modulator. Optics Express, 2011, 19, 13686.	1.7	3
460	Provision of IR-UWB wireless and baseband wired services over a WDM-PON. Optics Express, 2011, 19, B209.	1.7	8
461	Injection-locked fiber laser for tunable millimeter-wave generation. Optics Letters, 2011, 36, 4722.	1.7	16
462	Converged IR-UWB Wireless and Baseband Wired Access Over a WDM-PON. , 2011, , .		0
463	Optical clock recovery with dual-wavelength output from degraded RZ and NRZ signals. Optics Communications, 2011, 284, 4465-4469.	1.0	0
464	Investigation of modulation distortion in photonic UWB generation based on a phase modulator. , 2011, , .		0
465	Photonic generation of chirp-free UWB signals with high tolerance to fiber dispersion. , 2011, , .		0
466	Frequency-doubling optoelectronic oscillator based on a polarization modulator. , 2011, , .		0
467	Transient state of wavelength tuning in mode-locked lasers with a dispersive cavity. Proceedings of SPIE, 2010, , .	0.8	0
468	All-optical wavelength conversion of nonreturn-to-zero signals based on a nonlinear polarization switch and a delayed interferometer. Optical Engineering, 2010, 49, 110502.	0.5	0

#	ARTICLE	IF	CITATIONS
469	Simultaneous Provision of UWB and Wired Services in a WDM-PON Network Using a Centralized Light Source. IEEE Photonics Journal, 2010, 2, 712-718.	1.0	28
470	Multichannel Optical Signal Processing in NRZ Systems Based on a Frequency-Doubling Optoelectronic Oscillator. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 1460-1468.	1.9	42
471	Transmission of 1.25-Gb/s quasi-single-sideband optical UWB signals over single-mode fiber. , 2010, , .		3
472	Tunable Subterahertz Wave Generation Based on Photonic Frequency Sextupling Using a Polarization Modulator and a Wavelength-Fixed Notch Filter. IEEE Transactions on Microwave Theory and Techniques, 2010, 58, 1967-1975.	2.9	53
473	A novel optical NRZ-to-RZ format converter based on a polarization modulator and an intensity modulator. , 2010, , .		0
474	Wavelength reuse in UWB over fiber system. , 2010, , .		0
475	Transient state of wavelength tuning in mode-locked lasers with a dispersive cavity. , 2010, , .		0
476	Performance evaluation of UWB signal transmission over optical fiber. IEEE Journal on Selected Areas in Communications, 2010, 28, 889-900.	9.7	36
477	A Wavelength-Tunable Single-Longitudinal-Mode Fiber Ring Laser With a Large Sidemode Suppression and Improved Stability. IEEE Photonics Technology Letters, 2010, 22, 413-415.	1.3	19
478	Instantaneous Microwave Frequency Measurement Using a Photonic Microwave Filter Pair. IEEE Photonics Technology Letters, 2010, 22, 1437-1439.	1.3	68
479	A UWB Over Fiber System Compatible With WDM-PON Architecture. IEEE Photonics Technology Letters, 2010, 22, 1500-1502.	1.3	18
480	A dispersion-insensitive UWB over fiber system based on a photonic microwave bandpass filter. , 2010, , .		2
481	Wideband and frequency-tunable microwave generation using an optoelectronic oscillator incorporating a Fabry-Pérot laser diode with external optical injection. Optics Letters, 2010, 35, 1911.	1.7	177
482	UWB-Over-Fiber Communications: Modulation and Transmission. Journal of Lightwave Technology, 2010, 28, 2445-2455.	2.7	116
483	Transient State of Wavelength Tuning in Mode-Locked Lasers with a Dispersive Cavity. , 2010, , .		0
484	All-Optical Regenerative Wavelength Conversion Based on a Modified Delayed Interference Signal Wavelength Converter. , 2010, , .		2
485	Optical NRZ to RZ format conversion based on a frequency-doubling optoelectronic oscillator. , 2009, , .		1
486	Photonic generation and transmission of UWB signals with On-Off keying and bi-phase modulation schemes. , 2009, , .		2

#	ARTICLE	IF	CITATIONS
487	Switchable UWB pulse generation using a phase modulator and a reconfigurable asymmetric Mach-Zehnder interferometer. <i>Optics Letters</i> , 2009, 34, 160.	1.7	49
488	Optical generation of polarity- and shape-switchable ultrawideband pulses using a chirped intensity modulator and a first-order asymmetric Mach-Zehnder interferometer. <i>Optics Letters</i> , 2009, 34, 1312.	1.7	28
489	Generation of a chirp-free optical pulse train with tunable pulse width based on a polarization modulator and an intensity modulator. <i>Optics Letters</i> , 2009, 34, 2186.	1.7	10
490	Instantaneous Microwave Frequency Measurement With Improved Measurement Range and Resolution Based on Simultaneous Phase Modulation and Intensity Modulation. <i>Journal of Lightwave Technology</i> , 2009, 27, 5314-5320.	2.7	84
491	A wavelength-switchable single-longitudinal-mode dual-wavelength erbium-doped fiber laser for switchable microwave generation. <i>Optics Express</i> , 2009, 17, 5414.	1.7	105
492	Frequency-switchable microwave generation based on a dual-wavelength single-longitudinal-mode fiber laser incorporating a high-finesse ring filter. <i>Optics Express</i> , 2009, 17, 12167.	1.7	56
493	Optical Clock Recovery Using a Polarization-Modulator-Based Frequency-Doubling Optoelectronic Oscillator. <i>Journal of Lightwave Technology</i> , 2009, 27, 3531-3539.	2.7	175
494	A Frequency-Doubling Optoelectronic Oscillator Using a Polarization Modulator. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 929-931.	1.3	161
495	A Photonic UWB Generator Reconfigurable for Multiple Modulation Formats. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1381-1383.	1.3	29
496	A NRZ wavelength converter based on a nonlinear polarization switch cascading a reshaping delayed interferometer. , 2009, , .		0
497	Generation of a stable and frequency-tunable microwave signal using a polarization modulator and a wavelength-fixed notch filter. , 2009, , .		9
498	All-Optical Wavelength Conversion Based on Semiconductor Optical Amplifier and Delay Interferometer. <i>Guangxue Xuebao/Acta Optica Sinica</i> , 2009, 29, 892-896.	0.2	0
499	Simple adaptive first-order PMD compensator using a Faraday rotator and a variable DGD element. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 2417-2420.	0.9	0
500	Dispersion-tuned multiwavelength actively mode-locked fiber laser using a hybrid gain medium. <i>Optics and Laser Technology</i> , 2008, 40, 854-857.	2.2	17
501	Switchable single-longitudinal-mode dual-wavelength erbium-doped fiber ring laser incorporating a semiconductor optical amplifier. <i>Optics Letters</i> , 2008, 33, 764.	1.7	90
502	Analysis of Gain Competition Suppression in Multiwavelength Actively Mode-Locked Erbium-Doped Fiber Lasers Incorporating a Highly Nonlinear Fiber. <i>IEEE Journal of Quantum Electronics</i> , 2008, 44, 245-253.	1.0	7
503	Switchable single-longitudinal-mode dual-wavelength fiber ring laser using hybrid gain medium. , 2008, , .		1
504	Multiwavelength pulse generation using an actively mode-locked erbium-doped fiber ring laser based on distributed dispersion cavity. <i>IEEE Photonics Technology Letters</i> , 2006, 18, 604-606.	1.3	29

#	ARTICLE	IF	CITATIONS
505	Stable multiwavelength dispersion-tuned actively mode-locked erbium-doped fiber ring laser using nonlinear polarization rotation. IEEE Photonics Technology Letters, 2006, 18, 1451-1453.	1.3	52
506	Multiwavelength erbium-doped fiber laser based on inhomogeneous loss mechanism by use of a highly nonlinear fiber and a Fabry-Perot filter. Optics Express, 2006, 14, 1113.	1.7	135
507	Optical 3R regeneration of 40Gbit/s degraded data signals. Optics Communications, 2006, 266, 290-295.	1.0	10
508	Stable multiwavelength erbium-doped fiber laser at room temperature with tunable wavelength, wavelength spacing, and channel number. Optical Engineering, 2006, 45, 114203.	0.5	7
509	Stable multiwavelength actively mode-locked erbium-doped fiber ring laser based on distributed dispersion cavity. , 2006, , .		0
510	First- and second-order PMD mitigation using 3R regeneration. , 2005, , .		3
511	A highly reconfigurable photonic microwave frequency mixer. SPIE Newsroom, 0, , .	0.1	5