## Taihyun Chang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8437031/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Temperature gradient interaction chromatography of polymers. , 2021, , 97-128.		3
2	Molecular Weight Distribution of Two Types of Living Chains Formed during Nitroxideâ€Mediated Polymerization of Styrene. Macromolecular Rapid Communications, 2021, 42, 2000624.	3.9	1
3	Nonlinear Shear Rheology of Entangled Polymer Rings. Macromolecules, 2021, 54, 2811-2827.	4.8	51
4	Nonlinear rheometry of entangled polymeric rings and ring-linear blends. Journal of Rheology, 2021, 65, 695-711.	2.6	24
5	The non-free draining effect for small cyclics in solution. Polymer, 2021, 213, 123202.	3.8	6
6	Synthesis of an amphiphilic <i>spiro</i> â€multiblock copolymer via thiolâ€ene click chemistry. Journal of Polymer Science, 2020, 58, 132-138.	3.8	4
7	Direct introduction of hydroxyl groups in polystyrene chain ends prepared by atom-transfer radical polymerization. Polymer Journal, 2020, 52, 57-64.	2.7	6
8	Threading–Unthreading Transition of Linear-Ring Polymer Blends in Extensional Flow. ACS Macro Letters, 2020, 9, 1452-1457.	4.8	36
9	Orientation of Microphase in Polystyrene- <i>b</i> -polyisoprene Thin Film under Solvent Vapor Annealing. Macromolecules, 2020, 53, 9611-9618.	4.8	3
10	Stress Relaxation in Symmetric Ring-Linear Polymer Blends at Low Ring Fractions. Macromolecules, 2020, 53, 1685-1693.	4.8	42
11	Synthesis of an amphiphilic spiro â€multiblock copolymer via thiolâ€ene click chemistry. Journal of Polymer Science, 2020, 58, 132-138.	3.8	0
12	Phase Behavior of Polystyrene- <i>b</i> -polyisoprene- <i>b</i> -poly(methyl methacrylate) Triblock Terpolymer upon Solvent Vapor Annealing. Macromolecules, 2019, 52, 5122-5130.	4.8	5
13	Assessing the Range of Validity of Current Tube Models through Analysis of a Comprehensive Set of Star–Linear 1,4-Polybutadiene Polymer Blends. Macromolecules, 2019, 52, 7831-7846.	4.8	6
14	Molecular-Weight Distribution of Living Chains in Polystyrene Prepared by Reversible Addition–Fragmentation Chain-Transfer Polymerization. Macromolecules, 2019, 52, 7448-7455.	4.8	16
15	Glass transition temperature of cyclic polystyrene and the linear counterpart contamination effect. Polymer, 2019, 170, 198-203.	3.8	45
16	Constraint Release Mechanisms for H-Polymers Moving in Linear Matrices of Varying Molar Masses. Macromolecules, 2019, 52, 3010-3028.	4.8	21
17	Determining the Dilution Exponent for Entangled 1,4-Polybutadienes Using Blends of Near-Monodisperse Star with Unentangled, Low Molecular Weight Linear Polymers. Macromolecules, 2019, 52, 1757-1771.	4.8	8
18	Two-Dimensional Liquid Chromatography Analysis of Polystyrene/Polybutadiene Block Copolymers. Analytical Chemistry, 2018, 90, 6259-6266.	6.5	24

#	Article	IF	CITATIONS
19	Chromatographic Separation of Polymers. ACS Symposium Series, 2018, , 1-17.	0.5	8
20	Topologically Reversible Transformation of Tricyclic Polymer into Polyring Using Disulfide/Thiol Redox Chemistry. Macromolecules, 2018, 51, 5313-5322.	4.8	14
21	Branching Analysis of Combâ€Shaped Polystyrene with Long Chain Branches. Macromolecular Chemistry and Physics, 2017, 218, 1700087.	2.2	17
22	Branching analysis of star-shaped polybutadienes by temperature gradient interaction chromatography-triple detection. Polymer, 2017, 112, 71-75.	3.8	18
23	Synthesis and Characterization of an Exact Polystyrene- <i>graft</i> -polyisoprene: A Failure of Size Exclusion Chromatography Analysis. Macromolecules, 2017, 50, 2768-2776.	4.8	24
24	Covalent fixed multicyclic polystyrene conformers. Journal of Polymer Science Part A, 2017, 55, 4020-4026.	2.3	5
25	Intrinsic Viscosity of Cyclic Polystyrene. Macromolecules, 2017, 50, 7770-7776.	4.8	61
26	Influence of the Chain Architecture and the Presence of End-Groups or Branching Units Chemically Different from Repeating Structural Units on the Critical Adsorption Point in Liquid Chromatography. Macromolecules, 2017, 50, 8720-8730.	4.8	18
27	Molecular Weight Distribution of Living Chains in Polystyrene Prepared by Atom Transfer Radical Polymerization. ACS Macro Letters, 2017, 6, 758-761.	4.8	24
28	Figure-Eight-Shaped and Cage-Shaped Cyclic Polystyrenes. Macromolecules, 2016, 49, 3672-3680.	4.8	34
29	A nearly quantitative synthetic approach towards monocyclic polystyrenes and the solvent, concentration and molecular weight effect on cyclic yield. Polymer, 2016, 101, 379-387.	3.8	15
30	Inconvertible p-tert-butylthiacalix[4]arene-core-star polystyrene conformers. RSC Advances, 2016, 6, 74614-74619.	3.6	2
31	Comparison of Critical Adsorption Points of Ring Polymers with Linear Polymers. Macromolecules, 2016, 49, 8780-8788.	4.8	38
32	Challenging Tube and Slip-Link Models: Predicting the Linear Rheology of Blends of Well-Characterized Star and Linear 1,4-Polybutadienes. Macromolecules, 2016, 49, 4964-4977.	4.8	34
33	Determining the Origins of Impurities during Azide–Alkyne Click Cyclization of Polystyrene. Macromolecules, 2016, 49, 4369-4372.	4.8	31
34	Comprehensive two-dimensional liquid chromatographic analysis of poloxamers. Journal of Chromatography A, 2016, 1442, 33-41.	3.7	24
35	Linear and Nonlinear Shear Rheology of a Marginally Entangled Ring Polymer. Macromolecules, 2016, 49, 1444-1453.	4.8	74
36	Structural characterization of telechelic polyisobutylene diol. Journal of Chromatography A, 2015, 1376, 98-104.	3.7	13

#	Article	IF	CITATIONS
37	Definitions of terms relating to individual macromolecules, macromolecular assemblies, polymer solutions, and amorphous bulk polymers (IUPAC Recommendations 2014). Pure and Applied Chemistry, 2015, 87, 71-120.	1.9	31
38	Characterization and fractionation of PS-b-PMMA diblock copolymer synthesized via click chemistry. Polymer, 2015, 80, 46-51.	3.8	14
39	Epitaxial Phase Transition between Double Gyroid and Cylinder Phase in Diblock Copolymer Thin Film. Macromolecules, 2014, 47, 8761-8767.	4.8	21
40	Molecular weight effect of partially sulfonated PS-b-PDMS diblock copolymers as proton exchange membrane for direct methanol fuel cell. Macromolecular Research, 2014, 22, 1337-1343.	2.4	0
41	Preparation and Analysis of Bicyclic Polystyrene. Macromolecules, 2014, 47, 3791-3796.	4.8	35
42	Synthesis and characterization of an exact comb polyisoprene with three branches having the middle branch twice the molecular weight of the other two identical external branches. Polymer Chemistry, 2013, 4, 5645.	3.9	13
43	High aspect ratio cylindrical microdomains oriented vertically on the substrate using block copolymer micelles and temperature-programmed solvent vapor annealing. Soft Matter, 2013, 9, 5550.	2.7	19
44	Start-up and relaxation of well-characterized comb polymers in simple shear. Journal of Rheology, 2013, 57, 1079-1100.	2.6	30
45	Viscosity of Ring Polymer Melts. ACS Macro Letters, 2013, 2, 874-878.	4.8	134
46	MALDI-TOF MS characterization of polystyrene synthesized by ATRP. Polymer, 2013, 54, 6133-6139.	3.8	26
47	Easy synthesis of dendrimer-like polymers through a divergent iterative "end-grafting―method. Polymer Chemistry, 2013, 4, 830-839.	3.9	24
48	HPLC Characterization of Hydrogenous Polystyrene-block-deuterated polystyrene Utilizing the Isotope Effect. Macromolecules, 2013, 46, 9114-9121.	4.8	28
49	DETERMINATION OF THE BAND BROADENING FUNCTION IN SIZE EXCLUSION CHROMATOGRAPHY WITH LIGHT-SCATTERING DETECTION. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 79-94.	1.0	11
50	In Silico Molecular Design, Synthesis, Characterization, and Rheology of Dendritically Branched Polymers: Closing the Design Loop. ACS Macro Letters, 2012, 1, 404-408.	4.8	35
51	Analytical Rheology of Asymmetric H-Shaped Model Polybutadiene Melts. Macromolecules, 2012, 45, 5744-5756.	4.8	13
52	Characterization of Branched Polymers by Comprehensive Two-Dimensional Liquid Chromatography with Triple Detection. Macromolecules, 2012, 45, 3550-3556.	4.8	44
53	Mechanistic Pathway for the Formation of Radial Polystyrenes Using Diacyl Chloride. Macromolecules, 2012, 45, 2675-2681.	4.8	4
54	Model Branched Polymers: Synthesis and Characterization of Asymmetric H-Shaped Polybutadienes. ACS Macro Letters, 2012, 1, 537-540.	4.8	18

#	Article	IF	CITATIONS
55	Wellâ€Defined Functional Linear Aliphatic Diblock Copolyethers: A Versatile Linear Aliphatic Polyether Platform for Selective Functionalizations and Various Nanostructures. Advanced Functional Materials, 2012, 22, 5194-5208.	14.9	43
56	Fractionation of poly(dimethyl siloxane) by interaction chromatography. Macromolecular Research, 2012, 20, 101-105.	2.4	8
57	2D-LC Characterization of Comb-Shaped Polymers Using Isotope Effect. Analytical Chemistry, 2011, 83, 4237-4242.	6.5	37
58	Detecting Structural Polydispersity in Branched Polybutadienes. Macromolecules, 2011, 44, 208-214.	4.8	39
59	Combined Synthesis, TGIC Characterization, and Rheological Measurement and Prediction of Symmetric H Polybutadienes and Their Blends with Linear and Star-Shaped Polybutadienes. Macromolecules, 2011, 44, 7799-7809.	4.8	59
60	Structural characterization of the Fddd phase in a diblock copolymer thin film by electron microtomography. Soft Matter, 2011, 7, 10424.	2.7	21
61	Architectural Dispersity in Model Branched Polymers: Analysis and Rheological Consequences. Macromolecules, 2011, 44, 8631-8643.	4.8	48
62	Solvent-free solution processed passivation layer for improved long-term stability of organic field-effect transistors. Journal of Materials Chemistry, 2011, 21, 775-780.	6.7	30
63	Synthesis and characterization of polystyrene-b-polyisoprene-b-poly(methylmethacrylate) triblock copolymer. European Polymer Journal, 2011, 47, 800-804.	5.4	16
64	Facile oneâ€pot synthesis of linear and radial block copolymers of styrene and isoprene through a novel coupling agent by living anionic polymerization. Journal of Polymer Science Part A, 2010, 48, 2636-2641.	2.3	11
65	Effect of Film Thickness on the Phase Behaviors of Diblock Copolymer Thin Film. ACS Nano, 2010, 4, 3109-3116.	14.6	57
66	lsotopic Effect in the Separation of Polystyrene by Normal Phase and Reversed Phase Liquid Chromatography. Analytical Chemistry, 2010, 82, 1509-1514.	6.5	20
67	Titelbild: Toroidal Micelles of Uniform Size from Diblock Copolymers (Angew. Chem. 25/2009). Angewandte Chemie, 2009, 121, 4519-4519.	2.0	1
68	Toroidal Micelles of Uniform Size from Diblock Copolymers. Angewandte Chemie - International Edition, 2009, 48, 4594-4597.	13.8	119
69	Cover Picture: Toroidal Micelles of Uniform Size from Diblock Copolymers (Angew. Chem. Int. Ed.) Tj ETQq1 1 C	.784314 rg	gBT_/Overlock
70	New characterization methods for block copolymers and their phase behaviors. Macromolecular Research, 2009, 17, 365-377.	2.4	15
71	Temperatureâ€rise fractionation of poly(3â€alkyl thiophenes). Journal of Polymer Science, Part B: Polymer Physics, 2009, 47, 2547-2555.	2.1	1
72	Two-dimensional liquid chromatography analysis of synthetic polymers using fast size exclusion chromatography at high column temperature. Journal of Chromatography A, 2009, 1216, 4606-4610.	3.7	57

#	Article	IF	CITATIONS
73	Martin's Rule for High-Performance Liquid Chromatography Retention of Polystyrene Oligomers. Analytical Chemistry, 2009, 81, 5902-5909.	6.5	20
74	New Epitaxial Phase Transition between DG and HEX in PS- <i>b</i> -PI. Journal of the American Chemical Society, 2009, 131, 46-47.	13.7	61
75	Temperature controllable hplc column for preparative fractionation of polymers. Macromolecular Research, 2008, 16, 544-548.	2.4	5
76	Aggregation Behavior of Homoâ€PS/PSâ€ <i>b</i> â€P2VP Blends at the Air/Water Interface. Macromolecular Rapid Communications, 2008, 29, 1248-1253.	3.9	13
77	Property of diblock copolymer having extremely narrow molecular weight distribution. Polymer, 2008, 49, 2170-2175.	3.8	28
78	Synthesis, Temperature Gradient Interaction Chromatography, and Rheology of Entangled Styrene Comb Polymers. Macromolecules, 2008, 41, 5869-5875.	4.8	50
79	Retention Behavior of Star-Shaped Polystyrene near the Chromatographic Critical Condition. Macromolecules, 2008, 41, 3375-3383.	4.8	36
80	Closed-Loop Transition Induced by Homopolymers. Macromolecules, 2008, 41, 9875-9881.	4.8	7
81	Unusual Sensitivity of Closed-Loop Phase Behavior to Chain Size and Distribution. Macromolecules, 2007, 40, 8066-8070.	4.8	4
82	Direct Observation of HPL and DG Structure in PS-b-PI Thin Film by Transmission Electron Microscopy. Macromolecules, 2007, 40, 2603-2605.	4.8	45
83	Comprehensive Two-Dimensional Liquid Chromatography Analysis of a Block Copolymer. Analytical Chemistry, 2007, 79, 1067-1072.	6.5	61
84	Synthesis and Characterization of Model Dumbbell Polymers. Macromolecules, 2007, 40, 3080-3089.	4.8	11
85	Fast size-exclusion chromatography at high temperature. Journal of Chromatography A, 2007, 1157, 96-100.	3.7	22
86	Subphase pH Effect on Surface Micelle of Polystyrene-b-poly(2-vinylpyridine) Diblock Copolymers at the Airâ^'Water Interface. Macromolecules, 2006, 39, 684-689.	4.8	79
87	Characterization of Poly(2-vinylpyridine) by Temperature Gradient Interaction Chromatography. Macromolecules, 2006, 39, 3466-3468.	4.8	22
88	Synthesis, characterization and liquid crystal-aligning properties of new poly{3-[4-(n-alkyloxy)phenyloxy]pyromellitimide}s. Polymers for Advanced Technologies, 2006, 17, 444-452.	3.2	8
89	Characterization of polydisperse poly(vinyl chloride) by temperature gradient interaction chromatography. Journal of Chromatography A, 2006, 1123, 22-25.	3.7	17
90	Separation of branched polystyrene by comprehensive two-dimensional liquid chromatography. Journal of Chromatography A, 2006, 1103, 235-242.	3.7	77

#	Article	IF	CITATIONS
91	Effect of spreading solvents on Langmuir monolayers and Langmuir–Blodgett films of PS-b-P2VP. Polymer, 2006, 47, 8575-8582.	3.8	52
92	High temperature size exclusion chromatography. Macromolecular Research, 2006, 14, 383-386.	2.4	16
93	Unexpected Hexagonally Perforated Layer Morphology of PS-b-PMMA Block Copolymer in Supported Thin Film. Macromolecules, 2006, 39, 315-318.	4.8	64
94	Rapid molecular weight analysis of polymers by temperature gradient interaction chromatography. Journal of Chromatography A, 2005, 1075, 145-150.	3.7	18
95	Polymer characterization by interaction chromatography. Journal of Polymer Science, Part B: Polymer Physics, 2005, 43, 1591-1607.	2.1	136
96	HPLC Fractionation and Surface Micellization Behavior of Polystyrene-b-poly(methyl methacrylate). Macromolecules, 2005, 38, 6122-6127.	4.8	41
97	Thermodynamic Prediction of Polymer Retention in Temperature-Programmed HPLC. Analytical Chemistry, 2005, 77, 6347-6352.	6.5	41
98	Epitaxial Phase Transition of Polystyrene-b-Polyisoprene from Hexagonally Perforated Layer to Gyroid Phase in Thin Film. Macromolecules, 2005, 38, 10532-10536.	4.8	75
99	Structural Analysis of Block Copolymer Thin Films with Grazing Incidence Small-Angle X-ray Scattering. Macromolecules, 2005, 38, 4311-4323.	4.8	366
100	Surface micelle formation of polystyrene-b-poly(2-vinyl pyridine) diblock copolymer at air-water interface. Macromolecular Research, 2004, 12, 127-133.	2.4	35
101	Molecular Weight Distribution of Branched Polystyrene:  Propagation of Poisson Distribution. Macromolecules, 2004, 37, 8805-8807.	4.8	29
102	HPLC and MALDI-TOF MS Analysis of Highly Branched Polystyrene:Â Resolution Enhancement by Branching. Analytical Chemistry, 2004, 76, 2638-2642.	6.5	37
103	Interaction-Controlled HPLC for Block Copolymer Analysis and Separation. Journal of the American Chemical Society, 2004, 126, 8906-8907.	13.7	52
104	Characterization of poly(ethylene oxide)-b-poly(L-lactide) block copolymer by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. Macromolecular Research, 2003, 11, 341-346.	2.4	15
105	Characterization of a 4-miktoarm star copolymer of the (PS-b-PI)3 PS type by temperature gradient interaction chromatography. European Polymer Journal, 2003, 39, 2155-2160.	5.4	33
106	Retention mechanism of fatty alcohol ethoxylates in reversed-phase liquid chromatography. Journal of Chromatography A, 2003, 986, 199-206.	3.7	33
107	Retention mechanism of poly(ethylene oxide) in reversed-phase and normal-phase liquid chromatography. Journal of Chromatography A, 2003, 986, 191-198.	3.7	60
108	Effect of Block Copolymer Chain Architecture on Chromatographic Retention. Macromolecules, 2003, 36, 8539-8543.	4.8	61

#	Article	IF	CITATIONS
109	Phase Diagram Constructed from the HPLC Fractions of a Polystyrene-b-polyisoprene Prepared by Anionic Polymerization. Macromolecules, 2003, 36, 4662-4666.	4.8	36
110	Utility of Interaction Chromatography for Probing Structural Purity of Model Branched Copolymers:Â 4-Miktoarm Star Copolymer. Macromolecules, 2003, 36, 5834-5838.	4.8	35
111	Retention Behavior of Linear and Ring Polystyrene at the Chromatographic Critical Condition. Macromolecules, 2002, 35, 529-538.	4.8	82
112	Temperature Gradient Interaction Chromatography and MALDI-TOF Mass Spectrometry Analysis of Stereoregular Poly(ethyl methacrylate)s. Analytical Chemistry, 2002, 74, 1928-1931.	6.5	26
113	Fractionation of Block Copolymers Prepared by Anionic Polymerization into Fractions Exhibiting Three Different Morphologies. Macromolecules, 2002, 35, 5974-5979.	4.8	60
114	Temperature gradient interaction chromatography and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry analysis of air terminated polystyryllithium. Journal of Chromatography A, 2002, 958, 183-189.	3.7	35
115	Synthesis and Structural Analysis of an H-Shaped Polybutadiene. Macromolecules, 2001, 34, 5408-5415.	4.8	95
116	Characterization of Poly(l-lactide)-block-Poly- (ethylene oxide)-block-Poly(l-lactide) Triblock Copolymer by Liquid Chromatography at the Critical Condition and by MALDI-TOF Mass Spectrometry. Analytical Chemistry, 2001, 73, 1726-1732.	6.5	76
117	Characterization of Polystyrene-b-polyisoprene Diblock Copolymers by Liquid Chromatography at the Chromatographic Critical Condition. Macromolecules, 2001, 34, 2353-2358.	4.8	118
118	Dynamics near the Glass Temperature of Low Molecular Weight Cyclic Polystyrene. Macromolecules, 2001, 34, 9002-9005.	4.8	105
119	Structural Characterization of Ring Polystyrene by Liquid Chromatography at the Critical Condition and MALDIâ^'TOF Mass Spectrometry. Macromolecules, 2001, 34, 7570-7572.	4.8	49
120	Liquid Chromatography at the Critical Condition for Polyisoprene Using a Single Solvent. Analytical Chemistry, 2001, 73, 3884-3889.	6.5	52
121	Novel Thermoreversible Gelation of Biodegradable PLGA-block-PEO-block-PLGA Triblock Copolymers in Aqueous Solution. Macromolecular Rapid Communications, 2001, 22, 587-592.	3.9	213
122	Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography― Journal of Chromatography A, 2001, 919, 229.	3.7	1
123	Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography. Journal of Chromatography A, 2001, 910, 51-60.	3.7	71
124	Characterization of polyisoprene by temperature gradient interaction chromatography. Macromolecular Chemistry and Physics, 2000, 201, 320-325.	2.2	38
125	Image recording material based on the polymeric photobase generator containing oxime-urethane groups. Macromolecular Rapid Communications, 2000, 21, 1007-1012.	3.9	20
126	Fractionation of Cyclic Polystyrene from Linear Precursor by HPLC at the Chromatographic Critical Condition. Macromolecules, 2000, 33, 8119-8121.	4.8	167

#	Article	IF	CITATIONS
127	Molecular Weight Distribution of Polystyrene Made by Anionic Polymerization. Macromolecules, 2000, 33, 5111-5115.	4.8	107
128	Polymer characterization by temperature gradient interaction chromatography. Macromolecular Chemistry and Physics, 1999, 200, 2188-2204.	2.2	117
129	Change of Internal Hydrogen Bonding of Methyl Red upon Photoisomerization Monitored by Forced Rayleigh Scattering. Journal of Physical Chemistry B, 1999, 103, 2355-2360.	2.6	18
130	Characterization of Poly(ethylene oxide)-block-poly(l-lactide) by HPLC and MALDI-TOF Mass Spectrometry. Macromolecules, 1999, 32, 4143-4146.	4.8	57
131	Diffusion and Equilibrium Binding of Methyl Red in Toluene Solutions of Polystyrene/Poly(methyl) Tj ETQq1 1 0.7	'84314 rgB' 4.8	T <u>/</u> Overlock
132	Characterization of Linear and Star Polystyrene by Temperature-Gradient Interaction Chromatography with a Light-Scattering Detector. Macromolecules, 1998, 31, 690-694.	4.8	73
133	Linking Reaction Kinetics of Star Shaped Polystyrene by Temperature Gradient Interaction Chromatography. Macromolecules, 1998, 31, 4114-4119.	4.8	53
134	Characterization of Poly(methyl methacrylate) by Temperature Gradient Interaction Chromatography with On-Line Light Scattering Detection. Macromolecules, 1998, 31, 344-348.	4.8	41
135	Determination of Orderâ ``Order and Orderâ ``Disorder Transition Temperatures of SIS Block Copolymers by Differential Scanning Calorimetry and Rheology. Macromolecules, 1998, 31, 4045-4048.	4.8	63
136	High performance liquid chromatography characterization of macromolecules. Macromolecular Symposia, 1997, 118, 261-265.	0.7	1
137	Hydrogen Bonding Effect on Probe Diffusion in Semidilute Polymer Solutions:Â Polymer Chain Structure Dependence. Macromolecules, 1996, 29, 3216-3219.	4.8	23
138	Polymer molecular weight characterization by temperature gradient high performance liquid chromatography. Polymer, 1996, 37, 5747-5749.	3.8	94
139	Characterization of Binary Polymer Mixtures by Simultaneous Size Exclusion Chromatography and Interaction Chromatography. Macromolecules, 1996, 29, 7294-7296.	4.8	46
140	Characterization of binary polymer mixtures by size exclusion chromatography with multiple detection. Polymer, 1995, 36, 2215-2218.	3.8	18
141	Preparation of star-shaped polylactide with pentaerythritol and stannous octoate. Die Makromolekulare Chemie, 1993, 194, 3229-3236.	1.1	103
142	Recent Advances in Liquid Chromatography Analysis of Synthetic Polymers. Advances in Polymer Science, 0, , 1-60.	0.8	132