

# Jacques J C Neefjes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/843711/publications.pdf>

Version: 2024-02-01

307  
papers

31,479  
citations

3531

90  
h-index

4991

167  
g-index

321  
all docs

321  
docs citations

321  
times ranked

30492  
citing authors

#	ARTICLE	IF	CITATIONS
1	Towards a systems understanding of MHC class I and MHC class II antigen presentation. <i>Nature Reviews Immunology</i> , 2011, 11, 823-836.	22.7	1,528
2	Radiation modulates the peptide repertoire, enhances MHC class I expression, and induces successful antitumor immunotherapy. <i>Journal of Experimental Medicine</i> , 2006, 203, 1259-1271.	8.5	1,389
3	Empty MHC class I molecules come out in the cold. <i>Nature</i> , 1990, 346, 476-480.	27.8	905
4	The Rab7 effector protein RILP controls lysosomal transport by inducing the recruitment of dynein-dynactin motors. <i>Current Biology</i> , 2001, 11, 1680-1685.	3.9	667
5	Segregation of MHC class II molecules from MHC class I molecules in the Golgi complex for transport to lysosomal compartments. <i>Nature</i> , 1991, 349, 669-676.	27.8	645
6	Interference with HIV-induced syncytium formation and viral infectivity by inhibitors of trimming glucosidase. <i>Nature</i> , 1987, 330, 74-77.	27.8	628
7	Cholesterol sensor ORP1L contacts the ER protein VAP to control Rab7â€“RILPâ€“p150Glued and late endosome positioning. <i>Journal of Cell Biology</i> , 2009, 185, 1209-1225.	5.2	581
8	Present Yourself! By MHC Class I and MHC Class II Molecules. <i>Trends in Immunology</i> , 2016, 37, 724-737.	6.8	566
9	From fixed to FRAP: measuring protein mobility and activity in living cells. <i>Nature Cell Biology</i> , 2001, 3, E145-E147.	10.3	556
10	Selective and ATP-dependent translocation of peptides by the MHC-encoded transporter. <i>Science</i> , 1993, 261, 769-771.	12.6	521
11	The biosynthetic pathway of MHC class II but not class I molecules intersects the endocytic route. <i>Cell</i> , 1990, 61, 171-183.	28.9	431
12	Direct binding of peptide to empty MHC class I molecules on intact cells and in vitro. <i>Cell</i> , 1990, 62, 563-567.	28.9	415
13	Activation of endosomal dynein motors by stepwise assembly of Rab7â€“RILPâ€“p150Glued, ORP1L, and the receptor Î²III spectrin. <i>Journal of Cell Biology</i> , 2007, 176, 459-471.	5.2	414
14	Cross-presentation by intercellular peptide transfer through gap junctions. <i>Nature</i> , 2005, 434, 83-88.	27.8	401
15	Making sense of mass destruction: quantitating MHC class I antigen presentation. <i>Nature Reviews Immunology</i> , 2003, 3, 952-961.	22.7	377
16	MED12 Controls the Response to Multiple Cancer Drugs through Regulation of TGF-Î² Receptor Signaling. <i>Cell</i> , 2012, 151, 937-950.	28.9	371
17	The major substrates for TAP in vivo are derived from newly synthesized proteins. <i>Nature</i> , 2000, 404, 774-778.	27.8	370
18	Mice lacking the MHC class II-associated invariant chain. <i>Cell</i> , 1993, 72, 635-648.	28.9	360

#	ARTICLE	IF	CITATIONS
19	Selectivity of MHC-encoded peptide transporters from human, mouse and rat. <i>Nature</i> , 1994, 367, 648-651.	27.8	337
20	Cross-Presentation of Glycoprotein 96-associated Antigens on Major Histocompatibility Complex Class I Molecules Requires Receptor-Mediated Endocytosis. <i>Journal of Experimental Medicine</i> , 2000, 191, 1965-1974.	8.5	325
21	Intracellular bacterial growth is controlled by a kinase network around PKB/AKT1. <i>Nature</i> , 2007, 450, 725-730.	27.8	310
22	Drug-induced histone eviction from open chromatin contributes to the chemotherapeutic effects of doxorubicin. <i>Nature Communications</i> , 2013, 4, 1908.	12.8	310
23	Mannose receptor-mediated uptake of antigens strongly enhances HLA class II-restricted antigen presentation by cultured dendritic cells. <i>European Journal of Immunology</i> , 1997, 27, 2426-2435.	2.9	298
24	On Terminal Alkynes That Can React with Active-Site Cysteine Nucleophiles in Proteases. <i>Journal of the American Chemical Society</i> , 2013, 135, 2867-2870.	13.7	290
25	Rab Proteins, Connecting Transport and Vesicle Fusion. <i>Traffic</i> , 2005, 6, 1070-1077.	2.7	275
26	Interleukin-10 Down-Regulates MHC Class II-peptide Complexes at the Plasma Membrane of Monocytes by Affecting Arrival and Recycling. <i>Immunity</i> , 1997, 7, 861-871.	14.3	272
27	Peptide Diffusion, Protection, and Degradation in Nuclear and Cytoplasmic Compartments before Antigen Presentation by MHC Class I. <i>Immunity</i> , 2003, 18, 97-108.	14.3	267
28	Association of Checkpoint Inhibitor-induced Toxic Effects With Shared Cancer and Tissue Antigens in Non-small Cell Lung Cancer. <i>JAMA Oncology</i> , 2019, 5, 1043.	7.1	266
29	Proteasome subunits encoded by the major histocompatibility complex are not essential for antigen presentation. <i>Nature</i> , 1992, 360, 174-177.	27.8	258
30	Peptide selection by MHC class I molecules. <i>Nature</i> , 1991, 350, 703-706.	27.8	257
31	Recycling MHC class I molecules and endosomal peptide loading. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10326-10331.	7.1	254
32	Accumulation of HLA-DM, a regulator of antigen presentation, in MHC class II compartments. <i>Science</i> , 1994, 266, 1566-1569.	12.6	242
33	Dynamics of proteasome distribution in living cells. <i>EMBO Journal</i> , 1997, 16, 6087-6094.	7.8	242
34	Tamoxifen resistance by a conformational arrest of the estrogen receptor after PKA activation in breast cancer. <i>Cancer Cell</i> , 2004, 5, 597-605.	16.8	241
35	A dynamic ubiquitin equilibrium couples proteasomal activity to chromatin remodeling. <i>Journal of Cell Biology</i> , 2006, 173, 19-26.	5.2	230
36	Allele and locus-specific differences in cell surface expression and the association of HLA class I heavy chain with $\beta_2$ -microglobulin: differential effects of inhibition of glycosylation on class I subunit association. <i>European Journal of Immunology</i> , 1988, 18, 801-810.	2.9	229

#	ARTICLE	IF	CITATIONS
37	A Major Role for TPP11 in Trimming Proteasomal Degradation Products for MHC Class I Antigen Presentation. <i>Immunity</i> , 2004, 20, 495-506.	14.3	227
38	Quantifying exosome secretion from single cells reveals a modulatory role for GPCR signaling. <i>Journal of Cell Biology</i> , 2018, 217, 1129-1142.	5.2	227
39	Variations in MHC Class II Antigen Processing and Presentation in Health and Disease. <i>Annual Review of Immunology</i> , 2016, 34, 265-297.	21.8	218
40	DNA damage triggers nucleotide excision repair-dependent monoubiquitylation of histone H2A. <i>Genes and Development</i> , 2006, 20, 1343-1352.	5.9	217
41	Inhibition of endosomal proteolytic activity by leupeptin blocks surface expression of MHC class II molecules and their conversion to SDS resistance alpha beta heterodimers in endosomes.. <i>EMBO Journal</i> , 1992, 11, 411-416.	7.8	210
42	Intracellular transport of MHC class II molecules. <i>Trends in Immunology</i> , 1992, 13, 179-184.	7.5	209
43	Multivesicular body morphogenesis requires phosphatidylinositol 3-kinase activity. <i>Current Biology</i> , 1999, 9, 55-58.	3.9	203
44	LMP1 association with CD63 in endosomes and secretion via exosomes limits constitutive NF- $\kappa$ B activation. <i>EMBO Journal</i> , 2011, 30, 2115-2129.	7.8	201
45	Peptide size selection by the major histocompatibility complex-encoded peptide transporter.. <i>Journal of Experimental Medicine</i> , 1994, 179, 1613-1623.	8.5	197
46	Direct vesicular transport of MHC class II molecules from lysosomal structures to the cell surface.. <i>Journal of Cell Biology</i> , 1996, 135, 611-622.	5.2	197
47	Salmonella Manipulation of Host Signaling Pathways Provokes Cellular Transformation Associated with Gallbladder Carcinoma. <i>Cell Host and Microbe</i> , 2015, 17, 763-774.	11.0	195
48	An ER-Associated Pathway Defines Endosomal Architecture for Controlled Cargo Transport. <i>Cell</i> , 2016, 166, 152-166.	28.9	187
49	A Single Residue Exchange Within a Viral CTL Epitope Alters Proteasome-Mediated Degradation Resulting in Lack of Antigen Presentation. <i>Immunity</i> , 1996, 5, 115-124.	14.3	180
50	Mechanisms of lysosomal positioning and movement. <i>Traffic</i> , 2018, 19, 761-769.	2.7	177
51	Cholesterol and ORP1L-mediated ER contact sites control autophagosome transport and fusion with the endocytic pathway. <i>Nature Communications</i> , 2016, 7, 11808.	12.8	176
52	Moving and positioning the endolysosomal system. <i>Current Opinion in Cell Biology</i> , 2017, 47, 1-8.	5.4	173
53	An improved biochemical method for the analysis of HLA-class I antigens. Definition of new HLA-class I subtypes. <i>Human Immunology</i> , 1986, 16, 169-181.	2.4	168
54	Varicelloviruses avoid T cell recognition by UL49.5-mediated inactivation of the transporter associated with antigen processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 5144-5149.	7.1	168

#	ARTICLE	IF	CITATIONS
55	A Fluorescent Broad-Spectrum Proteasome Inhibitor for Labeling Proteasomes In Vitro and In Vivo. <i>Chemistry and Biology</i> , 2006, 13, 1217-1226.	6.0	168
56	Association of BMI1 with Polycomb Bodies Is Dynamic and Requires PRC2/EZH2 and the Maintenance DNA Methyltransferase DNMT1. <i>Molecular and Cellular Biology</i> , 2005, 25, 11047-11058.	2.3	162
57	Cell biology of antigen presentation. <i>Current Opinion in Immunology</i> , 1993, 5, 27-34.	5.5	157
58	Antigen degradation or presentation by MHC class I molecules via classical and non-classical pathways. <i>Molecular Immunology</i> , 2002, 39, 181-202.	2.2	157
59	Glutamyl cyclase is an enzymatic modifier of the CD47- SIRP $\alpha$ axis and a target for cancer immunotherapy. <i>Nature Medicine</i> , 2019, 25, 612-619.	30.7	156
60	HLA-DO is a negative modulator of HLA-DM-mediated MHC class II peptide loading. <i>Current Biology</i> , 1997, 7, 950-957.	3.9	154
61	TAP-translocated peptides specifically bind proteins in the endoplasmic reticulum, including gp96, protein disulfide isomerase and calreticulin. <i>European Journal of Immunology</i> , 1997, 27, 2441-2449.	2.9	154
62	A CD8+ T cell immune evasion protein specific to Epstein-Barr virus and its close relatives in Old World primates. <i>Journal of Experimental Medicine</i> , 2007, 204, 1863-1873.	8.5	154
63	A Genome-wide Multidimensional RNAi Screen Reveals Pathways Controlling MHC Class II Antigen Presentation. <i>Cell</i> , 2011, 145, 268-283.	28.9	151
64	Export of Antigenic Peptides from the Endoplasmic Reticulum Intersects with Retrograde Protein Translocation through the Sec61p Channel. <i>Immunity</i> , 2000, 13, 117-127.	14.3	149
65	Late endosomal transport and tethering are coupled processes controlled by RILP and the cholesterol sensor ORP1L. <i>Journal of Cell Science</i> , 2013, 126, 3462-74.	2.0	149
66	New insights into the activities and toxicities of the old anticancer drug doxorubicin. <i>FEBS Journal</i> , 2021, 288, 6095-6111.	4.7	149
67	Trimming of TAP-translocated peptides in the endoplasmic reticulum and in the cytosol during recycling. <i>Journal of Experimental Medicine</i> , 1994, 180, 1591-1597.	8.5	147
68	Association Between HLA-DM and HLA-DR In Vivo. <i>Immunity</i> , 1996, 4, 87-96.	14.3	147
69	Old drugs, novel ways out: Drug resistance toward cytotoxic chemotherapeutics. <i>Drug Resistance Updates</i> , 2016, 28, 65-81.	14.4	147
70	Collateral damage: insights into bacterial mechanisms that predispose host cells to cancer. <i>Nature Reviews Microbiology</i> , 2017, 15, 109-128.	28.6	142
71	Bacterial infections and cancer. <i>EMBO Reports</i> , 2018, 19, .	4.5	141
72	Translocation of long peptides by transporters associated with antigen processing (TAP). <i>European Journal of Immunology</i> , 1996, 26, 1720-1728.	2.9	136

#	ARTICLE	IF	CITATIONS
73	RhoB regulates endosome transport by promoting actin assembly on endosomal membranes through Dia1. <i>Journal of Cell Science</i> , 2005, 118, 2661-2670.	2.0	136
74	Complement Is a Central Mediator of Radiotherapy-Induced Tumor-Specific Immunity and Clinical Response. <i>Immunity</i> , 2015, 42, 767-777.	14.3	135
75	MHC class II molecules on the move for successful antigen presentation. <i>EMBO Journal</i> , 2008, 27, 1-5.	7.8	133
76	Major histocompatibility complex class II compartments in human B lymphoblastoid cells are distinct from early endosomes.. <i>Journal of Experimental Medicine</i> , 1995, 182, 325-334.	8.5	127
77	Point mutations in the $\hat{I}\pm 2$ domain of HLA-A2.1 define a functionally relevant interaction with TAP. <i>Current Biology</i> , 1996, 6, 873-883.	3.9	126
78	Translocation of PKC $\hat{I}$ in T cells is mediated by a nonconventional, PI3-K $\hat{a}$ and Vav-dependent pathway, but does not absolutely require phospholipase C. <i>Journal of Cell Biology</i> , 2002, 157, 253-263.	5.2	123
79	The proteasome-specific inhibitor lactacystin blocks presentation of cytotoxic T lymphocyte epitopes in human and murine cells. <i>European Journal of Immunology</i> , 1997, 27, 336-341.	2.9	122
80	A cascading activity-based probe sequentially targets E1 $\hat{a}$ E2 $\hat{a}$ E3 ubiquitin enzymes. <i>Nature Chemical Biology</i> , 2016, 12, 523-530.	8.0	122
81	The EGFR odyssey $\hat{a}$ from activation to destruction in space and time. <i>Journal of Cell Science</i> , 2017, 130, 4087-4096.	2.0	120
82	Heterogeneity of Macrophages in the Rat Evidenced by Variability in Determinants: Two New Anti-Rat Macrophage Antibodies Against a Heterodimer of 160 and 95 kd (CD11/CD18). <i>Journal of Leukocyte Biology</i> , 1989, 46, 556-564.	3.3	117
83	Biochemical complexity of serum HLA class I molecules. <i>Immunogenetics</i> , 1988, 27, 203-210.	2.4	113
84	Spatial Separation of HLA-DM/HLA-DR Interactions within MIIC and Phagosome-Induced Immune Escape. <i>Immunity</i> , 2005, 22, 221-233.	14.3	113
85	Fluorescent probes for proteolysis: Tools for drug discovery. <i>Nature Reviews Drug Discovery</i> , 2004, 3, 58-69.	46.4	111
86	PKA-induced resistance to tamoxifen is associated with an altered orientation of ER $\hat{I}\pm$ towards co-activator SRC-1. <i>EMBO Journal</i> , 2007, 26, 3534-3544.	7.8	110
87	Presentation of Cytosolic Glycosylated Peptides by Human Class I Major Histocompatibility Complex Molecules in Vivo. <i>Journal of Experimental Medicine</i> , 1999, 190, 145-150.	8.5	101
88	An analysis of class I antigens of man and other species by one-dimensional IEF and immunoblotting. <i>Immunogenetics</i> , 1986, 23, 164-171.	2.4	98
89	Peptide selection by MHC-encoded TAP transporters. <i>Current Opinion in Immunology</i> , 1994, 6, 32-37.	5.5	98
90	A Role for Estrogen Receptor Phosphorylation in the Resistance to Tamoxifen. <i>International Journal of Breast Cancer</i> , 2011, 2011, 1-10.	1.2	98

#	ARTICLE	IF	CITATIONS
91	Cholesterol-binding molecules MLN64 and ORP1L mark distinct late endosomes with transporters ABCA3 and NPC1. <i>Journal of Lipid Research</i> , 2013, 54, 2153-2165.	4.2	95
92	Antigen processing by nardilysin and thimet oligopeptidase generates cytotoxic T cell epitopes. <i>Nature Immunology</i> , 2011, 12, 45-53.	14.5	94
93	Increased colon cancer risk after severe <i>Salmonella</i> infection. <i>PLoS ONE</i> , 2018, 13, e0189721.	2.5	94
94	Analysis of the fine specificity of rat, mouse and human TAP peptide transporters. <i>European Journal of Immunology</i> , 1995, 25, 1133-1136.	2.9	93
95	Uncoupling DNA damage from chromatin damage to detoxify doxorubicin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15182-15192.	7.1	93
96	Recombination-induced tag exchange to track old and new proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 64-68.	7.1	92
97	Major histocompatibility complex class II molecules induce the formation of endocytic MIIC-like structures.. <i>Journal of Cell Biology</i> , 1994, 126, 967-977.	5.2	89
98	Abrogation of CTL Epitope Processing by Single Amino Acid Substitution Flanking the C-Terminal Proteasome Cleavage Site. <i>Journal of Immunology</i> , 2000, 164, 1898-1905.	0.8	88
99	Stuck in traffic: an emerging theme in diseases of the nervous system. <i>Trends in Neurosciences</i> , 2014, 37, 66-76.	8.6	87
100	Interference with T cell receptor-HLA-DR interactions by Epstein-Barr virus gp42 results in reduced T helper cell recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 11583-11588.	7.1	86
101	Modulation of the Major Histocompatibility Complex Class II-associated Peptide Repertoire by Human Histocompatibility Leukocyte Antigen (HLA)-Do. <i>Journal of Experimental Medicine</i> , 2000, 191, 1127-1136.	8.5	85
102	The first step of peptide selection in antigen presentation by MHC class I molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1505-1510.	7.1	85
103	Characterization of the Mammalian CORVET and HOPS Complexes and Their Modular Restructuring for Endosome Specificity. <i>Journal of Biological Chemistry</i> , 2015, 290, 30280-30290.	3.4	84
104	Gap junction-mediated intercellular communication in the immune system. <i>Progress in Biophysics and Molecular Biology</i> , 2007, 94, 207-218.	2.9	82
105	Opportunities for Small Molecules in Cancer Immunotherapy. <i>Trends in Immunology</i> , 2020, 41, 493-511.	6.8	82
106	Statins Affect Cell-Surface Expression of Major Histocompatibility Complex Class II Molecules by Disrupting Cholesterol-Containing Microdomains. <i>Human Immunology</i> , 2005, 66, 653-665.	2.4	81
107	Rab7 and Rab27a control two motor protein activities involved in melanosomal transport. <i>Pigment Cell &amp; Melanoma Research</i> , 2006, 19, 412-423.	3.6	81
108	B Cell Receptor-Mediated Internalization of <i>Salmonella</i> : A Novel Pathway for Autonomous B Cell Activation and Antibody Production. <i>Journal of Immunology</i> , 2009, 182, 7473-7481.	0.8	81

#	ARTICLE	IF	CITATIONS
109	The hinge region of the human estrogen receptor determines functional synergy between AF-1 and AF-2 in the quantitative response to estradiol and tamoxifen. <i>Journal of Cell Science</i> , 2010, 123, 1253-1261.	2.0	80
110	Small regulators, major consequences – Ca <sup>2+</sup> and cholesterol at the endosome–ER interface. <i>Journal of Cell Science</i> , 2014, 127, 929-38.	2.0	79
111	Profiling Proteasome Activity in Tissue with Fluorescent Probes. <i>Molecular Pharmaceutics</i> , 2007, 4, 739-748.	4.6	78
112	Stop or Go? Endosome Positioning in the Establishment of Compartment Architecture, Dynamics, and Function. <i>Trends in Cell Biology</i> , 2017, 27, 580-594.	7.9	77
113	Specific immune responses restored by alteration in carbohydrate chains of surface molecules on antigen-presenting cells. <i>European Journal of Immunology</i> , 1989, 19, 537-542.	2.9	74
114	Coronin is involved in uptake of <i>Mycobacterium bovis</i> BCG in human macrophages but not in phagosome maintenance. <i>Cellular Microbiology</i> , 2001, 3, 785-793.	2.1	74
115	A peptide's perspective on antigen presentation to the immune system. <i>Nature Chemical Biology</i> , 2013, 9, 769-775.	8.0	72
116	Ubiquitination by the Membrane-associated RING-CH-8 (MARCH-8) Ligase Controls Steady-state Cell Surface Expression of Tumor Necrosis Factor-related Apoptosis Inducing Ligand (TRAIL) Receptor 1*. <i>Journal of Biological Chemistry</i> , 2013, 288, 6617-6628.	3.4	72
117	Folding and assembly of major histocompatibility complex class I heterodimers in the endoplasmic reticulum of intact cells precedes the binding of peptide.. <i>Journal of Experimental Medicine</i> , 1993, 178, 1971-1980.	8.5	71
118	CIIV, MIIC and other compartments for MHC class II loading. <i>European Journal of Immunology</i> , 1999, 29, 1421-1425.	2.9	71
119	Dynein-mediated Vesicle Transport Controls Intracellular Salmonella Replication. <i>Molecular Biology of the Cell</i> , 2004, 15, 2954-2964.	2.1	71
120	On the move: organelle dynamics during mitosis. <i>Trends in Cell Biology</i> , 2015, 25, 112-124.	7.9	71
121	The many roads to cross-presentation. <i>Journal of Experimental Medicine</i> , 2005, 202, 1313-1318.	8.5	70
122	Tight Linkage between Translation and MHC Class I Peptide Ligand Generation Implies Specialized Antigen Processing for Defective Ribosomal Products. <i>Journal of Immunology</i> , 2006, 177, 227-233.	0.8	69
123	Identification of Novel Peptide Binding Proteins in the Endoplasmic Reticulum: ERp72, Calnexin, and grp170. <i>Biochemistry</i> , 1999, 38, 10559-10566.	2.5	68
124	Varicellovirus UL49.5 Proteins Differentially Affect the Function of the Transporter Associated with Antigen Processing, TAP. <i>PLoS Pathogens</i> , 2008, 4, e1000080.	4.7	68
125	Neuronal ceroid lipofuscinosis protein CLN3 interacts with motor proteins and modifies location of late endosomal compartments. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 2075-2089.	5.4	68
126	Ubiquitin-Based Probes Prepared by Total Synthesis To Profile the Activity of Deubiquitinating Enzymes. <i>ChemBioChem</i> , 2012, 13, 2251-2258.	2.6	67



#	ARTICLE	IF	CITATIONS
127	The UL41-encoded virion host shutoff (vhs) protein and vhs-independent mechanisms are responsible for down-regulation of MHC class I molecules by bovine herpesvirus 1. <i>Journal of General Virology</i> , 2001, 82, 2071-2081.	2.9	64
128	Direct Antigen Presentation and Gap Junction Mediated Cross-Presentation during Apoptosis. <i>Journal of Immunology</i> , 2009, 183, 1083-1090.	0.8	63
129	Chemical profiling of the genome with anti-cancer drugs defines target specificities. <i>Nature Chemical Biology</i> , 2015, 11, 472-480.	8.0	62
130	Visualizing the action of steroid hormone receptors in living cells. <i>Nuclear Receptor Signaling</i> , 2007, 5, nrs.05003.	1.0	60
131	Genome-Wide Identification and Characterization of Novel Factors Conferring Resistance to Topoisomerase II Poisons in Cancer. <i>Cancer Research</i> , 2015, 75, 4176-4187.	0.9	59
132	Definition of Proteasomal Peptide Splicing Rules for High-Efficiency Spliced Peptide Presentation by MHC Class I Molecules. <i>Journal of Immunology</i> , 2015, 195, 4085-4095.	0.8	58
133	USP32 regulates late endosomal transport and recycling through deubiquitylation of Rab7. <i>Nature Communications</i> , 2019, 10, 1454.	12.8	58
134	<sc>SKIP</sc> recruits <sc>HOPS</sc> to <sc>TBC</sc> 1D15 for a Rab7 to <sc>Arl8b</sc> identity switch to control late endosome transport. <i>EMBO Journal</i> , 2020, 39, e102301.	7.8	58
135	Routes to manipulate MHC class II antigen presentation. <i>Current Opinion in Immunology</i> , 2011, 23, 88-95.	5.5	57
136	Ubiquitin crosstalk connecting cellular processes. <i>Cell Division</i> , 2006, 1, 21.	2.4	56
137	Recycling glycoproteins do not return to the cis-Golgi. <i>Journal of Cell Biology</i> , 1988, 107, 79-87.	5.2	55
138	Regulation of MHC Class II Antigen Presentation by Sorting of Recycling HLA-DM/DO and Class II within the Multivesicular Body. <i>Journal of Immunology</i> , 2001, 167, 884-892.	0.8	55
139	HFE cross-talks with the MHC class I antigen presentation pathway. <i>Blood</i> , 2005, 106, 971-977.	1.4	55
140	Costimulatory ligand CD70 is delivered to the immunological synapse by shared intracellular trafficking with MHC class II molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 5989-5994.	7.1	55
141	Antigen-Specific B Cells Reactivate an Effective Cytotoxic T Cell Response against Phagocytosed Salmonella through Cross-Presentation. <i>PLoS ONE</i> , 2010, 5, e13016.	2.5	55
142	Ras (proto)oncogene induces N-linked carbohydrate modification: temporal relationship with induction of invasive potential. <i>EMBO Journal</i> , 1988, 7, 3361-3368.	7.8	54
143	Phosphorylation of the oestrogen receptor $\beta$ at serine 305 and prediction of tamoxifen resistance in breast cancer. <i>Journal of Pathology</i> , 2009, 217, 372-379.	4.5	54
144	MHC class I alleles and their exploration of the antigen-processing machinery. <i>Immunological Reviews</i> , 2005, 207, 60-76.	6.0	53

#	ARTICLE	IF	CITATIONS
145	Multiple sclerosis-associated CLEC16A controls HLA class II expression via late endosome biogenesis. <i>Brain</i> , 2015, 138, 1531-1547.	7.6	52
146	A trimeric Rab7 GEF controls NPC1-dependent lysosomal cholesterol export. <i>Nature Communications</i> , 2020, 11, 5559.	12.8	52
147	The SPPL3-Defined Glycosphingolipid Repertoire Orchestrates HLA Class I-Mediated Immune Responses. <i>Immunity</i> , 2021, 54, 132-150.e9.	14.3	52
148	A biochemical characterization of feline MHC products: Unusually high expression of class II antigens on peripheral blood lymphocytes. <i>Immunogenetics</i> , 1986, 23, 341-347.	2.4	50
149	The rational design of TAP inhibitors using peptide substrate modifications and peptidomimetics. <i>European Journal of Immunology</i> , 1997, 27, 898-904.	2.9	50
150	Autophagy in MHC Class II Presentation: Sampling from Within. <i>Immunity</i> , 2007, 26, 1-3.	14.3	49
151	PKA-induced phosphorylation of ER $\alpha$ at serine 305 and high PAK1 levels is associated with sensitivity to tamoxifen in ER-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 125, 1-12.	2.5	49
152	Human VAPome Analysis Reveals MOSPD1 and MOSPD3 as Membrane Contact Site Proteins Interacting with FFAT-Related FFNT Motifs. <i>Cell Reports</i> , 2020, 33, 108475.	6.4	48
153	Identification of new B27 subtypes (B27C and B27D) prevalent in oriental populations. <i>Human Immunology</i> , 1986, 16, 163-168.	2.4	47
154	Leucine Aminopeptidase Is Not Essential for Trimming Peptides in the Cytosol or Generating Epitopes for MHC Class I Antigen Presentation. <i>Journal of Immunology</i> , 2005, 175, 6605-6614.	0.8	46
155	Drug Discovery Maps, a Machine Learning Model That Visualizes and Predicts Kinome-Inhibitor Interaction Landscapes. <i>Journal of Chemical Information and Modeling</i> , 2019, 59, 1221-1229.	5.4	46
156	Anthracyclines: biosynthesis, engineering and clinical applications. <i>Natural Product Reports</i> , 2022, 39, 814-841.	10.3	45
157	Head-head/tail-tail relative orientation of the pore-forming domains of the heterodimeric ABC transporter TAP. <i>Current Biology</i> , 2000, 10, 1-7.	3.9	44
158	Small GTP-Binding Protein Ral Modulates Regulated Exocytosis of von Willebrand Factor by Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 899-904.	2.4	44
159	Spatiotemporal analysis of organelle and macromolecular complex inheritance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 175-180.	7.1	43
160	Multidrug resistance-associated protein 9 (ABCC12) is present in mouse and boar sperm. <i>Biochemical Journal</i> , 2007, 406, 31-40.	3.7	42
161	Total Chemical Synthesis of SUMO and SUMO-Based Probes for Profiling the Activity of SUMO-Specific Proteases. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8958-8962.	13.8	42
162	Overexpression of the ABC transporter TAP in multidrug-resistant human cancer cell lines. <i>British Journal of Cancer</i> , 1996, 74, 1961-1967.	6.4	41

#	ARTICLE	IF	CITATIONS
163	Assembled Pre-B Cell Receptor Complexes Are Retained in the Endoplasmic Reticulum by a Mechanism That Is Not Selective for the Pseudo-light Chain. <i>Journal of Biological Chemistry</i> , 1996, 271, 19272-19278.	3.4	40
164	HLA-DM and MHC class II molecules co-distribute with peptidase-containing lysosomal subcompartments. <i>International Immunology</i> , 1996, 8, 625-640.	4.0	40
165	The fate of the three subunits of major histocompatibility complex class I molecules. <i>European Journal of Immunology</i> , 1992, 22, 1609-1614.	2.9	39
166	The Murine Cytomegalovirus pp89 Immunodominant H-2Ld Epitope Is Generated and Translocated into the Endoplasmic Reticulum as an 11-Mer Precursor Peptide. <i>Journal of Immunology</i> , 2001, 167, 1515-1521.	0.8	39
167	Rac and Rab GTPases dual effector Nischarin regulates vesicle maturation to facilitate survival of intracellular bacteria. <i>EMBO Journal</i> , 2013, 32, 713-727.	7.8	39
168	Intracellular transport and peptide loading of MHC class II molecules: regulation by chaperones and motors. <i>Immunological Reviews</i> , 1999, 172, 189-208.	6.0	38
169	Serine-305 Phosphorylation Modulates Estrogen Receptor Alpha Binding to a Coregulator Peptide Array, with Potential Application in Predicting Responses to Tamoxifen. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 805-816.	4.1	38
170	PKA phosphorylation redirects ER1± to promoters of a unique gene set to induce tamoxifen resistance. <i>Oncogene</i> , 2013, 32, 3543-3551.	5.9	38
171	An in silico in vitro Pipeline Identifying an HLA-A*02:01+ KRAS G12V+ Spliced Epitope Candidate for a Broad Tumor-Immune Response in Cancer Patients. <i>Frontiers in Immunology</i> , 2019, 10, 2572.	4.8	38
172	Cutting Edge: HLA-B27 Acquires Many N-Terminal Dibasic Peptides: Coupling Cytosolic Peptide Stability to Antigen Presentation. <i>Journal of Immunology</i> , 2006, 176, 2697-2701.	0.8	37
173	The Immunoproteasome Cleans up after Inflammation. <i>Cell</i> , 2010, 142, 517-518.	28.9	37
174	N-terminal acetylation and replicative age affect proteasome localization and cell fitness during aging. <i>Journal of Cell Science</i> , 2015, 128, 109-17.	2.0	36
175	Hierarchy of Epstein-Barr virus-specific cytotoxic T-cell responses in individuals carrying different subtypes of an HLA allele: implications for epitope-based antiviral vaccines. <i>Journal of Virology</i> , 1997, 71, 7429-7435.	3.4	36
176	In Vivo and In Vitro Modulation of HLA-DM and HLA-DO Is Induced by B Lymphocyte Activation. <i>Journal of Immunology</i> , 2001, 167, 6849-6858.	0.8	34
177	Mannose Receptor Mediated Uptake of Antigens Strongly Enhances HLA-Class II Restricted Antigen Presentation by Cultured Dendritic Cells. <i>Advances in Experimental Medicine and Biology</i> , 1997, 417, 171-174.	1.6	34
178	Selective Infection of Antigen-Specific B Lymphocytes by Salmonella Mediates Bacterial Survival and Systemic Spreading of Infection. <i>PLoS ONE</i> , 2012, 7, e50667.	2.5	34
179	A flexible MHC class I multimer loading system for large-scale detection of antigen-specific T cells. <i>Journal of Experimental Medicine</i> , 2018, 215, 1493-1504.	8.5	33
180	Comprehensive Pharmacogenomic Profiling of Malignant Pleural Mesothelioma Identifies a Subgroup Sensitive to FGFR Inhibition. <i>Clinical Cancer Research</i> , 2018, 24, 84-94.	7.0	33

#	ARTICLE	IF	CITATIONS
181	TBC1D5 controls the GTPase cycle of Rab7b. <i>Journal of Cell Science</i> , 2018, 131, .	2.0	32
182	N-linked glycan modification on antigen-presenting cells restores an allospecific cytotoxic T cell response. <i>Journal of Experimental Medicine</i> , 1990, 171, 583-588.	8.5	31
183	The effect of anchor residue modifications on the stability of major histocompatibility complex class I-peptide interactions. <i>European Journal of Immunology</i> , 1993, 23, 840-845.	2.9	31
184	Peptide Vaccination with an Anchor-Replaced CTL Epitope Protects Against Human Papillomavirus Type 16-Induced Tumors Expressing the Wild-Type Epitope. <i>Journal of Immunotherapy</i> , 1998, 21, 399-408.	2.4	31
185	Bovine herpesvirus 1 interferes with TAP-dependent peptide transport and intracellular trafficking of MHC class I molecules in human cells. <i>Archives of Virology</i> , 2003, 148, 2023-2037.	2.1	31
186	Puromycin-Sensitive Aminopeptidase Limits MHC Class I Presentation in Dendritic Cells but Does Not Affect CD8 T Cell Responses during Viral Infections. <i>Journal of Immunology</i> , 2008, 180, 1704-1712.	0.8	31
187	Cowpox Virus Protein CPXV012 Eludes CTLs by Blocking ATP Binding to TAP. <i>Journal of Immunology</i> , 2014, 193, 1578-1589.	0.8	31
188	Allele-specific down-regulation of MHC class I antigens in Burkitt lymphoma lines. <i>Cellular Immunology</i> , 1989, 120, 396-400.	3.0	30
189	Gap Junction Communication between Autologous Endothelial and Tumor Cells Induce Cross-Recognition and Elimination by Specific CTL. <i>Journal of Immunology</i> , 2009, 182, 2654-2664.	0.8	30
190	Dynamics within tetraspanin pairs affect MHC class II expression. <i>Journal of Cell Science</i> , 2012, 125, 328-339.	2.0	30
191	How chemistry supports cell biology: the chemical toolbox at your service. <i>Trends in Cell Biology</i> , 2014, 24, 751-760.	7.9	30
192	Early events in the assembly of major histocompatibility complex class II heterotrimers from their free subunits. <i>European Journal of Immunology</i> , 1994, 24, 247-256.	2.9	29
193	The Curative Outcome of Radioimmunotherapy in a Mouse Breast Cancer Model Relies on mTOR Signaling. <i>Radiation Research</i> , 2014, 182, 219.	1.5	29
194	Human B cells promote T-cell plasticity to optimize antibody response by inducing coexpression of TH1/TFH signatures. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1053-1060.	2.9	29
195	Phosphorylation of surface E-selectin and the effect of soluble ligand (Sialyl Lewisx) on the half-life of E-selectin. <i>European Journal of Immunology</i> , 1993, 23, 147-151.	2.9	28
196	The assembly of H2-Kb class I molecules translated in vitro requires oxidized glutathione and peptide. <i>European Journal of Immunology</i> , 1993, 23, 1305-1313.	2.9	28
197	Chemical biology of antigen presentation by MHC molecules. <i>Current Opinion in Immunology</i> , 2014, 26, 21-31.	5.5	28
198	A conditionally immortalized dendritic cell line which differentiates in contact with T cells or T cell-derived cytokines. <i>European Journal of Immunology</i> , 1996, 26, 2565-2572.	2.9	27

#	ARTICLE	IF	CITATIONS
199	High resolution density gradient electrophoresis of cellular organelles. <i>Electrophoresis</i> , 1996, 17, 173-178.	2.4	27
200	Resistance to Antiestrogen Arzoxifene Is Mediated by Overexpression of Cyclin D1. <i>Molecular Endocrinology</i> , 2009, 23, 1335-1345.	3.7	27
201	ER contact sites direct late endosome transport. <i>BioEssays</i> , 2015, 37, 1298-1302.	2.5	27
202	Doxorubicin and Aclarubicin: Shuffling Anthracycline Glycans for Improved Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 12814-12829.	6.4	27
203	Retrofusion of intraluminal MVB membranes parallels viral infection and coexists with exosome release. <i>Current Biology</i> , 2021, 31, 3884-3893.e4.	3.9	27
204	Classification of anti-estrogens according to intramolecular FRET effects on phospho-mutants of estrogen receptor $\beta$ . <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1526-1533.	4.1	26
205	Distribution and elimination of the glycosidase inhibitors 1-deoxymannojirimycin and N-methyl-1-deoxyojirimycin in the rat in vivo. <i>Pharmaceutical Research</i> , 1992, 09, 1442-1450.	3.5	25
206	The journey of Ca <sup>2+</sup> through the cell " pulsing through the network of ER membrane contact sites. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	25
207	Protein Kinase A-induced tamoxifen resistance is mediated by anchoring protein AKAP13. <i>BMC Cancer</i> , 2015, 15, 588.	2.6	24
208	Targeting major histocompatibility complex class II molecules to the cell surface by invariant chain allows antigen presentation upon recycling. <i>European Journal of Immunology</i> , 1994, 24, 873-883.	2.9	23
209	Detection of aberrant transcription of major histocompatibility complex class II antigen presentation genes in chronic lymphocytic leukaemia identifies <i>HLA-DOA</i> mRNA as a prognostic factor for survival. <i>British Journal of Haematology</i> , 2009, 145, 334-343.	2.5	23
210	The invariant chain transports TNF family member CD70 to MHC class II compartments in dendritic cells. <i>Journal of Cell Science</i> , 2010, 123, 3817-3827.	2.0	23
211	How does TAP pump peptides? Insights from DNA repair and traffic ATPases. <i>Trends in Immunology</i> , 2000, 21, 598-600.	7.5	22
212	Chemical and genetic control of $\beta$ -induced MHCII expression. <i>EMBO Reports</i> , 2018, 19, .	4.5	22
213	Mobile late endosomes modulate peripheral endoplasmic reticulum network architecture. <i>EMBO Reports</i> , 2021, 22, e50815.	4.5	22
214	Playing hide and seek: Tumor cells in control of MHC class I antigen presentation. <i>Molecular Immunology</i> , 2021, 136, 36-44.	2.2	22
215	The ER-embedded UBE2J1/RNF26 ubiquitylation complex exerts spatiotemporal control over the endolysosomal pathway. <i>Cell Reports</i> , 2021, 34, 108659.	6.4	22
216	New insight into the everlasting host-pathogen arms race. <i>Nature Immunology</i> , 2009, 10, 808-809.	14.5	21

#	ARTICLE	IF	CITATIONS
217	Identification of a novel ATM inhibitor with cancer cell specific radiosensitization activity. <i>Oncotarget</i> , 2017, 8, 73925-73937.	1.8	21
218	Ultrastructural Imaging of <i>Salmonella</i> Host Interactions Using Super-resolution Correlative Light-Electron Microscopy of Bioorthogonal Pathogens. <i>ChemBioChem</i> , 2018, 19, 1766-1770.	2.6	19
219	Novel polymorphisms in HLA-DOA and HLA-DOB in B-cell malignancies. <i>Immunogenetics</i> , 2002, 54, 591-595.	2.4	18
220	What to do with HLA-DO?. <i>Immunogenetics</i> , 2000, 51, 765-770.	2.4	17
221	Coupled for Cross-Presentation in Tumor Immunotherapy. <i>Science Translational Medicine</i> , 2010, 2, 44ps40.	12.4	17
222	Into the Intracellular Logistics of Cross-Presentation. <i>Frontiers in Immunology</i> , 2012, 3, 31.	4.8	17
223	Synthesis of the Antibiotic 1,5-dideoxy-1,5-imino-d-mannitol. <i>Journal of Carbohydrate Chemistry</i> , 1988, 7, 593-603.	1.1	16
224	High-resolution density gradient electrophoresis of proteins and subcellular organelles. <i>Electrophoresis</i> , 1997, 18, 2509-2515.	2.4	16
225	Immunoproteasome Inhibitor Doxorubicin Conjugates Target Multiple Myeloma Cells and Release Doxorubicin upon Low-Dose Photon Irradiation. <i>Journal of the American Chemical Society</i> , 2020, 142, 7250-7253.	13.7	16
226	Non-carrier-mediated uptake of the mannosidase I inhibitor 1-deoxymannojirimycin by K562 erythroleukemic cells. <i>Journal of Biological Chemistry</i> , 1989, 264, 10271-10275.	3.4	16
227	The Complex Route to MHC Class I-Peptide Complexes. <i>Cell</i> , 2006, 127, 249-251.	28.9	15
228	Recombination-Induced Tag Exchange (RITE) Cassette Series to Monitor Protein Dynamics in <i>Saccharomyces cerevisiae</i> . <i>G3: Genes, Genomes, Genetics</i> , 2013, 3, 1261-1272.	1.8	15
229	Association between <i>Salmonella</i> infection and colon cancer: a nationwide registry-based cohort study. <i>Epidemiology and Infection</i> , 2021, 149, e56.	2.1	15
230	Intracellular interactions of transferrin and its receptor during biosynthesis. <i>Journal of Cell Biology</i> , 1990, 111, 1383-1392.	5.2	14
231	Restriction of self-antigen presentation to cytolytic T lymphocytes by mouse peptide pumps. <i>European Journal of Immunology</i> , 1995, 25, 2019-2026.	2.9	14
232	Creating molecules that modulate immune responses. <i>Nature Reviews Chemistry</i> , 2018, 2, 184-193.	30.2	14
233	Accurate intracellular localization of HLA-DM requires correct spacing of a cytoplasmic YTPL targeting motif relative to the transmembrane domain. <i>European Journal of Immunology</i> , 1999, 29, 3936-3944.	2.9	13
234	Chaperoning Antigen Presentation by MHC Class II Molecules and Their Role in Oncogenesis. <i>Advances in Cancer Research</i> , 2005, 93, 129-158.	5.0	13

#	ARTICLE	IF	CITATIONS
235	Production and Thermal Exchange of Conditional Peptide-MHC I Multimers. <i>Current Protocols in Immunology</i> , 2019, 126, e85.	3.6	13
236	What the VAP: The Expanded VAP Family of Proteins Interacting With FFAT and FFAT-Related Motifs for Interorganellar Contact. <i>Contact (Thousand Oaks (Ventura County, Calif))</i> , 2021, 4, 251525642110122.	1.3	13
237	Enhanced antigen cross-presentation in human colorectal cancer-associated fibroblasts through upregulation of the lysosomal protease cathepsin S. , 2022, 10, e003591.		13
238	Electromigration for separations of protein complexes. <i>Biomedical Applications</i> , 1999, 722, 141-151.	1.7	12
239	A catalogue of treatment and technologies for malignant pleural mesothelioma. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 455-463.	2.4	12
240	Chemical Profiling of Primary Mesothelioma Cultures Defines Subtypes with Different Expression Profiles and Clinical Responses. <i>Clinical Cancer Research</i> , 2018, 24, 1761-1770.	7.0	12
241	Synthetic (<i>N</i>,<i>N</i>-Dimethyl)doxorubicin Glycosyl Diastereomers to Dissect Modes of Action of Anthracycline Anticancer Drugs. <i>Journal of Organic Chemistry</i> , 2021, 86, 5757-5770.	3.2	12
242	Integrating Chemical and Genetic Silencing Strategies To Identify Host Kinase-Phosphatase Inhibitor Networks That Control Bacterial Infection. <i>ACS Chemical Biology</i> , 2014, 9, 414-422.	3.4	11
243	The labyrinth unfolds: architectural rearrangements of the endolysosomal system in antigen-presenting cells. <i>Current Opinion in Immunology</i> , 2019, 58, 1-8.	5.5	11
244	Modulation of TAP-dependent antigen compartmentalization during human monocyte-to-DC differentiation. <i>Blood Advances</i> , 2019, 3, 839-850.	5.2	11
245	Invariant chain regulates endosomal fusion and maturation through an interaction with the SNARE Vti1b. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	11
246	Feasibility of Primary Tumor Culture Models and Preclinical Prediction Assays for Head and Neck Cancer: A Narrative Review. <i>Cancers</i> , 2015, 7, 1716-1742.	3.7	11
247	How to target MHC class II into the MIIC compartment. <i>Molecular Immunology</i> , 2013, 55, 162-165.	2.2	10
248	Total Chemical Synthesis of SUMO and SUMO-Based Probes for Profiling the Activity of SUMO-Specific Proteases. <i>Angewandte Chemie</i> , 2018, 130, 9096-9100.	2.0	10
249	High performance density gradient electrophoresis of subcellular organelles, protein complexes and proteins. <i>Electrophoresis</i> , 1998, 19, 1171-1178.	2.4	9
250	Response: Commentary: An In Silico-In Vitro Pipeline Identifying an HLA-A*02:01+ KRAS G12V+ Spliced Epitope Candidate for a Broad Tumor-Immune Response in Cancer Patients. <i>Frontiers in Immunology</i> , 2021, 12, 679836.	4.8	9
251	Bacterial and Parasitic Pathogens as Risk Factors for Cancers in the Gastrointestinal Tract: A Review of Current Epidemiological Knowledge. <i>Frontiers in Microbiology</i> , 2021, 12, 790256.	3.5	9
252	Expression, purification and assembly of soluble multimeric MHC class II-invariant chain complexes. <i>FEBS Letters</i> , 2012, 586, 1318-1324.	2.8	8



#	ARTICLE	IF	CITATIONS
253	Loss of the GPI anchor in B-lymphoblastic leukemia by epigenetic downregulation of <i>PIGH</i> expression. <i>American Journal of Hematology</i> , 2019, 94, 93-102.	4.1	8
254	Sponge-supported cultures of primary head and neck tumors for an optimized preclinical model. <i>Oncotarget</i> , 2018, 9, 25034-25047.	1.8	8
255	MHC class II molecules: transport pathways for antigen presentation. <i>Trends in Cell Biology</i> , 1997, 7, 115-118.	7.9	7
256	High-resolution density gradient electrophoresis of subcellular organelles and proteins under nondenaturing conditions. <i>Electrophoresis</i> , 1998, 19, 1288-1293.	2.4	7
257	Proteases, proteases and proteases for presentation. <i>Nature Immunology</i> , 2003, 4, 306-308.	14.5	7
258	Recent and new targets for small molecule anti-cancer agents. <i>Drug Discovery Today: Technologies</i> , 2009, 6, e3-e11.	4.0	7
259	Immunoproteasomes and immunotherapy—a smoking gun for lung cancer?. <i>Journal of Thoracic Disease</i> , 2016, 8, E558-E563.	1.4	7
260	Maintaining soluble protein homeostasis between nuclear and cytoplasmic compartments across mitosis. <i>Trends in Cell Biology</i> , 2023, 33, 18-29.	7.9	7
261	HLA class I and II molecules present influenza virus antigens with different kinetics. <i>European Journal of Immunology</i> , 1992, 22, 2339-2345.	2.9	6
262	Lectin-induced retardation of subcellular organelles during preparative density gradient electrophoresis: Selective purification of plasma membranes. <i>Electrophoresis</i> , 1999, 20, 438-444.	2.4	6
263	A splice variant of RILP induces lysosomal clustering independent of dynein recruitment. <i>Biochemical and Biophysical Research Communications</i> , 2006, 344, 747-756.	2.1	6
264	Towards an understanding of C9orf82 protein/CAAP1 function. <i>PLoS ONE</i> , 2019, 14, e0210526.	2.5	6
265	Influenza virus changes cell-surface glycoproteins including major histocompatibility complex determinants on lymphocytes. <i>Human Immunology</i> , 1989, 26, 199-213.	2.4	5
266	Protein glycosylation. <i>Current Opinion in Cell Biology</i> , 1990, 2, 1125-1130.	5.4	5
267	Antigen Presentation by MHC Class I and II Molecules. <i>Immunobiology</i> , 1996, 195, 456-460.	1.9	5
268	Antigen processing and recognition. <i>Current Opinion in Immunology</i> , 2005, 17, 55-57.	5.5	5
269	Presenting antigen presentation in living cells using biophysical techniques. <i>Current Opinion in Microbiology</i> , 2005, 8, 338-343.	5.1	5
270	Mechanical Forces Used for Cell Fractionation Can Create Hybrid Membrane Vesicles. <i>International Journal of Biological Sciences</i> , 2010, 6, 649-654.	6.4	5



#	ARTICLE	IF	CITATIONS
271	Trophoblast Glycoprotein is Associated With a Favorable Outcome for Mesothelioma and a Target for Antibody Drug Conjugates. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1577-1587.	1.1	5
272	Homeostasis of soluble proteins and the proteasome post nuclear envelope reformation in mitosis. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	5
273	A brief report on combination chemotherapy and anti-“programmed death (ligand) 1 treatment in small-cell lung cancer: Did we choose the optimal chemotherapy backbone?. <i>European Journal of Cancer</i> , 2020, 137, 40-44.	2.8	5
274	Stable expression of MHC class II heavy chain/HLA-DO complexes at the plasma membrane. <i>European Journal of Immunology</i> , 2003, 33, 1145-1151.	2.9	4
275	Activated pDCs: open to new antigen-presentation possibilities. <i>Nature Immunology</i> , 2008, 9, 1208-1210.	14.5	4
276	Exploring genome-wide datasets of MHC class II antigen presentation. <i>Molecular Immunology</i> , 2013, 55, 172-174.	2.2	4
277	Comprehensive structure-activity-relationship of azaindoles as highly potent FLT3 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 692-699.	3.0	4
278	Occupational exposure and risk of colon cancer: a nationwide registry study with emphasis on occupational exposure to zoonotic gastrointestinal pathogens. <i>BMJ Open</i> , 2021, 11, e050611.	1.9	4
279	Occupational risk of salmonellosis and campylobacteriosis: a nationwide population-based registry study. <i>Occupational and Environmental Medicine</i> , 2019, 76, 617-624.	2.8	4
280	Keratinocyte differentiation antigen-specific T cells in immune checkpoint inhibitor-treated NSCLC patients are associated with improved survival. <i>OncImmunity</i> , 2021, 10, 2006893.	4.6	4
281	Control of host PTMs by intracellular bacteria: An opportunity toward novel anti-infective agents. <i>Cell Chemical Biology</i> , 2022, 29, 741-756.	5.2	4
282	Immuno-waste exposure and further management. <i>Nature Immunology</i> , 2012, 13, 109-111.	14.5	3
283	EFIS is welcoming Immunologists to build even more bridges in Amsterdam. <i>European Journal of Immunology</i> , 2018, 48, 732-735.	2.9	3
284	Spatially resolved sampling of the human oral cavity for metabolic profiling. <i>STAR Protocols</i> , 2021, 2, 101002.	1.2	3
285	<sc>HLA</sc> molecules in transplantation, autoimmunity and infection control: A comic book adventure. <i>Hla</i> , 2022, 100, 301-311.	0.6	3
286	Reciprocal chemical genetics for swift lead and target identification. <i>Molecular BioSystems</i> , 2008, 4, 1001.	2.9	2
287	Antigen Presentation: Visualizing the MHC Class I Peptide-Loading Bottleneck. <i>Current Biology</i> , 2018, 28, R83-R86.	3.9	2
288	CIIV, MIIC and other compartments for MHC class II loading. <i>European Journal of Immunology</i> , 1999, 29, 1421-1425.	2.9	2

#	ARTICLE	IF	CITATIONS
289	Expanding the peptidome for immunotherapy. <i>Blood</i> , 2015, 126, 1154-1156.	1.4	1
290	Photo-crosslinking of clinically relevant kinases using H89-derived photo-affinity probes. <i>Molecular BioSystems</i> , 2016, 12, 1809-1817.	2.9	1
291	Huib Ovaa (1973–2020). <i>Cell Chemical Biology</i> , 2020, 27, 645-646.	5.2	1
292	Studying MHC Class II Transport in Dendritic Cells. <i>Methods in Molecular Biology</i> , 2013, 960, 489-507.	0.9	1
293	Antigen processing by the class I pathway. <i>Biochemical Society Transactions</i> , 1995, 23, 664-669.	3.4	0
294	How cells instruct the immune system to carry out their elimination. <i>Biochemical Society Transactions</i> , 1996, 24, 1039-1043.	3.4	0
295	Application of One-Dimensional Isoelectric Focusing to Separate Different Major Histocompatibility Complex Class I Alleles and Determine Their Allelic Interactions with Transporter Associated with Antigen Processing (TAP). , 2001, 156, 153-163.		0
296	Determining Protein Transport to the Plasma Membrane. <i>Current Protocols in Cell Biology</i> , 2000, 5, Unit 15.4.	2.3	0
297	Identifying MHC class II peptide loading control mechanisms. <i>Molecular Immunology</i> , 2012, 51, 7.	2.2	0
298	Deubiquitinating enzymes in control of MHC class-II transport. <i>Molecular Immunology</i> , 2012, 51, 8-9.	2.2	0
299	Tollip plays a role in the biogenesis of MHC class II compartment. <i>Molecular Immunology</i> , 2012, 51, 15.	2.2	0
300	A multi-dimensional RNAi screen reveals pathways controlling MHC Class II antigen presentation. <i>Molecular Immunology</i> , 2012, 51, 27.	2.2	0
301	Finding inhibitors for de-ubiquitinating enzymes (DUBs) that regulate MHCII transcription. <i>Molecular Immunology</i> , 2012, 51, 36.	2.2	0
302	The ever surprising field of antigen presentation. <i>Molecular Immunology</i> , 2013, 55, 105.	2.2	0
303	Assaying Peptide Translocation by the Peptide Transporter TAP. <i>Methods in Molecular Biology</i> , 2013, 960, 53-65.	0.9	0
304	MS-associated gene CLEC16A uses the molecular machinery of late endosomal biogenesis to control HLA-II expression in APC. <i>Journal of Neuroimmunology</i> , 2014, 275, 73.	2.3	0
305	Salmonella manipulation of host signalling pathways promotes cellular transformation and cancer of infected tissues. <i>International Journal of Infectious Diseases</i> , 2016, 45, 145.	3.3	0
306	Phosphorylation of the estrogen receptor $\beta$ at serine 305 and prediction of tamoxifen resistance in breast cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 11058-11058.	1.6	0

#	ARTICLE	IF	CITATIONS
307	Induction of Fatigue by Specific Anthracycline Cancer Drugs through Disruption of the Circadian Pacemaker. <i>Cancers</i> , 2022, 14, 2421.	3.7	0