

Freddie Hamdy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8438926/publications.pdf>

Version: 2024-02-01

360
papers

24,683
citations

8732

75
h-index

10127

140
g-index

386
all docs

386
docs citations

386
times ranked

28059
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | 10-Year Outcomes after Monitoring, Surgery, or Radiotherapy for Localized Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1415-1424. | 13.9 | 2,101 |
| 2 | Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1425-1437. | 13.9 | 962 |
| 3 | Multiple newly identified loci associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2008, 40, 316-321. | 9.4 | 796 |
| 4 | Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936. | 9.4 | 652 |
| 5 | Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013, 45, 385-391. | 9.4 | 492 |
| 6 | Quality improvement report: Improving design and conduct of randomised trials by embedding them in qualitative research: ProtecT (prostate testing for cancer and treatment) study * Commentary: presenting unbiased information to patients can be difficult. <i>BMJ: British Medical Journal</i> , 2002, 325, 766-770. | 2.4 | 461 |
| 7 | A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109. | 9.4 | 408 |
| 8 | MicroRNA in Prostate, Bladder, and Kidney Cancer: A Systematic Review. <i>European Urology</i> , 2011, 59, 671-681. | 0.9 | 401 |
| 9 | Identification of seven new prostate cancer susceptibility loci through a genome-wide association study. <i>Nature Genetics</i> , 2009, 41, 1116-1121. | 9.4 | 389 |
| 10 | Prevention and early detection of prostate cancer. <i>Lancet Oncology</i> , The, 2014, 15, e484-e492. | 5.1 | 372 |
| 11 | High Aldehyde Dehydrogenase Activity Identifies Tumor-Initiating and Metastasis-Initiating Cells in Human Prostate Cancer. <i>Cancer Research</i> , 2010, 70, 5163-5173. | 0.4 | 351 |
| 12 | Multiple Loci With Different Cancer Specificities Within the 8q24 Gene Desert. <i>Journal of the National Cancer Institute</i> , 2008, 100, 962-966. | 3.0 | 306 |
| 13 | Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 883. | 3.8 | 296 |
| 14 | Comparison of phytotherapy (Permixon®) with finasteride in the treatment of benign prostate hyperplasia: A randomized international study of 1,098 patients. , 1996, 29, 231-240. | | 294 |
| 15 | Distinct MicroRNA Alterations Characterize High- and Low-Grade Bladder Cancer. <i>Cancer Research</i> , 2009, 69, 8472-8481. | 0.4 | 291 |
| 16 | Promoter Hypermethylation Is Associated With Tumor Location, Stage, and Subsequent Progression in Transitional Cell Carcinoma. <i>Journal of Clinical Oncology</i> , 2005, 23, 2903-2910. | 0.8 | 273 |
| 17 | Multiple loci on 8q24 associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2009, 41, 1058-1060. | 9.4 | 273 |
| 18 | Mre11-Dependent Degradation of Stalled DNA Replication Forks Is Prevented by BRCA2 and PARP1. <i>Cancer Research</i> , 2012, 72, 2814-2821. | 0.4 | 272 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011, 43, 785-791. | 9.4 | 265 |
| 20 | Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75. | 9.4 | 264 |
| 21 | A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , 2011, 43, 1098-1103. | 9.4 | 251 |
| 22 | Prostate-cancer mortality in the USA and UK in 1975–2004: an ecological study. <i>Lancet Oncology</i> , The, 2008, 9, 445-452. | 5.1 | 231 |
| 23 | Use of Prostate-Specific Antigen (PSA) Isoforms for the Detection of Prostate Cancer in Men with a PSA Level of ≥ 10 ng/ml: Systematic Review and Meta-Analysis. <i>European Urology</i> , 2005, 48, 386-399. | 0.9 | 222 |
| 24 | Short term outcomes of prostate biopsy in men tested for cancer by prostate specific antigen: prospective evaluation within ProtecT study. <i>BMJ: British Medical Journal</i> , 2012, 344, d7894-d7894. | 2.4 | 211 |
| 25 | Active monitoring, radical prostatectomy, or radiotherapy for localised prostate cancer: study design and diagnostic and baseline results of the ProtecT randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1109-1118. | 5.1 | 205 |
| 26 | Osteoprotegerin (OPG) is a survival factor for human prostate cancer cells. <i>Cancer Research</i> , 2002, 62, 1619-23. | 0.4 | 203 |
| 27 | Targeted Prostate Cancer Screening in BRCA1 and BRCA2 Mutation Carriers: Results from the Initial Screening Round of the IMPACT Study. <i>European Urology</i> , 2014, 66, 489-499. | 0.9 | 195 |
| 28 | Negative Predictive Value of Multiparametric Magnetic Resonance Imaging in the Detection of Clinically Significant Prostate Cancer in the Prostate Imaging Reporting and Data System Era: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2020, 78, 402-414. | 0.9 | 183 |
| 29 | Sequencing of prostate cancers identifies new cancer genes, routes of progression and drug targets. <i>Nature Genetics</i> , 2018, 50, 682-692. | 9.4 | 182 |
| 30 | A study based on whole-genome sequencing yields a rare variant at 8q24 associated with prostate cancer. <i>Nature Genetics</i> , 2012, 44, 1326-1329. | 9.4 | 178 |
| 31 | <i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811. | 1.5 | 174 |
| 32 | Promoter Hypermethylation Identifies Progression Risk in Bladder Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 2046-2053. | 3.2 | 163 |
| 33 | Genome-wide association study identifies new prostate cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2011, 20, 3867-3875. | 1.4 | 160 |
| 34 | Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067. | 7.7 | 157 |
| 35 | Role of Genetic Testing for Inherited Prostate Cancer Risk: Philadelphia Prostate Cancer Consensus Conference 2017. <i>Journal of Clinical Oncology</i> , 2018, 36, 414-424. | 0.8 | 155 |
| 36 | It's not just what you say, it's also how you say it: Opening the "black box" of informed consent appointments in randomised controlled trials. <i>Social Science and Medicine</i> , 2009, 68, 2018-2028. | 1.8 | 154 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Polygenic hazard score to guide screening for aggressive prostate cancer: development and validation in large scale cohorts. <i>BMJ: British Medical Journal</i> , 2018, 360, j5757. | 2.4 | 153 |
| 38 | Multiple Novel Prostate Cancer Predisposition Loci Confirmed by an International Study: The PRACTICAL Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2052-2061. | 1.1 | 148 |
| 39 | Interim Results from the IMPACT Study: Evidence for Prostate-specific Antigen Screening in BRCA2 Mutation Carriers. <i>European Urology</i> , 2019, 76, 831-842. | 0.9 | 148 |
| 40 | Comparison of a Phytotherapeutic Agent (Permixon) with an α -Blocker (Tamsulosin) in the Treatment of Benign Prostatic Hyperplasia: A 1-Year Randomized International Study. <i>European Urology</i> , 2002, 41, 497-507. | 0.9 | 147 |
| 41 | Predicting High-Grade Cancer at Ten-Core Prostate Biopsy Using Four Kallikrein Markers Measured in Blood in the ProtecT Study. <i>Journal of the National Cancer Institute</i> , 2015, 107, . | 3.0 | 146 |
| 42 | Circulating Folate, Vitamin B12, Homocysteine, Vitamin B12 Transport Proteins, and Risk of Prostate Cancer: a Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1632-1642. | 1.1 | 142 |
| 43 | Genetic Correction of PSA Values Using Sequence Variants Associated with PSA Levels. <i>Science Translational Medicine</i> , 2010, 2, 62ra92. | 5.8 | 140 |
| 44 | Molecular Detection of Localized Prostate Cancer Using Quantitative Methylation-Specific PCR on Urinary Cells Obtained Following Prostate Massage. <i>Clinical Cancer Research</i> , 2007, 13, 1720-1725. | 3.2 | 139 |
| 45 | Development of a complex intervention improved randomization and informed consent in a randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 29-36. | 2.4 | 133 |
| 46 | A genome-wide association scan (GWAS) for mean telomere length within the COGS project: identified loci show little association with hormone-related cancer risk. <i>Human Molecular Genetics</i> , 2013, 22, 5056-5064. | 1.4 | 130 |
| 47 | BMP-regulated exosomes from <i>Drosophila</i> male reproductive glands reprogram female behavior. <i>Journal of Cell Biology</i> , 2014, 206, 671-688. | 2.3 | 128 |
| 48 | Distinct patterns of microsatellite instability are seen in tumours of the urinary tract. <i>Oncogene</i> , 2003, 22, 8699-8706. | 2.6 | 127 |
| 49 | Are diet-prostate cancer associations mediated by the IGF axis? A cross-sectional analysis of diet, IGF-1 and IGFBP-3 in healthy middle-aged men. <i>British Journal of Cancer</i> , 2003, 88, 1682-1686. | 2.9 | 123 |
| 50 | Symptoms, unmet needs, psychological well-being and health status in survivors of prostate cancer: implications for redesigning follow-up. <i>BJU International</i> , 2016, 117, E10-9. | 1.3 | 120 |
| 51 | Perceptions of equipoise are crucial to trial participation: a qualitative study of men in the ProtecT study. <i>Contemporary Clinical Trials</i> , 2003, 24, 272-282. | 2.0 | 118 |
| 52 | A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013, 22, 408-415. | 1.4 | 118 |
| 53 | A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-1 and Prostate Cancer Risk. <i>Cancer Research</i> , 2016, 76, 2288-2300. | 0.4 | 117 |
| 54 | The intellectual challenges and emotional consequences of equipoise contributed to the fragility of recruitment in six randomized controlled trials. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 912-920. | 2.4 | 114 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Use of Macrophages to Target Therapeutic Adenovirus to Human Prostate Tumors. <i>Cancer Research</i> , 2011, 71, 1805-1815. | 0.4 | 111 |
| 56 | iTRAQ-Facilitated Proteomic Analysis of Human Prostate Cancer Cells Identifies Proteins Associated with Progression. <i>Journal of Proteome Research</i> , 2008, 7, 897-907. | 1.8 | 110 |
| 57 | FGFR3 Mutations Indicate Better Survival in Invasive Upper Urinary Tract and Bladder Tumours. <i>European Urology</i> , 2009, 55, 650-658. | 0.9 | 110 |
| 58 | Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1142-1157. | 2.2 | 107 |
| 59 | Ten-year Mortality, Disease Progression, and Treatment-related Side Effects in Men with Localised Prostate Cancer from the ProtecT Randomised Controlled Trial According to Treatment Received. <i>European Urology</i> , 2020, 77, 320-330. | 0.9 | 107 |
| 60 | Understanding and Improving Recruitment to Randomised Controlled Trials: Qualitative Research Approaches. <i>European Urology</i> , 2017, 72, 789-798. | 0.9 | 105 |
| 61 | Importance of prostate volume in the European Randomised Study of Screening for Prostate Cancer (ERSPC) risk calculators: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2012, 30, 149-155. | 1.2 | 101 |
| 62 | Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , 2013, 22, 2520-2528. | 1.4 | 100 |
| 63 | Hypermethylation of CpG Islands and Shores around Specific MicroRNAs and Mirtrons Is Associated with the Phenotype and Presence of Bladder Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 1287-1296. | 3.2 | 96 |
| 64 | Systematic Review and Meta-analysis of Factors Determining Change to Radical Treatment in Active Surveillance for Localized Prostate Cancer. <i>European Urology</i> , 2015, 67, 993-1005. | 0.9 | 96 |
| 65 | Lack of Noggin Expression by Cancer Cells Is a Determinant of the Osteoblast Response in Bone Metastases. <i>American Journal of Pathology</i> , 2007, 170, 160-175. | 1.9 | 93 |
| 66 | Exploring treatment preferences facilitated recruitment to randomized controlled trials. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1127-1136. | 2.4 | 93 |
| 67 | Application of Artificial Intelligence to the Management of Urological Cancer. <i>Journal of Urology</i> , 2007, 178, 1150-1156. | 0.2 | 89 |
| 68 | Combination of Polymorphisms From Genes Related to Estrogen Metabolism and Risk of Prostate Cancers: The Hidden Face of Estrogens. <i>Journal of Clinical Oncology</i> , 2007, 25, 3596-3602. | 0.8 | 89 |
| 69 | Association of Folate-Pathway Gene Polymorphisms with the Risk of Prostate Cancer: a Population-Based Nested Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2528-2539. | 1.1 | 89 |
| 70 | Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256. | 5.8 | 88 |
| 71 | Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431. | 5.8 | 88 |
| 72 | Implications of polygenic risk-stratified screening for prostate cancer on overdiagnosis. <i>Genetics in Medicine</i> , 2015, 17, 789-795. | 1.1 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The Relationship between Prostate-Specific Antigen and Prostate Cancer Risk: The Prostate Biopsy Collaborative Group. <i>Clinical Cancer Research</i> , 2010, 16, 4374-4381. | 3.2 | 86 |
| 74 | Prevalence of the HOXB13 G84E germline mutation in British men and correlation with prostate cancer risk, tumour characteristics and clinical outcomes. <i>Annals of Oncology</i> , 2015, 26, 756-761. | 0.6 | 85 |
| 75 | Height and Prostate Cancer Risk: A Large Nested Case-Control Study (Protect) and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2325-2336. | 1.1 | 83 |
| 76 | Identification of a novel prostate cancer susceptibility variant in the KLK3 gene transcript. <i>Human Genetics</i> , 2011, 129, 687-694. | 1.8 | 83 |
| 77 | Psychological Impact of Prostate Biopsy: Physical Symptoms, Anxiety, and Depression. <i>Journal of Clinical Oncology</i> , 2013, 31, 4235-4241. | 0.8 | 81 |
| 78 | Microsatellite instability as predictor of survival in patients with invasive upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2005, 65, 1233-1237. | 0.5 | 79 |
| 79 | Promoter hypermethylation in circulating blood cells identifies prostate cancer progression. <i>International Journal of Cancer</i> , 2008, 122, 952-956. | 2.3 | 77 |
| 80 | Impact of prostate cancer testing: an evaluation of the emotional consequences of a negative biopsy result. <i>British Journal of Cancer</i> , 2010, 102, 1335-1340. | 2.9 | 77 |
| 81 | The effects of height and BMI on prostate cancer incidence and mortality: a Mendelian randomization study in 20,848 cases and 20,214 controls from the PRACTICAL consortium. <i>Cancer Causes and Control</i> , 2015, 26, 1603-1616. | 0.8 | 77 |
| 82 | Expression of Bcl-2, Bax, and p53 in high-grade prostatic intraepithelial neoplasia and localized prostate cancer: relationship with apoptosis and proliferation. , 1998, 37, 223-229. | | 75 |
| 83 | LYRIC/AEG-1 Is Targeted to Different Subcellular Compartments by Ubiquitinylation and Intrinsic Nuclear Localization Signals. <i>Clinical Cancer Research</i> , 2009, 15, 3003-3013. | 3.2 | 75 |
| 84 | Differential expression of hMLH1 and hMSH2 is related to bladder cancer grade, stage and prognosis but not microsatellite instability. <i>International Journal of Cancer</i> , 2003, 105, 484-490. | 2.3 | 73 |
| 85 | Castration radiosensitizes prostate cancer tissue by impairing DNA double-strand break repair. <i>Science Translational Medicine</i> , 2015, 7, 312re11. | 5.8 | 73 |
| 86 | DNA-PKcs and PARP1 Bind to Unresected Stalled DNA Replication Forks Where They Recruit XRCC1 to Mediate Repair. <i>Cancer Research</i> , 2016, 76, 1078-1088. | 0.4 | 71 |
| 87 | Artificial intelligence in predicting bladder cancer outcome: a comparison of neuro-fuzzy modeling and artificial neural networks. <i>Clinical Cancer Research</i> , 2003, 9, 4172-7. | 3.2 | 71 |
| 88 | Population-based prostate-specific antigen testing in the UK leads to a stage migration of prostate cancer. <i>BJU International</i> , 2009, 104, 1592-1598. | 1.3 | 69 |
| 89 | Who can best recruit to randomized trials?. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 605-609. | 2.4 | 68 |
| 90 | Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. <i>Human Molecular Genetics</i> , 2015, 24, 5589-5602. | 1.4 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Dysregulated expression of S100A11 (calgizzarin) in prostate cancer and precursor lesions. <i>Human Pathology</i> , 2004, 35, 1385-1391. | 1.1 | 66 |
| 92 | Evaluating the PCPT risk calculator in ten international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2012, 30, 181-187. | 1.2 | 66 |
| 93 | Evaluation of the frequency of putative prostate cancer stem cells in primary and metastatic prostate cancer. <i>Prostate</i> , 2010, 70, 875-882. | 1.2 | 65 |
| 94 | Genetic Variants in the Vitamin D Receptor Are Associated with Advanced Prostate Cancer at Diagnosis: Findings from the Prostate Testing for Cancer and Treatment Study and a Systematic Review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2874-2881. | 1.1 | 64 |
| 95 | Glutamine deprivation alters the origin and function of cancer cell exosomes. <i>EMBO Journal</i> , 2020, 39, e103009. | 3.5 | 64 |
| 96 | Evaluation of the Clinical Benefit of Permixon and Tamsulosin in Severe BPH Patientsâ€”PERMAL Study Subset Analysis. <i>European Urology</i> , 2004, 45, 773-780. | 0.9 | 63 |
| 97 | Prognostic value of serum markers for prostate cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005, 39, 64-81. | 1.4 | 63 |
| 98 | Prostateâ€”specific antigen testing rates remain low in UK general practice: a crossâ€”sectional study in six English cities. <i>BJU International</i> , 2011, 108, 1402-1408. | 1.3 | 63 |
| 99 | Associations of circulating 25â€”hydroxyvitamin D with prostate cancer diagnosis, stage and grade. <i>International Journal of Cancer</i> , 2012, 131, 1187-1196. | 2.3 | 63 |
| 100 | Localization and quantification of mRNA for matrix metalloproteinase-2 (MMP-2) and tissue inhibitor of matrix metalloproteinase-2 (TIMP-2) in human benign and malignant prostatic tissue. , 2000, 42, 18-25. | | 62 |
| 101 | Associations between an Obesity Related Genetic Variant (FTO rs9939609) and Prostate Cancer Risk. <i>PLoS ONE</i> , 2010, 5, e13485. | 1.1 | 61 |
| 102 | Multifocal Urothelial Cancers With the Mutator Phenotype are of Monoclonal Origin and Require Panurothelial Treatment for Tumor Clearance. <i>Journal of Urology</i> , 2006, 175, 2323-2330. | 0.2 | 58 |
| 103 | Mean sojourn time, overdiagnosis, and reduction in advanced stage prostate cancer due to screening with PSA: implications of sojourn time on screening. <i>British Journal of Cancer</i> , 2009, 100, 1198-1204. | 2.9 | 58 |
| 104 | A recurrent truncating germline mutation in the BRIP1/FANCI gene and susceptibility to prostate cancer. <i>British Journal of Cancer</i> , 2009, 100, 426-430. | 2.9 | 57 |
| 105 | NEURAL NETWORK ANALYSIS OF CLINICOPATHOLOGICAL AND MOLECULAR MARKERS IN BLADDER CANCER. <i>Journal of Urology</i> , 2000, 163, 630-633. | 0.2 | 56 |
| 106 | Association of diabetes mellitus with prostate cancer: Nested caseâ€”control study (Prostate testing) Tj ETQq0 0 0 ,rgBT /Overlock 10 Tf | 2.3 | 56 |
| 107 | iTRAQ Identification of Candidate Serum Biomarkers Associated with Metastatic Progression of Human Prostate Cancer. <i>PLoS ONE</i> , 2012, 7, e30885. | 1.1 | 56 |
| 108 | Risk Analysis of Prostate Cancer in PRACTICAL, a Multinational Consortium, Using 25 Known Prostate Cancer Susceptibility Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1121-1129. | 1.1 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Human prostate cancer cells express neuroendocrine cell markers PGP 9.5 and chromogranin A. <i>Prostate</i> , 2007, 67, 1761-1769. | 1.2 | 55 |
| 110 | Prediction of individual genetic risk to prostate cancer using a polygenic score. <i>Prostate</i> , 2015, 75, 1467-1474. | 1.2 | 54 |
| 111 | Considerations and methods for placebo controls in surgical trials (ASPIRE guidelines). <i>Lancet</i> , The, 2020, 395, 828-838. | 6.3 | 54 |
| 112 | Secular trends in prostate cancer mortality, incidence and treatment: England and Wales, 1975â€“2004. <i>BJU International</i> , 2008, 101, 547-555. | 1.3 | 53 |
| 113 | Systematic review and meta-analysis of the associations between body mass index, prostate cancer, advanced prostate cancer, and prostate-specific antigen. <i>Cancer Causes and Control</i> , 2020, 31, 431-449. | 0.8 | 53 |
| 114 | Do Height-Related Variations in Insulin-Like Growth Factors Underlie the Associations of Stature with Adult Chronic Disease?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 213-218. | 1.8 | 52 |
| 115 | Serum osteoprotegerin (OPG) levels are associated with disease progression and response to androgen ablation in patients with prostate cancer. <i>Prostate</i> , 2004, 59, 304-310. | 1.2 | 52 |
| 116 | Promoter hyper-methylation of calcium binding proteins S100A6 and S100A2 in human prostate cancer. <i>Prostate</i> , 2005, 65, 322-330. | 1.2 | 52 |
| 117 | The Application of Artificial Intelligence to Microarray Data: Identification of a Novel Gene Signature to Identify Bladder Cancer Progression. <i>European Urology</i> , 2010, 57, 398-406. | 0.9 | 52 |
| 118 | Patientâ€“reported outcomes in the ProtecT randomized trial of clinically localized prostate cancer treatments: study design, and baseline urinary, bowel and sexual function and quality of life. <i>BJU International</i> , 2016, 118, 869-879. | 1.3 | 52 |
| 119 | Screen-detected prostate cancer and the insulin-like growth factor axis: Results of a population-based case-control study. <i>International Journal of Cancer</i> , 2004, 108, 887-892. | 2.3 | 51 |
| 120 | Promoter methylation correlates with reduced Smad4 expression in advanced prostate cancer. <i>Prostate</i> , 2008, 68, 661-674. | 1.2 | 51 |
| 121 | Evaluating Genetic Risk for Prostate Cancer among Japanese and Latinos. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2048-2058. | 1.1 | 51 |
| 122 | Impacts of combining anti-PD-L1 immunotherapy and radiotherapy on the tumour immune microenvironment in a murine prostate cancer model. <i>British Journal of Cancer</i> , 2020, 123, 1089-1100. | 2.9 | 51 |
| 123 | Human Bone Marrow Stromal Cells Protect Prostate Cancer Cells From TRAIL-Induced Apoptosis. <i>Journal of Bone and Mineral Research</i> , 2004, 19, 1712-1721. | 3.1 | 50 |
| 124 | Circulating Insulin-Like Growth Factors and IGF-Binding Proteins in PSA-Detected Prostate Cancer: The Large Caseâ€“Control Study ProtecT. <i>Cancer Research</i> , 2012, 72, 503-515. | 0.4 | 50 |
| 125 | Training recruiters to randomized trials to facilitate recruitment and informed consent by exploring patients' treatment preferences. <i>Trials</i> , 2014, 15, 323. | 0.7 | 50 |
| 126 | Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016, 7, 10979. | 5.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | A comparison of the performance of microsatellite and methylation urine analysis for predicting the recurrence of urothelial cell carcinoma, and definition of a set of markers by Bayesian network analysis. <i>BJU International</i> , 2008, 101, 1448-1453. | 1.3 | 49 |
| 128 | Life course sun exposure and risk of prostate cancer: Population-based nested case-control study and meta-analysis. <i>International Journal of Cancer</i> , 2009, 125, 1414-1423. | 2.3 | 49 |
| 129 | Bone morphogenetic protein- and mating-dependent secretory cell growth and migration in the <i>Drosophila</i> accessory gland. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 19292-19297. | 3.3 | 49 |
| 130 | Development of a framework to improve the process of recruitment to randomised controlled trials (RCTs): the SEAR (Screened, Eligible, Approached, Randomised) framework. <i>Trials</i> , 2018, 19, 50. | 0.7 | 48 |
| 131 | Germline DNA Repair Gene Mutations in Young-onset Prostate Cancer Cases in the UK: Evidence for a More Extensive Genetic Panel. <i>European Urology</i> , 2019, 76, 329-337. | 0.9 | 48 |
| 132 | A prospective prostate cancer screening programme for men with pathogenic variants in mismatch repair genes (IMPACT): initial results from an international prospective study. <i>Lancet Oncology</i> , The, 2021, 22, 1618-1631. | 5.1 | 48 |
| 133 | Eightplex iTRAQ analysis of variant metastatic human prostate cancer cells identifies candidate biomarkers of progression: An exploratory study. <i>Prostate</i> , 2010, 70, 1313-1332. | 1.2 | 46 |
| 134 | Circulating Folate and Vitamin B12 and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. <i>European Urology</i> , 2016, 70, 941-951. | 0.9 | 46 |
| 135 | Continuing Controversy Over Monitoring Men With Localized Prostate Cancer: A Systematic Review of Programs in the Prostate Specific Antigen Era. <i>Journal of Urology</i> , 2006, 176, 439-449. | 0.2 | 45 |
| 136 | Recent trends in the use of radical prostatectomy in England: the epidemiology of diffusion. <i>BJU International</i> , 2003, 91, 331-336. | 1.3 | 44 |
| 137 | Nuclear IGF1R Interacts with Regulatory Regions of Chromatin to Promote RNA Polymerase II Recruitment and Gene Expression Associated with Advanced Tumor Stage. <i>Cancer Research</i> , 2018, 78, 3497-3509. | 0.4 | 44 |
| 138 | Screening for Prostate Cancer: An Update. <i>European Urology</i> , 2008, 53, 37-44. | 0.9 | 43 |
| 139 | Prospective Randomized Evaluation of Risk-adapted Prostate-specific Antigen Screening in Young Men: The PROBASE Trial. <i>European Urology</i> , 2013, 64, 873-875. | 0.9 | 43 |
| 140 | Germline variation at 8q24 and prostate cancer risk in men of European ancestry. <i>Nature Communications</i> , 2018, 9, 4616. | 5.8 | 43 |
| 141 | Pubertal development and prostate cancer risk: Mendelian randomization study in a population-based cohort. <i>BMC Medicine</i> , 2016, 14, 66. | 2.3 | 42 |
| 142 | Associations of lower urinary tract symptoms with prostate-specific antigen levels, and screen-detected localized and advanced prostate cancer: a case-control study nested within the UK population-based ProtecT (Prostate testing for cancer and Treatment) study. <i>BJU International</i> , 2008, 102, 1400-1406. | 1.3 | 41 |
| 143 | Decision-Making about PSA Testing and Prostate Biopsies: A Qualitative Study Embedded in a Primary Care Randomised Trial. <i>European Urology</i> , 2008, 53, 1186-1193. | 0.9 | 41 |
| 144 | Associations of aspirin, nonsteroidal anti-inflammatory drug and paracetamol use with PSA-detected prostate cancer: Findings from a large, population-based, case-control study (the ProtecT study). <i>International Journal of Cancer</i> , 2011, 128, 1442-1448. | 2.3 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Mortality Among Men with Advanced Prostate Cancer Excluded from the ProtecT Trial. <i>European Urology</i> , 2017, 71, 381-388. | 0.9 | 41 |
| 146 | Measuring the psychosocial impact of population-based prostate-specific antigen testing for prostate cancer in the UK. <i>BJU International</i> , 2006, 98, 777-782. | 1.3 | 40 |
| 147 | The importance of dietary change for men diagnosed with and at risk of prostate cancer: a multi-centre interview study with men, their partners and health professionals. <i>BMC Family Practice</i> , 2014, 15, 81. | 2.9 | 40 |
| 148 | Identifying Ureters In Situ Under Fluorescence During Laparoscopic and Open Colorectal Surgery. <i>Annals of Surgery</i> , 2016, 263, e1-e2. | 2.1 | 40 |
| 149 | Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. <i>Nature Communications</i> , 2021, 12, 1236. | 5.8 | 40 |
| 150 | Protease nexin 1 inhibits hedgehog signaling in prostate adenocarcinoma. <i>Journal of Clinical Investigation</i> , 2012, 122, 4025-4036. | 3.9 | 39 |
| 151 | Contemporary accuracy of death certificates for coding prostate cancer as a cause of death: Is reliance on death certification good enough? A comparison with blinded review by an independent cause of death evaluation committee. <i>British Journal of Cancer</i> , 2016, 115, 90-94. | 2.9 | 38 |
| 152 | The Survival Effect of Prolactin on PC3 Prostate Cancer Cells. <i>European Urology</i> , 2003, 43, 301-308. | 0.9 | 37 |
| 153 | Men with prostate cancer make positive dietary changes following diagnosis and treatment. <i>Cancer Causes and Control</i> , 2013, 24, 1119-1128. | 0.8 | 36 |
| 154 | STAGING OF PROSTATE CANCER USING 3-DIMENSIONAL TRANSRECTAL ULTRASOUND IMAGES: A PILOT STUDY. <i>Journal of Urology</i> , 1999, 162, 1318-1321. | 0.2 | 35 |
| 155 | Current Vaccination Strategies for Prostate Cancer. <i>European Urology</i> , 2012, 61, 290-306. | 0.9 | 35 |
| 156 | The emerging role of histone deacetylase (<sc>HDAC</sc>) inhibitors in urological cancers. <i>BJU International</i> , 2013, 111, 537-542. | 1.3 | 35 |
| 157 | Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. <i>PLoS Genetics</i> , 2014, 10, e1004129. | 1.5 | 34 |
| 158 | Systematic Review of Studies Reporting Positive Surgical Margins After Bladder Neck Sparing Radical Prostatectomy. <i>Current Urology Reports</i> , 2017, 18, 99. | 1.0 | 34 |
| 159 | Appraising the relevance of DNA copy number loss and gain in prostate cancer using whole genome DNA sequence data. <i>PLoS Genetics</i> , 2017, 13, e1007001. | 1.5 | 34 |
| 160 | Adherence to Dietary and Lifestyle Recommendations and Prostate Cancer Risk in the Prostate Testing for Cancer and Treatment (ProtecT) Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2066-2077. | 1.1 | 33 |
| 161 | Associations of vitamin D pathway genes with circulating 25-hydroxyvitamin-D, 1,25-dihydroxyvitamin-D, and prostate cancer: a nested case-control study. <i>Cancer Causes and Control</i> , 2015, 26, 205-218. | 0.8 | 33 |
| 162 | Partial ablation versus radical prostatectomy in intermediate-risk prostate cancer: the PART feasibility RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-96. | 1.3 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Neuro-Fuzzy Modeling: An Accurate and Interpretable Method for Predicting Bladder Cancer Progression. <i>Journal of Urology</i> , 2006, 175, 474-479. | 0.2 | 32 |
| 164 | Gene Expression Assays. <i>Advances in Clinical Chemistry</i> , 2007, 44, 247-292. | 1.8 | 32 |
| 165 | A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. <i>Cancer Causes and Control</i> , 2012, 23, 907-917. | 0.8 | 32 |
| 166 | Serum insulin-like growth factors and mortality in localised and advanced clinically detected prostate cancer. <i>Cancer Causes and Control</i> , 2012, 23, 347-354. | 0.8 | 32 |
| 167 | ProDiet: A Phase II Randomized Placebo-controlled Trial of Green Tea Catechins and Lycopene in Men at Increased Risk of Prostate Cancer. <i>Cancer Prevention Research</i> , 2018, 11, 687-696. | 0.7 | 32 |
| 168 | The ProtecT trial: analysis of the patient cohort, baseline risk stratification and disease progression. <i>BJU International</i> , 2020, 125, 506-514. | 1.3 | 32 |
| 169 | Alcohol consumption and PSA-detected prostate cancer risk: A case-control nested in the ProtecT study. <i>International Journal of Cancer</i> , 2013, 132, 2176-2185. | 2.3 | 31 |
| 170 | Prostate-Specific Membrane Antigen-Guided Surgery. <i>Journal of Nuclear Medicine</i> , 2020, 61, 6-12. | 2.8 | 31 |
| 171 | Associations of adiponectin and leptin with stage and grade of PSA-detected prostate cancer: the ProtecT study. <i>Cancer Causes and Control</i> , 2013, 24, 323-334. | 0.8 | 30 |
| 172 | Common variation in Kallikrein genes KLK5, KLK6, KLK12, and KLK13 and risk of prostate cancer and tumor aggressiveness. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 635-643. | 0.8 | 30 |
| 173 | Validation of the Hospital Episode Statistics Outpatient Dataset in England. <i>Pharmacoeconomics</i> , 2016, 34, 161-168. | 1.7 | 29 |
| 174 | Regulation of Dense-Core Granule Replenishment by Autocrine BMP Signalling in <i>Drosophila</i> Secondary Cells. <i>PLoS Genetics</i> , 2016, 12, e1006366. | 1.5 | 29 |
| 175 | Evaluating the Prostate Cancer Prevention Trial High Grade prostate cancer risk calculator in 10 international biopsy cohorts: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2014, 32, 185-191. | 1.2 | 28 |
| 176 | Prostate cancer risk related to foods, food groups, macronutrients and micronutrients derived from the UK Dietary Cohort Consortium food diaries. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 274-283. | 1.3 | 28 |
| 177 | Alcohol consumption and prostate cancer incidence and progression: A Mendelian randomisation study. <i>International Journal of Cancer</i> , 2017, 140, 75-85. | 2.3 | 28 |
| 178 | Increased EZH2 expression in prostate cancer is associated with metastatic recurrence following external beam radiotherapy. <i>Prostate</i> , 2019, 79, 1079-1089. | 1.2 | 28 |
| 179 | An integrative multi-omics analysis to identify candidate DNA methylation biomarkers related to prostate cancer risk. <i>Nature Communications</i> , 2020, 11, 3905. | 5.8 | 28 |
| 180 | Local anaesthetic transperineal (LATP) prostate biopsy using a probe-mounted transperineal access system: a multicentre prospective outcome analysis. <i>BJU International</i> , 2021, 128, 311-318. | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Evaluation of Association of HNF1B Variants with Diverse Cancers: Collaborative Analysis of Data from 19 Genome-Wide Association Studies. <i>PLoS ONE</i> , 2010, 5, e10858. | 1.1 | 28 |
| 182 | Genome-Wide Association Study of Prostate Cancer-Specific Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1796-1800. | 1.1 | 27 |
| 183 | The PROFILE Feasibility Study: Targeted Screening of Men With a Family History of Prostate Cancer. <i>Oncologist</i> , 2016, 21, 716-722. | 1.9 | 27 |
| 184 | A Genetic Risk Score to Personalize Prostate Cancer Screening, Applied to Population Data. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1731-1738. | 1.1 | 27 |
| 185 | Safety and immunogenicity of novel 5T4 viral vectored vaccination regimens in early stage prostate cancer: a phase I clinical trial. , 2020, 8, e000928. | | 27 |
| 186 | Comparison of Prostate Biopsy with or without Prebiopsy Multiparametric Magnetic Resonance Imaging for Prostate Cancer Detection: An Observational Cohort Study. <i>Journal of Urology</i> , 2019, 201, 510-519. | 0.2 | 27 |
| 187 | Prostate-specific antigen (PSA) testing of men in UK general practice: a 10-year longitudinal cohort study. <i>BMJ Open</i> , 2017, 7, e017729. | 0.8 | 27 |
| 188 | Low risk research using routinely collected identifiable health information without informed consent: encounters with the Patient Information Advisory Group. <i>Journal of Medical Ethics</i> , 2008, 34, 37-40. | 1.0 | 26 |
| 189 | The relation between adiposity throughout the life course and variation in IGFs and IGFFBPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. <i>Cancer Causes and Control</i> , 2010, 21, 1829-1842. | 0.8 | 26 |
| 190 | Genetic Variation in Prostate-Specific Antigen-Detected Prostate Cancer and the Effect of Control Selection on Genetic Association Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1356-1365. | 1.1 | 26 |
| 191 | Design and preliminary recruitment results of the Cluster randomised trial of PSA testing for Prostate cancer (CAP). <i>British Journal of Cancer</i> , 2014, 110, 2829-2836. | 2.9 | 26 |
| 192 | Assessing the role of insulin-like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. <i>International Journal of Cancer</i> , 2016, 139, 1520-1533. | 2.3 | 26 |
| 193 | Feasibility and safety of radical prostatectomy for oligo-metastatic prostate cancer: the Testing Radical prostatectomy in men with prostate cancer and oligo-metastases to the bone (TRoMbone) trial. <i>BJU International</i> , 2022, 130, 43-53. | 1.3 | 26 |
| 194 | Physical activity, alcohol consumption, BMI and smoking status before and after prostate cancer diagnosis in the ProtecT trial: Opportunities for lifestyle modification. <i>International Journal of Cancer</i> , 2015, 137, 1509-1515. | 2.3 | 25 |
| 195 | A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285. | 0.4 | 25 |
| 196 | Phenol Sulfotransferase SULT1A1*2 Allele and Enhanced Risk of Upper Urinary Tract Urothelial Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2500-2503. | 1.1 | 24 |
| 197 | Neurofuzzy Modeling to Determine Recurrence Risk Following Radical Cystectomy for Nonmetastatic Urothelial Carcinoma of the Bladder. <i>Clinical Cancer Research</i> , 2009, 15, 3150-3155. | 3.2 | 24 |
| 198 | Polymorphisms of an Innate Immune Gene, Toll-Like Receptor 4, and Aggressive Prostate Cancer Risk: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e110569. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Novel biomarkers for the detection of prostate cancer. <i>Journal of Clinical Urology</i> , 2016, 9, 3-10. | 0.1 | 24 |
| 200 | Early diagnosis and surgical management of prostate cancer. <i>Cancer Treatment Reviews</i> , 2003, 29, 151-160. | 3.4 | 23 |
| 201 | Identification of new genetic risk factors for prostate cancer. <i>Asian Journal of Andrology</i> , 2009, 11, 49-55. | 0.8 | 23 |
| 202 | Association of obesity with prostate cancer: a case-control study within the population-based PSA testing phase of the ProtecT study. <i>British Journal of Cancer</i> , 2011, 104, 875-881. | 2.9 | 23 |
| 203 | Associations of circulating retinol, vitamin E, and 1,25-dihydroxyvitamin D with prostate cancer diagnosis, stage, and grade. <i>Cancer Causes and Control</i> , 2012, 23, 1865-1873. | 0.8 | 23 |
| 204 | Validating the use of Hospital Episode Statistics data and comparison of costing methodologies for economic evaluation: an end-of-life case study from the Cluster randomised triAl of PSA testing for Prostate cancer (CAP). <i>BMJ Open</i> , 2016, 6, e011063. | 0.8 | 23 |
| 205 | Misclassification of outcome in caseâ€“control studies: Methods for sensitivity analysis. <i>Statistical Methods in Medical Research</i> , 2016, 25, 2377-2393. | 0.7 | 23 |
| 206 | Does the introduction of prostate multiparametric magnetic resonance imaging into the active surveillance protocol for localized prostate cancer improve patient reâ€“classification?. <i>BJU International</i> , 2018, 122, 794-800. | 1.3 | 23 |
| 207 | A comparison of socio-demographic and psychological factors between patients consenting to randomisation and those selecting treatment (the ProtecT study). <i>Contemporary Clinical Trials</i> , 2006, 27, 413-419. | 0.8 | 22 |
| 208 | Screening for prostate cancer remains controversial. <i>Lancet, The</i> , 2009, 374, 1482-1483. | 6.3 | 22 |
| 209 | Predictors of Attendance for Prostate-Specific Antigen Screening Tests and Prostate Biopsy. <i>European Urology</i> , 2012, 62, 649-655. | 0.9 | 22 |
| 210 | Using Genetic Proxies for Lifecourse Sun Exposure to Assess the Causal Relationship of Sun Exposure with Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 597-606. | 1.1 | 22 |
| 211 | The Future of Randomised Controlled Trials in Urology. <i>European Urology</i> , 2014, 66, 1-3. | 0.9 | 22 |
| 212 | Insertion of an SVA-E retrotransposon into the <i>CASP8</i> gene is associated with protection against prostate cancer. <i>Human Molecular Genetics</i> , 2016, 25, 1008-1018. | 1.4 | 22 |
| 213 | Active monitoring, radical prostatectomy and radical radiotherapy in PSA-detected clinically localised prostate cancer: the ProtecT three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-176. | 1.3 | 22 |
| 214 | Circulating Metabolic Biomarkers of Screen-Detected Prostate Cancer in the ProtecT Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 208-216. | 1.1 | 21 |
| 215 | Associations of Folate, Vitamin B12, Homocysteine, and Folate-Pathway Polymorphisms with Prostate-Specific Antigen Velocity in Men with Localized Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2833-2838. | 1.1 | 20 |
| 216 | Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the Prostate testing for cancer and Treatment study. <i>Cancer Causes and Control</i> , 2012, 23, 575-588. | 0.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Serum Insulin-Like Growth Factor-I Is Positively Associated with Serum Prostate-Specific Antigen in Middle-Aged Men without Evidence of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 163-165. | 1.1 | 19 |
| 218 | Contribution of a Single Repeat PSA Test to Prostate Cancer Risk Assessment: Experience from the ProtecT Study. <i>European Urology</i> , 2008, 53, 777-784. | 0.9 | 19 |
| 219 | Stage Shift in Psa-detected Prostate Cancers – Effect Modification by Gleason Score. <i>Journal of Medical Screening</i> , 2009, 16, 98-101. | 1.1 | 19 |
| 220 | Mutation analysis of the MSMB gene in familial prostate cancer. <i>British Journal of Cancer</i> , 2010, 102, 414-418. | 2.9 | 19 |
| 221 | Associations of Lifestyle Factors and Anthropometric Measures with Repeat PSA Levels During Active Surveillance/Monitoring. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1877-1885. | 1.1 | 19 |
| 222 | Sprouty2 loss-induced IL 6 drives castration-resistant prostate cancer through scavenger receptor B1. <i>EMBO Molecular Medicine</i> , 2018, 10, . | 3.3 | 19 |
| 223 | Metabolic profiling of prostate cancer in skeletal microenvironments identifies G6PD as a key mediator of growth and survival. <i>Science Advances</i> , 2022, 8, eabf9096. | 4.7 | 19 |
| 224 | Detection of prostate cancer in unselected young men: prospective cohort nested within a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 1139. | 2.4 | 18 |
| 225 | Do the risk factors of age, family history of prostate cancer or a higher prostate specific antigen level raise anxiety at prostate biopsy?. <i>European Journal of Cancer</i> , 2009, 45, 2569-2573. | 1.3 | 18 |
| 226 | A Peer Review Intervention for Monitoring and Evaluating sites (PRIME) that improved randomized controlled trial conduct and performance. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 628-636. | 2.4 | 18 |
| 227 | Suitability of PSA-detected localised prostate cancers for focal therapy: experience from the ProtecT study. <i>British Journal of Cancer</i> , 2011, 105, 931-937. | 2.9 | 18 |
| 228 | DNA damage response in peritumoral regions of oesophageal cancer microenvironment. <i>Carcinogenesis</i> , 2013, 34, 139-145. | 1.3 | 18 |
| 229 | Molecular subtyping of bladder cancer using Kohnen self-organizing maps. <i>Cancer Medicine</i> , 2014, 3, 1225-1234. | 1.3 | 18 |
| 230 | Establishing nurse-led active surveillance for men with localised prostate cancer: development and formative evaluation of a model of care in the ProtecT trial. <i>BMJ Open</i> , 2015, 5, e008953. | 0.8 | 18 |
| 231 | Achievements and Perspectives in Prostate Cancer Phase 3 Trials from Genitourinary Research Groups in Europe: Introducing the Prostate Cancer Consortium in Europe. <i>European Urology</i> , 2015, 67, 904-912. | 0.9 | 18 |
| 232 | Properties of the 4-Kallikrein Panel Outside the Diagnostic Gray Zone: Meta-Analysis of Patients with Positive Digital Rectal Examination or Prostate Specific Antigen 10 ng/ml and Above. <i>Journal of Urology</i> , 2017, 197, 607-613. | 0.2 | 18 |
| 233 | Current strategies for monitoring men with localised prostate cancer lack a strong evidence base: observational longitudinal study. <i>British Journal of Cancer</i> , 2009, 101, 390-394. | 2.9 | 17 |
| 234 | Investigating the prostate specific antigen, body mass index and age relationship: is an age-adjusted BMI-adjusted PSA model clinically useful?. <i>Cancer Causes and Control</i> , 2016, 27, 1465-1474. | 0.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Supporting prostate cancer survivors in primary care: Findings from a pilot trial of a nurse-led psycho-educational intervention (PROSPECTIV). <i>European Journal of Oncology Nursing</i> , 2018, 32, 73-81. | 0.9 | 17 |
| 236 | Overcoming difficulties with equipoise to enable recruitment to a randomised controlled trial of partial ablation vs radical prostatectomy for unilateral localised prostate cancer. <i>BJU International</i> , 2018, 122, 970-977. | 1.3 | 17 |
| 237 | DNA methylation and immunohistochemical analysis of the S100A4 calcium binding protein in human prostate cancer. <i>Prostate</i> , 2007, 67, 341-347. | 1.2 | 16 |
| 238 | PTGS2â€“899G>C and prostate cancer risk: a population-based nested caseâ€“control study (Protect) and a systematic review with meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2009, 12, 296-300. | 2.0 | 16 |
| 239 | Feasibility and cost of obtaining informed consent for essential review of medical records in large-scale health services research. <i>Journal of Health Services Research and Policy</i> , 2009, 14, 77-81. | 0.8 | 16 |
| 240 | Role of information in preparing men for transrectal ultrasound guided prostate biopsy: a qualitative study embedded in the Protect trial. <i>BMC Health Services Research</i> , 2015, 15, 80. | 0.9 | 16 |
| 241 | 10-Year Outcomes in Localized Prostate Cancer. <i>New England Journal of Medicine</i> , 2017, 376, 178-181. | 13.9 | 16 |
| 242 | Survival Among Men at High Risk of Disseminated Prostate Cancer Receiving Initial Locally Directed Radical Treatment or Initial Androgen Deprivation Therapy. <i>European Urology</i> , 2017, 72, 345-351. | 0.9 | 16 |
| 243 | A prospective cohort and extended comprehensive-cohort design provided insights about the generalizability of a pragmatic trial: the Protect prostate cancer trial. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 35-46. | 2.4 | 16 |
| 244 | Mating induces switch from hormone-dependent to hormone-independent steroid receptorâ€“mediated growth in <i>Drosophila</i> secondary cells. <i>PLoS Biology</i> , 2019, 17, e3000145. | 2.6 | 16 |
| 245 | Additional SNPs improve risk stratification of a polygenic hazard score for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 532-541. | 2.0 | 16 |
| 246 | Positron Emission Tomography and Whole-body Magnetic Resonance Imaging for Metastasis-directed Therapy in Hormone-sensitive Oligometastatic Prostate Cancer After Primary Radical Treatment: A Systematic Review. <i>European Urology Oncology</i> , 2021, 4, 714-730. | 2.6 | 16 |
| 247 | A Systematic Review of Prostate Cancer Heterogeneity: Understanding the Clonal Ancestry of Multifocal Disease. <i>European Urology Oncology</i> , 2021, 4, 358-369. | 2.6 | 16 |
| 248 | Androgen Regulates<i>ADAMTS15</i>Gene Expression in Prostate Cancer Cells. <i>Cancer Investigation</i> , 2010, 28, 698-710. | 0.6 | 15 |
| 249 | Curative radiation therapy in prostate cancer. <i>Acta OncolÃ³gica</i> , 2011, 50, 98-103. | 0.8 | 15 |
| 250 | Menâ€™s knowledge and attitudes towards dietary prevention of a prostate cancer diagnosis: a qualitative study. <i>BMC Cancer</i> , 2014, 14, 812. | 1.1 | 15 |
| 251 | Patient-Reported Outcomes Following Treatment for Localized Prostate Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1121. | 3.8 | 15 |
| 252 | Developing new age-specific prostate-specific antigen thresholds for testing for prostate cancer. <i>Cancer Causes and Control</i> , 2018, 29, 383-388. | 0.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | The ProtecT randomised trial cost-effectiveness analysis comparing active monitoring, surgery, or radiotherapy for prostate cancer. <i>British Journal of Cancer</i> , 2020, 123, 1063-1070. | 2.9 | 15 |
| 254 | PSA-detected prostate cancer and the potential for dedifferentiation: estimating the proportion capable of progression. <i>International Journal of Cancer</i> , 2011, 128, 1462-1470. | 2.3 | 14 |
| 255 | The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF1, IGF2, IGFBP1, IGFBP2 and IGFBP3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019, 145, 3244-3256. | 2.3 | 14 |
| 256 | The effect of sample size on polygenic hazard models for prostate cancer. <i>European Journal of Human Genetics</i> , 2020, 28, 1467-1475. | 1.4 | 14 |
| 257 | Association between Prostate-specific Antigen (PSA) Genetic Variants and Prostate Cancer Risk and Aggressiveness in Australia and a Meta-Analysis of GWAS Data. <i>PLoS ONE</i> , 2011, 6, e26527. | 1.1 | 14 |
| 258 | Clinically localised prostate cancer is microsatellite stable. <i>BJU International</i> , 2007, 99, 1031-1035. | 1.3 | 13 |
| 259 | Associations of sexual dysfunction symptoms with PSA-detected localised and advanced prostate cancer: A case-control study nested within the UK population-based ProtecT (Prostate testing for Treatment and Observation) trial. <i>International Journal of Epidemiology</i> , 2014, 43, 1474-1482. | 1.0 | 13 |
| 260 | Epidemiology, Pathology and Pathogenesis. , 2008, , 451-469. | | 13 |
| 261 | Measurement of insulin-like growth factor axis does not enhance specificity of PSA-based prostate cancer screening. <i>Urology</i> , 2004, 64, 317-322. | 0.5 | 12 |
| 262 | Factors distinguishing general practitioners who more readily participated in a large randomized trial were identified. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 67-73. | 2.4 | 12 |
| 263 | Development of a New Method for Monitoring Prostate-Specific Antigen Changes in Men with Localised Prostate Cancer: A Comparison of Observational Cohorts. <i>European Urology</i> , 2010, 57, 446-452. | 0.9 | 12 |
| 264 | The handling and sampling of radical prostatectomy specimens for reporting and research: the Oxford approach. <i>Journal of Clinical Pathology</i> , 2012, 65, 1057-1061. | 1.0 | 12 |
| 265 | Very Low PSA Concentrations and Deletions of the KLK3 Gene. <i>Clinical Chemistry</i> , 2013, 59, 234-244. | 1.5 | 12 |
| 266 | Prostate-specific antigen velocity in a prospective prostate cancer screening study of men with genetic predisposition. <i>British Journal of Cancer</i> , 2018, 118, 266-276. | 2.9 | 12 |
| 267 | A polymorphism in the glucokinase gene that raises plasma fasting glucose, rs1799884, is associated with diabetes mellitus and prostate cancer: findings from a population-based, case-control study (the UK ProtecT study). <i>International Journal of Epidemiology</i> , 2014, 43, 1474-1482. | 1.0 | 12 |
| 268 | Acupuncture in urological practice: A survey of urologists in England. <i>Complementary Therapies in Medicine</i> , 2011, 19, 27-31. | 1.3 | 11 |
| 269 | Estimating age and ethnic variation in the histological prevalence of prostate cancer to inform the impact of screening policies. <i>International Journal of Urology</i> , 2014, 21, 786-792. | 0.5 | 11 |
| 270 | SNP interaction pattern identifier (SIPI): an intensive search for SNP-SNP interaction patterns. <i>Bioinformatics</i> , 2017, 33, 822-833. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Cross-sectional study evaluating data quality of the National Cancer Registration and Analysis Service (NCRAS) prostate cancer registry data using the Cluster randomised trial of PSA testing for Prostate cancer (CAP). <i>BMJ Open</i> , 2017, 7, e015994. | 0.8 | 11 |
| 272 | Value of Intact Prostate Specific Antigen and Human Kallikrein 2 in the 4 Kallikrein Predictive Model: An Individual Patient Data Meta-Analysis. <i>Journal of Urology</i> , 2018, 199, 1470-1474. | 0.2 | 11 |
| 273 | Metabolic imbalance and prostate cancer progression. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 248-71. | 0.4 | 11 |
| 274 | The immunohistochemical detection of cripto-1 in benign and malignant human bladder. , 1998, 185, 108-111. | | 10 |
| 275 | The impact of reducing the prostate-specific antigen threshold and including isoform reflex tests on the performance characteristics of a prostate-cancer detection programme. <i>BJU International</i> , 2007, 100, 514-517. | 1.3 | 10 |
| 276 | Prostate-specific antigen testing and prostate biopsy: are self-reported lower urinary tract symptoms and health-related quality of life associated with the decision to undergo these investigations?. <i>BJU International</i> , 2008, 102, 1629-1633. | 1.3 | 10 |
| 277 | Flexible Cystoscopy Findings in Patients Investigated for Profound Lower Urinary Tract Symptoms, Recurrent Urinary Tract Infection, and Pain. <i>Journal of Endourology</i> , 2012, 26, 1468-1472. | 1.1 | 10 |
| 278 | Cardiovascular risk in androgen suppression: underappreciated, under-researched and unresolved: Figure 1. <i>Heart</i> , 2012, 98, 345-348. | 1.2 | 10 |
| 279 | PROSPECTIVâ€”a pilot trial of a nurse-led psychoeducational intervention delivered in primary care to prostate cancer survivors: study protocol for a randomised controlled trial: TableÂ1. <i>BMJ Open</i> , 2014, 4, e005186. | 0.8 | 10 |
| 280 | Identification and Diagnostic Performance of a Small RNA within the PCA3 and BMCC1 Gene Locus That Potentially Targets mRNA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 268-275. | 1.1 | 10 |
| 281 | Prostate cancer cells home to bone using a novel <i>in vivo</i> model: Modulation by the integrin antagonist GLPG0187. <i>International Journal of Cancer</i> , 2015, 136, 1731-1740. | 2.3 | 10 |
| 282 | Comparison of phytotherapy (PermixonÂ®) with finasteride in the treatment of benign prostate hyperplasia: A randomized international study of 1,098 patients. , 1996, 29, 231. | | 10 |
| 283 | Prostate cancer proteomics: The urgent need for clinically validated biomarkers. <i>Proteomics - Clinical Applications</i> , 2009, 3, 197-212. | 0.8 | 9 |
| 284 | Predictive modeling in cancer: where systems biology meets the stock market. <i>Expert Review of Anticancer Therapy</i> , 2009, 9, 867-870. | 1.1 | 9 |
| 285 | Common genetic variants associated with disease from genome-wide association studies are mutually exclusive in prostate cancer and rheumatoid arthritis. <i>BJU International</i> , 2013, 111, 1148-1155. | 1.3 | 9 |
| 286 | Gleason drift in the <sc>NIHR P</sc>rotec<sc>T</sc> study. <i>Histopathology</i> , 2015, 66, 438-446. | 1.6 | 9 |
| 287 | The causal roles of vitamin B(12) and transcobalamin in prostate cancer: can Mendelian randomization analysis provide definitive answers?. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 316-27. | 0.4 | 9 |
| 288 | Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. <i>Cancer Causes and Control</i> , 2013, 24, 39-45. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Standardisation of information submitted to an endpoint committee for cause of death assignment in a cancer screening trial – lessons learnt from CAP (Cluster randomised trial of PSA testing for) Tj ETQq1 1 0.784314 rgBT /@verlock | 1.0 | 10 |
| 290 | Estimating the sensitivity of a prostate cancer screening programme for different PSA cut-off levels: A UK case study. <i>Cancer Epidemiology</i> , 2018, 52, 99-105. | 0.8 | 8 |
| 291 | Tumour irradiation combined with vascular-targeted photodynamic therapy enhances antitumour effects in pre-clinical prostate cancer. <i>British Journal of Cancer</i> , 2021, 125, 534-546. | 2.9 | 8 |
| 292 | Associations of circulating 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D, and vitamin D pathway genes with prostate-specific antigen progression in men with localized prostate cancer undergoing active monitoring. <i>European Journal of Cancer Prevention</i> , 2013, 22, 121-125. | 0.6 | 7 |
| 293 | Variation between specialist uropathologists in reporting extraprostatic extension after radical prostatectomy. <i>Journal of Clinical Pathology</i> , 2015, 68, 465-472. | 1.0 | 7 |
| 294 | Longitudinal prostate-specific antigen reference ranges: Choosing the underlying model of age-related changes. <i>Statistical Methods in Medical Research</i> , 2016, 25, 1875-1891. | 0.7 | 7 |
| 295 | Height, selected genetic markers and prostate cancer risk: results from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2017, 117, 734-743. | 2.9 | 7 |
| 296 | Prostatic capsular incision during radical prostatectomy has important oncological implications: a systematic review and meta-analysis. <i>BJU International</i> , 2019, 124, 554-566. | 1.3 | 7 |
| 297 | Effect of green tea and lycopene on the insulin-like growth factor system: the ProDiet randomized controlled trial. <i>European Journal of Cancer Prevention</i> , 2019, 28, 569-575. | 0.6 | 7 |
| 298 | Strategies adopted by men to deal with uncertainty and anxiety when following an active surveillance/monitoring protocol for localised prostate cancer and implications for care: a longitudinal qualitative study embedded within the ProtecT trial. <i>BMJ Open</i> , 2020, 10, e036024. | 0.8 | 7 |
| 299 | Less is more: artificial intelligence and gene-expression arrays. <i>Lancet, The</i> , 2004, 364, 2003-2004. | 6.3 | 6 |
| 300 | The antibody MAB8051 directed against osteoprotegerin detects carbonic anhydrase II: Implications for association studies with human cancers. <i>International Journal of Cancer</i> , 2007, 121, 1958-1966. | 2.3 | 6 |
| 301 | Psychological distress and prostate specific antigen levels in men with and without prostate cancer. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 1073-1078. | 2.0 | 6 |
| 302 | Seasonal variation in prostate-specific antigen levels: a large cross-sectional study of men in the UK. <i>BJU International</i> , 2011, 108, 1409-1414. | 1.3 | 6 |
| 303 | Factors associated with trial recruitment, preferences, and treatments received were elucidated in a comprehensive cohort study. <i>Journal of Clinical Epidemiology</i> , 2019, 113, 200-213. | 2.4 | 6 |
| 304 | Detailed Molecular and Immune Marker Profiling of Archival Prostate Cancer Samples Reveals an Inverse Association between TMPRSS2:ERG Fusion Status and Immune Cell Infiltration. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 652-669. | 1.2 | 6 |
| 305 | Transcriptomic and Functional Screens Reveal MicroRNAs That Modulate Prostate Cancer Metastasis. <i>Frontiers in Oncology</i> , 2020, 10, 292. | 1.3 | 6 |
| 306 | Placebo comparator group selection and use in surgical trials: the ASPIRE project including expert workshop. <i>Health Technology Assessment</i> , 2021, 25, 1-52. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Incorporating Known Genetic Variants Does Not Improve the Accuracy of PSA Testing to Identify High Risk Prostate Cancer on Biopsy. PLoS ONE, 2015, 10, e0136735. | 1.1 | 6 |
| 308 | The Use of Proteomics in Urological Research. EAU Update Series, 2005, 3, 171-179. | 0.5 | 5 |
| 309 | The spectrum of prostate cancer care: From curative intent to palliation. Current Urology Reports, 2007, 8, 245-252. | 1.0 | 5 |
| 310 | Prostate-specific antigen patterns in US and European populations: comparison of six diverse cohorts. BJU International, 2016, 118, 911-918. | 1.3 | 5 |
| 311 | The Prostate Testing for Cancer and Treatment (ProtecT) study: what have we learnt?. BJU International, 2016, 118, 843-843. | 1.3 | 5 |
| 312 | Characteristics of men responding to an invitation to undergo testing for prostate cancer as part of a randomised trial. Trials, 2016, 17, 497. | 0.7 | 5 |
| 313 | Altered expression of epithelial-to-mesenchymal transition proteins in extraprostatic prostate cancer. Oncotarget, 2016, 7, 1107-1119. | 0.8 | 5 |
| 314 | Transrectal ultrasound guided needle electromyography of the urethral sphincter in males. Neurourology and Urodynamics, 1995, 14, 359-363. | 0.8 | 4 |
| 315 | The Use of Flow Cytometry and RT-PCR in the Detection of Circulating PSA-Positive Cells in Prostate Cancer. , 1998, 92, 215-226. | | 4 |
| 316 | A model of the natural history of screen-detected prostate cancer. British Journal of Cancer, 2006, 95, 1122-1123. | 2.9 | 4 |
| 317 | Validation of a modelling approach for estimating the likely effectiveness of cancer screening using cancer data on prevalence screening and incidence. Cancer Epidemiology, 2011, 35, 139-144. | 0.8 | 4 |
| 318 | The Genomic Diversity of Prostate Cancer: Our Achilles Heel Explored. European Urology, 2015, 67, 823-824. | 0.9 | 4 |
| 319 | In Defense of Randomized Clinical Trials in Surgery: Let Us Not Forget Archie Cochrane's Legacy. European Urology, 2017, 71, 820-821. | 0.9 | 4 |
| 320 | First Report of Prostate-specific Membrane Antigen-targeted Immunotherapy in Prostate Cancer: The Future is Bright. European Urology, 2018, 73, 653-655. | 0.9 | 4 |
| 321 | Time for a "Radical" Change to Active Surveillance for Prostate Cancer?. European Urology, 2018, 74, 281-282. | 0.9 | 4 |
| 322 | Implications of celebrity endorsement of prostate cancer awareness in a tertiary referral unit - the "Fry-Turnbull" effect. BJU International, 2020, 125, 484-486. | 1.3 | 4 |
| 323 | Trends in Prostate Cancer Screening: Overview of the UK. , 2009, , 15-21. | | 4 |
| 324 | 472: The Value of Repeat Serum PSA Measurements in the Detection of Prostate Cancer - Experience from the Feasibility Phase of the UK ProtecT Study. Journal of Urology, 2006, 175, 153-153. | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Development, validation and evaluation of an instrument for active monitoring of men with clinically localised prostate cancer: systematic review, cohort studies and qualitative study. Health Services and Delivery Research, 2015, 3, 1-138. | 1.4 | 4 |
| 326 | Long-term quality of life in prostate cancer. Lancet Oncology, The, 2011, 12, 832-833. | 5.1 | 3 |
| 327 | Transurethral resection biopsy as part of a saturation biopsy protocol: A cohort study and review of the literature. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 542-548. | 0.8 | 3 |
| 328 | Orient Expression: Solving the Mystery of Asian Prostate Cancer?. European Urology, 2018, 73, 340-342. | 0.9 | 3 |
| 329 | AA9int: SNP interaction pattern search using non-hierarchical additive model set. Bioinformatics, 2018, 34, 4141-4150. | 1.8 | 3 |
| 330 | A modified Delphi study to develop a practical guide for selecting patients with prostate cancer for active surveillance. BMC Urology, 2021, 21, 18. | 0.6 | 3 |
| 331 | Use of intraoperative fluorescence to enhance robot-assisted radical prostatectomy. Future Oncology, 2021, 17, 1083-1095. | 1.1 | 3 |
| 332 | Identification of a serum biomarker signature associated with metastatic prostate cancer. Proteomics - Clinical Applications, 2021, 15, 2000025. | 0.8 | 3 |
| 333 | Prostate-Specific Antigen Testing for Prostate Cancer Screeningâ€”Is the Message Getting Through?. JAMA Oncology, 2022, 8, 47. | 3.4 | 3 |
| 334 | Endothelin and Skeletal Metastases in Hormone-Refractory Prostate Cancer. European Urology Supplements, 2003, 2, 15-19. | 0.1 | 2 |
| 335 | Ethics of clinical trials from bayesian perspective: Randomisation to clinical trials may solve dilemma of treatment choice in prostate cancer. BMJ: British Medical Journal, 2003, 326, 1456-1456. | 2.4 | 2 |
| 336 | Management of low-risk prostate cancer. World Journal of Urology, 2008, 26, 411-414. | 1.2 | 2 |
| 337 | Post-diagnosis serum insulin-like growth factors in relation to dietary and lifestyle changes in the Prostate testing for cancer and Treatment (Protect) trial. Cancer Causes and Control, 2017, 28, 877-888. | 0.8 | 2 |
| 338 | Outreach and Influence of Surgical Societiesâ€™™ Recommendations on Minimally Invasive Surgery During the COVID-19 Pandemicâ€”An Anonymized International Urologic Expert Inquiry. Urology, 2020, 145, 73-78. | 0.5 | 2 |
| 339 | Rare Germline Variants Are Associated with Rapid Biochemical Recurrence After Radical Prostate Cancer Treatment: A Pan Prostate Cancer Group Study. European Urology, 2022, 82, 201-211. | 0.9 | 2 |
| 340 | Similar Treatment Outcomes for Radical Cystectomy and Radical Radiotherapy in Invasive Bladder Cancer Treated at a United Kingdom Specialist Treatment Center: In Regard to Kotwal et al. (Int J Radiat T) ETQq0 0,4 rgBT /Qverlock 1071, 1601-1602. | | |
| 341 | Re: Mortality Results From the GÃ“teborg Randomised Population-Based Prostate-Cancer Screening Trial. European Urology, 2010, 58, 940-941. | 0.9 | 1 |
| 342 | Targeting chemotherapy to advanced bladder cancer patients most likely to benefit. Future Oncology, 2010, 6, 193-196. | 1.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Comparison of phytotherapy (Permixon®) with finasteride in the treatment of benign prostate hyperplasia: A randomized international study of 1,098 patients. , 1996, 29, 231. | | 1 |
| 344 | Prostate cancer cells home to bone in a new in vivo model of bone metastasis. FASEB Journal, 2009, 23, 927.11. | 0.2 | 1 |
| 345 | Prostate. Current Opinion in Urology, 1996, 6, U111-U115. | 0.9 | 0 |
| 346 | Staging in prostate cancer. Expert Review of Anticancer Therapy, 2002, 2, 48-58. | 1.1 | 0 |
| 347 | Screening for Prostate Cancer. , 2005, , 31-40. | | 0 |
| 348 | Can androgen receptor levels in the prostate predict non-organ-confined prostate cancer?. Nature Reviews Urology, 2005, 2, 368-369. | 1.4 | 0 |
| 349 | The Role of Genetic Instability in the Pathogenesis and Progression of Urothelial Carcinoma. EAU Update Series, 2005, 3, 180-188. | 0.5 | 0 |
| 350 | Re: Incidence of Initial Local Therapy Among Men with Lower-Risk Prostate Cancer in the United States. European Urology, 2006, 50, 1368-1370. | 0.9 | 0 |
| 351 | The spectrum of prostate cancer care: From curative intent to palliation. Current Prostate Reports, 2008, 6, 56-63. | 0.1 | 0 |
| 352 | What are the practitioner-level determinants for inappropriate PSA testing?. Nature Reviews Urology, 2008, 5, 70-71. | 1.4 | 0 |
| 353 | Reply to Dennis Morrod's Letter to the Editor and Fritz H. Schröder's Reply to Dennis Morrod's Letter to the Editor re: Monique J. Roobol, Ewout W. Steyerberg, Ries Kranse, et al. A Risk-Based Strategy Improves Prostate-Specific Antigen-Driven Detection of Prostate Cancer. Eur Urol 2010;57:79-85. European Urology, 2010, 58, 329-330. | 0.9 | 0 |
| 354 | Reply to Behnam Shakiba's Letter to the Editor re: Philipp Dahm, James N'Dow, Lars Holmberg, Freddie Hamdy. The Future of Randomised Controlled Trials in Urology. Eur Urol 2014;66:1-3. European Urology, 2014, 66, e8. | 0.9 | 0 |
| 355 | Reducing Mortality in the Ageing Patient: Treatment of the Primary Tumour Is Not Necessary. European Urology Focus, 2017, 3, 328-329. | 1.6 | 0 |
| 356 | Diagnostic Pathways for Screen-detected Prostate Cancer: The Plot Thickens. European Urology, 2018, 73, 351-352. | 0.9 | 0 |
| 357 | A new Editorial Team for the BJU International. BJU International, 2020, 126, 213-214. | 1.3 | 0 |
| 358 | Intermediate-risk Prostate Cancer: A Sheep in Wolf's Clothing?. European Urology Oncology, 2021, , . | 2.6 | 0 |
| 359 | The Molecular Staging of Prostate Cancer. , 2003, , 793-809. | | 0 |
| 360 | Bone-Directed Therapy in Prostate Cancer: Rationale and Novel Approaches. Translational Medicine Series, 2006, , 223-236. | 0.0 | 0 |