
Josip Begovac

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8445646/publications.pdf Version: 2024-02-01



LOSID RECOVAC

#	Article	IF	CITATIONS
1	Azithromycin consumption during the COVID-19 pandemic in Croatia, 2020. PLoS ONE, 2022, 17, e0263437.	2.5	26
2	The Presence of Either Typical or Atypical Radiological Changes Predicts Poor COVID-19 Outcomes in HIV-Positive Patients from a Multinational Observational Study: Data from Euroguidelines in Central and Eastern Europe Network Group. Viruses, 2022, 14, 972.	3.3	3
3	The Management of HIV Care Services in Central and Eastern Europe: Data from the Euroguidelines in Central and Eastern Europe Network Group. International Journal of Environmental Research and Public Health, 2022, 19, 7595.	2.6	3
4	Where are we with preâ€exposure prophylaxis use in Central and Eastern Europe? Data from the Euroguidelines in Central and Eastern Europe (ECEE) Network Group. HIV Medicine, 2021, 22, 67-72.	2.2	8
5	Coronavirus Disease 19 (COVID-19) Pharmacologic Treatment. Infektoloski Glasnik, 2021, 40, 134-147.	0.2	2
6	Timeliness of antiretroviral therapy initiation in the era before universal treatment. Scientific Reports, 2021, 11, 10508.	3.3	7
7	Retrospective evaluation of an observational cohort by the Central and Eastern Europe Network Group shows a high frequency of potential drug–drug interactions among HIVâ€positive patients receiving treatment for coronavirus disease 2019Â(COVIDâ€19). HIV Medicine, 2021, , .	2.2	0
8	Hypersensitivity reactions, hepatotoxicity, and other discontinuations in persons receiving integrase strand transfer inhibitors: results from the EuroSIDA study. HIV Research and Clinical Practice, 2021, , 1-9.	1.1	1
9	The cost of care for people living with stable HIV in Croatia and the efficiency of EmERGE. Croatian Medical Journal, 2021, 62, 542-552.	0.7	5
10	The cost of care for people living with stable HIV in Croatia and the efficiency of EmERGE Croatian Medical Journal, 2021, 62, 542-552.	0.7	1
11	Substantial underdiagnosis of lymphogranuloma venereum in men who have sex with men in Europe: preliminary findings from a multicentre surveillance pilot. Sexually Transmitted Infections, 2020, 96, 137-142.	1.9	37
12	The EuroSIDA study: 25 years of scientific achievements. HIV Medicine, 2020, 21, 71-83.	2.2	24
13	Human Immunodeficiency Virus Continuum of Care in 11 European Union Countries at the End of 2016 Overall and by Key Population: Have We Made Progress?. Clinical Infectious Diseases, 2020, 71, 2905-2916.	5.8	16
14	OkonÄanje HIV-epidemije u Hrvatskoj. Infektoloski Glasnik, 2020, 39, 48-49.	0.2	0
15	HIV care in times of the COVID-19 crisis — Where are we now in Central and Eastern Europe?. International Journal of Infectious Diseases, 2020, 96, 311-314.	3.3	76
16	Treatment outcomes of integrase inhibitors, boosted protease inhibitors and nonnucleoside reverse transcriptase inhibitors in antiretroviralâ€naÃ⁻ve persons starting treatment. HIV Medicine, 2020, 21, 599-606.	2.2	9
17	Improving the evidence for indicator condition guided HIV testing in Europe: Results from the HIDES II Study – 2012 – 2015. PLoS ONE, 2019, 14, e0220108.	2.5	31
18	Overdose mortality rates in Croatia and factors associated with self-reported drug overdose among persons who inject drugs in three Croatian cities. International Journal of Drug Policy, 2019, 64, 95-102.	3.3	7

#	Article	IF	CITATIONS
19	People who inject drugs remain hard-to-reach population across all HIV continuum stages in Central, Eastern and South Eastern Europe – data from Euro-guidelines in Central and Eastern Europe Network. Infectious Diseases, 2019, 51, 277-286.	2.8	20
20	Establishing a hepatitis C continuum of care among <scp>HIV</scp> /hepatitis C virus oinfected individuals in Euro <scp>SIDA</scp> . HIV Medicine, 2019, 20, 264-273.	2.2	9
21	A rare case of Fitz-Hugh–Curtis syndrome caused by Chlamydia trachomatis in an HIV-positive male patient. SAGE Open Medical Case Reports, 2019, 7, 2050313X1882359.	0.3	4
22	Analysis of HIV-1 diversity, primary drug resistance and transmission networks in Croatia. Scientific Reports, 2019, 9, 17307.	3.3	14
23	Uptake and effectiveness of two-drug compared with three-drug antiretroviral regimens among HIV-positive individuals in Europe. Aids, 2019, 33, 2013-2024.	2.2	13
24	Measuring empowerment among people living with HIV: a systematic review of available measures and their properties. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 798-802.	1.2	5
25	Cardiovascular markers of inflammation and serum lipid levels in HIV-infected patients with undetectable viremia. Scientific Reports, 2018, 8, 6113.	3.3	11
26	Longâ€ŧerm effectiveness of recommended boosted protease inhibitorâ€based antiretroviral therapy in Europe. HIV Medicine, 2018, 19, 324-338.	2.2	4
27	Abacavir usage patterns and hypersensitivity reactions in the EuroSIDA cohort. HIV Medicine, 2018, 19, 252-260.	2.2	2
28	HIV care in Central and Eastern Europe: How close are we to the target?. International Journal of Infectious Diseases, 2018, 70, 121-130.	3.3	37
29	Incidence of cancer and overall risk of mortality in individuals treated with raltegravirâ€based and nonâ€raltegravirâ€based combination antiretroviral therapy regimens. HIV Medicine, 2018, 19, 102-117.	2.2	6
30	The extent of Bâ€cell activation and dysfunction preceding lymphoma development in <scp>HIV</scp> â€positive people. HIV Medicine, 2018, 19, 90-101.	2.2	14
31	Successful treatment of genotype 3 hepatitis C infection in a noncirrhotic HIV infected patient on chronic dialysis with the combination of sofosbuvir and velpatasvir. Medicine (United States), 2018, 97, e13671.	1.0	1
32	Variation in antiretroviral treatment coverage and virological suppression among three HIV key populations. Aids, 2018, 32, 2807-2819.	2.2	13
33	<scp>HIV</scp> health care providers are ready to introduce preâ€exposure prophylaxis in Central and Eastern Europe and neighbouring countries: data from the Euroguidelines in Central and Eastern Europe (<scp>ECEE</scp>) Network Group. HIV Medicine, 2018, 19, 629-633.	2.2	8
34	<i>Chlamydia trachomatis</i> in Cervical Lymph Node of Man with Lymphogranuloma Venereum, Croatia, 20141. Emerging Infectious Diseases, 2018, 24, 806-808.	4.3	6
35	Correlates of anti-hepatitis C positivity and use of harm reduction services among people who inject drugs in two cities in Croatia. Drug and Alcohol Dependence, 2017, 171, 132-139.	3.2	5
36	Euroguidelines in Central and Eastern Europe (<scp>ECEE</scp>) conference and the Warsaw Declaration – a comprehensive meeting report. HIV Medicine, 2017, 18, 370-375.	2.2	19

#	Article	IF	CITATIONS
37	Lymphogranuloma Venereum: a Croatian Case Report of a Patient with Proctitis and Concurrent Cervical Lymphadenitis. Open Forum Infectious Diseases, 2017, 4, S106-S106.	0.9	0
38	The growing HIV epidemic in Central Europe: a neglected issue?. Journal of Virus Eradication, 2016, 2, 156-161.	0.5	26
39	VERTEBRAL OSTEOMYELITIS IN ADULT PATIENTS – CHARACTERISTICS AND OUTCOME. Acta Clinica Croatica, 2016, 55, 9-14.	0.2	6
40	Successful Treatment of Disseminated Bacillus Calmette-Guérin Disease in an HIV-Infected Child with a Linezolid-Containing Regimen. Case Reports in Infectious Diseases, 2016, 2016, 1-6.	0.5	1
41	Successful Treatment of Disseminated Bacillus Calmette-Guérin Disease in an Human Immunodeficiency Virus (HIV)-Infected Child Using a Linezolid-Containing Regimen. Open Forum Infectious Diseases, 2016, 3, .	0.9	1
42	HIV and hepatitis C prevalence, and related risk behaviours among people who inject drugs in three cities in Croatia: Findings from respondent-driven sampling surveys. International Journal of Drug Policy, 2016, 32, 57-63.	3.3	15
43	Infectionâ€related and â€unrelated malignancies, <scp>HIV</scp> and the aging population. HIV Medicine, 2016, 17, 590-600.	2.2	37
44	The comparison of Th1, Th2, Th9, Th17 and Th22 cytokine profiles in acute and chronic HIV-1 infection. Microbial Pathogenesis, 2016, 97, 125-130.	2.9	35
45	Transmission of HIV Drug Resistance and the Predicted Effect on Current First-line Regimens in Europe. Clinical Infectious Diseases, 2016, 62, 655-663.	5.8	135
46	Croatian Recommendations for Dialysis of HIV-Positive Patients. BANTAO Journal, 2016, 14, 1-7.	0.1	0
47	The growing HIV epidemic in Central Europe: a neglected issue?. Journal of Virus Eradication, 2016, 2, 156-61.	0.5	9
48	Carotid Intima–Media Thickness and Plaque in HIV-Infected Patients on the Mediterranean Diet. , 2015, , 61-71.		0
49	Efficacy of tenofovir and efavirenz in combination with lamivudine or emtricitabine in antiretroviral-naive patients in Europe. Journal of Antimicrobial Chemotherapy, 2015, 70, 1850-7.	3.0	12
50	Development and Validation of a Risk Score for Chronic Kidney Disease in HIV Infection Using Prospective Cohort Data from the D:A:D Study. PLoS Medicine, 2015, 12, e1001809.	8.4	119
51	Comparison of four international cardiovascular disease prediction models and the prevalence of eligibility for lipid lowering therapy in HIV infected patients on antiretroviral therapy. Croatian Medical Journal, 2015, 56, 14-23.	0.7	20
52	Primary resistance to integrase strand-transfer inhibitors in Europe: Table 1 Journal of Antimicrobial Chemotherapy, 2015, 70, 2885-2888.	3.0	61
53	Effect of Extra Virgin Olive Oil on Biomarkers of Inflammation in HIV-Infected Patients: A Randomized, Crossover, Controlled Clinical Trial. Medical Science Monitor, 2015, 21, 2406-2413.	1.1	12
54	Auditing HIV Testing Rates across Europe: Results from the HIDES 2 Study. PLoS ONE, 2015, 10, e0140845.	2.5	43

#	Article	IF	CITATIONS
55	Cardiovascular markers of inflammation and serum lipid levels in HIV-infected patients with undetectable viraemia. Journal of the International AIDS Society, 2014, 17, 19548.	3.0	7
56	Prevalence and concordance of high cardiovascular disease scores in HIV/AIDS patients from Croatia and Serbia with four international algorithms. Journal of the International AIDS Society, 2014, 17, 19549.	3.0	2
57	2014 European Guideline on HIV testing. International Journal of STD and AIDS, 2014, 25, 695-704.	1.1	70
58	Prevalence of Pneumocystis jirovecii pneumonia (2010–2013): The first Croatian report. Acta Microbiologica Et Immunologica Hungarica, 2014, 61, 181-188.	0.8	1
59	Deteriorating renal function and clinical outcomes in HIV-positive persons. Aids, 2014, 28, 727-737.	2.2	25
60	The emerging and re-emerging human immunodeficiency virus epidemics in Europe. Clinical Microbiology and Infection, 2013, 19, 917-929.	6.0	16
61	Assessment, Diagnosis, and Treatment of HIV-Associated Neurocognitive Disorder: A Consensus Report of the Mind Exchange Program. Clinical Infectious Diseases, 2013, 56, 1004-1017.	5.8	178
62	Clinical and laboratory findings in patients with oliguric and non-oliguric Hantavirus haemorrhagic fever with renal syndrome: an analysis of 128 patients. Clinical Microbiology and Infection, 2013, 19, 674-679.	6.0	19
63	The Prevalence of Transmitted Drug Resistance in Newly Diagnosed HIV-Infected Individuals in Croatia: The Role of Transmission Clusters of Men Who Have Sex with Men Carrying the T215S Surveillance Drug Resistance Mutation. AIDS Research and Human Retroviruses, 2013, 29, 329-336.	1.1	29
64	Ultrasound measurements of carotid intima-media thickness and plaque in HIV-infected patients on the Mediterranean diet. Croatian Medical Journal, 2013, 54, 330-338.	0.7	15
65	Tuberculosis-Associated Immune Reconstruction Inflammatory Syndrome (TB-IRIS) in HIV-Infected Patients: Report of Two Cases and the Literature Overview. Case Reports in Infectious Diseases, 2013, 2013, 1-7.	0.5	6
66	Toxicity-related antiretroviral drug treatment modifications in individuals starting therapy: A cohort analysis of time patterns, sex, and other risk factors. Medical Science Monitor, 2013, 19, 483-492.	1.1	9
67	Feasibility and Effectiveness of Indicator Condition-Guided Testing for HIV: Results from HIDES I (HIV) Tj ETQq1	1 0.78431 2.5	4 rgBT /Over
68	Cryptococcus neoformans meningoencephalitis in a patient with idiopathic CD4+ T lymphocytopenia. Collegium Antropologicum, 2013, 37, 619-23.	0.2	3
69	Prevalence of HIV and sexually transmitted infections and patterns of recent HIV testing among men who have sex with men in Zagreb, Croatia. Sexually Transmitted Infections, 2012, 88, 539-544.	1.9	25
70	Hepatitis C virus viremia increases the incidence of chronic kidney disease in HIV-infected patients. Aids, 2012, 26, 1917-1926.	2.2	62
71	A Standardized Algorithm for Determining the Underlying Cause of Death in HIV Infection as AIDS or non-AIDS Related: Results from the EuroSIDA Study. HIV Clinical Trials, 2011, 12, 109-117.	2.0	29
72	Urine-based testing for Chlamydia trachomatis among young adults in a population-based survey in Croatia: Feasibility and prevalence, BMC Public Health, 2011, 11, 230	2.9	22

#	Article	IF	CITATIONS
73	In vitro antifungal susceptibilities and molecular typing of sequentially isolated clinical Cryptococcus neoformans strains from Croatia. Journal of Medical Microbiology, 2011, 60, 1487-1495.	1.8	24
74	Electrocardiographic changes in hospitalized patients with leptospirosis over a 10-year period. Medical Science Monitor, 2011, 17, CR369-CR375.	1.1	10
75	Predicted coronary heart disease risk in croatian HIV infected patients treated with combination antiretroviral therapy. Collegium Antropologicum, 2011, 35, 115-21.	0.2	15
76	Frequency of HIV-1 Viral Load Monitoring of Patients Initially Successfully Treated with Combination Antiretroviral Therapy. PLoS ONE, 2010, 5, e15051.	2.5	10
77	Estimated glomerular filtration rate, chronic kidney disease and antiretroviral drug use in HIV-positive patients. Aids, 2010, 24, 1667-1678.	2.2	353
78	The emerging HIV epidemic among men who have sex with men in southeastern Europe. Expert Review of Anti-Infective Therapy, 2010, 8, 1351-1358.	4.4	15
79	Increased frequency of viral loads above 100000 HIV-1 RNA copies/ml measured by Roche Cobas TaqMan assay in comparison with Cobas Amplicor assay. Journal of Clinical Virology, 2010, 48, 75-76.	3.1	3
80	Assessment of Ultrasound for Use in Detecting Lipoatrophy in HIV-Infected Patients Taking Combination Antiretroviral Therapy. AIDS Patient Care and STDs, 2009, 23, 79-84.	2.5	9
81	Phylogenetic Analysis of HIV Sequences Obtained in a Respondent-Driven Sampling Study of Men Who Have Sex with Men. AIDS Research and Human Retroviruses, 2009, 25, 1335-1338.	1.1	10
82	Comparison of Clinical Symptoms Scored According to the National Institutes of Health Chronic Prostatitis Symptoms Index and Assessment of Antimicrobial Treatment in Patients with Chronic Prostatitis Syndrome. Journal of Chemotherapy, 2009, 21, 181-187.	1.5	3
83	Meningitis and Radiculomyelitis Caused by <i>Angiostrongylus cantonensis</i> . Emerging Infectious Diseases, 2009, 15, 996-998.	4.3	22
84	Variable Impact on Mortality of AIDSâ€Defining Events Diagnosed during Combination Antiretroviral Therapy: Not All AIDSâ€Defining Conditions Are Created Equal. Clinical Infectious Diseases, 2009, 48, 1138-1151.	5.8	108
85	High prevalence of nonâ€B HIVâ€1 subtypes in seamen and their sexual partners in Croatia. Journal of Medical Virology, 2009, 81, 573-577.	5.0	12
86	Prevalence of Sexually Transmitted Infections Among Men Who Have Sex with Men in Zagreb, Croatia. AIDS and Behavior, 2009, 13, 303-309.	2.7	28
87	Adherence to the Mediterranean diet is associated with a lower risk of body-shape changes in Croatian patients treated with combination antiretroviral therapy. European Journal of Epidemiology, 2009, 24, 267-274.	5.7	11
88	The Significance of Chlamydia trachomatisin Urethritis and Prostatitis – Differences in Therapeutic Approach – Croatian Experience. Journal of Chemotherapy, 2009, 21, 63-67.	1.5	8
89	Acute promyelocytic leukemia after whole brain irradiation of primary brain lymphomainan HIV-infected patient. European Journal of Medical Research, 2009, 14, 42-3.	2.2	4
90	Dyslipidemia and adherence to the Mediterranean diet in Croatian HIV-infected patients during the first year of highly active antiretroviral therapy. Collegium Antropologicum, 2009, 33, 423-30.	0.2	10

#	Article	IF	CITATIONS
91	Research of urinary tract infections in family medicine physicians' officesempiric antimicrobial therapy of urinary tract infectionsCroatian experience. Collegium Antropologicum, 2009, 33, 625-31.	0.2	7
92	HIV-related Sexual Risk Taking Among HIV-negative Men Who Have Sex with Men in Zagreb, Croatia. AIDS and Behavior, 2008, 12, 505-512.	2.7	17
93	Late Presentation to Care for HIV Infection in Croatia and the Effect of Interventions During the Croatian Global Fund Project. AIDS and Behavior, 2008, 12, 48-53.	2.7	18
94	Unsafe Sexual Behavior Among HIV-Infected Patients in Croatia, 2006: Prevalence and Associated Factors. AIDS and Behavior, 2008, 12, 86-92.	2.7	201
95	Loss to followâ€up in an international, multicentre observational study. HIV Medicine, 2008, 9, 261-269.	2.2	91
96	Pilot Research on Urinary Tract Infections in Family Medicine Physician Offices in the Republic of Croatia. Journal of Chemotherapy, 2008, 20, 397-398.	1.5	0
97	Seroprevalence of herpes simplex virus type 2 in adult HIV-infected patients and blood donors in Croatia. Collegium Antropologicum, 2008, 32, 693-5.	0.2	6
98	Comment to "Aseptic meningitis after vaccination with L-Zagreb mumps strain—virologically confirmed cases― Vaccine, 2007, 25, 5124-5125.	3.8	0
99	Azithromycin: 1.0 or 3.0 Gram Dose in the Treatment of Patients with Asymptomatic Urogenital Chlamydial Infections. Journal of Chemotherapy, 2006, 18, 115-116.	1.5	1
100	Changes in T-cell subpopulations during four years of suppression of HIV-1 replication in patients with advanced disease. FEMS Immunology and Medical Microbiology, 2006, 46, 351-359.	2.7	9
101	Candida albicans endocarditis treatment with caspofungin in an HIV-infected patient—case report and review of literature. Journal of Infection, 2006, 53, e11-e14.	3.3	29
102	Comparative Randomized Pilot Study of Azithromycin and Doxycycline Efficacy and Tolerability in the Treatment of Prostate Infection Caused by <i>Ureaplasma urealyticum</i> . Chemotherapy, 2006, 52, 9-11.	1.6	21
103	Marked improvement in survival among adult Croatian AIDS patients after the introduction of highly active antiretroviral treatment. Collegium Antropologicum, 2006, 30, 175-9.	0.2	1
104	Twenty years of human immunodeficiency virus infection in Croatiaan epidemic that is still in an early stage. Collegium Antropologicum, 2006, 30 Suppl 2, 17-23.	0.2	16
105	Tuberculosis in HIV-infected patients in Croatia between 1986 and 2005. Collegium Antropologicum, 2006, 30 Suppl 2, 53-8.	0.2	2
106	Attitudes towards HIV/AIDS among four year medical students at the University of Zagreb Medical Schoolbetter in 2002 than in 1993 but still unfavorable. Collegium Antropologicum, 2006, 30 Suppl 2, 89-97.	0.2	8
107	Condylomata Lata of Secondary Syphilis. New England Journal of Medicine, 2005, 352, 708-708.	27.0	6
108	Attitudes towards integration of HIV infected children into schools in Croatia: not so favorable and not so simple. Croatian Medical Journal, 2005, 46, 697-8; author reply 698-9.	0.7	1

#	Article	IF	CITATIONS
109	HIV-1 and HCV Infections among Antibody-Negative Blood Donors. New England Journal of Medicine, 2004, 351, 2232-2235.	27.0	17
110	Pharmacokinetics of indinavir/ritonavir (800/100 mg twice a day) combined with efavirenz in HIV-infected patients. Aids, 2004, 18, 565-567.	2.2	2
111	Guidelines for the diagnosis and management of neurological complications of HIV infection. European Journal of Neurology, 2004, 11, 297-304.	3.3	97
112	Comparative randomized pilot study of azithromycin and doxycycline efficacy in the treatment of prostate infection caused by Chlamydia trachomatis. International Journal of Antimicrobial Agents, 2004, 24, 188-191.	2.5	29
113	Azithromycin: 4.5- or 6.0- Gram Dose in the Treatment of Patients with Chronic Prostatitis Caused byChlamydia trachomatis- A Randomized Study. Journal of Chemotherapy, 2004, 16, 408-410.	1.5	11
114	Post-Exposure Prophylaxis of HIV Infection in Healthcare Workers: Recommendations for the European Setting. European Journal of Epidemiology, 2003, 19, 577-584.	5.7	22
115	Comparative analysis of azithromycin and ciprofloxacin in the treatment of chronic prostatitis caused by Chlamydia trachomatis. International Journal of Antimicrobial Agents, 2003, 21, 457-462.	2.5	35
116	Osteosclerosis and periostal new bone formation during indinavir therapy. Aids, 2002, 16, 803-804.	2.2	7
117	AIDS-Related Body Cavity–Based Lymphoma. Acta Cytologica, 2001, 45, 420-424.	1.3	9
118	Hepatitis B and HIV/AIDS in Zagreb: a district level analysis. European Journal of Epidemiology, 2000, 16, 927-936.	5.7	0
119	Survival of AIDS patients in Croatia prior to the introduction of combined antiretroviral therapy with protease inhibitors. European Journal of Epidemiology, 2000, 16, 741-744.	5.7	0
120	Evaluation of phenotypic characteristics for differentiation of enterococcal species using an example based algorithm. Diagnostic Microbiology and Infectious Disease, 2000, 38, 201-205.	1.8	17
121	Urinary tract infections in HIV disease. International Journal of Antimicrobial Agents, 1999, 11, 309-311.	2.5	37
122	Identification of Enterococcal Strains Using an Inductive Learning Algorithm. Advances in Experimental Medicine and Biology, 1997, 418, 417-418.	1.6	0
123	Comparison of Clinical Characteristics of Group A Streptococcal Bacteremia in Children and Adults. Clinical Infectious Diseases, 1996, 23, 97-100.	5.8	71
124	CULTURE OF BORDETELLA PERTUSSIS FROM THREE UPPER RESPIRATORY TRACT SPECIMENS. Pediatric Infectious Disease Journal, 1995, 14, 64-65.	2.0	14
125	Asymptomatic pharyngeal carriage of beta-haemolytic streptococci and streptococcal pharyngitis among patients at an urban hospital in Croatia. European Journal of Epidemiology, 1993, 9, 405-410.	5.7	41
126	Health Status of 1458 Croatian Prisoners of War, 1991-1992. JAMA - Journal of the American Medical Association, 1993, 270, 574.	7.4	5

#	Article	IF	CITATIONS
127	Cytomegalovirus mononucleosis in children compared with the infection in adults and with Epstein-Barr virus mononucleosis. Journal of Infection, 1988, 17, 121-125.	3.3	6
128	Mononucleosis-like syndrome associated with a multisystem Coxsackie virus type B3 infection in adolescence. European Journal of Pediatrics, 1988, 147, 426-427.	2.7	4