Tetsuya Ando

List of Publications by Year
in descending order

21	937	933447 10	713466 21
papers	citations	h-index	g-index

22	22	22	2130
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Shared genetic risk between eating disorderâ€•and substanceâ€•useâ€•related phenotypes: Evidence from genomeâ€•wide association studies. Addiction Biology, 2021, 26, e12880.	2.6	28
2	Eating Disorder Neuroimaging Initiative (EDNI): a multicentre prospective cohort study protocol for elucidating the neural effects of cognitiveâ€“behavioural therapy for eating disorders. BMJ Open, 2021, 11, e042685.	1.9	5
3	Hybrid Cognitive Behavioral Therapy With Interoceptive Exposure for Irritable Bowel Syndrome: A Feasibility Study. Frontiers in Psychiatry, 2021, 12, 673939.	2.6	3
4	Urocortin 1: A putative excitatory neurotransmitter in the enteric nervous system. Neurogastroenterology and Motility, 2020, 32, e13842.	3.0	2
5	Effectiveness of enhanced cognitive behavior therapy for bulimia nervosa in Japan: a randomized controlled trial protocol. BioPsychoSocial Medicine, 2020, 14, 2.	2.1	4
6	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. Nature Genetics, 2019, 51, 1207-1214.	21.4	641
7	Cognitive behavioral therapy with interoceptive exposure and complementary video materials for irritable bowel syndrome (IBS): protocol for a multicenter randomized controlled trial in Japan. BioPsychoSocial Medicine, 2019, 13, 14.	2.1	7
8	Negatively Skewed Locomotor Activity Is Related to Autistic Traits and Behavioral Problems in Typically Developing Children and Those With Autism Spectrum Disorders. Frontiers in Human Neuroscience, 2018, 12, 518.	2.0	4
9	Neural correlates of body comparison and weight estimation in weight-recovered anorexia nervosa: a functional magnetic resonance imaging study. BioPsychoSocial Medicine, 2018, 12, 15.	2.1	13
10	Acoustic Hyper-Reactivity and Negatively Skewed Locomotor Activity in Children With Autism Spectrum Disorders: An Exploratory Study. Frontiers in Psychiatry, 2018, 9, 355.	2.6	11
11	Purging behaviors relate to impaired subjective sleep quality in female patients with anorexia nervosa: a prospective observational study. BioPsychoSocial Medicine, 2017, 11, 22.	2.1	14
12	Development of an ecological momentary assessment scale for appetite. BioPsychoSocial Medicine, 2015, 9, 2.	2.1	14
13	Influence of psychological factors on acute exacerbation of tension-type headache: Investigation by ecological momentary assessment. Journal of Psychosomatic Research, 2015, 79, 239-242.	2.6	13
14	Association of the c.385C>A (p.Pro129Thr) polymorphism of the fatty acid amide hydrolase gene with anorexia nervosa in the Japanese population. Molecular Genetics & Genomic Medicine, 2014, 2, 313-318.	1.2	14
15	Ghrelin Gene Variants and Eating Disorders. Vitamins and Hormones, 2013, 92, 107-123.	1.7	5
16	No association of brainâ€derived neurotrophic factor Val66Met polymorphism with anorexia nervosa in Japanese. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 48-52.	1.7	10
17	A ghrelin gene variant may predict crossover rate from restricting-type anorexia nervosa to other phenotypes of eating disorders: a retrospective survival analysis. Psychiatric Genetics, 2010, 20, 153-159.	1.1	19
18	Variations in the preproghrelin gene correlate with higher body mass index, fat mass, and body dissatisfaction in young Japanese women. American Journal of Clinical Nutrition, 2007, 86, 25-32.	4.7	50

#	Article	IF	Citations
19	Development and validation of the psychosomatic scale for atopic dermatitis in adults. Journal of Dermatology, 2006, 33, 439-450.	1.2	14
20	Possible role of preproghrelin gene polymorphisms in susceptibility to bulimia nervosa. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 929-934.	1.7	57
21	Uncoupling protein-2/uncoupling protein-3 gene polymorphism is not associated with anorexia nervosa. Psychiatric Genetics, 2004, 14, 215-218.	1.1	9