

Meike Vogler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8450014/publications.pdf>

Version: 2024-02-01

38
papers

1,933
citations

331670

21
h-index

315739

38
g-index

39
all docs

39
docs citations

39
times ranked

2957
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Unleashing the power of NK cells in anticancer immunotherapy. <i>Journal of Molecular Medicine</i> , 2022, 100, 337-349. | 3.9 | 12 |
| 2 | Pediatric multicellular tumor spheroid models illustrate a therapeutic potential by combining BH3 mimetics with Natural Killer (NK) cell-based immunotherapy. <i>Cell Death Discovery</i> , 2022, 8, 11. | 4.7 | 7 |
| 3 | It's time to die: BH3 mimetics in solid tumors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 118987. | 4.1 | 40 |
| 4 | Next-generation hypomethylating agent SGI-110 primes acute myeloid leukemia cells to IAP antagonist by activating extrinsic and intrinsic apoptosis pathways. <i>Cell Death and Differentiation</i> , 2020, 27, 1878-1895. | 11.2 | 8 |
| 5 | DLBCL Cells with Acquired Resistance to Venetoclax Are Not Sensitized to BIRD-2 But Can Be Resensitized to Venetoclax through Bcl-XL Inhibition. <i>Biomolecules</i> , 2020, 10, 1081. | 4.0 | 9 |
| 6 | BDA-366, a putative Bcl-2 BH4 domain antagonist, induces apoptosis independently of Bcl-2 in a variety of cancer cell models. <i>Cell Death and Disease</i> , 2020, 11, 769. | 6.3 | 15 |
| 7 | MCL-1 inhibitors, fast-lane development of a new class of anti-cancer agents. <i>Journal of Hematology and Oncology</i> , 2020, 13, 173. | 17.0 | 91 |
| 8 | A direct comparison of selective BH3-mimetics reveals BCL-XL, BCL-2 and MCL-1 as promising therapeutic targets in neuroblastoma. <i>British Journal of Cancer</i> , 2020, 122, 1544-1551. | 6.4 | 19 |
| 9 | Targeting BCL-2 proteins in pediatric cancer: Dual inhibition of BCL-XL and MCL-1 leads to rapid induction of intrinsic apoptosis. <i>Cancer Letters</i> , 2020, 482, 19-32. | 7.2 | 41 |
| 10 | Specific interactions of BCL-2 family proteins mediate sensitivity to BH3-mimetics in diffuse large B-cell lymphoma. <i>Haematologica</i> , 2020, 105, 2150-2163. | 3.5 | 30 |
| 11 | Proteasome inhibitors and Smac mimetics cooperate to induce cell death in diffuse large B-cell lymphoma by stabilizing NOXA and triggering mitochondrial apoptosis. <i>International Journal of Cancer</i> , 2020, 147, 1485-1498. | 5.1 | 6 |
| 12 | Side-by-side comparison of BH3-mimetics identifies MCL-1 as a key therapeutic target in AML. <i>Cell Death and Disease</i> , 2019, 10, 917. | 6.3 | 27 |
| 13 | Targeting intermediary metabolism enhances the efficacy of BH3 mimetic therapy in hematologic malignancies. <i>Haematologica</i> , 2019, 104, 1016-1025. | 3.5 | 14 |
| 14 | Identification of Smac mimetics as novel substrates for p-glycoprotein. <i>Cancer Letters</i> , 2019, 440-441, 126-134. | 7.2 | 8 |
| 15 | Selective BH3-mimetics targeting BCL-2, BCL-X _L or MCL-1 induce severe mitochondrial perturbations. <i>Biological Chemistry</i> , 2019, 400, 181-185. | 2.5 | 8 |
| 16 | NRAS-Mutated Rhabdomyosarcoma Cells Are Vulnerable to Mitochondrial Apoptosis Induced by Coinhibition of MEK and PI3K. <i>Cancer Research</i> , 2018, 78, 2000-2013. | 0.9 | 15 |
| 17 | Co-targeting of BET proteins and HDACs as a novel approach to trigger apoptosis in rhabdomyosarcoma cells. <i>Cancer Letters</i> , 2018, 428, 160-172. | 7.2 | 38 |
| 18 | BCL-xL-selective BH3 mimetic sensitizes rhabdomyosarcoma cells to chemotherapeutics by activation of the mitochondrial pathway of apoptosis. <i>Cancer Letters</i> , 2018, 412, 131-142. | 7.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | BCL-2 selective inhibitor ABT-199 primes rhabdomyosarcoma cells to histone deacetylase inhibitor-induced apoptosis. <i>Oncogene</i> , 2018, 37, 5325-5339. | 5.9 | 29 |
| 20 | Responses to the Selective Brutonâ€™s Tyrosine Kinase (BTK) Inhibitor Tirabrutinib (ONO/GS-4059) in Diffuse Large B-cell Lymphoma Cell Lines. <i>Cancers</i> , 2018, 10, 127. | 3.7 | 26 |
| 21 | S55746 is a novel orally active BCL-2 selective and potent inhibitor that impairs hematological tumor growth. <i>Oncotarget</i> , 2018, 9, 20075-20088. | 1.8 | 82 |
| 22 | Targeting antiâ€œapoptotic <sc>BCL</sc>2 family proteins in haematological malignancies â€œ from pathogenesis to treatment. <i>British Journal of Haematology</i> , 2017, 178, 364-379. | 2.5 | 74 |
| 23 | Targeting BCL2-Proteins for the Treatment of Solid Tumours. <i>Advances in Medicine</i> , 2014, 2014, 1-14. | 0.8 | 80 |
| 24 | <sc>ABT</sc>â€199 selectively inhibits <sc>BCL</sc>2 but not <sc>BCL</sc>2<sc>L</sc>1 and efficiently induces apoptosis of chronic lymphocytic leukaemic cells but not platelets. <i>British Journal of Haematology</i> , 2013, 163, 139-142. | 2.5 | 93 |
| 25 | Precision medicines for Bâ€œcell leukaemias and lymphomas; progress and potential pitfalls. <i>British Journal of Haematology</i> , 2013, 160, 725-733. | 2.5 | 11 |
| 26 | Response: BH3 mimetics modulate calcium homeostasis in platelets. <i>Blood</i> , 2012, 119, 1321-1322. | 1.4 | 12 |
| 27 | The B-cell lymphoma 2 (BCL2)-inhibitors, ABT-737 and ABT-263, are substrates for P-glycoprotein. <i>Biochemical and Biophysical Research Communications</i> , 2011, 408, 344-349. | 2.1 | 16 |
| 28 | BCL2/BCL-XL inhibition induces apoptosis, disrupts cellular calcium homeostasis, and prevents platelet activation. <i>Blood</i> , 2011, 117, 7145-7154. | 1.4 | 161 |
| 29 | Diminished Sensitivity of Chronic Lymphocytic Leukemia Cells to ABT-737 and ABT-263 Due to Albumin Binding in Blood. <i>Clinical Cancer Research</i> , 2010, 16, 4217-4225. | 7.0 | 45 |
| 30 | Role of NOXA and its ubiquitination in proteasome inhibitor-induced apoptosis in chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2010, 95, 1510-1518. | 3.5 | 73 |
| 31 | Small Molecule XIAP Inhibitors Enhance TRAIL-Induced Apoptosis and Antitumor Activity in Preclinical Models of Pancreatic Carcinoma. <i>Cancer Research</i> , 2009, 69, 2425-2434. | 0.9 | 140 |
| 32 | Response: Microenvironment-dependent resistance to ABT-737 in chronic lymphocytic leukemia. <i>Blood</i> , 2009, 114, 2561-2562. | 1.4 | 9 |
| 33 | Small molecule XIAP inhibitors cooperate with TRAIL to induce apoptosis in childhood acute leukemia cells and overcome Bcl-2â€mediated resistance. <i>Blood</i> , 2009, 113, 1710-1722. | 1.4 | 127 |
| 34 | Concurrent up-regulation of BCL-XL and BCL2A1 induces approximately 1000-fold resistance to ABT-737 in chronic lymphocytic leukemia. <i>Blood</i> , 2009, 113, 4403-4413. | 1.4 | 294 |
| 35 | Targeting XIAP Bypasses Bcl-2â€Mediated Resistance to TRAIL and Cooperates with TRAIL to Suppress Pancreatic Cancer Growth <i>In vitro</i> and <i>In vivo</i>. <i>Cancer Research</i> , 2008, 68, 7956-7965. | 0.9 | 143 |
| 36 | Small Molecule XIAP Inhibitors Cooperate with TRAIL to Trigger Apoptosis in Childhood Acute Leukemia Cells and Overcome Bcl-2-Mediated Resistance. <i>Blood</i> , 2008, 112, 857-857. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Inhibition of clonogenic tumor growth: a novel function of Smac contributing to its antitumor activity. <i>Oncogene</i> , 2005, 24, 7190-7202. | 5.9 | 40 |
| 38 | Sensitization for γ -Irradiation-Induced Apoptosis by Second Mitochondria-Derived Activator of Caspase. <i>Cancer Research</i> , 2005, 65, 10502-10513. | 0.9 | 64 |