## **Anne Thorup**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8451238/publications.pdf

Version: 2024-02-01

20 papers

2,028 citations

15 h-index 19 g-index

20 all docs

20 docs citations

20 times ranked

2140 citing authors

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 1  | A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. BMJ: British Medical Journal, 2005, 331, 602.  | 2.3         | 480       |
| 2  | Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard<br>Treatment for Patients With a First Episode of Psychotic Illness. Archives of General Psychiatry, 2008,<br>65, 762.  | 12.3        | 399       |
| 3  | Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. Schizophrenia Research, 2013, 150, 163-168.   | 2.0         | 144       |
| 4  | Predictors of recovery from psychosis. Schizophrenia Research, 2011, 125, 257-266.  | 2.0         | 143       |
| 5  | Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. Schizophrenia Research, 2015, 168, 84-91.   | 2.0         | 141       |
| 6  | Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. Schizophrenia Bulletin, 2015, 41, 617-626.  | 4.3         | 127       |
| 7  | Gender differences in first-episode psychosis at 5-year follow-up – two different courses of disease? Results from the OPUS study at 5-year follow-up. European Psychiatry, 2014, 29, 44-51.  | 0.2         | 102       |
| 8  | Predictors of Remission and Recovery in a First-Episode Schizophrenia Spectrum Disorder Sample: 2-Year Follow-up of the OPUS Trial. Canadian Journal of Psychiatry, 2008, 53, 660-670.  | 1.9         | 87        |
| 9  | Course of illness in a sample of 265 patients with first-episode psychosis—Five-year follow-up of the Danish OPUS trial. Schizophrenia Research, 2009, 107, 173-178.  | 2.0         | 85        |
| 10 | Antipsychotic medication and remission of psychotic symptoms 10 years after a first-episode psychosis. Schizophrenia Research, 2017, 182, 42-48.  | 2.0         | 80        |
| 11 | Research Review: Do motor deficits during development represent an endophenotype for schizophrenia? A metaâ€analysis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 446-456.   | <b>5.</b> 2 | 60        |
| 12 | Incidence of child and adolescent mental disorders in children aged 0-17 with familial high risk for severe mental illness - A Danish register study. Schizophrenia Research, 2018, 197, 298-304.   | 2.0         | 52        |
| 13 | The incidence of schizophrenia and schizophrenia spectrum disorders in Denmark in the period 2000–2012. A register-based study. Schizophrenia Research, 2016, 176, 533-539.   | 2.0         | 46        |
| 14 | Children of Parents With Serious Mental Illness: With Whom Do They Grow Up? A Prospective, Population-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 953-961.   | 0.5         | 45        |
| 15 | Risk of psychiatric disorders in offspring of parents with a history of homelessness during childhood and adolescence in Denmark: a nationwide, register-based, cohort study. Lancet Public Health, The, 2017, 2, e541-e550.  | 10.0        | 20        |
| 16 | Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study – VIA 7; A population-based cohort study. Schizophrenia Research, 2021, 228, 510-518.   | 2.0         | 9         |
| 17 | Exploring protective and risk factors in the home environment in high-risk families – results from the Danish High Risk and Resilience Study—VIA 7. BMC Psychiatry, 2022, 22, 100.  | 2.6         | 4         |
| 18 | Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. Journal of Affective Disorders, 2021, 281, 609-617. | 4.1         | 3         |

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 19 | F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. Schizophrenia Bulletin, 2018, 44, S252-S252.  | 4.3 | 1         |
| 20 | M56. ASSORTATIVE MATING IN SCHIZOPHRENIA AND BIPOLAR DISORDER: A NATIONWIDE COHORT STUDY EXPLORING THE CHARACTERISTICS OF INDIVIDUALS WHO HAVE CHILDREN BY PARTNERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2020, 46, S155-S156. | 4.3 | 0         |