

# Anne Thorup

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8451238/publications.pdf>

Version: 2024-02-01

20  
papers

2,028  
citations

567281

15  
h-index

794594

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

2140  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring protective and risk factors in the home environment in high-risk families – results from the Danish High Risk and Resilience Study – VIA 7. BMC Psychiatry, 2022, 22, 100.	2.6	4
2	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study – VIA 7; A population-based cohort study. Schizophrenia Research, 2021, 228, 510-518.	2.0	9
3	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. Journal of Affective Disorders, 2021, 281, 609-617.	4.1	3
4	M56. ASSORTATIVE MATING IN SCHIZOPHRENIA AND BIPOLAR DISORDER: A NATIONWIDE COHORT STUDY EXPLORING THE CHARACTERISTICS OF INDIVIDUALS WHO HAVE CHILDREN BY PARTNERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2020, 46, S155-S156.	4.3	0
5	Incidence of child and adolescent mental disorders in children aged 0-17 with familial high risk for severe mental illness - A Danish register study. Schizophrenia Research, 2018, 197, 298-304.	2.0	52
6	F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. Schizophrenia Bulletin, 2018, 44, S252-S252.	4.3	1
7	Antipsychotic medication and remission of psychotic symptoms 10 years after a first-episode psychosis. Schizophrenia Research, 2017, 182, 42-48.	2.0	80
8	Risk of psychiatric disorders in offspring of parents with a history of homelessness during childhood and adolescence in Denmark: a nationwide, register-based, cohort study. Lancet Public Health, The, 2017, 2, e541-e550.	10.0	20
9	Research Review: Do motor deficits during development represent an endophenotype for schizophrenia? A meta-analysis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 446-456.	5.2	60
10	Children of Parents With Serious Mental Illness: With Whom Do They Grow Up? A Prospective, Population-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 953-961.	0.5	45
11	The incidence of schizophrenia and schizophrenia spectrum disorders in Denmark in the period 2000–2012. A register-based study. Schizophrenia Research, 2016, 176, 533-539.	2.0	46
12	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. Schizophrenia Research, 2015, 168, 84-91.	2.0	141
13	Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. Schizophrenia Bulletin, 2015, 41, 617-626.	4.3	127
14	Gender differences in first-episode psychosis at 5-year follow-up – two different courses of disease? Results from the OPUS study at 5-year follow-up. European Psychiatry, 2014, 29, 44-51.	0.2	102
15	Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. Schizophrenia Research, 2013, 150, 163-168.	2.0	144
16	Predictors of recovery from psychosis. Schizophrenia Research, 2011, 125, 257-266.	2.0	143
17	Course of illness in a sample of 265 patients with first-episode psychosis – Five-year follow-up of the Danish OPUS trial. Schizophrenia Research, 2009, 107, 173-178.	2.0	85
18	Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard Treatment for Patients With a First Episode of Psychotic Illness. Archives of General Psychiatry, 2008, 65, 762.	12.3	399

#	ARTICLE	IF	CITATIONS
19	Predictors of Remission and Recovery in a First-Episode Schizophrenia Spectrum Disorder Sample: 2-Year Follow-up of the OPUS Trial. Canadian Journal of Psychiatry, 2008, 53, 660-670.	1.9	87
20	A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. BMJ: British Medical Journal, 2005, 331, 602.	2.3	480