

Frank Lw W Takken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8452285/publications.pdf>

Version: 2024-02-01

82
papers

7,923
citations

47006

47
h-index

58581

82
g-index

85
all docs

85
docs citations

85
times ranked

6537
citing authors

#	ARTICLE	IF	CITATIONS
1	The Intracellularly Acting Effector Foa3 Suppresses Defense Responses When Infiltrated Into the Apoplast. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	5
2	Protection to Tomato Wilt Disease Conferred by the Nonpathogen <i>Fusarium oxysporum</i> Fo47 is More Effective Than that Conferred by Avirulent Strains. <i>Phytopathology</i> , 2021, 111, 253-257.	2.2	10
3	The Arabidopsis leucine-rich repeat receptor-like kinase MIK2 is a crucial component of early immune responses to a fungal-derived elicitor. <i>New Phytologist</i> , 2021, 229, 3453-3466.	7.3	38
4	Pattern-triggered immunity restricts host colonization by endophytic fusaria, but does not affect endophyte-mediated resistance. <i>Molecular Plant Pathology</i> , 2021, 22, 204-215.	4.2	14
5	Perturbation of nuclear-cytosolic shuttling of Rx1 compromises extreme resistance and translational arrest of potato virus X transcripts. <i>Plant Journal</i> , 2021, 106, 468-479.	5.7	9
6	Number of Candidate Effector Genes in Accessory Genomes Differentiates Pathogenic From Endophytic <i>Fusarium oxysporum</i> Strains. <i>Frontiers in Plant Science</i> , 2021, 12, 761740.	3.6	17
7	A DNA-Binding Bromodomain-Containing Protein Interacts with and Reduces Rx1-Mediated Immune Response to Potato Virus X. <i>Plant Communications</i> , 2020, 1, 100086.	7.7	10
8	From laboratory to field: applying the Fo47 biocontrol strain in potato fields. <i>European Journal of Plant Pathology</i> , 2020, 158, 645-654.	1.7	3
9	Editorial: Evolution and Functional Mechanisms of Plant Disease Resistance. <i>Frontiers in Genetics</i> , 2020, 11, 593240.	2.3	8
10	Unlike Many Disease Resistances, Rx1-Mediated Immunity to Potato Virus X Is Not Compromised at Elevated Temperatures. <i>Frontiers in Genetics</i> , 2020, 11, 417.	2.3	8
11	Biocontrol by <i>Fusarium oxysporum</i> Using Endophyte-Mediated Resistance. <i>Frontiers in Plant Science</i> , 2020, 11, 37.	3.6	125
12	Diminished Pathogen and Enhanced Endophyte Colonization upon Colnoculation of Endophytic and Pathogenic <i>Fusarium</i> Strains. <i>Microorganisms</i> , 2020, 8, 544.	3.6	15
13	The root-invading pathogen <i>Fusarium oxysporum</i> targets pattern-triggered immunity using both cytoplasmic and apoplastic effectors. <i>New Phytologist</i> , 2020, 227, 1479-1492.	7.3	35
14	Endophyte-Mediated Resistance in Tomato to <i>Fusarium oxysporum</i> Is Independent of ET, JA, and SA. <i>Frontiers in Plant Science</i> , 2019, 10, 979.	3.6	70
15	Transcript accumulation in a trifold interaction gives insight into mechanisms of biocontrol. <i>New Phytologist</i> , 2019, 224, 547-549.	7.3	2
16	Activation of immune receptor Rx1 triggers distinct immune responses culminating in cell death after 4 hours. <i>Molecular Plant Pathology</i> , 2019, 20, 575-588.	4.2	13
17	<i>Fusarium oxysporum</i> colonizes the stem of resistant tomato plants, the extent varying with the R-gene present. <i>European Journal of Plant Pathology</i> , 2019, 154, 55-65.	1.7	41
18	The <i>Fusarium oxysporum</i> Avr2-Six5 Effector Pair Alters Plasmodesmatal Exclusion Selectivity to Facilitate Cell-to-Cell Movement of Avr2. <i>Molecular Plant</i> , 2018, 11, 691-705.	8.3	94

#	ARTICLE	IF	CITATIONS
19	The intracellular immune receptor Rx1 regulates the DNA-binding activity of a Golden2-like transcription factor. <i>Journal of Biological Chemistry</i> , 2018, 293, 3218-3233.	3.4	44
20	Genome-wide functional analyses of plant coiled-coil NLR-type pathogen receptors reveal essential roles of their N-terminal domain in oligomerization, networking, and immunity. <i>PLoS Biology</i> , 2018, 16, e2005821.	5.6	52
21	Xylem Sap Proteomics Reveals Distinct Differences Between R Gene- and Endophyte-Mediated Resistance Against <i>Fusarium Wilt</i> Disease in Tomato. <i>Frontiers in Microbiology</i> , 2018, 9, 2977.	3.5	63
22	Visualization and Quantification of Cell-to-cell Movement of Proteins in <i>Nicotiana benthamiana</i> . <i>Bio-protocol</i> , 2018, 8, e3114.	0.4	2
23	Plant Autoimmunity: When Good Things Go Bad. <i>Current Biology</i> , 2017, 27, R361-R363.	3.9	3
24	Involvement of salicylic acid, ethylene and jasmonic acid signalling pathways in the susceptibility of tomato to <i>Fusarium oxysporum</i> . <i>Molecular Plant Pathology</i> , 2017, 18, 1024-1035.	4.2	73
25	Structure-function analysis of the <i>Fusarium oxysporum</i> Avr2 effector allows uncoupling of its immune-suppressing activity from recognition. <i>New Phytologist</i> , 2017, 216, 897-914.	7.3	72
26	The powdery mildew-resistant <i>Arabidopsis mlo2 mlo6 mlo12</i> triple mutant displays altered infection phenotypes with diverse types of phytopathogens. <i>Scientific Reports</i> , 2017, 7, 9319.	3.3	40
27	How Phytohormones Shape Interactions between Plants and the Soil-Borne Fungus <i>Fusarium oxysporum</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 170.	3.6	94
28	Uptake of the <i>Fusarium</i> Effector Avr2 by Tomato Is Not a Cell Autonomous Event. <i>Frontiers in Plant Science</i> , 2016, 7, 1915.	3.6	32
29	The Conformation of a Plasma Membrane-Localized Somatic Embryogenesis Receptor Kinase Complex Is Altered by a Potato Aphid-Derived Effector. <i>Plant Physiology</i> , 2016, 171, 2211-2222.	4.8	16
30	The Tomato Nucleotide-binding Leucine-rich Repeat Immune Receptor I-2 Couples DNA-binding to Nucleotide-binding Domain Nucleotide Exchange. <i>Journal of Biological Chemistry</i> , 2016, 291, 1137-1147.	3.4	17
31	The <i>AVR2</i> gene pair is required to activate <i>lipo2</i> -mediated immunity in tomato. <i>New Phytologist</i> , 2015, 208, 507-518.	7.3	113
32	The effector repertoire of <i>Fusarium oxysporum</i> determines the tomato xylem proteome composition following infection. <i>Frontiers in Plant Science</i> , 2015, 6, 967.	3.6	95
33	The Potato Nucleotide-binding Leucine-rich Repeat (NLR) Immune Receptor Rx1 Is a Pathogen-dependent DNA-deforming Protein. <i>Journal of Biological Chemistry</i> , 2015, 290, 24945-24960.	3.4	36
34	Susceptibility Genes 101: How to Be a Good Host. <i>Annual Review of Phytopathology</i> , 2014, 52, 551-581.	7.8	458
35	The <i>Fusarium oxysporum</i> Effector Six6 Contributes to Virulence and Suppresses I-2-Mediated Cell Death. <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 336-348.	2.6	139
36	MITEs in the promoters of effector genes allow prediction of novel virulence genes in <i>Fusarium oxysporum</i> . <i>BMC Genomics</i> , 2013, 14, 119.	2.8	233

#	ARTICLE	IF	CITATIONS
37	The potential of effector-target genes in breeding for plant innate immunity. <i>Microbial Biotechnology</i> , 2013, 6, 223-229.	4.2	49
38	A nuclear localization for Avr2 from <i>Fusarium oxysporum</i> is required to activate the tomato resistance protein I-2. <i>Frontiers in Plant Science</i> , 2013, 4, 94.	3.6	61
39	Interaction of <i>Medicago truncatula</i> Lysin Motif Receptor-Like Kinases, NFP and LYK3, Produced in <i>Nicotiana benthamiana</i> Induces Defence-Like Responses. <i>PLoS ONE</i> , 2013, 8, e65055.	2.5	86
40	Structure-Function Analysis of Barley NLR Immune Receptor MLA10 Reveals Its Cell Compartment Specific Activity in Cell Death and Disease Resistance. <i>PLoS Pathogens</i> , 2012, 8, e1002752.	4.7	219
41	Protein-protein interactions as a proxy to monitor conformational changes and activation states of the tomato resistance protein I-2. <i>Journal of Experimental Botany</i> , 2012, 63, 3047-3060.	4.8	9
42	Dual Regulatory Roles of the Extended N Terminus for Activation of the Tomato Mi-1.2 Resistance Protein. <i>Molecular Plant-Microbe Interactions</i> , 2012, 25, 1045-1057.	2.6	41
43	How to build a pathogen detector: structural basis of NB-LRR function. <i>Current Opinion in Plant Biology</i> , 2012, 15, 375-384.	7.1	261
44	The Use of Agroinfiltration for Transient Expression of Plant Resistance and Fungal Effector Proteins in <i>Nicotiana benthamiana</i> Leaves. <i>Methods in Molecular Biology</i> , 2012, 835, 61-74.	0.9	121
45	Coiled-Coil Domain-Dependent Homodimerization of Intracellular Barley Immune Receptors Defines a Minimal Functional Module for Triggering Cell Death. <i>Cell Host and Microbe</i> , 2011, 9, 187-199.	11.0	269
46	The receptor-like kinase <i>SISERK1</i> is required for <i>Mi-1</i> mediated resistance to potato aphids in tomato. <i>Plant Journal</i> , 2011, 67, 459-471.	5.7	82
47	The tomato xylem sap protein XSP10 is required for full susceptibility to <i>Fusarium wilt</i> disease. <i>Journal of Experimental Botany</i> , 2011, 62, 963-973.	4.8	52
48	The arms race between tomato and <i>Fusarium oxysporum</i> . <i>Molecular Plant Pathology</i> , 2010, 11, 309-314.	4.2	246
49	Methyl salicylate production in tomato affects biotic interactions. <i>Plant Journal</i> , 2010, 62, 124-134.	5.7	77
50	The small heat shock protein 20 RS12 interacts with and is required for stability and function of tomato resistance protein I-2. <i>Plant Journal</i> , 2010, 63, 563-572.	5.7	52
51	SUMO-, MAPK-, and resistance protein-signaling converge at transcription complexes that regulate plant innate immunity. <i>Plant Signaling and Behavior</i> , 2010, 5, 1597-1601.	2.4	41
52	<i>Arabidopsis</i> Small Ubiquitin-Like Modifier Paralogs Have Distinct Functions in Development and Defense. <i>Plant Cell</i> , 2010, 22, 1998-2016.	6.6	140
53	STANDing strong, resistance proteins instigators of plant defence. <i>Current Opinion in Plant Biology</i> , 2009, 12, 427-436.	7.1	177
54	An Outlook on the Localisation and Structure-Function Relationships of R Proteins in <i>Solanum</i> . <i>Potato Research</i> , 2009, 52, 229-235.	2.7	3

#	ARTICLE	IF	CITATIONS
55	The effector protein Avr2 of the xylem-colonizing fungus <i>Fusarium oxysporum</i> activates the tomato resistance protein intracellularly. <i>Plant Journal</i> , 2009, 58, 970-978.	5.7	267
56	Does chromatin remodeling mark systemic acquired resistance?. <i>Trends in Plant Science</i> , 2009, 14, 286-294.	8.8	96
57	To Nibble at Plant Resistance Proteins. <i>Science</i> , 2009, 324, 744-746.	12.6	149
58	Resistance proteins: scouts of the plant innate immune system. <i>European Journal of Plant Pathology</i> , 2008, 121, 243-255.	1.7	61
59	Transcomplementation, but not Physical Association of the CC-NB-ARC and LRR Domains of Tomato R Protein Mi-1.2 is Altered by Mutations in the ARC2 Subdomain. <i>Molecular Plant</i> , 2008, 1, 401-410.	8.3	67
60	The F-Box Protein ACRE189/ACIF1 Regulates Cell Death and Defense Responses Activated during Pathogen Recognition in Tobacco and Tomato. <i>Plant Cell</i> , 2008, 20, 697-719.	6.6	154
61	Structure-function analysis of the NB-ARC domain of plant disease resistance proteins. <i>Journal of Experimental Botany</i> , 2008, 59, 1383-1397.	4.8	358
62	Structure and Function of Resistance Proteins in Solanaceous Plants. <i>Annual Review of Phytopathology</i> , 2007, 45, 43-72.	7.8	209
63	An NB-LRR protein required for HR signalling mediated by both extra- and intracellular resistance proteins. <i>Plant Journal</i> , 2007, 50, 14-28.	5.7	175
64	Resistance proteins: scouts of the plant innate immune system. , 2007, , 243-255.		1
65	Update on the domain architectures of NLRs and R proteins. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 459-462.	2.1	62
66	Resistance proteins: molecular switches of plant defence. <i>Current Opinion in Plant Biology</i> , 2006, 9, 383-390.	7.1	360
67	Mutations in the NB-ARC Domain of I-2 That Impair ATP Hydrolysis Cause Autoactivation. <i>Plant Physiology</i> , 2006, 140, 1233-1245.	4.8	276
68	cDNA-AFLP Combined with Functional Analysis Reveals Novel Genes Involved in the Hypersensitive Response. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 567-576.	2.6	107
69	Heat shock protein 90 and its co-chaperone protein phosphatase 5 interact with distinct regions of the tomato I-2 disease resistance protein. <i>Plant Journal</i> , 2005, 43, 284-298.	5.7	130
70	A one-step method to convert vectors into binary vectors suited for <i>Agrobacterium</i> -mediated transformation. <i>Current Genetics</i> , 2004, 45, 242-248.	1.7	76
71	The Tomato R Gene Products I-2 and Mi-1 Are Functional ATP Binding Proteins with ATPase Activity. <i>Plant Cell</i> , 2002, 14, 2929-2939.	6.6	369
72	Attenuation of Cf-Mediated Defense Responses at Elevated Temperatures Correlates With a Decrease in Elicitor-Binding Sites. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 1040-1049.	2.6	75

#	ARTICLE	IF	CITATIONS
73	Cladosporium fulvum overcomes Cf-2-mediated resistance by producing truncated AVR2 elicitor proteins. <i>Molecular Microbiology</i> , 2002, 45, 875-884.	2.5	153
74	The molecular basis of co-evolution between <i>Cladosporium fulvum</i> and tomato. <i>Antonie Van Leeuwenhoek</i> , 2002, 81, 409-412.	1.7	22
75	Specific recognition of AVR4 and AVR9 results in distinct patterns of hypersensitive cell death in tomato, but similar patterns of defence-related gene expression. <i>Molecular Plant Pathology</i> , 2001, 2, 77-86.	4.2	32
76	A functional cloning strategy, based on a binary PVX-expression vector, to isolate HR-inducing cDNAs of plant pathogens. <i>Plant Journal</i> , 2000, 24, 275-283.	5.7	130
77	Plant Resistance Genes: Their Structure, Function and Evolution. <i>European Journal of Plant Pathology</i> , 2000, 106, 699-713.	1.7	102
78	A longevity assurance gene homolog of tomato mediates resistance to <i>Alternaria alternata</i> f. sp. <i>lycopersici</i> toxins and fumonisin B1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 4961-4966.	7.1	201
79	Genetic and physical analysis of a YAC contig spanning the fungal disease resistance locus Asc of tomato (<i>Lycopersicon esculentum</i>). <i>Molecular Genetics and Genomics</i> , 1999, 261, 50-57.	2.4	28
80	A second gene at the tomato Cf-4 locus confers resistance to <i>Cladosporium fulvum</i> through recognition of a novel avirulence determinant. <i>Plant Journal</i> , 1999, 20, 279-288.	5.7	33
81	A second gene at the tomato Cf-4 locus confers resistance to <i>Cladosporium fulvum</i> through recognition of a novel avirulence determinant. <i>Plant Journal</i> , 1999, 20, 279-288.	5.7	73
82	Identification and Ds-tagged isolation of a new gene at the Cf-4 locus of tomato involved in disease resistance to <i>Cladosporium fulvum</i> race 5. <i>Plant Journal</i> , 1998, 14, 401-411.	5.7	69