

# Furio Pacini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8452310/publications.pdf>

Version: 2024-02-01

106  
papers

30,264  
citations

61945

43  
h-index

39638

94  
g-index

115  
all docs

115  
docs citations

115  
times ranked

15484  
citing authors

#	ARTICLE	IF	CITATIONS
1	2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Task Force on Thyroid Nodules and Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016, 26, 1-133.	2.4	10,674
2	Revised American Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Differentiated Thyroid Cancer. <i>Thyroid</i> , 2009, 19, 1167-1214.	2.4	6,039
3	European consensus for the management of patients with differentiated thyroid carcinoma of the follicular epithelium. <i>European Journal of Endocrinology</i> , 2006, 154, 787-803.	1.9	1,804
4	CONSENSUS: Guidelines for Diagnosis and Therapy of MEN Type 1 and Type 2. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5658-5671.	1.8	1,782
5	Revised American Thyroid Association Guidelines for the Management of Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 567-610.	2.4	1,738
6	Sorafenib in radioactive iodine-refractory, locally advanced or metastatic differentiated thyroid cancer: a randomised, double-blind, phase 3 trial. <i>Lancet</i> , The, 2014, 384, 319-328.	6.3	1,295
7	CONSENSUS: Guidelines for Diagnosis and Therapy of MEN Type 1 and Type 2. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5658-5671.	1.8	574
8	Impact of Routine Measurement of Serum Calcitonin on the Diagnosis and Outcome of Medullary Thyroid Cancer: Experience in 10,864 Patients with Nodular Thyroid Disorders. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 163-168.	1.8	464
9	A Comparison of Recombinant Human Thyrotropin and Thyroid Hormone Withdrawal for the Detection of Thyroid Remnant or Cancer <sup>1</sup> . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3877-3885.	1.8	447
10	Follow-up of low-risk patients with differentiated thyroid carcinoma: a European perspective. <i>European Journal of Endocrinology</i> , 2004, 150, 105-112.	1.9	295
11	Impact of Proto-Oncogene Mutation Detection in Cytological Specimens from Thyroid Nodules Improves the Diagnostic Accuracy of Cytology. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1365-1369.	1.8	295
12	Definition and management of radioactive iodine-refractory differentiated thyroid cancer. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 356-358.	5.5	283
13	Delayed risk stratification, to include the response to initial treatment (surgery and radioiodine) Tj ETQq1 1 0.784314 rgBT /Overlock 10 of Endocrinology, 2011, 165, 441-446.	1.9	243
14	Iodine biokinetics and dosimetry in radioiodine therapy of thyroid cancer: procedures and results of a prospective international controlled study of ablation after rhTSH or hormone withdrawal. <i>Journal of Nuclear Medicine</i> , 2006, 47, 648-54.	2.8	209
15	Are the Clinical and Pathological Features of Differentiated Thyroid Carcinoma Really Changed over the Last 35 Years? Study on 4187 Patients from a Single Italian Institution to Answer this Question. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1516-1527.	1.8	203
16	Papillary thyroid microcarcinoma: time to shift from surgery to active surveillance?. <i>Lancet Diabetes and Endocrinology</i> , the, 2016, 4, 933-942.	5.5	200
17	<sup>131</sup> I Therapy for Elevated Thyroglobulin Levels. <i>Thyroid</i> , 1997, 7, 273-276.	2.4	196
18	Post-surgical use of radioiodine ( <sup>131</sup> I) in patients with papillary and follicular thyroid cancer and the issue of remnant ablation: a consensus report. <i>European Journal of Endocrinology</i> , 2005, 153, 651-659.	1.9	174

#	ARTICLE	IF	CITATIONS
19	Ablation of Thyroid Residues with 30 mCi <sup>131</sup> I: A Comparison in Thyroid Cancer Patients Prepared with Recombinant Human TSH or Thyroid Hormone Withdrawal. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 4063-4068.	1.8	170
20	Prediction of Disease Status by Recombinant Human TSH-Stimulated Serum Tg in the Postsurgical Follow-Up of Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5686-5690.	1.8	167
21	A Comparison of 1850 (50 mCi) and 3700 MBq (100 mCi) <sup>131</sup> Iodine Administered Doses for Recombinant Thyrotropin-Stimulated Postoperative Thyroid Remnant Ablation in Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3542-3546.	1.8	167
22	Outcome of 309 patients with metastatic differentiated thyroid carcinoma treated with radioiodine. <i>World Journal of Surgery</i> , 1994, 18, 600-604.	0.8	164
23	A phase 2 trial of lenvatinib (E7080) in advanced, progressive, radioiodine-refractory, differentiated thyroid cancer: A clinical outcomes and biomarker assessment. <i>Cancer</i> , 2015, 121, 2749-2756.	2.0	159
24	rhTSH-aided radioiodine ablation and treatment of differentiated thyroid carcinoma: a comprehensive review. <i>Endocrine-Related Cancer</i> , 2005, 12, 49-64.	1.6	154
25	Thyroid autoantibodies in thyroid cancer: Incidence and relationship with tumour outcome. <i>European Journal of Endocrinology</i> , 1988, 119, 373-380.	1.9	140
26	DIO2 Thr92Ala Reduces Deiodinase-2 Activity and Serum-T3 Levels in Thyroid-Deficient Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1623-1630.	1.8	109
27	Management of advanced medullary thyroid cancer. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 64-71.	5.5	100
28	Clinical Features and Therapeutic Implication of Papillary Thyroid Microcarcinoma. <i>Thyroid</i> , 2007, 17, 1085-1092.	2.4	98
29	<sup>131</sup> I Therapy for Differentiated Thyroid Cancer Leads to an Earlier Onset of Menopause: Results of a Retrospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3512-3515.	1.8	97
30	Cytotoxic Effects of Carboplatinum and Epirubicin in the Setting of an Elevated Serum Thyrotropin for Advanced Poorly Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 4160-4165.	1.8	90
31	Follicular cell-derived thyroid cancer. <i>Nature Reviews Disease Primers</i> , 2015, 1, 15077.	18.1	88
32	Short Telomeres, Telomerase Reverse Transcriptase Gene Amplification, and Increased Telomerase Activity in the Blood of Familial Papillary Thyroid Cancer Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3950-3957.	1.8	80
33	Post-surgical thyroid ablation with low or high radioiodine activities results in similar outcomes in intermediate risk differentiated thyroid cancer patients. <i>European Journal of Endocrinology</i> , 2013, 169, 23-29.	1.9	80
34	Follow-up of differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, S492-S496.	3.3	66
35	Lack of Association between Urinary Iodine Excretion and Successful Thyroid Ablation in Thyroid Cancer Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 230-237.	1.8	65
36	Unsuspected Parathyroid Cysts Diagnosed by Measurement of Thyroglobulin and Parathyroid Hormone Concentrations in Fluid Aspirates. <i>Annals of Internal Medicine</i> , 1985, 102, 793.	2.0	63

#	ARTICLE	IF	CITATIONS
37	2022 ETA Consensus Statement: What are the indications for post-surgical radioiodine therapy in differentiated thyroid cancer?. <i>European Thyroid Journal</i> , 2022, 11, .	1.2	62
38	Approach to and Treatment of Differentiated Thyroid Carcinoma. <i>Medical Clinics of North America</i> , 2012, 96, 369-383.	1.1	61
39	Patients With Differentiated Thyroid Cancer Who Underwent Radioiodine Thyroid Remnant Ablation With Low-Activity <sup>131</sup> I After Either Recombinant Human TSH or Thyroid Hormone Therapy Withdrawal Showed the Same Outcome After a 10-Year Follow-up. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2693-2700.	1.8	61
40	Prediction of Disease Status by Recombinant Human TSH-Stimulated Serum Tg in the Postsurgical Follow-Up of Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5686-5690.	1.8	60
41	Circulating miRNA95 and miRNA190 Are Sensitive Markers for the Differential Diagnosis of Thyroid Nodules in a Caucasian Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4190-4198.	1.8	53
42	Sorafenib in locally advanced or metastatic patients with radioactive iodine-refractory differentiated thyroid cancer: The phase III DECISION trial.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4-4.	0.8	48
43	Diagnostic and therapeutic use of recombinant human TSH (rhTSH) in differentiated thyroid cancer. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2008, 22, 1009-1021.	2.2	45
44	Radioactive iodine-refractory differentiated thyroid cancer: unmet needs and future directions. <i>Expert Review of Endocrinology and Metabolism</i> , 2012, 7, 541-554.	1.2	42
45	Blockade of the programmed death ligand 1 (PD-L1) as potential therapy for anaplastic thyroid cancer. <i>Endocrine</i> , 2019, 64, 122-129.	1.1	39
46	Management of thyroid nodules: a clinicopathological, evidence-based approach. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1443-1449.	3.3	38
47	Multifocality in Sporadic Medullary Thyroid Carcinoma: An International Multicenter Study. <i>Thyroid</i> , 2016, 26, 1563-1572.	2.4	36
48	Bariatric Surgery Reduces Serum Anti-mullerian Hormone Levels in Obese Women With and Without Polycystic Ovarian Syndrome.. <i>Obesity Surgery</i> , 2017, 27, 1750-1754.	1.1	34
49	Prevalence of hypophysitis in a cohort of patients with metastatic melanoma and prostate cancer treated with ipilimumab. <i>Endocrine</i> , 2017, 58, 535-541.	1.1	33
50	Thyroid microcarcinoma. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2012, 26, 381-389.	2.2	32
51	Telomere Abnormalities and Chromosome Fragility in Patients Affected by Familial Papillary Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1327-E1331.	1.8	31
52	Presurgical Serum Thyroglobulin Has No Prognostic Value in Papillary Thyroid Cancer. <i>Thyroid</i> , 2005, 15, 1041-1045.	2.4	29
53	Telomere Length in Neoplastic and Nonneoplastic Tissues of Patients with Familial and Sporadic Papillary Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1852-E1856.	1.8	28
54	IFN $\gamma$ -Inducible Chemokines Decrease upon Selenomethionine Supplementation in Women with Euthyroid Autoimmune Thyroiditis: Comparison between Two Doses of Selenomethionine (80 or 160 $\mu$ g) versus Placebo. <i>European Thyroid Journal</i> , 2015, 4, 226-233.	1.2	28

#	ARTICLE	IF	CITATIONS
55	Suppression of Fas Expression and Down-Regulation of Fas Ligand in Highly Aggressive Human Thyroid Carcinoma. <i>Laboratory Investigation</i> , 2000, 80, 1413-1419.	1.7	26
56	Lack of germline A339V mutation in thyroid transcription factor-1 (TTF-1/NKX2.1) gene in familial papillary thyroid cancer. <i>Thyroid Research</i> , 2010, 3, 4.	0.7	25
57	Obesity Does Not Modify the Risk of Differentiated Thyroid Cancer in a Cytological Series of Thyroid Nodules. <i>European Thyroid Journal</i> , 2016, 5, 125-131.	1.2	25
58	How the availability of recombinant human TSH has changed the management of patients who have thyroid cancer. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007, 3, 641-650.	2.9	24
59	Weight Loss Associated with Bariatric Surgery Does Not Restore Short Telomere Length of Severe Obese Patients After 1 Year. <i>Obesity Surgery</i> , 2014, 24, 2089-2093.	1.1	24
60	Management of Subclinical Hypothyroidism in Pregnancy: A Comment from the Italian Society of Endocrinology and the Italian Thyroid Association to the 2017 American Thyroid Association Guidelines "The Italian Way". <i>Thyroid</i> , 2018, 28, 551-555.	2.4	24
61	Thyroid microcarcinoma. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2012, 26, 421-429.	2.2	23
62	Long-term strategies for thyroid health monitoring after nuclear accidents: recommendations from an Expert Group convened by IARC. <i>Lancet Oncology</i> , 2018, 19, 1280-1283.	5.1	23
63	Sorafenib in locally advanced or metastatic patients with radioactive iodine-refractory differentiated thyroid cancer: The phase III DECISION trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 4-4.	0.8	23
64	Expanding Indications for Recombinant Human TSH in Thyroid Cancer. <i>Thyroid</i> , 2008, 18, 687-694.	2.4	22
65	Management of Papillary Thyroid Microcarcinoma: Primum Non Nocere!. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1391-1393.	1.8	21
66	Prospective Validation of ATA and ETA Sonographic Pattern Risk of Thyroid Nodules Selected for FNAC. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2362-2368.	1.8	19
67	Molecular Signature of Indeterminate Thyroid Lesions: Current Methods to Improve Fine Needle Aspiration Cytology (FNAC) Diagnosis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 775.	1.8	18
68	Telomeres and Thyroid Cancer. <i>Current Genomics</i> , 2009, 10, 526-533.	0.7	16
69	Diagnostic Value of Circulating microRNA-95 and -190 in the Differential Diagnosis of Thyroid Nodules: A Validation Study in 1000 Consecutive Patients. <i>Thyroid</i> , 2017, 27, 1053-1057.	2.4	16
70	The Low Utility of Pretherapy Scans in Thyroid Cancer Patients. <i>Thyroid</i> , 2009, 19, 815-816.	2.4	15
71	Recombinant Human Thyroid-Stimulating Hormone: Use in Papillary and Follicular Thyroid Cancer. <i>Hormone Research in Paediatrics</i> , 2007, 67, 132-142.	0.8	14
72	Which patient with thyroid cancer deserves systemic therapy and when?. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2017, 31, 291-294.	2.2	14

#	ARTICLE	IF	CITATIONS
73	Updated overall survival analysis of patients with locally advanced or metastatic radioactive iodine-refractory differentiated thyroid cancer (RAI-rDTC) treated with sorafenib on the phase 3 DECISION trial.. Journal of Clinical Oncology, 2014, 32, 6060-6060.	0.8	14
74	Targeted therapy in refractory thyroid cancer: current achievements and limitations. Future Oncology, 2011, 7, 657-668.	1.1	13
75	Telomerase and the endocrine system. Nature Reviews Endocrinology, 2011, 7, 420-430.	4.3	12
76	Changing natural history of differentiated thyroid cancer. Endocrine, 2012, 42, 229-230.	1.1	12
77	Post-surgical ablation of thyroid residues with radioiodine in Ukrainian children and adolescents affected by post-Chernobyl differentiated thyroid cancer. Journal of Endocrinological Investigation, 2001, 24, 445-447.	1.8	11
78	Long-term Effects of Radioiodine in Toxic Multinodular Goiter: Thyroid Volume, Function, and Autoimmunity. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e2464-e2470.	1.8	11
79	Break-apart interphase fluorescence in situ hybridization assay in papillary thyroid carcinoma: on the road to optimizing the cut-off level for RET/PTC rearrangements. European Journal of Endocrinology, 2015, 172, 571-582.	1.9	8
80	Long-Term Clinical Outcome in Familial and Sporadic Papillary Thyroid Carcinoma. European Thyroid Journal, 2020, 9, 213-220.	1.2	8
81	Prognostic indicators for papillary thyroid carcinoma. Expert Review of Endocrinology and Metabolism, 2017, 12, 101-108.	1.2	7
82	Genetic Heterogeneity of HER2 Amplification and Telomere Shortening in Papillary Thyroid Carcinoma. International Journal of Molecular Sciences, 2016, 17, 1759.	1.8	6
83	Vemurafenib may overcome TNF-related apoptosis-inducing ligand (TRAIL) resistance in anaplastic thyroid cancer cells. Endocrine, 2020, 67, 117-123.	1.1	6
84	Preface. Best Practice and Research in Clinical Endocrinology and Metabolism, 2008, 22, vii.	2.2	3
85	Comment on: Recombinant human TSH in differentiated thyroid cancer: a nuclear medicine perspective. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 329-330.	3.3	3
86	How Far Should We Go in the Search and Treatment of Recurrent or Persistent Lymph Node Metastases during Follow-Up of Thyroid Cancer Patients?. European Thyroid Journal, 2013, 2, 145-146.	1.2	3
87	Papillary thyroid microcarcinoma and active surveillance – Authors' reply. Lancet Diabetes and Endocrinology, the, 2016, 4, 976-977.	5.5	3
88	Radioactive Iodine Activities for Postsurgical Thyroid Ablation: The Lower the Better. European Thyroid Journal, 2012, 1, 213-215.	1.2	2
89	Optimizing molecular testing in thyroid nodule cytology. Nature Reviews Endocrinology, 2012, 8, 390-391.	4.3	2
90	Prospective Study Confirms that Radioiodine Remnant Ablation Is Not Necessary in Low-Risk Differentiated Thyroid Cancer. European Thyroid Journal, 2016, 5, 7-8.	1.2	2

#	ARTICLE	IF	CITATIONS
91	Does Microscopic Extrathyroidal Extension Confer a Higher Risk of Recurrence in Patients With Well-Differentiated Thyroid Cancer?. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e3016-e3017.	1.8	2
92	Thyroid Neoplasia. , 2016, , 1601-1628.e10.		1
93	Preferred strategy for postsurgical thyroid ablation in low-risk thyroid cancer. Lancet Diabetes and Endocrinology,the, 2018, 6, 590-591.	5.5	1
94	Response Letter to the Editor from Edmundo Avila-Hipolito: "Long-Term Effects of Radioiodine in Toxic Multinodular Goiter: Thyroid Volume, Function, and Autoimmunity". Journal of Clinical Endocrinology and Metabolism, 2020, 105, .	1.8	1
95	Diagnosis of medullary thyroid cancer. F1000 Medicine Reports, 2009, 1, .	2.9	1
96	Thyroid Neoplasia. , 2010, , 1668-1701.		1
97	L'uso del TSH umano ricombinante (rhTSH) nel follow-up del carcinoma tiroideo differenziato. L Endocrinologo, 2003, 4, 198-203.	0.0	0
98	Microcarcinoma papillare della tiroide: il pi frequente dei tumori endocrini. L Endocrinologo, 2007, 8, 94-101.	0.0	0
99	Consenso europeo para el tratamiento de los pacientes con carcinoma tiroideo diferenciado del epitelio folicular. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2007, 54, 390.e1-390.e16.	0.8	0
100	Follow-up del paziente con carcinoma differenziato della tiroide secondo le linee di consenso internazionali. L Endocrinologo, 2010, 11, 2-6.	0.0	0
101	Innovazioni nel dosaggio della tireoglobulina circolante nei pazienti con carcinoma differenziato della tiroide. L Endocrinologo, 2010, 11, 248-253.	0.0	0
102	Management of differentiated thyroid cancer of the follicular epithelium. Annals of Medicine, 2012, 44, 651-655.	1.5	0
103	Post-surgical thyroid ablation in intermediate risk-differentiated thyroid cancer patients. European Journal of Endocrinology, 2013, 169, L2.	1.9	0
104	Endpoints for screening thyroid cancer in the Republic of Korea: thyroid specialists' perspectives. Journal of Endocrinological Investigation, 2017, 40, 689-690.	1.8	0
105	Authors' Response: Should Serum Calcitonin Be Routinely Measured in Patients with Thyroid Nodules? Will the Law Answer before Endocrinologists Do?. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 4770-4770.	1.8	0
106	Postsurgical radioiodine ablation in low-risk differentiated thyroid cancer. Lancet Diabetes and Endocrinology,the, 2022, , .	5.5	0