

Rosario Tumino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8457620/publications.pdf>

Version: 2024-02-01

722
papers

53,336
citations

1046

113
h-index

3830

178
g-index

734
all docs

734
docs citations

734
times ranked

59262
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , 2003, 361, 1496-1501.	13.7	988
2	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018, 391, 1513-1523.	13.7	858
3	Socioeconomic status and the 25 25 risk factors as determinants of premature mortality: a multicohort study and meta-analysis of 1 7 million men and women. <i>Lancet, The</i> , 2017, 389, 1229-1237.	13.7	825
4	Epigenome-wide association study of body mass index, and the adverse outcomes of adiposity. <i>Nature</i> , 2017, 541, 81-86.	27.8	743
5	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 906-916.	6.3	716
6	Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , 2018, 559, 400-404.	27.8	617
7	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. <i>BMJ: British Medical Journal</i> , 2005, 330, 991.	2.3	614
8	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008, 40, 1404-1406.	21.4	514
9	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 920-931.	6.3	485
10	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 111, 762-771.	5.1	484
11	Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. <i>Nature Genetics</i> , 2017, 49, 1126-1132.	21.4	472
12	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	11.4	431
13	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005, 97, 755-765.	6.3	391
14	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. <i>JAMA Oncology</i> , 2017, 3, 636.	7.1	376
15	Genome-wide association studies identify four ER negative specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	21.4	374
16	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations: a nested case-control study. <i>BMJ: British Medical Journal</i> , 2010, 340, b5500-b5500.	2.3	342
17	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013, 62, 1764-1770.	12.1	330
18	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013, 11, 63.	5.5	329

#	ARTICLE	IF	CITATIONS
19	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016, 55, 1359-1375.	3.9	313
20	Association Between Low-Density Lipoprotein Cholesterol and Lowering Genetic Variants and Risk of Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1383.	7.4	310
21	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	6.3	301
22	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566.	5.1	292
23	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 150-163.	4.7	285
24	Breast Cancer Risk From Modifiable and Nonmodifiable Risk Factors Among White Women in the United States. <i>JAMA Oncology</i> , 2016, 2, 1295.	7.1	285
25	Burden and centralised treatment in Europe of rare tumours: results of RARECAREnet a population-based study. <i>Lancet Oncology</i> , The, 2017, 18, 1022-1039.	10.7	285
26	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	4.7	284
27	Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. <i>Journal of Clinical Oncology</i> , 2013, 31, 2708-2715.	1.6	280
28	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
29	Dynamics of smoking-induced genome-wide methylation changes with time since smoking cessation. <i>Human Molecular Genetics</i> , 2015, 24, 2349-2359.	2.9	261
30	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1441-1452.	4.7	251
31	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072.	5.1	229
32	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	3.1	228
33	Consumption of Vegetables and Fruits and Risk of Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 183.	7.4	227
34	Physical Activity and Mortality in Individuals With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2012, 172, 1285.	3.8	226
35	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011, 32, 1235-1243.	2.2	225
36	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	5.1	223

#	ARTICLE	IF	CITATIONS
37	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65.	21.4	220
38	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d1584-d1584.	2.3	218
39	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361.	2.5	218
40	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003, 107, 629-634.	5.1	209
41	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	2.2	209
42	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	4.7	198
43	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1686-1695.	6.3	197
44	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	4.7	194
45	Diet in the Italian Epic Cohorts: Presentation of Data and Methodological Issues. <i>Tumori</i> , 2003, 89, 594-607.	1.1	192
46	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , 2016, 8, 599-618.	2.1	192
47	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	3.6	191
48	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2398-2407.	2.5	190
49	Serum levels of IGF1, IGFBP3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	5.1	190
50	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	4.7	189
51	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 331-346.	4.7	188
52	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011, 60, 1094-1102.	12.1	187
53	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 1012-1019.	8.6	186
54	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012, 27, 15-25.	5.7	185

#	ARTICLE	IF	CITATIONS
55	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 382-390.	4.7	183
56	Social adversity and epigenetic aging: a multi-cohort study on socioeconomic differences in peripheral blood DNA methylation. <i>Scientific Reports</i> , 2017, 7, 16266.	3.3	181
57	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2014, 11, e1001647.	8.4	180
58	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014, 12, 168.	5.5	178
59	Characterization of whole-genome autosomal differences of DNA methylation between men and women. <i>Epigenetics and Chromatin</i> , 2015, 8, 43.	3.9	176
60	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014, 60, 858-871.	7.3	175
61	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 728-738.	5.1	173
62	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019, 179, 1479.	5.1	169
63	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	3.9	168
64	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376.	5.1	166
65	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021, 19, 1.	5.5	164
66	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	2.8	162
67	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 453-466.	5.1	161
68	Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006, 119, 169-174.	5.1	158
69	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. <i>Cancer Research</i> , 2006, 66, 6871-6876.	0.9	158
70	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	3.5	158
71	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013, 132, 645-657.	5.1	158
72	A metabolomic study of biomarkers of meat and fish intake. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 600-608.	4.7	156

#	ARTICLE	IF	CITATIONS
73	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011, 129, 2712-2719.	5.1	154
74	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017, 75, 299-307.	2.8	154
75	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. <i>Diabetes</i> , 2014, 63, 4378-4387.	0.6	153
76	Blood Leukocyte DNA Methylation Predicts Risk of Future Myocardial Infarction and Coronary Heart Disease. <i>Circulation</i> , 2019, 140, 645-657.	1.6	151
77	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 275-283.	4.7	150
78	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1107-1120.	4.7	150
79	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002094.	8.4	150
80	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	1.8	148
81	Serum B Vitamin Levels and Risk of Lung Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 2377.	7.4	147
82	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	8.4	147
83	Age at Menarche and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 3526-3534.	8.6	147
84	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	2.9	144
85	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	3.1	143
86	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014, 37, 1854-1862.	8.6	141
87	A Priori Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. <i>Journal of Nutrition</i> , 2011, 141, 1552-1558.	2.9	140
88	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007, 10, 1515-1525.	2.2	139
89	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12.	4.7	139
90	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. <i>Neurology</i> , 2013, 80, 829-838.	1.1	138

#	ARTICLE	IF	CITATIONS
91	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019, 11, 2045-2070.	3.1	137
92	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	2.3	136
93	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013, 28, 317-328.	5.7	136
94	Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602.	3.4	135
95	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: A study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006, 118, 2832-2839.	5.1	132
96	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1353-1363.	4.7	132
97	Performance in Omics Analyses of Blood Samples in Long-Term Storage: Opportunities for the Exploitation of Existing Biobanks in Environmental Health Research. <i>Environmental Health Perspectives</i> , 2013, 121, 480-487.	6.0	132
98	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 19-29.	11.4	132
99	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 4550-4557.	1.6	129
100	Physical Activity and Breast Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 36-42.	2.5	127
101	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012, 41, 1162-1173.	1.9	127
102	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593.	2.5	126
103	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015, 44, 1320-1330.	1.9	126
104	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 144-156.	5.1	125
105	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Prevention Research</i> , 2011, 4, 1873-1883.	1.5	125
106	Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2004, 108, 269-276.	5.1	124
107	Analysis of latency time and its determinants in asbestos related malignant mesothelioma cases of the Italian register. <i>European Journal of Cancer</i> , 2007, 43, 2722-2728.	2.8	124
108	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	2.8	123

#	ARTICLE	IF	CITATIONS
109	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) Tj ETQq1 1 0.784314 rgBT /Qverlock 10	2.2	121
110	The Association between Diet and Serum Concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1333-1340.	2.5	121
111	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003, 89, 586-593.	1.1	120
112	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohortâ€”A Factor Analysis. <i>American Journal of Epidemiology</i> , 2013, 177, 787-799.	3.4	119
113	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006, 17, 957-969.	1.8	118
114	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	5.1	118
115	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 905-913.	4.7	118
116	Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1394-1403.	3.4	117
117	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1772-1790.	1.9	117
118	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. <i>Archives of Internal Medicine</i> , 2010, 170, 640-7.	3.8	116
119	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 164-174.	4.7	116
120	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114.	5.1	115
121	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. <i>Journal of Nutrition</i> , 2014, 144, 335-343.	2.9	115
122	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2014, 32, 1347-1355.	1.6	115
123	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867.	5.1	114
124	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€”EURGAST) study after a longer followâ€”up. <i>International Journal of Cancer</i> , 2012, 131, 2910-2919.	5.1	114
125	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 109, 1498-1507.	2.3	114
126	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007, 6, 7.	4.0	113

#	ARTICLE	IF	CITATIONS
127	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2562-2569.	2.5	113
128	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. <i>PLoS ONE</i> , 2012, 7, e39013.	2.5	113
129	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	4.7	112
130	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	5.1	112
131	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	5.3	111
132	Is the Association with Fiber from Foods in Colorectal Cancer Confounded by Folate Intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1552-1556.	2.5	110
133	DNA Adducts and Lung Cancer Risk: A Prospective Study. <i>Cancer Research</i> , 2005, 65, 8042-8048.	0.9	109
134	The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. <i>International Journal of Epidemiology</i> , 2008, 37, 368-378.	1.9	109
135	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2079-2089.	2.5	109
136	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor-Positive and -Negative Breast Cancer: a Nested Case-Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	1.5	108
137	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099.	2.3	108
138	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. <i>Diabetes Care</i> , 2013, 36, 3961-3970.	8.6	108
139	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	3.4	107
140	Pleural malignant mesothelioma epidemic: Incidence, modalities of asbestos exposure and occupations involved from the Italian National Register. <i>International Journal of Cancer</i> , 2012, 130, 2146-2154.	5.1	107
141	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 879-885.	2.5	106
142	IGF-1, IGFBP-1, and IGFBP-3 Polymorphisms Predict Circulating IGF Levels but Not Breast Cancer Risk: Findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>PLoS ONE</i> , 2008, 3, e2578.	2.5	106
143	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 659-667.	5.1	104
144	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	3.1	104

#	ARTICLE	IF	CITATIONS
145	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373.	1.8	104
146	Body Size and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3252-3261.	2.5	104
147	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	5.1	104
148	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
149	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	2.5	102
150	Fruits and vegetables and prostate cancer: No association among 1,104 cases in a prospective study of 130,544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 109, 119-124.	5.1	100
151	Breast cancer survival in the US and Europe: A CONCORD high-resolution study. <i>International Journal of Cancer</i> , 2013, 132, 1170-1181.	5.1	100
152	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	12.4	100
153	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6.	4.4	99
154	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	4.7	98
155	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3028-3036.	0.6	98
156	Total Antioxidant Capacity of the Diet Is Associated with Lower Risk of Ischemic Stroke in a Large Italian Cohort. <i>Journal of Nutrition</i> , 2011, 141, 118-123.	2.9	97
157	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	5.1	96
158	Amount of DNA in plasma and cancer risk: A prospective study. <i>International Journal of Cancer</i> , 2004, 111, 746-749.	5.1	95
159	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015, 7, 67.	4.1	95
160	Healthy lifestyle and risk of breast cancer among postmenopausal women in the European prospective investigation into Cancer and Nutrition cohort study. <i>International Journal of Cancer</i> , 2015, 136, 2640-2648.	5.1	95
161	Lactase Persistence and Bitter Taste Response: Instrumental Variables and Mendelian Randomization in Epidemiologic Studies of Dietary Factors and Cancer Risk. <i>American Journal of Epidemiology</i> , 2007, 166, 576-581.	3.4	94
162	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	5.0	94

#	ARTICLE	IF	CITATIONS
163	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017, 38, 699-707.	2.8	94
164	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 175-182.	5.1	93
165	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). <i>Cancer Causes and Control</i> , 2010, 21, 1213-1225.	1.8	93
166	A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846.	1.5	93
167	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	5.5	93
168	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016, 7, 11375.	12.8	93
169	Diet, metabolic polymorphisms and dna adducts: The epic-Italy cross-sectional study. <i>International Journal of Cancer</i> , 2000, 87, 444-451.	5.1	92
170	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 110, 1500-1511.	2.3	92
171	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	92
172	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	5.7	91
173	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. <i>Hepatology</i> , 2014, 60, 1222-1230.	7.3	91
174	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	1.8	90
175	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275.	4.7	90
176	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	2.3	90
177	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
178	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	5.1	89
179	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011, 106, 1915-1925.	2.3	89
180	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e43127.	2.5	89

#	ARTICLE	IF	CITATIONS
181	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	2.5	88
182	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013, 132, 1404-1411.	5.1	88
183	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009, 169, 1223-1232.	3.4	87
184	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013, 8, e72715.	2.5	85
185	Changing geographical patterns and trends in cancer incidence in children and adolescents in Europe, 1991â€”2010 (Automated Childhood Cancer Information System): a population-based study. <i>Lancet Oncology</i> , The, 2018, 19, 1159-1169.	10.7	85
186	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju097.	6.3	84
187	The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. <i>Journal of the National Cancer Institute</i> , 2009, 101, 321-330.	6.3	83
188	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464.	4.7	83
189	Occupational Exposure to Solvents and the Risk of Lymphomas. <i>Epidemiology</i> , 2006, 17, 552-561.	2.7	82
190	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	1.9	81
191	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1398-1408.	4.7	81
192	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462.	2.9	81
193	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014, 4, e005245-e005245.	1.9	81
194	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition and Diabetes</i> , 2018, 8, 22.	3.2	81
195	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 1331-1338.	5.1	80
196	Twenty-four-hour urinary excretion of ten pesticide metabolites in healthy adults in two different areas of Italy (Florence and Ragusa). <i>Science of the Total Environment</i> , 2004, 332, 71-80.	8.0	79
197	Estimate of overdiagnosis of breast cancer due to mammography after adjustment for lead time. A service screening study in Italy. <i>Breast Cancer Research</i> , 2006, 8, R68.	5.0	79
198	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutritionâ€”Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	4.7	79

#	ARTICLE	IF	CITATIONS
199	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. <i>Journal of Nutrition</i> , 2013, 143, 93-99.	2.9	79
200	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 646-657.	5.1	79
201	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	5.5	79
202	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2011, 174, 22-34.	3.4	78
203	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2013-2021.	1.9	78
204	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575.	4.7	77
205	Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010, 31, 466-472.	2.8	77
206	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	3.4	77
207	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016, 138, 348-360.	5.1	77
208	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006, 96, S12-S23.	2.3	76
209	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009, 125, 902-908.	5.1	76
210	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 344-353.	4.7	76
211	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016, 13, e1001988.	8.4	76
212	A Multicenter Case-Control Study in Italy on Hematolymphopoietic Neoplasms and Occupation. <i>Epidemiology</i> , 2001, 12, 78-87.	2.7	75
213	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015, 136, 1899-1908.	5.1	75
214	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025.	2.5	75
215	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013, 13, 584.	2.6	74
216	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1403-1411.	1.9	74

#	ARTICLE	IF	CITATIONS
217	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	4.4	74
218	Antioxidant Characterization of Some Sicilian Edible Wild Greens. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 9465-9471.	5.2	73
219	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139.	5.1	73
220	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2485-2491.	2.5	73
221	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2278-2286.	2.5	73
222	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	5.1	73
223	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1328-1340.	2.5	72
224	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011, 38, 194-202.	1.0	72
225	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011, 11, 169.	2.9	72
226	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	2.8	72
227	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	5.1	72
228	Colorectal cancer survival in the USA and Europe: a CONCORD high-resolution study. <i>BMJ Open</i> , 2013, 3, e003055.	1.9	72
229	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 372-381.	5.1	72
230	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	4.7	71
231	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	5.1	71
232	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	2.5	70
233	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	5.1	70
234	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	4.7	70

#	ARTICLE	IF	CITATIONS
235	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k934.	2.3	70
236	Multi-cohort study identifies social determinants of systemic inflammation over the life course. <i>Nature Communications</i> , 2019, 10, 773.	12.8	70
237	Incidence of AIDS-Defining Cancers After AIDS Diagnosis Among People with AIDS in Italy, 1986–1998. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003, 34, 84-90.	2.1	69
238	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	5.1	69
239	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2015, 136, 1218-1227.	5.1	69
240	Association of <i>CRP</i> genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015, 136, 1181-1192.	5.1	69
241	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016, 6, 26905.	3.3	69
242	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020, 112, 516-524.	6.3	69
243	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325.	1.9	68
244	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	5.1	68
245	PTGS2 and IL6 genetic variation and risk of breast and prostate cancer: results from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Carcinogenesis</i> , 2010, 31, 455-461.	2.8	68
246	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	2.5	67
247	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	4.7	67
248	Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1531-1541.	2.5	67
249	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	6.3	67
250	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016, 45, 752-761.	1.9	67
251	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. <i>JAMA Oncology</i> , 2020, 6, e194107.	7.1	67
252	Occult HCV Infection: An Unexpected Finding in a Population Unselected for Hepatic Disease. <i>PLoS ONE</i> , 2009, 4, e8128.	2.5	66

#	ARTICLE	IF	CITATIONS
253	Plasma Cytokines and Future Risk of Non-Hodgkin Lymphoma (NHL): A Case-Control Study Nested in the Italian European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1577-1584.	2.5	66
254	Variation in "standard care"™ for breast cancer across Europe: A EURO CARE-3 high resolution study. <i>European Journal of Cancer</i> , 2010, 46, 1528-1536.	2.8	66
255	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 461-468.	2.5	66
256	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	5.5	66
257	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017, 15, 115.	5.5	66
258	Tobacco smoke and bladder cancer-in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2006, 119, 2412-2416.	5.1	65
259	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.9	65
260	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013, 132, 617-624.	5.1	65
261	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013, 133, 2429-2443.	5.1	65
262	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	5.1	65
263	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	8.6	65
264	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. <i>Tumori</i> , 2003, 89, 586-93.	1.1	65
265	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	2.5	64
266	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	2.5	64
267	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1127-1136.	2.5	63
268	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1498-1508.	4.7	63
269	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	8.4	63
270	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201.	2.6	62

#	ARTICLE	IF	CITATIONS
271	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006, 119, 2389-2397.	5.1	62
272	Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. <i>American Journal of Industrial Medicine</i> , 2008, 51, 803-811.	2.1	62
273	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011, 311, 85-95.	7.2	62
274	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	5.1	62
275	Non-Hodgkin's lymphoma, leukemia, and exposures in agriculture: Results from the Italian multicenter case-control study. <i>American Journal of Industrial Medicine</i> , 2003, 44, 627-636.	2.1	61
276	Cancer incidence in people with AIDS in Italy. <i>International Journal of Cancer</i> , 2010, 127, 1437-1445.	5.1	61
277	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	4.4	61
278	Tumor necrosis factor (TNF)- α , soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037.	5.1	61
279	Gene-specific DNA methylation profiles and LINE-1 hypomethylation are associated with myocardial infarction risk. <i>Clinical Epigenetics</i> , 2015, 7, 133.	4.1	61
280	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	8.4	61
281	The epidemiology of malignant mesothelioma in women: gender differences and modalities of asbestos exposure. <i>Occupational and Environmental Medicine</i> , 2018, 75, 254-262.	2.8	61
282	Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. <i>Carcinogenesis</i> , 2003, 24, 739-746.	2.8	60
283	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2416-2424.	2.5	60
284	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	5.1	60
285	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	5.1	60
286	Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. <i>Nature Communications</i> , 2018, 9, 3221.	12.8	60
287	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418,329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	2.2	60
288	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415.	2.3	59

#	ARTICLE	IF	CITATIONS
289	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2549-2561.	2.5	59
290	Eighteen Insulin-like Growth Factor Pathway Genes, Circulating Levels of IGF-I and Its Binding Protein, and Risk of Prostate and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2877-2887.	2.5	59
291	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2250-2261.	2.5	59
292	Dietary reporting errors on 24h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012, 107, 910-920.	2.3	59
293	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36910.	2.5	59
294	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011, 128, 2695-2708.	5.1	58
295	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 1662-1672.	5.1	58
296	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1755-1765.	1.8	58
297	The impact of overdiagnosis on thyroid cancer epidemic in Italy, 1998-2012. <i>European Journal of Cancer</i> , 2018, 94, 6-15.	2.8	58
298	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018, 57, 2399-2408.	3.9	58
299	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892.	3.7	58
300	Fruit and Vegetable Consumption and Risk of Epithelial Ovarian Cancer: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2531-2535.	2.5	57
301	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	2.5	57
302	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	1.8	57
303	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	8.6	57
304	The effects of diet on DNA bulky adduct levels are strongly modified by GSTM1 genotype: a study on 634 subjects. <i>Carcinogenesis</i> , 2003, 25, 577-584.	2.8	56
305	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk - results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006, 9, 449-464.	2.2	56
306	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90.	3.1	56

#	ARTICLE	IF	CITATIONS
307	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	4.7	56
308	High fasting blood glucose and obesity significantly and independently increase risk of breast cancer death in hormone receptor-positive disease. <i>European Journal of Cancer</i> , 2013, 49, 3881-3888.	2.8	56
309	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	5.7	56
310	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014, 29, 261-275.	5.7	56
311	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012, 33, 361-367.	2.8	55
312	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 2930-2939.	5.1	55
313	Metabolic Syndrome and Breast Cancer Risk: A Case-Cohort Study Nested in a Multicentre Italian Cohort. <i>PLoS ONE</i> , 2015, 10, e0128891.	2.5	55
314	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	2.5	54
315	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	1.5	54
316	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014, 57, 63-72.	6.3	54
317	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020, 370, m3173.	6.0	54
318	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	3.4	53
319	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015, 13, 252.	5.5	53
320	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 877-884.	1.6	53
321	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015, 137, 1196-1208.	5.1	53
322	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017, 116, 688-696.	6.4	53
323	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017, 16, 3137-3146.	3.7	53
324	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176.	2.5	52

#	ARTICLE	IF	CITATIONS
325	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status" A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 2683-2690.	5.1	52
326	Malignant mesothelioma due to non-occupational asbestos exposure from the Italian national surveillance system (ReNaM): epidemiology and public health issues. <i>Occupational and Environmental Medicine</i> , 2015, 72, 648-655.	2.8	52
327	Dietary Fat Intake and Lung Cancer Risk: A Pooled Analysis. <i>Journal of Clinical Oncology</i> , 2017, 35, 3055-3064.	1.6	52
328	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693.	5.1	52
329	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 1075-1084.	1.8	51
330	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	5.1	51
331	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 951-961.	2.5	51
332	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017, 140, 1836-1844.	5.1	50
333	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616.	4.7	50
334	Occupational Exposures, Environmental Tobacco Smoke, and Lung Cancer. <i>Epidemiology</i> , 2007, 18, 769-775.	2.7	49
335	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC- <i>EURGAST</i> study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	5.1	49
336	Circulating Concentrations of Folate and Vitamin B12 in Relation to Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 279-285.	2.5	49
337	Immunologic profile of excessive body weight. <i>Biomarkers</i> , 2011, 16, 243-251.	1.9	49
338	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700.	5.1	49
339	Circulating Fatty Acids and Prostate Cancer Risk: Individual Participant Meta-Analysis of Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	49
340	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	5.7	49
341	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	5.5	49
342	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018, 142, 449-459.	5.1	49

#	ARTICLE	IF	CITATIONS
343	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	1.8	48
344	A Large Study of Androgen Receptor Germline Variants and Their Relation to Sex Hormone Levels and Prostate Cancer Risk. Results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E121-E127.	3.6	48
345	The intake of grain fibers modulates cytokine levels in blood. <i>Biomarkers</i> , 2011, 16, 504-510.	1.9	48
346	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	3.9	48
347	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016, 55, 7-20.	3.9	48
348	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177.	4.7	48
349	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017, 141, 905-915.	5.1	48
350	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes <i>MIR29</i> , <i>MIR25</i> , <i>MIR93</i> and <i>MIR106</i> : Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2014, 135, 2065-2076.	5.1	47
351	Colorectal cancer risk and dyslipidemia: A case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014, 38, 144-151.	1.9	47
352	A life course approach to explore the biological embedding of socioeconomic position and social mobility through circulating inflammatory markers. <i>Scientific Reports</i> , 2016, 6, 25170.	3.3	47
353	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017, 15, 122.	5.5	47
354	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, 203.	5.5	47
355	High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 981-987.	0.9	47
356	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 1275-1285.	1.9	47
357	Epidemiology of rare cancers and inequalities in oncologic outcomes. <i>European Journal of Surgical Oncology</i> , 2019, 45, 3-11.	1.0	47
358	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	5.1	46
359	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	5.1	46
360	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	1.4	46

#	ARTICLE	IF	CITATIONS
361	Circulating Folate and Vitamin B12 and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. <i>European Urology</i> , 2016, 70, 941-951.	1.9	46
362	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 263-275.	4.7	46
363	Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortium. <i>Human Molecular Genetics</i> , 2010, 19, 3873-3884.	2.9	45
364	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011, 47, 1808-1816.	2.8	45
365	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559.	2.5	45
366	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	2.5	45
367	Eating out is different from eating at home among individuals who occasionally eat out. A cross-sectional study among middle-aged adults from eleven European countries. <i>British Journal of Nutrition</i> , 2015, 113, 1951-1964.	2.3	45
368	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	5.1	45
369	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	5.0	45
370	Epidemiological patterns of asbestos exposure and spatial clusters of incident cases of malignant mesothelioma from the Italian national registry. <i>BMC Cancer</i> , 2015, 15, 286.	2.6	45
371	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020, 146, 720-730.	5.1	45
372	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	8.4	45
373	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	5.1	45
374	A method to estimate mortality trends when death certificates are imprecisely coded: An application to cervical cancer in Italy. <i>International Journal of Cancer</i> , 2009, 124, 1200-1205.	5.1	44
375	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	4.7	44
376	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	2.5	44
377	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	5.1	44
378	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. <i>Thrombosis and Haemostasis</i> , 2014, 112, 941-946.	3.4	44

#	ARTICLE	IF	CITATIONS
379	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	5.5	44
380	Mitochondrial DNA copy number variation, leukocyte telomere length, and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Breast Cancer Research</i> , 2018, 20, 29.	5.0	44
381	Genetic variant predictors of gene expression provide new insight into risk of colorectal cancer. <i>Human Genetics</i> , 2019, 138, 307-326.	3.8	44
382	CA19â€ and apolipoproteinâ€2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019, 144, 1877-1887.	5.1	44
383	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006, 119, 1741-1745.	5.1	43
384	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	3.4	43
385	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	4.7	43
386	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437.	5.1	43
387	Epigenome-wide association study of adiposity and future risk of obesity-related diseases. <i>International Journal of Obesity</i> , 2018, 42, 2022-2035.	3.4	43
388	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 2643-2651.	5.1	42
389	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	5.1	42
390	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015, 10, e0142995.	2.5	42
391	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	2.5	42
392	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018, 143, 801-812.	5.1	42
393	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	5.1	42
394	Characteristics of people living in Italy after a cancer diagnosis in 2010 and projections to 2020. <i>BMC Cancer</i> , 2018, 18, 169.	2.6	42
395	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986.	5.7	42
396	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850.	3.5	41

#	ARTICLE	IF	CITATIONS
397	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313.	4.7	41
398	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	5.1	41
399	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 134, 612-621.	5.1	41
400	Biological marks of early-life socioeconomic experience is detected in the adult inflammatory transcriptome. <i>Scientific Reports</i> , 2016, 6, 38705.	3.3	41
401	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	1.5	41
402	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 1063-1075.	5.7	41
403	Changes in the Incidence of Thyroid Cancer Between 1991 and 2005 in Italy: A Geographical Analysis. <i>Thyroid</i> , 2012, 22, 27-34.	4.5	40
404	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	5.1	40
405	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 130, 2204-2210.	5.1	40
406	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	2.5	40
407	Socioeconomic indicators in epidemiologic research: A practical example from the LIFEPAH study. <i>PLoS ONE</i> , 2017, 12, e0178071.	2.5	40
408	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366.	2.8	39
409	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 28-38.	2.5	39
410	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Caseâ€“Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	2.5	39
411	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	5.7	39
412	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 2246-2255.	5.1	39
413	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1595-603.	2.5	39
414	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	3.4	38

#	ARTICLE	IF	CITATIONS
415	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	5.1	38
416	Polymorphisms of <i>Helicobacter pylori</i> signaling pathway genes and gastric cancer risk in the European prospective investigation into cancerâ€œurgast cohort. <i>International Journal of Cancer</i> , 2014, 134, 92-101.	5.1	38
417	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015, 137, 2715-2728.	5.1	38
418	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187.	1.9	38
419	Prediagnostic Serum Vitamin D Levels and the Risk of Crohnâ€™s Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 633-640.	1.9	38
420	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1282-1287.	2.5	37
421	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	5.1	37
422	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1901-1910.	5.1	37
423	Smoking, <i>Porphyromonas gingivalis</i> and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested caseâ€œcontrol study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 331.	1.9	37
424	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: A nested caseâ€œcontrol study. <i>International Journal of Cancer</i> , 2015, 136, E665-76.	5.1	37
425	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089.	3.4	36
426	Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2532-2540.	2.5	36
427	Relative and disease-free survival for breast cancer in relation to subtype: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1569-1577.	2.5	36
428	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454.	2.5	36
429	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 399-410.	5.1	36
430	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015, 36, 1144-1153.	2.8	36
431	High Levels of C-Reactive Protein Are Associated with an Increased Risk of Ovarian Cancer: Results from the Ovarian Cancer Cohort Consortium. <i>Cancer Research</i> , 2019, 79, 5442-5451.	0.9	36
432	Methylome Analysis and Epigenetic Changes Associated with Menarcheal Age. <i>PLoS ONE</i> , 2013, 8, e79391.	2.5	36

#	ARTICLE	IF	CITATIONS
433	Incidence rates of leukemias, lymphomas and myelomas in Italy: Geographic distribution and NHL histotypes. , 1996, 68, 156-159.		35
434	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2009, 20, 811-821.	1.8	35
435	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. Epidemiology, 2010, 21, 207-214.	2.7	35
436	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2013, 98, 827-838.	4.7	35
437	Dietary Glycemic Load and Glycemic Index and Risk of Cerebrovascular Disease in the EPICOR Cohort. PLoS ONE, 2013, 8, e62625.	2.5	35
438	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis – A Multicenter European Prospective Cohort Study (EPIC). Inflammatory Bowel Diseases, 2017, 23, 2072-2082.	1.9	35
439	Espresso Coffee Consumption and Risk of Coronary Heart Disease in a Large Italian Cohort. PLoS ONE, 2015, 10, e0126550.	2.5	35
440	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2011, 22, 487-494.	1.8	34
441	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 623-634.	5.1	34
442	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2011, 63, 1235-1250.	2.0	34
443	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 635-644.	5.1	34
444	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2017, 141, 287-297.	5.1	34
445	Genetic Variation in the Growth Hormone Synthesis Pathway in Relation to Circulating Insulin-Like Growth Factor-I, Insulin-Like Growth Factor Binding Protein-3, and Breast Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2316-2325.	2.5	33
446	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. International Journal of Cancer, 2009, 124, 245-249.	5.1	33
447	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). European Journal of Cancer, 2011, 47, 748-760.	2.8	33
448	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2012, 96, 1354-1361.	4.7	33
449	Impact of diabetes on overall and cancer-specific mortality in colorectal cancer patients. Journal of Cancer Research and Clinical Oncology, 2013, 139, 1303-1310.	2.5	33
450	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. BMJ Open, 2013, 3, e003725.	1.9	33

#	ARTICLE	IF	CITATIONS
451	Prediagnostic plasma testosterone, sex hormone-binding globulin, IGF-1 and hepatocellular carcinoma: Etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014, 134, 164-173.	5.1	33
452	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 139-147.	4.7	33
453	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 1620-1631.	5.1	33
454	4-Aminobiphenyl-Hemoglobin Adducts and Risk of Smoking-Related Disease in Never Smokers and Former Smokers in the European Prospective Investigation into Cancer and Nutrition Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2118-2124.	2.5	32
455	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 982-987.	5.1	32
456	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010, 126, 1928-1935.	5.1	32
457	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	5.1	32
458	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018, 10, 654.	4.1	32
459	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2055-2065.	2.5	31
460	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	2.5	31
461	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	4.7	31
462	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016, 6, 36017.	3.3	31
463	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1220-1230.	4.7	31
464	Protein-altering germline mutations implicate novel genes related to lung cancer development. <i>Nature Communications</i> , 2020, 11, 2220.	12.8	31
465	Sources of Pre-Analytical Variations in Yield of DNA Extracted from Blood Samples: Analysis of 50,000 DNA Samples in EPIC. <i>PLoS ONE</i> , 2012, 7, e39821.	2.5	31
466	The effect of occasional smoking on smoking-related cancers. <i>Cancer Causes and Control</i> , 2006, 17, 1305-1309.	1.8	30
467	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 869-875.	2.5	30
468	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182.	2.5	30

#	ARTICLE	IF	CITATIONS
469	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013, 65, 178-187.	2.0	30
470	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015, 17, 49.	5.0	30
471	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1855-1863.	2.5	30
472	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	2.3	30
473	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 147, 648-661.	5.1	30
474	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 537-549.	1.8	29
475	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013, 34, 1244-1250.	2.8	29
476	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 570-581.	3.4	29
477	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	5.1	29
478	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	2.3	29
479	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015, 113, 1622-1631.	6.4	29
480	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	4.7	29
481	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	1.5	29
482	Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. <i>Carcinogenesis</i> , 2018, 39, 336-346.	2.8	29
483	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019, 42, 568-575.	8.6	29
484	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	3.4	28
485	Alcohol consumption and risk of leukemia: A multicenter case-control study. <i>Leukemia Research</i> , 2007, 31, 379-386.	0.8	28
486	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	5.1	28

#	ARTICLE	IF	CITATIONS
487	Body iron status and gastric cancer risk in the <sc>EURGAST</sc> study. International Journal of Cancer, 2015, 137, 2904-2914.	5.1	28
488	Variation at <i>ABO</i> histoâ€blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. International Journal of Cancer, 2015, 136, 880-893.	5.1	28
489	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 291-301.	2.5	28
490	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323.	5.1	28
491	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 929-942.	5.1	28
492	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). European Journal of Cancer, 2008, 44, 774-780.	2.8	27
493	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. PLoS ONE, 2012, 7, e50712.	2.5	27
494	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. American Journal of Epidemiology, 2014, 180, 810-820.	3.4	27
495	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Caseâ€Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 127-134.	2.5	27
496	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820.	6.4	27
497	A Metabolomic Study of Biomarkers of Habitual Coffee Intake in Four European Countries. Molecular Nutrition and Food Research, 2019, 63, e1900659.	3.3	27
498	Treatment challenges in and outside a network setting: Soft tissue sarcomas. European Journal of Surgical Oncology, 2019, 45, 31-39.	1.0	27
499	Treatment challenges in and outside a network setting: Head and neck cancers. European Journal of Surgical Oncology, 2019, 45, 40-45.	1.0	27
500	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. Cancer Causes and Control, 2011, 22, 909-918.	1.8	26
501	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 2971-2979.	5.1	26
502	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 767-778.	2.5	26
503	Regional inequalities in cancer care persist in Italy and can influence survival. Cancer Epidemiology, 2012, 36, 541-547.	1.9	26
504	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2012, 48, 3267-3277.	2.8	26

#	ARTICLE	IF	CITATIONS
505	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	3.4	26
506	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	3.9	26
507	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 2910-2917.	5.1	26
508	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	5.1	26
509	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016, 115, 1430-1440.	6.4	26
510	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016, 19, 242-254.	2.2	26
511	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	7.0	26
512	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1043-1045.	2.5	25
513	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 852-855.	2.5	25
514	The risk of developing a second, different, cancer among 14â€‰%560 survivors of malignant cutaneous melanoma: a study by AIRTUM (the Italian Network of Cancer Registries). <i>Melanoma Research</i> , 2008, 18, 230-234.	1.2	25
515	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010, 15, 20-30.	1.9	25
516	Circulating Soluble CD30 and Future Risk of Lymphoma; Evidence from Two Prospective Studies in the General Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1925-1927.	2.5	25
517	Dietary intake of iron, hemeâ€‰iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012, 131, E1134-47.	5.1	25
518	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018, 143, 245-252.	5.1	25
519	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1293-1303.	3.6	25
520	Non-Hodgkin lymphoma among young adults with and without AIDS in Italy. <i>International Journal of Cancer</i> , 2001, 93, 430-435.	5.1	24
521	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1769-1776.	4.7	24
522	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011, 68, 77-81.	2.8	24

#	ARTICLE	IF	CITATIONS
523	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012, 23, 1163-1171.	1.8	24
524	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016, 138, 65-73.	5.1	24
525	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	5.1	24
526	Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. <i>Breast Cancer Research</i> , 2018, 20, 147.	5.0	24
527	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	2.9	24
528	Prognosis and cure of long-term cancer survivors: A population-based estimation. <i>Cancer Medicine</i> , 2019, 8, 4497-4507.	2.8	24
529	Lymphomas and Multiple Sclerosis in a Multicenter Case-Control Study. <i>Epidemiology</i> , 2001, 12, 134-135.	2.7	24
530	Personal Use of Hair Dyes and Hematolymphopoietic Malignancies. <i>Archives of Environmental and Occupational Health</i> , 2005, 60, 249-256.	1.4	23
531	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008, 100, 489-495.	2.3	23
532	North-south gradients in plasma concentrations of B-vitamins and other components of one-carbon metabolism in Western Europe: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>British Journal of Nutrition</i> , 2013, 110, 363-374.	2.3	23
533	Soluble B-cell activation marker of sCD27 and sCD30 and future risk of B-cell lymphomas: A nested case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2016, 138, 2357-2367.	5.1	23
534	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016, 184, 129-139.	3.4	23
535	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017, 9, 796.	4.1	23
536	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021, 162, 475-481.	1.4	23
537	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e1061-e1082.	4.4	23
538	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	3.4	22
539	Bias in protein and potassium intake collected with 24-h recalls (EPIC-Soft) is rather comparable across European populations. <i>European Journal of Nutrition</i> , 2012, 51, 997-1010.	3.9	22
540	Survival After Cancer in Italian Persons With AIDS, 1986-2005. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 428-435.	2.1	22

#	ARTICLE	IF	CITATIONS
541	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	3.0	22
542	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935.	4.1	22
543	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer. <i>British Journal of Cancer</i> , 2022, 126, 1301-1309.	6.4	22
544	Group level validation of protein intakes estimated by 24-hour diet recall and dietary questionnaires against 24-hour urinary nitrogen in the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 784-95.	2.5	22
545	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1486-1492.	4.4	21
546	Iso-caloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 39.	6.8	21
547	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015, 136, 915-927.	5.1	21
548	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016, 138, 1129-1138.	5.1	21
549	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. <i>Clinical Nutrition</i> , 2016, 35, 1096-1102.	5.0	21
550	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	5.5	21
551	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017, 161, 311-320.	2.5	21
552	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019, 144, 240-250.	5.1	21
553	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019, 11, 66.	4.1	21
554	Trends in incidence rates of oesophagus and gastric cancer in Italy by subsite and histology, 1986-1997. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 739-746.	1.6	20
555	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	2.5	20
556	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011, 26, 657-666.	2.6	20
557	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	1.8	20
558	Menstrual and reproductive factors in women, genetic variation in CYP17A1, and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175.	5.1	20

#	ARTICLE	IF	CITATIONS
559	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014, 25, 639-646.	1.8	20
560	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	5.1	20
561	Vitamin D-Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 627-630.	2.5	20
562	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 136, E423-31.	5.1	20
563	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	6.4	20
564	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332.	6.3	20
565	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 1841-1850.	5.1	20
566	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021, 81, 3738-3748.	0.9	20
567	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1542-1550.	6.3	20
568	Incidence of primary liver cancer in Italy between 1988 and 2002: An age-period-cohort analysis. <i>European Journal of Cancer</i> , 2008, 44, 285-292.	2.8	19
569	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.	2.5	19
570	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373.	2.9	19
571	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017, 46, 1823-1835.	1.9	19
572	DNA methylation, colon cancer and Mediterranean diet: results from the EPIC-Italy cohort. <i>Epigenetics</i> , 2019, 14, 977-988.	2.7	19
573	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020, 7, 393.	5.3	19
574	Incidence trends of vulvar squamous cell carcinoma in Italy from 1990 to 2015. <i>Gynecologic Oncology</i> , 2020, 157, 656-663.	1.4	19
575	Association of Pre-diagnostic Antibody Responses to <i>Escherichia coli</i> and <i>Bacteroides fragilis</i> Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021, 13, 1-14.	9.8	19
576	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Annals of Epidemiology</i> , 2013, 23, 93-98.	1.9	18

#	ARTICLE	IF	CITATIONS
577	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018, 143, 515-526.	5.1	18
578	Pre-diagnostic circulating insulin-like growth factor and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2018, 143, 2351-2358.	5.1	18
579	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221.	5.5	18
580	Stochastic Epigenetic Mutations Are Associated with Risk of Breast Cancer, Lung Cancer, and Mature B-cell Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2026-2037.	2.5	18
581	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	2.5	17
582	Epigenetic signatures of internal migration in Italy. <i>International Journal of Epidemiology</i> , 2015, 44, 1442-1449.	1.9	17
583	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 136, E720-30.	5.1	17
584	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	6.3	17
585	Prostate cancer changes in clinical presentation and treatments in two decades: an Italian population-based study. <i>European Journal of Cancer</i> , 2016, 67, 91-98.	2.8	17
586	Out-of-pocket costs for cancer survivors between 5 and 10 years from diagnosis: an Italian population-based study. <i>Supportive Care in Cancer</i> , 2016, 24, 2225-2233.	2.2	17
587	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017, 56, 1157-1168.	3.9	17
588	Evaluation of urinary resveratrol as a biomarker of dietary resveratrol intake in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2017, 117, 1596-1602.	2.3	17
589	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205.	0.6	17
590	Syringol metabolites as new biomarkers for smoked meat intake. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1424-1433.	4.7	17
591	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1552-1555.	2.5	17
592	Effectiveness of First-Line Bevacizumab in Metastatic Colorectal Cancer: The Observational Cohort Study GRETA. <i>Oncologist</i> , 2019, 24, 358-365.	3.7	17
593	Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019, 145, 1510-1516.	5.1	17
594	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	2.9	17

#	ARTICLE	IF	CITATIONS
595	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	2.3	17
596	Interactions Between Genome-wide Significant Genetic Variants and Circulating Concentrations of Insulin-like Growth Factor 1, Sex Hormones, and Binding Proteins in Relation to Prostate Cancer Risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2012, 175, 926-935.	3.4	16
597	Meat and Heme Iron Intake and Risk of Squamous Cell Carcinoma of the Upper Aero-Digestive Tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2138-2148.	2.5	16
598	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 2014, 35, 2716-2722.	2.8	16
599	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014, 38, 528-537.	1.9	16
600	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	2.5	16
601	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201.	5.1	16
602	Changes in life expectancy for cancer patients over time since diagnosis. <i>Journal of Advanced Research</i> , 2019, 20, 153-159.	9.5	16
603	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433.	7.5	16
604	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 681-686.	2.5	16
605	Association between asbestos exposure and pericardial and tunica vaginalis testis malignant mesothelioma: a case-control study and epidemiological remarks. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 609-617.	3.4	16
606	Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 547-551.	2.5	15
607	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	3.1	15
608	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	5.7	15
609	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013, 8, e59947.	2.5	15
610	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	3.9	15
611	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018, 41, 277-285.	8.6	15
612	Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019, 22, 324-335.	2.2	15

#	ARTICLE	IF	CITATIONS
613	Mesothelioma and thymic tumors: Treatment challenges in (outside) a network setting. <i>European Journal of Surgical Oncology</i> , 2019, 45, 75-80.	1.0	15
614	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020, 63, 266-277.	6.3	15
615	Causal Effects of Lifetime Smoking on Breast and Colorectal Cancer Risk: Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 953-964.	2.5	15
616	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021, 11, 631.	2.9	15
617	Reproducibility of skin characteristic measurements and reported sun exposure history. <i>International Journal of Epidemiology</i> , 2002, 31, 439-446.	1.9	15
618	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219.	2.5	14
619	Epigenetic Signatures at AQP3 and SOCS3 Engage in Low-Grade Inflammation across Different Tissues. <i>PLoS ONE</i> , 2016, 11, e0166015.	2.5	14
620	Mediation analysis of the alcohol–postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 146, 759-768.	5.1	14
621	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 3267-3280.	5.1	14
622	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010, 34, 709-712.	1.9	13
623	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	2.5	13
624	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 477-484.	2.5	13
625	Identifying dietary patterns using a normal mixture model: application to the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 89-94.	3.7	13
626	Childhood infectious diseases and risk of leukaemia in an adult population. <i>International Journal of Cancer</i> , 2013, 133, 1892-1899.	5.1	13
627	Pre-diagnostic blood immune markers, incidence and progression of B-cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. <i>International Journal of Cancer</i> , 2018, 143, 1335-1347.	5.1	13
628	Association between low-grade inflammation and Breast cancer and B-cell Myeloma and Non-Hodgkin Lymphoma: findings from two prospective cohorts. <i>Scientific Reports</i> , 2018, 8, 10805.	3.3	13
629	Mid-term trends and recent birth-cohort-dependent changes in incidence rates of cutaneous malignant melanoma in Italy. <i>International Journal of Cancer</i> , 2021, 148, 835-844.	5.1	13
630	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase β Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 409-415.	2.5	12

#	ARTICLE	IF	CITATIONS
631	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). PLoS ONE, 2011, 6, e16914.	2.5	12
632	Fiber intake modulates the association of alcohol intake with breast cancer. International Journal of Cancer, 2017, 140, 316-321.	5.1	12
633	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Cancer Prevention, 2018, 27, 379-383.	1.3	12
634	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 957-966.	5.1	12
635	Development and validation of circulating CA125 prediction models in postmenopausal women. Journal of Ovarian Research, 2019, 12, 116.	3.0	12
636	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 217-228.	2.5	12
637	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 113, 162-171.	4.7	12
638	Circulating Sex Hormone Levels and Colon Cancer Risk in Men: A Nested Case-Control Study and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 793-803.	2.5	12
639	HbA1c Measured in Stored Erythrocytes Is Positively Linearly Associated with Mortality in Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e38877.	2.5	11
640	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 538-545.	2.5	11
641	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 895-904.	2.5	11
642	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2020, 146, 44-57.	5.1	11
643	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. European Journal of Nutrition, 2020, 59, 2929-2937.	3.9	11
644	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1475-1481.	2.5	11
645	The relative contribution of the decreasing trend in tumour thickness to the 2010s increase in net survival from cutaneous malignant melanoma in Italy: a population-based investigation*. British Journal of Dermatology, 2022, 187, 52-63.	1.5	11
646	Asbestos Exposure and Malignant Mesothelioma in Construction Workers: Epidemiological Remarks by the Italian National Mesothelioma Registry (ReNaM). International Journal of Environmental Research and Public Health, 2022, 19, 235.	2.6	11
647	Evaluation of service mammography screening impact in Italy. The contribution of hazard analysis. European Journal of Cancer, 2008, 44, 858-865.	2.8	10
648	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. BMC Cancer, 2010, 10, 563.	2.6	10

#	ARTICLE	IF	CITATIONS
649	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	5.1	10
650	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	2.5	10
651	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. <i>PLoS ONE</i> , 2016, 11, e0164130.	2.5	10
652	Fibulin-3 immunoexpression in malignant mesothelioma due to fluoro-edenite: a preliminary report. <i>Future Oncology</i> , 2018, 14, 53-57.	2.4	10
653	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	2.5	10
654	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	4.2	9
655	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	1.8	9
656	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018, 18, 1010.	2.6	9
657	Neoadjuvant therapy for breast cancer. <i>Tumori</i> , 2019, 105, 488-493.	1.1	9
658	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1076-1085.	2.5	9
659	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131.	5.1	9
660	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019, 58, 3303-3312.	3.9	9
661	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84.	5.1	9
662	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1270-1274.	2.5	9
663	The Role of Epigenetic Clocks in Explaining Educational Inequalities in Mortality: A Multicohort Study and Meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1750-1759.	3.6	9
664	Disentangling the Roles of Mammographic Screening and HRT in Recent Breast Cancer Incidence Trends in Italy by Analyses Based on Calendar Time and Time Since Screening Activation. <i>Breast Journal</i> , 2010, 16, no-no.	1.0	8
665	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012, 108, 1307-1315.	2.3	8
666	Setting up a community-based cervical screening service in a low-income country: a pilot study from north-western Tanzania. <i>International Journal of Public Health</i> , 2017, 62, 755-762.	2.3	8

#	ARTICLE	IF	CITATIONS
667	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	5.1	8
668	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1746-1754.	2.5	8
669	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823.	3.9	8
670	Endogenous Circulating Sex Hormone Concentrations and Colon Cancer Risk in Postmenopausal Women: A Prospective Study and Meta-Analysis. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab084.	2.9	8
671	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021, 9, 1521.	3.2	8
672	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1618-1629.	1.8	8
673	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021, 19, 312.	5.5	8
674	Leiomyosarcoma at the Site of an Ileal Neobladder: A Heretofore Unreported Occurrence. <i>International Journal of Surgical Pathology</i> , 2003, 11, 149-151.	0.8	7
675	Cancer Incidence in Epic-Italy at First Follow-Up. <i>Tumori</i> , 2003, 89, 656-664.	1.1	7
676	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>European Journal of Cancer</i> , 2011, 47, 420-427.	2.8	7
677	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011, 26, 979-86.	2.6	7
678	A method for differentiating cancer prevalence according to health status, exemplified using a population-based sample of Italian colorectal cancer cases. <i>Acta OncolÃ³gica</i> , 2013, 52, 294-302.	1.8	7
679	Circulating Tissue Factor Levels and Risk of Stroke. <i>Stroke</i> , 2015, 46, 1501-1507.	2.0	7
680	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Caseâ€“Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 182-192.	2.5	7
681	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021, 42, 705-713.	2.8	7
682	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003834.	8.4	7
683	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 71-77.	2.5	6
684	Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. <i>International Journal of Cancer</i> , 2017, 140, 2265-2271.	5.1	6

#	ARTICLE	IF	CITATIONS
685	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 790-804.	2.5	6
686	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019, 149, 1047-1055.	2.9	6
687	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	2.5	6
688	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 1511-1521.	5.1	6
689	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	3.4	6
690	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020, 59, 1481-1492.	3.9	6
691	Urinary flavanone concentrations as biomarkers of dietary flavanone intakes in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2020, 123, 691-698.	2.3	6
692	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 507-512.	2.5	6
693	Anti-cancer therapy is associated with long-term epigenomic changes in childhood cancer survivors. <i>British Journal of Cancer</i> , 2022, 127, 288-300.	6.4	6
694	Differences in stage and treatment of breast cancer across Italy point to inequalities in access to and availability of proper care. <i>Tumori</i> , 2012, 98, 204-9.	1.1	6
695	Determinants of blood acylcarnitine concentrations in healthy individuals of the European Prospective Investigation into Cancer and Nutrition. <i>Clinical Nutrition</i> , 2022, 41, 1735-1745.	5.0	6
696	Breast screening: Axillary lymph node status of interval cancers by interval year. <i>Breast</i> , 2008, 17, 477-483.	2.2	5
697	Disease presentation, treatment and survival for Italian colorectal cancer patients: a EUROCORE high resolution study. <i>European Journal of Public Health</i> , 2014, 24, 98-100.	0.3	5
698	Population-based method for investigating adherence to international recommendations for pathology reporting of primary cutaneous melanoma: Results of a EUROCORE-5 high resolution study. <i>Cancer Epidemiology</i> , 2015, 39, 424-429.	1.9	5
699	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. <i>International Journal of Public Health</i> , 2017, 62, 775-786.	2.3	5
700	Childhood infectious diseases and risk of non-Hodgkin's lymphoma according to the WHO classification: A reanalysis of the Italian multicenter case-control study. <i>International Journal of Cancer</i> , 2020, 146, 977-986.	5.1	5
701	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort.. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 475-483.	1.6	5
702	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009, 8, 60-71.	2.8	4

#	ARTICLE	IF	CITATIONS
703	Re: Papillary Thyroid Cancer Incidence in the Volcanic Area of Sicily. Journal of the National Cancer Institute, 2010, 102, 914-915.	6.3	4
704	Testicular germ-cell tumours and penile squamous cell carcinoma: Appropriate management makes the difference. European Journal of Surgical Oncology, 2019, 45, 60-66.	1.0	4
705	Predictors of filing claims and receiving compensation in malignant mesothelioma patients. Health Policy, 2020, 124, 1032-1040.	3.0	4
706	A multi-omics approach to investigate the inflammatory response to life course socioeconomic position. Epigenomics, 2020, 12, 1287-1302.	2.1	4
707	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Antioxidants, 2021, 10, 1249.	5.1	4
708	Treatment challenges in and outside a specialist network setting: Pancreatic neuroendocrine tumours. European Journal of Surgical Oncology, 2019, 45, 46-51.	1.0	3
709	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1654-1664.	2.5	3
710	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. European Journal of Nutrition, 2022, 61, 101-114.	3.9	3
711	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 2179-2187.	2.5	3
712	Cancer incidence in EPIC-ITALY at first follow-up. Tumori, 2003, 89, 656-64.	1.1	3
713	Dietary Intakes of Animal and Plant Proteins and Risk of Colorectal Cancer: The EPIC-Italy Cohort. Cancers, 2022, 14, 2917.	3.7	3
714	Consistency and inconsistency in testing biomarkers in breast cancer. A GRELL study in cut-off variability in the Romance language countries. Breast, 2013, 22, 476-481.	2.2	2
715	Changes in Mortality and Incidence of Prostate Cancer by Risk Class in Different Periods in Italy: The Possible Effects of PSA Spread. Tumori, 2017, 103, 292-298.	1.1	1
716	Improving the prediction of cardiovascular risk with machine-learning and DNA methylation data. , 2019, , .		1
717	Looking at differences in stage and treatment of colorectal cancers across Italy: a EUROCORE-5 high resolution study. Tumori, 2012, 98, 671-7.	1.1	1
718	Reply to A Mosher, LH Daugherty, and A Brailon. American Journal of Clinical Nutrition, 2011, 93, 1387-1388.	4.7	0
719	Reply to BN Hopping, B Qin, S Wyler, and CV Donovan. American Journal of Clinical Nutrition, 2011, 94, 289-290.	4.7	0
720	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	1.8	0

#	ARTICLE	IF	CITATIONS
721	Letter concerning: "Response to: "The epidemiology of malignant mesothelioma in women: gender differences and modalities of asbestos exposure" by Marinaccio et al". Occupational and Environmental Medicine, 2018, 75, 844.2-845.	2.8	0
722	Cancer rehabilitation services: an Italian population-based cohort study. Tumori, 2014, 100, 346-51.	1.1	0