Shoujiro Ogawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/845793/publications.pdf

Version: 2024-02-01

430874 477307 1,072 66 18 29 citations g-index h-index papers 68 68 68 1271 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A method for determination of aldosterone concentrations of six adrenal venous serum samples during a single LC/ESI-MS/MS run using a sextet of Girard reagents. Journal of Pharmaceutical and Biomedical Analysis, 2022, 207, 114423. | 2.8 | 7 |
| 2 | Application of 4-Diethylaminobenzoic Acid <i>N</i>-Succinimidyl Ester and Its Deuterated Isotopologue as Derivatization Reagents to Quantitative Analysis of \hat{l}^3 -Aminobutyric Acid in Serum by LC/ESI-MS/MS. Chromatography, 2022, , . | 1.7 | 3 |
| 3 | Improvement of analysis throughput for LC/MS assay. Analytical Sciences, 2022, 38, 633-634. | 1.6 | O |
| 4 | Derivatizationâ€based quadruplex LC/ESI–MS/MS method for high throughput quantification of serum dehydroepiandrosterone sulfate. Biomedical Chromatography, 2021, 35, e5027. | 1.7 | 7 |
| 5 | Quantitative MALDI-MS/MS assay for serum cortisol through charged derivatization. Journal of Pharmaceutical and Biomedical Analysis, 2020, 178, 112912. | 2.8 | 5 |
| 6 | Quantification of ergothioneine in Aspergillus oryzae-fermented rice bran by a newly-developed LC/ESI-MS/MS method. LWT - Food Science and Technology, 2020, 118, 108812. | 5.2 | 12 |
| 7 | 3-Epi-25-hydroxyvitamin D3 is a poor substrate for SULT2A1: Analysis of its 3-sulfate in cord plasma and recombinant human SULT2A1 incubate. Steroids, 2020, 162, 108695. | 1.8 | 2 |
| 8 | Derivatization-based sample-multiplexing for enhancing throughput in liquid chromatography/tandem mass spectrometry quantification of metabolites: an overview. Journal of Chromatography A, 2020, 1634, 461679. | 3.7 | 21 |
| 9 | Sample-multiplexing by derivatization using multiple analogous reagents for enhancing throughput in LC/ESI-MS/MS assay of steroids: Plasma 17l±-hydroxyprogesterone as an example. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1146, 122117. | 2.3 | 13 |
| 10 | Enhancing LC/ESI-MS/MS Throughput for Plasma Bile Acid Assay by Derivatization-based Sample-Multiplexing. Analytical Sciences, 2020, 36, 1099-1104. | 1.6 | 12 |
| 11 | Identification of conjugation positions of urinary glucuronidated vitamin D 3 metabolites by LC/ESI–MS/MS after conversion to MS/MSâ€fragmentable derivatives. Biomedical Chromatography, 2019, 33, e4538. | 1.7 | 7 |
| 12 | Changes in Polyamine Content in Rice Bran due to Fermentation with Aspergillus oryzae Analyzed by LC/ESI-MS/MS Combined with Derivatization. Analytical Sciences, 2019, 35, 427-432. | 1.6 | 12 |
| 13 | (S)-1-(1-Methylpyridin-2-yl)-3-aminopiperidine as a novel derivatization reagent capable of enantiomeric separation and enhanced ESI-MS/MS detection for chiral carboxylic acids. Microchemical Journal, 2019, 146, 25-33. | 4.5 | 3 |
| 14 | Chemical Synthesis of Rare Natural Bile Acids: 11αâ€Hydroxy Derivatives of Lithocholic and Chenodeoxycholic Acids. Lipids, 2018, 53, 403-411. | 1.7 | 3 |
| 15 | A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by LC/MS/MS with Isotope-coded Derivatization. Analytical Sciences, 2018, 34, 1003-1009. | 1.6 | 8 |
| 16 | A method for determination of aldosterone in adrenal tributary venous serum by derivatization using Girard P reagent isotopologues followed by LC/ESI-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1092, 106-113. | 2.3 | 18 |
| 17 | Enhancing analysis throughput, sensitivity and specificity in LC/ESI–MS/MS assay of plasma 25-hydroxyvitamin D 3 by derivatization with triplex 4-(4-dimethylaminophenyl)-1,2,4-triazoline-3,5-dione (DAPTAD) isotopologues. Journal of Pharmaceutical and Biomedical Analysis, 2017, 136, 126-133. | 2.8 | 12 |
| 18 | Isotope-coded derivatization based LC/ESI-MS/MS methods using a pair of novel reagents for quantification of hydroxycinnamic acids and hydroxybenzoic acids in fermented brown rice product. Journal of Pharmaceutical and Biomedical Analysis, 2017, 142, 162-170. | 2.8 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improved sensitivity of serum/plasma $1\hat{l}\pm,25$ -dihydroxyvitamin D quantification by DAPTAD derivatization. Clinica Chimica Acta, 2017, 473, 173-179. | 1.1 | 11 |
| 20 | Unconjugated bile acids in rat brain: Analytical method based on LC/ESI-MS/MS with chemical derivatization and estimation of their origin by comparison to serum levels. Steroids, 2017, 125, 107-113. | 1.8 | 62 |
| 21 | Comparative evaluation of new Cooksonâ€type reagents for LC/ESIâ€MS/MS assay of 25â€hydroxyvitamin D ₃ in neonatal blood samples. Biomedical Chromatography, 2016, 30, 938-945. | 1.7 | 13 |
| 22 | Methods for determination of fingernail steroids by LC/MS/MS and differences in their contents between right and left hands. Steroids, 2016, 109, 60-65. | 1.8 | 21 |
| 23 | Isotope-coded ESI-enhancing derivatization reagents for differential analysis, quantification and profiling of metabolites in biological samples by LC/MS: A review. Journal of Pharmaceutical and Biomedical Analysis, 2016, 130, 181-193. | 2.8 | 68 |
| 24 | Development and validation of the simultaneous measurement of four vitamin D metabolites in serum by LC–MS/MS for clinical laboratory applications. Analytical and Bioanalytical Chemistry, 2016, 408, 7617-7627. | 3.7 | 37 |
| 25 | A Method for Simultaneous Determination of 25-Hydroxyvitamin D ₃ and Its 3-Sulfate in Newborn Plasma by LC/ESI-MS/MS after Derivatization with a Proton-Affinitive Cookson-Type Reagent. Mass Spectrometry, 2016, 5, S0051-S0051. | 0.6 | 14 |
| 26 | LC/ESIâ€MS/MS method for determination of salivary eicosapentaenoic acid concentration to arachidonic acid concentration ratio. Biomedical Chromatography, 2016, 30, 29-34. | 1.7 | 27 |
| 27 | Chemical derivatization for enhancing sensitivity during LC/ESI–MS/MS quantification of steroids in biological samples: a review. Journal of Steroid Biochemistry and Molecular Biology, 2016, 162, 57-69. | 2.5 | 81 |
| 28 | Methods for differential and quantitative analyses of brain neurosteroid levels by LC/MS/MS with ESI-enhancing and isotope-coded derivatization. Journal of Pharmaceutical and Biomedical Analysis, 2016, 117, 155-162. | 2.8 | 20 |
| 29 | Analysis of urinary vitamin D3 metabolites by liquid chromatography/tandem mass spectrometry with ESI-enhancing and stable isotope-coded derivatization. Analytical and Bioanalytical Chemistry, 2014, 406, 6647-6654. | 3.7 | 39 |
| 30 | Development and validation of a method for determination of plasma 25-hydroxyvitamin D3 3-sulfate using liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 969, 230-234. | 2.3 | 34 |
| 31 | Enantioselective determination of ibuprofen in saliva by liquid chromatography/tandem mass spectrometry with chiral electrospray ionization-enhancing and stable isotope-coded derivatization. Journal of Pharmaceutical and Biomedical Analysis, 2014, 98, 387-392. | 2.8 | 28 |
| 32 | An efficient synthesis of 7α,12α-dihydroxy-4-cholesten-3-one and its biological precursor 7α-hydroxy-4-cholesten-3-one: Key intermediates in bile acid biosynthesis. Steroids, 2013, 78, 927-937. | 1.8 | 8 |
| 33 | Overestimation of salivary 25-hydroxyvitamin D3 level when using stimulated saliva with gum-chewing. Steroids, 2013, 78, 884-887. | 1.8 | 9 |
| 34 | (S)-1-(4-Dimethylaminophenylcarbonyl)-3-aminopyrrolidine: A derivatization reagent for enantiomeric separation and sensitive detection of chiral carboxylic acids by LC/ESI-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 940, 7-14. | 2.3 | 33 |
| 35 | Stereoselective Synthesis and NMR Characterization of Câ€24 Epimeric Pairs of 24â€Alkyl Oxysterols. Lipids, 2013, 48, 197-207. | 1.7 | 2 |
| 36 | A novel Cooksonâ€type reagent for enhancing sensitivity and specificity in assessment of infant vitamin D status using liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2013, 27, 2453-2460. | 1.5 | 50 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 37 | LC/MS/MS of Steroids Having Vicinal Diol as Electrospray-Active Boronates. Chemical and Pharmaceutical Bulletin, 2013, 61, 326-332. | 1.3 | 6 |
| 38 | Monoterpene Glucosides from Ziziphora clinopodioides (Labiatae). Chemical and Pharmaceutical Bulletin, 2012, 60, 397-401. | 1.3 | 6 |
| 39 | Influence of saliva flow rate stimulated by gum-chewing on salivary concentrations of catecholamine metabolites. Clinica Chimica Acta, 2012, 414, 248-252. | 1.1 | 10 |
| 40 | Detection of Δ4-3-oxo-steroid 5β-reductase deficiency by LC–ESI-MS/MS measurement of urinary bile acids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 900, 24-31. | 2.3 | 38 |
| 41 | Derivatization of chiral carboxylic acids with (S)-anabasine for increasing detectability and enantiomeric separation in LC/ESI-MS/MS. Journal of Separation Science, 2012, 35, 2840-2846. | 2.5 | 21 |
| 42 | Synthesis of multiply deuterated 3- and 21-monosulfates of allo-tetrahydrocorticosteroids as internal standards for mass spectrometry. Steroids, 2012, 77, 1423-1437. | 1.8 | 5 |
| 43 | A novel varanic acid epimer – (24R,25S)-3α,7α,12α,24-tetrahydroxy-5β-cholestan-27-oic acid – is a major bil bile acid in two varanid lizards and the Gila monster. Steroids, 2012, 77, 1510-1521. | iary 1.8 | 5 |
| 44 | Biliary bile acids in birds of the Cotingidae family: Taurine-conjugated $(24R,25R)-3\hat{1}\pm,7\hat{1}\pm,24$ -trihydroxy-5 $\hat{1}^2$ -cholestan-27-oic acid and two epimers (25R and 25S) of $3\hat{1}\pm,7\hat{1}\pm$ -dihydroxy-5 $\hat{1}^2$ -cholestan-27-oic acid. Steroids, 2011, 76, 1126-1135. | 1.8 | 4 |
| 45 | Studies on the Constituents of Lagochilus leiacanthus (Labiatae). Chemical and Pharmaceutical Bulletin, 2011, 59, 1535-1540. | 1.3 | 12 |
| 46 | Chemical synthesis of the 17-propanamide derivatives of stereoisomeric \hat{l} "14-17 \hat{l} ±- and 17 \hat{l} ²-estradiols: potential 17 \hat{l} ²-hydroxysteroid dehydrogenase inhibitors. Chemistry and Physics of Lipids, 2011, 164, 106-112. | 3.2 | 2 |
| 47 | Chemical synthesis of the (25R)- and (25S)-epimers of $3\hat{l}_{\pm}$, $7\hat{l}_{\pm}$, $12\hat{l}_{\pm}$ -trihydroxy- $5\hat{l}_{\pm}$ -cholestan-27-oic acid as well as their corresponding glycine and taurine conjugates. Chemistry and Physics of Lipids, 2011, 164, 368-377. | 3.2 | 5 |
| 48 | ROMP polymer-based antimicrobial films repeatedly chargeable with silver ions. Reactive and Functional Polymers, 2011, 71, 195-203. | 4.1 | 13 |
| 49 | Chemical Synthesis of (22E)-3.ALPHA.,6.ALPHA.,7.ALPHA.,12.ALPHATetrahydroxy-5.BETAchol-22-en-24-oic Acid and Its N-Acylamidated Conjugates with Glycine or Taurine: Precursors of the [22,23-3H] Labelled Tracers. Chemical and Pharmaceutical Bulletin, 2010, 58, 1103-1106. | 1.3 | 3 |
| 50 | Potential Corticoid Metabolites: Chemical Synthesis of 3- and 21-Monosulfates and Their Double-Conjugates of Tetrahydrocorticosteroids in the 5.ALPHA and 5.BETASeries. Chemical and Pharmaceutical Bulletin, 2010, 58, 344-353. | 1.3 | 12 |
| 51 | Oxyfunctionalization of unactivated C–H bonds in triterpenoids with tert-butylhydroperoxide catalyzed by meso-5,10,15,20-tetramesitylporphyrinate osmium(II) carbonyl complex. Chemistry and Physics of Lipids, 2010, 163, 165-171. | 3.2 | 23 |
| 52 | Ring-opening metathesis polymerization of steroid-conjugated norbornenes and gradual release of estrone from a polymer film. Reactive and Functional Polymers, 2010, 70, 563-571. | 4.1 | 10 |
| 53 | Major Biliary Bile Acids of the Medaka (<i>Oryzias latipes</i>): 25 <i>R</i> - and 25 <i>S</i> -Epimers of 3α,7α,12α-Trihydroxy-5β-cholestanoic Acid. Zoological Science, 2010, 27, 565-573. | 0.7 | 8 |
| 54 | A facile synthesis of C-24 and C-25 oxysterols by in situ generated ethyl(trifluoromethyl)dioxirane. Steroids, 2009, 74, 81-87. | 1.8 | 20 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Lupane triterpenes with a carbonyl group at C-20 induce cancer cell apoptosis. Journal of Natural Medicines, 2008, 62, 332-335. | 2.3 | 9 |
| 56 | Separation, synthesis and estrogenic activity of 4-nonylphenols: Two sets of new diastereomeric isomers in a commercial mixture. Chemosphere, 2008, 73, 1188-1193. | 8.2 | 14 |
| 57 | Oxyfunctionalization Products of Terpenoids with Dimethyldioxirane and Their Biological Activity. Chemical and Pharmaceutical Bulletin, 2007, 55, 247-250. | 1.3 | 18 |
| 58 | Regioselective Oxyfunctionalization of Unactivated Carbons in Steroids by a Model of Cytochrome P-450:Â Osmiumporphyrin Complex/tert-Butyl Hydroperoxide System. Journal of Organic Chemistry, 2007, 72, 823-830. | 3.2 | 36 |
| 59 | Osmiumporphyrin-Catalyzed Oxyfunctionalization and Isomerization of Natural $(5\hat{1}^2)$ -Bile Acids withtert-Butyl Hydroperoxide. European Journal of Organic Chemistry, 2007, 2007, 3555-3563. | 2.4 | 19 |
| 60 | Nuclear magnetic resonance spectroscopy of $3\hat{l}^2$, $7\hat{l}^2$ -dihydroxy-5-cholen-24-oic acid multi-conjugates: unusual bile acid metabolites in human urine. Chemistry and Physics of Lipids, 2006, 140, 48-54. | 3.2 | 3 |
| 61 | Biomimetic oxidation of unactivated carbons in steroids by a model of cytochrome P-450, oxorutheniumporphyrinate complex. Lipids, 2004, 39, 873-880. | 1.7 | 13 |
| 62 | Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization. Journal of Chromatography A, 2004, 1057, 171-176. | 3.7 | 5 |
| 63 | The remote-oxyfunctionalization of unactivated carbons in (5β)-3-oxobile acids by 2,6-dichloropyridine N-oxide catalyzed by ruthenium–porphyrin and HBr: a direct lactonization at C-20. Organic and Biomolecular Chemistry, 2004, 2, 1013-1018. | 2.8 | 18 |
| 64 | Functionalization of unactivated carbons in $3\hat{l}_{\pm}$,6- and $3\hat{l}_{\pm}$,24-dihydroxy- $5\hat{l}^2$ -cholane derivatives by dimethyldioxirane. Lipids, 2003, 38, 281-287. | 1.7 | 9 |
| 65 | An Improved Method for the Capillary Gas Chromatographic Derivatization of Polyhydroxylated Steroids Having tert-Hydroxyl Groups. Analytical Sciences, 2003, 19, 1317-1321. | 1.6 | 1 |
| 66 | A comparative study of remote oxy-functionalization of unactivated carbons in $5\hat{1}^2$ -steroids by dimethyldioxirane and 2,6-dichloropyridine N-oxide / ruthenium-porphyrin / HBr. Arkivoc, 2003, 2003, 171-179. | 0.5 | 7 |