

# Lena FLyckt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8464156/publications.pdf>

Version: 2024-02-01

40  
papers

2,294  
citations

394421

19  
h-index

302126

39  
g-index

42  
all docs

42  
docs citations

42  
times ranked

4469  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
2	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623.	14.8	358
3	Meta-analysis of cognitive performance in drug-naïve patients with schizophrenia. <i>Schizophrenia Research</i> , 2014, 158, 156-162.	2.0	209
4	Brain Heterogeneity in Schizophrenia and Its Association With Polygenic Risk. <i>JAMA Psychiatry</i> , 2019, 76, 739.	11.0	195
5	Dopamine D3 receptor gene Ser9Gly variant and schizophrenia: association study and meta-analysis. <i>Psychiatric Genetics</i> , 2003, 13, 1-12.	1.1	107
6	Neurological signs and psychomotor performance in patients with schizophrenia, their relatives and healthy controls. <i>Psychiatry Research</i> , 1999, 86, 113-129.	3.3	93
7	Consistent Functional Connectivity Alterations in Schizophrenia Spectrum Disorder: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 914-924.	4.3	75
8	Burden of informal care giving to patients with psychoses: A descriptive and methodological study. <i>International Journal of Social Psychiatry</i> , 2013, 59, 137-146.	3.1	64
9	Clinical and biochemical effects of citalopram, a selective 5-HT reuptake inhibitor ? a dose-response study in depressed patients. <i>Psychopharmacology</i> , 1985, 87, 253-259.	3.1	51
10	Predicting 5-Year Outcome in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 916-924.	2.2	40
11	Determinants of subjective and objective burden of informal caregiving of patients with psychotic disorders. <i>International Journal of Social Psychiatry</i> , 2015, 61, 684-692.	3.1	39
12	Aberrant Tyrosine Transport Across the Cell Membrane in Patients With Schizophrenia. <i>Archives of General Psychiatry</i> , 2001, 58, 953.	12.3	38
13	Reproducible grey matter patterns index a multivariate, global alteration of brain structure in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2019, 9, 12.	4.8	35
14	Effect of Brief Admission to Hospital by Self-referral for Individuals Who Self-harm and Are at Risk of Suicide. <i>JAMA Network Open</i> , 2019, 2, e195463.	5.9	32
15	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1095-1103.	1.5	28
16	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	12.8	26
17	Muscle biopsy, macro EMG, and clinical characteristics in patients with schizophrenia. <i>Biological Psychiatry</i> , 2000, 47, 991-999.	1.3	25
18	Undetected depression in primary healthcare: Occurrence, severity and co-morbidity in a two-stage procedure of opportunistic screening. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 421-427.	1.3	21

#	ARTICLE	IF	CITATIONS
19	Kinetics of tyrosine transport and cognitive functioning in schizophrenia. <i>Schizophrenia Research</i> , 2005, 74, 81-89.	2.0	20
20	Functional characterization of tyrosine transport in fibroblast cells from healthy controls. <i>Neuroscience Letters</i> , 2008, 434, 56-60.	2.1	20
21	Brief admission (BA) for patients with emotional instability and self-harm: nurses' perspectives - person-centred care in clinical practice. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2019, 14, 1667133.	1.6	18
22	Increased frequency of aberrant CSF circulation in schizophrenic patients compared to healthy volunteers. <i>European Psychiatry</i> , 1996, 11, 16-20.	0.2	17
23	Brief admission for patients with emotional instability and self-harm: A qualitative analysis of patients' experiences during crisis. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 962-971.	3.8	17
24	No association between a putative functional promoter variant in the dopamine $\alpha$ -hydroxylase gene and schizophrenia. <i>Psychiatric Genetics</i> , 2003, 13, 175-178.	1.1	15
25	First-episode psychosis patients display increased plasma IL-18 that correlates with cognitive dysfunction. <i>Schizophrenia Research</i> , 2018, 195, 406-408.	2.0	15
26	Gender differences in the prediction of 5-year outcome in first episode psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 208-218.	2.1	14
27	Radionuclide cisternography and computed tomography in 30 healthy volunteers. <i>Neuroradiology</i> , 1986, 28, 154-160.	2.2	13
28	Neuromuscular and psychomotor abnormalities in patients with schizophrenia and their first-degree relatives. <i>Journal of Psychiatric Research</i> , 2000, 34, 355-364.	3.1	12
29	Plasma bilirubin levels are reduced in first-episode psychosis patients and associates to working memory and duration of untreated psychosis. <i>Scientific Reports</i> , 2021, 11, 7527.	3.3	9
30	Cerebrospinal fluid levels of sphingolipids associate with disease severity in first episode psychosis patients. <i>Schizophrenia Research</i> , 2018, 199, 438-441.	2.0	8
31	Increased peripheral levels of TARC/CCL17 in first episode psychosis patients. <i>Schizophrenia Research</i> , 2019, 210, 221-227.	2.0	8
32	Regional variations and determinants of direct psychiatric costs in Sweden. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 483-492.	2.3	7
33	Aberrant tyrosine transport across the fibroblast membrane in patients with schizophrenia - indications of maternal inheritance. <i>Journal of Psychiatric Research</i> , 2011, 45, 519-525.	3.1	7
34	Genetic and Functional Study of $\alpha$ -Type Amino Acid Transporter 1 in Schizophrenia. <i>Neuropsychobiology</i> , 2016, 74, 96-103.	1.9	7
35	Sex differences in schizophrenia as seen in the Rorschach test. <i>Nordic Journal of Psychiatry</i> , 2001, 55, 137-142.	1.3	6
36	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019, 85, e35-e39.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Patient-Initiated Brief Admission for Individuals with Emotional Instability and Self-Harm: An Evaluation of Psychiatric Symptoms and Health-Related Quality of Life. <i>Issues in Mental Health Nursing</i> , 2022, 43, 593-602.	1.2	5
38	Clinical cues for detection of people with undiscovered depression in primary health care: a caseâ€“control study. <i>Primary Health Care Research and Development</i> , 2014, 15, 324-330.	1.2	3
39	No association between cortical dopamine D2 receptor availability and cognition in antipsychotic-naïve first-episode psychosis. <i>NPJ Schizophrenia</i> , 2021, 7, 46.	3.6	3
40	F5. Brain Disorders are Associated With Increased Brain Age. <i>Biological Psychiatry</i> , 2018, 83, S238-S239.	1.3	0