

Lindy Clemson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8467586/publications.pdf>

Version: 2024-02-01

208
papers

8,551
citations

100601

38
h-index

87275

74
g-index

215
all docs

215
docs citations

215
times ranked

9223
citing authors

#	ARTICLE	IF	CITATIONS
1	Co-designing alternative frames of ageing and experiences of challenging ageism in Australia. <i>Educational Gerontology</i> , 2023, 49, 48-59.	0.7	1
2	Changes in Psychological Determinants of Behavior Change after Individual versus Group-Based Lifestyle-integrated Fall Prevention: Results from the LiFE-is-LiFE Trial. <i>Gerontology</i> , 2023, 69, 212-226.	1.4	2
3	Translating reablement research for dementia practice: development of a handbook using implementation science. <i>Disability and Rehabilitation</i> , 2022, 44, 1524-1536.	0.9	3
4	How does perceived fall risk influence decisions about whether to undertake activities in people with Parkinson's disease and their care partners? A qualitative study. <i>Disability and Rehabilitation</i> , 2022, 44, 6000-6008.	0.9	4
5	Relevance, resilience, and ageism: A bright future for occupational therapy and healthy ageing, Sylvia Docker Lecture 2021. <i>Australian Occupational Therapy Journal</i> , 2022, 69, 3-14.	0.6	2
6	Sunbeam Program Reduces Rate of Falls in Long-Term Care Residents With Mild to Moderate Cognitive Impairment or Dementia: Subgroup Analysis of a Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 743-749.e1.	1.2	4
7	Discharge planning from hospital. <i>The Cochrane Library</i> , 2022, 2022, CD000313.	1.5	25
8	Patterns of health service use before and after a statewide fall prevention initiative for older adults at risk of falls. <i>Australasian Journal on Ageing</i> , 2022, 41, 542-553.	0.4	1
9	Determinants of implementing reablement into research or practice: A concept mapping study. <i>Physiotherapy Research International</i> , 2022, , e1949.	0.7	2
10	Economic evaluation of the e-Health <i>StandingTall</i> balance exercise programme for fall prevention in people aged 70 years and over. <i>Age and Ageing</i> , 2022, 51, .	0.7	3
11	Interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2021, 2021, CD007146.	1.5	1,914
12	Implementation of evidence-based, non-pharmacological interventions addressing behavior and psychological symptoms of dementia: a systematic review focused on implementation strategies. <i>International Psychogeriatrics</i> , 2021, 33, 947-975.	0.6	16
13	Implementing a Reablement Intervention, "Care of People With Dementia in Their Environments (COPE)" A Hybrid Implementation-Effectiveness Study. <i>Gerontologist</i> , The, 2021, 61, 965-976.	2.3	17
14	Pilot Outcomes of a Multicomponent Fall Risk Program Integrated Into Daily Lives of Community-Dwelling Older Adults. <i>Journal of Applied Gerontology</i> , 2021, 40, 320-327.	1.0	6
15	Fall prevention programs for culturally and linguistically diverse groups: program provider perspectives. <i>Ethnicity and Health</i> , 2021, 26, 299-317.	1.5	3
16	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 655-665.	1.7	20
17	Stepping On after Stroke falls-prevention programme for community stroke survivors in Singapore: A feasibility study. <i>British Journal of Occupational Therapy</i> , 2021, 84, 366-375.	0.5	5
18	Promoting occupational therapy interventions in the Australian community aged care sector. <i>Australian Occupational Therapy Journal</i> , 2021, 68, 228-235.	0.6	4

#	ARTICLE	IF	CITATIONS
19	Fall prevention behaviour after participation in the Stepping On program: a preâ€post study. Public Health Research and Practice, 2021, 31, .	0.7	9
20	Stepping Out: A Pilot Program to Reduce Falls Risk in People with Mild Cognitive Impairment. , 2021, 5, .		4
21	Home-based, tailored intervention for reducing falls after stroke (FAST): Protocol for a randomized trial. International Journal of Stroke, 2021, 16, 174749302199199.	2.9	5
22	Methods and Effectiveness of Communication Between Hospital Allied Health and Primary Care Practitioners: A Systematic Narrative Review. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 493-511.	1.1	14
23	A Video Self-Modeling Intervention Using Virtual Reality Plus Physical Practice for Freezing of Gait in Parkinson Disease: Feasibility and Acceptability Study. JMIR Formative Research, 2021, 5, e28315.	0.7	6
24	Group or individual lifestyle-integrated functional exercise (LiFE)? A qualitative analysis of acceptability. BMC Geriatrics, 2021, 21, 93.	1.1	8
25	Professional development training preferences of occupational therapists working with older adults in Australia: A discrete choice experiment. Australian Occupational Therapy Journal, 2021, 68, 327-335.	0.6	4
26	E-health StandingTall balance exercise for fall prevention in older people: results of a two year randomised controlled trial. BMJ, The, 2021, 373, n740.	3.0	48
27	Fear of falling is as important as multiple previous falls in terms of limiting daily activities: a longitudinal study. BMC Geriatrics, 2021, 21, 350.	1.1	27
28	Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	0.8	2
29	Lifestyle-integrated functional exercise to prevent falls and promote physical activity: Results from the LiFE-is-LiFE randomized non-inferiority trial. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 115.	2.0	20
30	A Safe Mobilisation Program to Improve Functional Mobility and Reduce Fall Risks in Cognitively Impaired Older Adults with Higher Level Gait Disorders: A Pilot Study. Dementia and Geriatric Cognitive Disorders, 2021, 50, 364-371.	0.7	1
31	Impact of a fall prevention education program for health and exercise professionals: a randomised controlled trial. Public Health Research and Practice, 2021, 31, .	0.7	2
32	Active and engaged: Maintaining leisure activities in dementia. , 2021, , 97-110.		0
33	Preparing for Implementation Within Therapy Services for People With Dementia: Exploring Expectations and Experiences Among Service Providers. Journal of Applied Gerontology, 2021, 40, 1172-1179.	1.0	2
34	Scaleâ€up of the <i>Stepping On</i> fall prevention program amongst older adults in NSW: Program reach and fallâ€related health service use. Health Promotion Journal of Australia, 2021, 32, 391-398.	0.6	5
35	Environmental Interventions to Prevent Falls at Home and in the Community. , 2021, , 360-377.		3
36	Effect of occupational therapy home visit discharge planning on participation after stroke: protocol for the HOME Rehab trial. BMJ Open, 2021, 11, e044573.	0.8	0

#	ARTICLE	IF	CITATIONS
37	Falls. , 2021, , 1766-1775.		0
38	Health Professional Perspectives on Rehabilitation for People With Dementia. Gerontologist, The, 2020, 60, 503-512.	2.3	35
39	Influences on general practitioner referral to allied health professionals for fall prevention in primary care. Australasian Journal on Ageing, 2020, 39, e32-e39.	0.4	3
40	Feasibility and potential effects of interdisciplinary home-based reablement program (I-HARP) for people with cognitive and functional decline: a pilot trial. Aging and Mental Health, 2020, 24, 1916-1925.	1.5	12
41	Fall prevention in primary care using chronic disease management plans: A process evaluation of provider and consumer perspectives. Australian Occupational Therapy Journal, 2020, 67, 22-30.	0.6	4
42	Older Adultsâ€™ Self-Perceptions of Aging and Being Older: A Scoping Review. Gerontologist, The, 2020, 60, e524-e534.	2.3	31
43	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. British Journal of Sports Medicine, 2020, 54, 885-891.	3.1	155
44	Acceptability and willingness to participate in the Tailored Activity Program: perceptions of people living with dementia, their care partners and health professionals. Brain Impairment, 2020, 21, 259-273.	0.5	2
45	A scoping review of fall hazards in the homes of older adults and development of a framework for assessment and intervention. Australian Occupational Therapy Journal, 2020, 67, 470-478.	0.6	15
46	Stakeholder perspectives of fall prevention for older Australians with vision impairment: â€œitâ€™s just a matter of adapting them accordinglyâ€ Disability and Rehabilitation, 2020, , 1-7.	0.9	0
47	Recipient and instructor perspectives of an adapted exercise-based fall prevention programme for adults aged 50+ years with vision impairment: a qualitative study nested within a randomised controlled trial. BMJ Open, 2020, 10, e038386.	0.8	1
48	Systematic Review and Meta-Analysis of Intervention Studies with General Practitioner Involvement Focused on Falls Prevention for Community-Dwelling Older People. Journal of Aging and Health, 2020, 32, 1562-1578.	0.9	1
49	Rehabilitation for people with dementia: a multi-method study examining knowledge and attitudes. BMC Geriatrics, 2020, 20, 531.	1.1	11
50	Outcomes associated with scale-up of the Stepping On falls prevention program: A case study in redesigning for dissemination. Journal of Clinical and Translational Science, 2020, 4, 250-259.	0.3	7
51	A second chance: Experiences and outcomes of people with dementia and their families participating in a dementia reablement program. Brain Impairment, 2020, 21, 274-285.	0.5	8
52	Implementing an evidence-based dementia care program in the Australian health context: A cost-benefit analysis. Health and Social Care in the Community, 2020, 28, 2013-2024.	0.7	5
53	Supporting at-risk older adults transitioning from hospital to home: who benefits from an evidence-based patient-centered discharge planning intervention? Post-hoc analysis from a randomized trial. BMC Geriatrics, 2020, 20, 84.	1.1	14
54	Understanding in the Australian aged care sector of reablement interventions for people living with dementia: a qualitative content analysis. BMC Health Services Research, 2020, 20, 140.	0.9	6

#	ARTICLE	IF	CITATIONS
55	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020, 35, 2907-2916.	1.3	18
56	Development of a conceptual framework for a group-based format of the Lifestyle-integrated Functional Exercise (gLiFE) programme and its initial feasibility testing. <i>Pilot and Feasibility Studies</i> , 2020, 6, 6.	0.5	16
57	Does Telehealth Delivery of a Dyadic Dementia Care Program Provide a Noninferior Alternative to Face-To-Face Delivery of the Same Program? A Randomized, Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 673-682.	0.6	43
58	Exploring relationships between health professionals through the implementation of a reablement program for people with dementia: A mixed methods study. <i>Brain Impairment</i> , 2020, 21, 286-298.	0.5	4
59	Home Hazards With Fear of Falling: Findings From the Baseline Study of the Malaysian Elders Longitudinal Research (MELoR). <i>Frontiers in Public Health</i> , 2020, 8, 612599.	1.3	8
60	Healthy ageing among older Aboriginal people: the Ironbark study protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2020, 26, 581-587.	1.2	3
61	Therapists's perspectives on adapting the Stepping On falls prevention programme for community-dwelling stroke survivors in Singapore. <i>Disability and Rehabilitation</i> , 2019, 41, 2528-2537.	0.9	6
62	Attitudes Towards Adapted Lifestyle-Integrated Functional Exercise Developed for 60-70-Year-Olds: Perceptions of Participants and Trainers. <i>Gerontology</i> , 2019, 65, 599-609.	1.4	7
63	A pragmatic randomised controlled trial (RCT) and realist evaluation of the interdisciplinary home-based Reablement program (I-HARP) for improving functional independence of community dwelling older people with dementia: an effectiveness-implementation hybrid design. <i>BMC Geriatrics</i> , 2019, 19, 199.	1.1	19
64	Return to Everyday Activity in the Community and Home: a feasibility study for a lifestyle intervention to sit less, move more, and be strong. <i>Pilot and Feasibility Studies</i> , 2019, 5, 84.	0.5	3
65	Implementing behaviour change theory and techniques to increase physical activity and prevent functional decline among adults aged 61-70: The PreventIT project. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 147-156.	1.6	42
66	The Adapted Lifestyle-Integrated Functional Exercise Program for Preventing Functional Decline in Young Seniors: Development and Initial Evaluation. <i>Gerontology</i> , 2019, 65, 362-374.	1.4	32
67	Protocol for the PreventIT feasibility randomised controlled trial of a lifestyle-integrated exercise intervention in young older adults. <i>BMJ Open</i> , 2019, 9, e023526.	0.8	34
68	Measuring the Implementation of Lifestyle-Integrated Functional Exercise in Primary Care for Older Adults: Results of a Feasibility Study. <i>Canadian Journal on Aging</i> , 2019, 38, 350-366.	0.6	7
69	39 A Model of Gait and Falls in Older Adults with Dementia. <i>Age and Ageing</i> , 2019, 48, iv9-iv12.	0.7	0
70	Review of Gait, Cognition, and Fall Risks with Implications for Fall Prevention in Older Adults with Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019, 48, 17-29.	0.7	67
71	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019, 2019, CD012424.	1.5	529
72	Occupational therapy for people with dementia and their family carers provided at home: a systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e026308.	0.8	67

#	ARTICLE	IF	CITATIONS
73	Strategies for recruitment in general practice settings: the iSOLVE fall prevention pragmatic cluster randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2019, 19, 236.	1.4	14
74	Subjective memory complaints and difficulty performing activities of daily living among older women in Australia. <i>Australian Occupational Therapy Journal</i> , 2019, 66, 227-238.	0.6	25
75	An economic evaluation of the SUNBEAM programme: a falls-prevention randomized controlled trial in residential aged care. <i>Clinical Rehabilitation</i> , 2019, 33, 524-534.	1.0	14
76	Preventing falls among older fallers: study protocol for a two-phase pilot study of the multicomponent LIVE LiFE program. <i>Trials</i> , 2019, 20, 2.	0.7	14
77	Interventions to Improve Gait in Older Adults with Cognitive Impairment: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 381-391.	1.3	33
78	The tailored activity program (TAP) to address behavioral disturbances in frontotemporal dementia: a feasibility and pilot study. <i>Disability and Rehabilitation</i> , 2019, 41, 299-310.	0.9	35
79	Developing a falls prevention program for community-dwelling stroke survivors in Singapore: client and caregiver perspectives. <i>Disability and Rehabilitation</i> , 2019, 41, 1044-1054.	0.9	16
80	Falls. , 2019, , 1-11.		0
81	Economic evaluations of occupational therapy approaches for people with cognitive and/or functional decline: A systematic review. <i>Health and Social Care in the Community</i> , 2018, 26, 635-653.	0.7	9
82	Progressing knowledge translation in occupational therapy. <i>Australian Occupational Therapy Journal</i> , 2018, 65, 156-160.	0.6	10
83	An evaluation of the fall prevention practice of community-based occupational therapists working in primary care. <i>British Journal of Occupational Therapy</i> , 2018, 81, 463-473.	0.5	8
84	A trial based economic evaluation of occupational therapy discharge planning for older adults: the HOME randomized trial. <i>Clinical Rehabilitation</i> , 2018, 32, 919-929.	1.0	10
85	Progressive Resistance and Balance Training for Falls Prevention in Long-Term Residential Aged Care: A Cluster Randomized Trial of the Sunbeam Program. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 361-369.	1.2	86
86	The association between physical activity and social isolation in community-dwelling older adults. <i>Aging and Mental Health</i> , 2018, 22, 175-182.	1.5	73
87	Measuring functional ability in hospitalized older adults: a validation study. <i>Disability and Rehabilitation</i> , 2018, 40, 1972-1978.	0.9	9
88	PrevenTing Falls in a high-risk, vision-impaired population through specialist ORientation and Mobility services: protocol for the PlaTFORM randomised trial. <i>Injury Prevention</i> , 2018, 24, 459-466.	1.2	13
89	The Clinimetric Properties of Instruments Measuring Home Hazards for Older People at Risk of Falling: A Systematic Review. <i>Evaluation and the Health Professions</i> , 2018, 41, 82-128.	0.9	32
90	Feasibility and Effectiveness of Intervention Programmes Integrating Functional Exercise into Daily Life of Older Adults: A Systematic Review. <i>Gerontology</i> , 2018, 64, 172-187.	1.4	63

#	ARTICLE	IF	CITATIONS
91	Ergonomic education on housework for women with upper limb repetitive strain injury (RSI): a conceptual representation of therapists's clinical reasoning. <i>Disability and Rehabilitation</i> , 2018, 40, 3136-3146.	0.9	4
92	Factors associated with home hazards: Findings from the Malaysian Elders Longitudinal Research study. <i>Geriatrics and Gerontology International</i> , 2018, 18, 387-395.	0.7	22
93	Improving the social health of community-dwelling older people living with dementia through a reablement program. <i>International Psychogeriatrics</i> , 2018, 30, 915-920.	0.6	20
94	Risk Factors for Falls in Community Stroke Survivors: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 563-573.e5.	0.5	126
95	Comparison of a group-delivered and individually delivered lifestyle-integrated functional exercise (LIFE) program in older persons: a randomized noninferiority trial. <i>BMC Geriatrics</i> , 2018, 18, 267.	1.1	24
96	Evaluating the Longitudinal Item and Category Stability of the SF-36 Full and Summary Scales Using Rasch Analysis. <i>BioMed Research International</i> , 2018, 2018, 1-30.	0.9	19
97	Are there missed opportunities for occupational therapy for people with dementia? An audit of practice in Australia. <i>Australian Occupational Therapy Journal</i> , 2018, 65, 565-574.	0.6	12
98	The Ironbark program: Implementation and impact of a community-based fall prevention pilot program for older Aboriginal and Torres Strait Islander people. <i>Health Promotion Journal of Australia</i> , 2018, 29, 189-198.	0.6	14
99	Understanding the implementation and efficacy of a home-based strength and balance fall prevention intervention in people aged 50 years or over with vision impairment: a process evaluation protocol. <i>BMC Health Services Research</i> , 2018, 18, 512.	0.9	7
100	Making fall prevention routine in primary care practice: perspectives of allied health professionals. <i>BMC Health Services Research</i> , 2018, 18, 598.	0.9	28
101	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2018, 2018, CD012221.	1.5	234
102	Implementation of an evidence-based intervention to improve the wellbeing of people with dementia and their carers: study protocol for 'Care of People with dementia in their Environments (COPE)' in the Australian context. <i>BMC Geriatrics</i> , 2018, 18, 108.	1.1	18
103	A systematic review and meta-analysis of exercise-based falls prevention strategies in adults aged 50+ years with visual impairment. <i>Ophthalmic and Physiological Optics</i> , 2018, 38, 456-467.	1.0	10
104	The interrater and test-retest reliability of the 'Home Falls and Accidents Screening Tool' (HOME FAST) in Malaysia: Using raters with a range of professional backgrounds. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 662-669.	0.9	13
105	Falls amongst older people in Southeast Asia: a scoping review. <i>Public Health</i> , 2017, 145, 96-112.	1.4	48
106	Measurement of Functional Cognition and Complex Everyday Activities in Older Adults with Mild Cognitive Impairment and Mild Dementia: Validity of the Large Allen's Cognitive Level Screen. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 471-482.	0.6	15
107	Behavioral-variant frontotemporal dementia. <i>Neurology</i> , 2017, 89, 570-577.	1.5	37
108	Integrated solutions for sustainable fall prevention in primary care, the iSOLVE project: a type 2 hybrid effectiveness-implementation design. <i>Implementation Science</i> , 2017, 12, 12.	2.5	25

#	ARTICLE	IF	CITATIONS
109	Evidence-based occupational therapy for people with dementia and their families: What clinical practice guidelines tell us and implications for practice. <i>Australian Occupational Therapy Journal</i> , 2017, 64, 3-10.	0.6	25
110	Modified Delphi Consensus to Suggest Key Elements of Stepping On Falls Prevention Program. <i>Frontiers in Public Health</i> , 2017, 5, 21.	1.3	22
111	Research on the Translation and Implementation of Stepping On in Three Wisconsin Communities. <i>Frontiers in Public Health</i> , 2017, 5, 128.	1.3	7
112	Urban Australian general practitioners' perceptions of falls risk screening, falls risk assessment, and referral practices for falls prevention: an exploratory cross-sectional survey study. <i>Australian Health Review</i> , 2017, 41, 111.	0.5	17
113	Conceptual Model of Habit Reforming to Improve Balance and Prevent Falls. , 2017, , 587-596.		3
114	Trends in fall-related ambulance use and hospitalisation among older adults in NSW, 2006-2013: a retrospective, population-based study. <i>Public Health Research and Practice</i> , 2017, 27, .	0.7	12
115	Feasibility and acceptability of orientation and mobility instructors delivering the LIFE falls prevention program to older people with vision impairment.. <i>International Journal of Orientation and Mobility</i> , 2017, 7, 22-33.	0.2	7
116	Functional Assessments Used by Occupational Therapists with Older Adults at Risk of Activity and Participation Limitations: A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0147980.	1.1	41
117	Improving Fidelity of Translation of the Stepping On Falls Prevention Program through Root Cause Analysis. <i>Frontiers in Public Health</i> , 2016, 4, 251.	1.3	13
118	Estimating functional cognition in older adults using observational assessments of task performance in complex everyday activities: A systematic review and evaluation of measurement properties. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 335-360.	2.9	55
119	The Relationship between Behavioural Changes, Cognitive Symptoms, and Functional Disability in Primary Progressive Aphasia: A Longitudinal Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 215-226.	0.7	22
120	Interventions to delay functional decline in people with dementia: a systematic review of systematic reviews. <i>BMJ Open</i> , 2016, 6, e010767.	0.8	119
121	Understanding decision-making towards housework among women with upper limb repetitive strain injury. <i>Australian Occupational Therapy Journal</i> , 2016, 63, 37-46.	0.6	12
122	Occupational Therapy Predischarge Home Visits in Acute Hospital Care: A Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2019-2026.	1.3	27
123	Older Adult Perceptions of Participation in Group- and Home-Based Falls Prevention Exercise. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 350-362.	0.5	14
124	Risk factors, incidence, consequences and prevention strategies for falls and fall injury within older indigenous populations: a systematic review. <i>Australian and New Zealand Journal of Public Health</i> , 2016, 40, 564-568.	0.8	29
125	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and) Tj ETQq1 1 0.784314 rgBT30verlod		
126	Longitudinal change in everyday function and behavioral symptoms in frontotemporal dementia. <i>Neurology: Clinical Practice</i> , 2016, 6, 419-428.	0.8	47

#	ARTICLE	IF	CITATIONS
127	Does action follow intention with participation in home and group-based falls prevention exercise programs? An exploratory, prospective, observational study. Archives of Gerontology and Geriatrics, 2016, 64, 151-161.	1.4	4
128	Enhancing caregivers'™ understanding of dementia and tailoring activities in frontotemporal dementia: two case studies. Disability and Rehabilitation, 2016, 38, 704-714.	0.9	20
129	Multiple factors, including non-motor impairments, influence decision making with regard to exercise participation in Parkinson's™ disease: a qualitative enquiry. Disability and Rehabilitation, 2016, 38, 472-481.	0.9	38
130	Health behaviour change theory meets falls prevention: Feasibility of a habit-based balance and strength exercise intervention for older adults. Psychology of Sport and Exercise, 2016, 22, 114-122.	1.1	57
131	Cultural influences on exercise participation and fall prevention: a systematic review and narrative synthesis. Disability and Rehabilitation, 2016, 38, 724-732.	0.9	34
132	Conceptual Model of Habit Reforming to Improve Balance and Prevent Falls. , 2016, , 1-10.		5
133	What factors influence older adults to discuss falls with their health™care providers?. Health Expectations, 2015, 18, 1593-1609.	1.1	17
134	Measuring the implementation of a group-based Lifestyle-integrated Functional Exercise (Mi-LiFE) intervention delivered in primary care for older adults aged 75 years or older: a pilot feasibility study protocol. Pilot and Feasibility Studies, 2015, 1, 20.	0.5	11
135	How do general practitioners engage with allied health practitioners to prevent falls in older people? An exploratory qualitative study. Australasian Journal on Ageing, 2015, 34, 149-154.	0.4	19
136	Research: A viable and meaningful career alternative for occupational therapists. Australian Occupational Therapy Journal, 2015, 62, 227-227.	0.6	1
137	The effect of an information and communication technology (ICT) on older adults'™ quality of life: study protocol for a randomized control trial. Trials, 2015, 16, 191.	0.7	44
138	Predictors of Injurious Falls and Fear of Falling Differ. Journal of Aging and Health, 2015, 27, 239-256.	0.9	68
139	Factors impacting the household and recreation participation of older adults living in the community. Disability and Rehabilitation, 2015, 37, 56-63.	0.9	13
140	Identifying clusters of falls-related hospital admissions to inform population targets for prioritising falls prevention programmes. Injury Prevention, 2015, 21, 254-259.	1.2	9
141	Stepping On, a Community-Based Falls Prevention Program. , 2015, , 193-198.		5
142	Investigation of Older Adults'™ Participation in Exercises Following Completion of a State-wide Survey Targeting Evidence-based Falls Prevention Strategies. Journal of Aging and Physical Activity, 2015, 23, 256-263.	0.5	1
143	Does progressive resistance and balance exercise reduce falls in residential aged care? Randomized controlled trial protocol for the SUNBEAM program. Clinical Interventions in Aging, 2014, 9, 369.	1.3	21
144	Determining the Feasibility of a Lifestyle Activity Program for Inclusion in a Restorative Home Care Service: A Pilot Study. Activities, Adaptation and Aging, 2014, 38, 79-93.	1.7	9

#	ARTICLE	IF	CITATIONS
145	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. <i>Age and Ageing</i> , 2014, 43, 31-37.	0.7	23
146	Goal setting with caregivers of adults in the community: a mixed methods systematic review. <i>Disability and Rehabilitation</i> , 2014, 36, 1943-1963.	0.9	16
147	Active ageing and occupational therapy align. <i>Australian Occupational Therapy Journal</i> , 2014, 61, 204-207.	0.6	8
148	Unpacking the Evidence: Interventions for Reducing Behavioral and Psychological Symptoms in People with Dementia. <i>Physical and Occupational Therapy in Geriatrics</i> , 2014, 32, 294-309.	0.2	16
149	“Better for others than for me”: A belief that should shape our efforts to promote participation in falls prevention strategies. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 136-144.	1.4	54
150	Implementing person-environment approaches to prevent falls: A qualitative inquiry in applying the Westmead approach to occupational therapy home visits. <i>Australian Occupational Therapy Journal</i> , 2014, 61, 325-334.	0.6	19
151	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. <i>BMC Geriatrics</i> , 2014, 14, 89.	1.1	24
152	A Post-Hospital Home Exercise Program Improved Mobility but Increased Falls in Older People: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e104412.	1.1	76
153	Can chronic disease management plans including occupational therapy and physiotherapy services contribute to reducing falls risk in older people?. <i>Australian Family Physician</i> , 2014, 43, 211-5.	0.5	11
154	Occupational therapists partnering with general practitioners to prevent falls: Seizing opportunities in primary health care. <i>Australian Occupational Therapy Journal</i> , 2013, 60, 66-70.	0.6	17
155	Effectiveness of a lifestyle exercise program for older people receiving a restorative home care service: study protocol for a pragmatic randomised controlled trial. <i>BMC Health Services Research</i> , 2013, 13, 419.	0.9	6
156	A feasibility study and pilot randomised trial of a tailored prevention program to reduce falls in older people with mild dementia. <i>BMC Geriatrics</i> , 2013, 13, 89.	1.1	89
157	Culture and Sun Exposure in Immigrant East Asian Women Living in Australia. <i>Women and Health</i> , 2013, 53, 504-518.	0.4	45
158	Sustainability of community-based fall prevention programs: A systematic review. <i>Journal of Safety Research</i> , 2013, 47, 9-17.	1.7	33
159	Vitamin D status is associated with sun exposure, vitamin D and calcium intake, acculturation and attitudes in immigrant East Asian women living in Sydney. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 136, 214-217.	1.2	22
160	Surviving a Gender-Variant Childhood: The Views of Transgender Adults on the Needs of Gender-Variant Children and Their Parents. <i>Journal of Sex and Marital Therapy</i> , 2013, 39, 241-263.	1.0	60
161	Effectiveness of pre-discharge occupational therapy home visits has yet to be evaluated; a definitive trial is feasible and warranted. <i>Australian Occupational Therapy Journal</i> , 2013, 60, 374-375.	0.6	0
162	Falls prevention research in residential aged care is itself tripped up by medical clearance issues. <i>Australasian Journal on Ageing</i> , 2013, 32, 247-247.	0.4	1

#	ARTICLE	IF	CITATIONS
163	Recognising the needs of gender-variant children and their parents. <i>Sex Education</i> , 2013, 13, 644-659.	1.5	38
164	Effectiveness of a lifestyle exercise program for older people receiving a restorative home care service: a pragmatic randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2013, 8, 1591.	1.3	43
165	Enhancement of carer skills and patient function in the non-pharmacological management of frontotemporal dementia (FTD): A call for randomised controlled studies. <i>Dementia E Neuropsychologia</i> , 2013, 7, 143-150.	0.3	7
166	Assessment of the therapeutic alliance in physical rehabilitation: a RASCH analysis. <i>Disability and Rehabilitation</i> , 2012, 34, 257-266.	0.9	41
167	Occupational therapy discharge planning for older adults: A protocol for a randomised trial and economic evaluation. <i>BMC Geriatrics</i> , 2012, 12, 34.	1.1	11
168	Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LiFE study): randomised parallel trial. <i>BMJ</i> , The, 2012, 345, e4547-e4547.	3.0	349
169	Developing a Self-Reported Tool on Fall Risk Based on Toileting Responses on In-Hospital Falls. <i>Geriatric Nursing</i> , 2012, 33, 9-16.	0.9	14
170	Contribution of off-road tests to predicting on-road performance: A critical review of tests. <i>Australian Occupational Therapy Journal</i> , 2012, 59, 89-97.	0.6	38
171	Unprecedented Opportunities in Fall Prevention for Occupational Therapy Practitioners. <i>American Journal of Occupational Therapy</i> , 2012, 66, 127-130.	0.1	13
172	The Needs of Gender-Variant Children and Their Parents: A Parent Survey. <i>International Journal of Sexual Health</i> , 2011, 23, 181-195.	1.2	88
173	A protocol for evidence-based targeting and evaluation of statewide strategies for preventing falls among community-dwelling older people in Victoria, Australia. <i>Injury Prevention</i> , 2011, 17, e3-e3.	1.2	28
174	A study investigating the travel habits and preferences of older Australian adults with a falls risk. <i>Australasian Journal on Ageing</i> , 2011, 30, 208-214.	0.4	4
175	Do exercise interventions designed to prevent falls affect participation in life roles? A systematic review and meta-analysis. <i>Age and Ageing</i> , 2011, 40, 666-674.	0.7	33
176	Survey of current pre-discharge home visiting practices of occupational therapists. <i>Australian Occupational Therapy Journal</i> , 2011, 58, 172-177.	0.6	26
177	The Needs of Gender-Variant Children and Their Parents According to Health Professionals. <i>International Journal of Transgenderism</i> , 2011, 13, 54-63.	3.5	14
178	Measurement properties of a modified Reintegration to Normal Living Index in a community-dwelling adult rehabilitation population. <i>Disability and Rehabilitation</i> , 2011, 33, 1968-1978.	0.9	21
179	Incidence of and risk factors for falls among adults with an intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2010, 54, 1045-1057.	1.2	82
180	Family caregivers' perceptions of hospital-based allied health services post-stroke: Use of the Measure of Processes of Care to investigate processes of care. <i>Australian Occupational Therapy Journal</i> , 2010, 57, 167-173.	0.6	3

#	ARTICLE	IF	CITATIONS
181	LiFE Pilot Study: A randomised trial of balance and strength training embedded in daily life activity to reduce falls in older adults. <i>Australian Occupational Therapy Journal</i> , 2010, 57, 42-50.	0.6	95
182	Prevention of falls in the community. <i>BMJ: British Medical Journal</i> , 2010, 340, c2244-c2244.	2.4	14
183	Fall Prevention in Australia: Policies and Activities. <i>Clinics in Geriatric Medicine</i> , 2010, 26, 733-749.	1.0	17
184	Validity, reliability and predictive accuracy of the Driving Awareness Questionnaire. <i>Disability and Rehabilitation</i> , 2009, 31, 1074-1082.	0.9	20
185	Validation of the modified assessment of living skills and resources, an IADL measure for older people. <i>Disability and Rehabilitation</i> , 2009, 31, 359-369.	0.9	15
186	Awareness of Driving Ability in Senior Drivers With Neurological Conditions. <i>American Journal of Occupational Therapy</i> , 2009, 63, 146-150.	0.1	18
187	Validity and reliability of the on-road driving assessment with senior drivers. <i>Accident Analysis and Prevention</i> , 2008, 40, 751-759.	3.0	50
188	Validating the Falls Behavioural (FaB) scale for older people: A Rasch analysis. <i>Disability and Rehabilitation</i> , 2008, 30, 498-506.	0.9	36
189	Environmental Interventions to Prevent Falls in Community-Dwelling Older People. <i>Journal of Aging and Health</i> , 2008, 20, 954-971.	0.9	201
190	Improving Vision to Prevent Falls in Frail Older People: A Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 175-181.	1.3	160
191	Recruiting older participants to a randomised trial of a community-based fall prevention program. <i>Australasian Journal on Ageing</i> , 2007, 26, 35-39.	0.4	15
192	Feasibility and results of a randomised pilot-study of pre-discharge occupational therapy home visits. <i>BMC Health Services Research</i> , 2007, 7, 42.	0.9	51
193	A preventative home safety programme for community-dwelling older people with low vision reduced falls and was more cost-effective than an exercise programme. <i>Australian Occupational Therapy Journal</i> , 2006, 53, 243-244.	0.6	4
194	Older People's Views about Community Falls Prevention: An Australian Perspective. <i>British Journal of Occupational Therapy</i> , 2006, 69, 263-270.	0.5	17
195	The Effectiveness of a Community-Based Program for Reducing the Incidence of Falls in the Elderly: A Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1487-1494.	1.3	417
196	The Development of an Assessment To Evaluate Behavioral Factors Associated With Falling. <i>American Journal of Occupational Therapy</i> , 2003, 57, 380-388.	0.1	55
197	Older people enhancing self-efficacy in fall-risk situations. <i>Australian Occupational Therapy Journal</i> , 2001, 48, 80-91.	0.6	36
198	Families and nursing home placements: a cross-cultural study. <i>Journal of Cross-Cultural Gerontology</i> , 2001, 16, 333-351.	0.5	23

#	ARTICLE	IF	CITATIONS
199	Adherence to Occupational Therapist Recommendations for Home Modifications for Falls Prevention. American Journal of Occupational Therapy, 2001, 55, 641-648.	0.1	102
200	Content Validity of an Assessment Tool to Identify Home Fall Hazards: The Westmead Home Safety Assessment. British Journal of Occupational Therapy, 1999, 62, 171-179.	0.5	72
201	Inter-Rater Reliability of a Home Fall Hazards Assessment Tool. Occupation Participation and Health, 1999, 19, 83-98.	0.9	32
202	Managing risk and exerting control: determining follow through with falls prevention. Disability and Rehabilitation, 1999, 21, 531-541.	0.9	71
203	Understanding assessment concepts within the occupational therapy context. Occupational Therapy International, 1998, 5, 17-33.	0.3	4
204	Cultural issues from practice. Australian Occupational Therapy Journal, 1997, 44, 1-21.	0.6	47
205	Usage and Effectiveness of Rails, Bathing and Toileting Aids. Occupational Therapy in Health Care, 1996, 10, 41-59.	0.2	24
206	Caseâ€“Control Study of Hazards in the Home and Risk of Falls and Hip Fractures. Age and Ageing, 1996, 25, 97-101.	0.7	97
207	Exercise for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	9
208	Environmental interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	23