

Jolanta Lissowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8471662/publications.pdf>

Version: 2024-02-01

434
papers

49,291
citations

2832

97
h-index

2688

199
g-index

450
all docs

450
docs citations

450
times ranked

53886
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. <i>Oral Diseases</i> , 2023, 29, 1565-1578. | 1.5 | 9 |
| 2 | Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117. | 0.7 | 61 |
| 3 | Common Genetic Variation and Age of Onset of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 368-378. | 1.0 | 10 |
| 4 | Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327. | 0.7 | 114 |
| 5 | Common variants in breast cancer risk loci predispose to distinct tumor subtypes. <i>Breast Cancer Research</i> , 2022, 24, 2. | 2.2 | 15 |
| 6 | Occupational Exposure to Polycyclic Aromatic Hydrocarbons and Lung Cancer Risk: Results from a Pooled Analysis of Caseâ€“Control Studies (SYNERGY). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1433-1441. | 1.1 | 10 |
| 7 | Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228. | 1.1 | 12 |
| 8 | Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021, 113, 329-337. | 3.0 | 45 |
| 9 | Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021, 27, 73-93. | 1.5 | 31 |
| 10 | Shared genetic risk between eating disorderâ€“and substanceâ€“useâ€“related phenotypes: Evidence from genomeâ€“wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880. | 1.4 | 28 |
| 11 | Lung cancer risk in painters: results from the SYNERGY pooled caseâ€“control study consortium. <i>Occupational and Environmental Medicine</i> , 2021, 78, 269-278. | 1.3 | 11 |
| 12 | Mendelian randomization analyses suggest a role for cholesterol in the development of endometrial cancer. <i>International Journal of Cancer</i> , 2021, 148, 307-319. | 2.3 | 35 |
| 13 | <i>Helicobacter pylori</i> Immunoproteomic Profiles in Gastric Cancer. <i>Journal of Proteome Research</i> , 2021, 20, 409-419. | 1.8 | 16 |
| 14 | Bipolar multiplex families have an increased burden of common risk variants for psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 1286-1298. | 4.1 | 33 |
| 15 | Rare deleterious germline variants and risk of lung cancer. <i>Npj Precision Oncology</i> , 2021, 5, 12. | 2.3 | 19 |
| 16 | Identification of anti-Epstein-Barr virus (EBV) antibody signature in EBV-associated gastric carcinoma. <i>Gastric Cancer</i> , 2021, 24, 858-867. | 2.7 | 23 |
| 17 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 9.4 | 629 |
| 18 | Tumor-Associated Stromal Cellular Density as a Predictor of Recurrence and Mortality in Breast Cancer: Results from Ethnically Diverse Study Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1397-1407. | 1.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Application of two job indices for general occupational demands in a pooled analysis of caseâ€“control studies on lung cancer. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 475-481. | 1.7 | 1 |
| 20 | Genetic analyses of gynecological disease identify genetic relationships between uterine fibroids and endometrial cancer, and a novel endometrial cancer genetic risk region at the WNT4 1p36.12 locus. <i>Human Genetics</i> , 2021, 140, 1353-1365. | 1.8 | 18 |
| 21 | Assessment of interactions between 205 breast cancer susceptibility loci and 13 established risk factors in relation to breast cancer risk, in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2020, 49, 216-232. | 0.9 | 21 |
| 22 | The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184. | 0.7 | 137 |
| 23 | Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020, 52, 572-581. | 9.4 | 265 |
| 24 | Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposureâ€“Response Analysis of 14 Caseâ€“Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 402-411. | 2.5 | 34 |
| 25 | Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Caseâ€“Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 412-421. | 2.5 | 44 |
| 26 | Protein-altering germline mutations implicate novel genes related to lung cancer development. <i>Nature Communications</i> , 2020, 11, 2220. | 5.8 | 31 |
| 27 | Prognostic gene expression signature for high-grade serous ovarian cancer. <i>Annals of Oncology</i> , 2020, 31, 1240-1250. | 0.6 | 85 |
| 28 | Development and Validation of the Gene Expression Predictor of High-grade Serous Ovarian Carcinoma Molecular SubTYPE (PrOTYPE). <i>Clinical Cancer Research</i> , 2020, 26, 5411-5423. | 3.2 | 43 |
| 29 | Circulating Antibodies against Epsteinâ€“Barr Virus (EBV) and p53 in EBV-Positive and -Negative Gastric Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 414-419. | 1.1 | 8 |
| 30 | Genetic identification of cell types underlying brain complex traits yields insights into the etiology of Parkinsonâ€™s disease. <i>Nature Genetics</i> , 2020, 52, 482-493. | 9.4 | 216 |
| 31 | Antibodies Against <i>Chlamydia trachomatis</i> and Ovarian Cancer Risk in Two Independent Populations. <i>Journal of the National Cancer Institute</i> , 2019, 111, 129-136. | 3.0 | 56 |
| 32 | Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214. | 9.4 | 641 |
| 33 | Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019, 27, 1589-1598. | 1.4 | 27 |
| 34 | Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). <i>Cancer Epidemiology</i> , 2019, 63, 1016-15. | 0.8 | 12 |
| 35 | Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019, 76, 516. | 6.0 | 78 |
| 36 | Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019, 94, 47-57. | 0.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Molecular Classification of Epithelial Ovarian Cancer Based on Methylation Profiling: Evidence for Survival Heterogeneity. <i>Clinical Cancer Research</i> , 2019, 25, 5937-5946. | 3.2 | 50 |
| 38 | GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660. | 4.0 | 186 |
| 39 | Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. <i>Oncotarget</i> , 2019, 10, 1760-1774. | 0.8 | 25 |
| 40 | Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586. | 0.7 | 43 |
| 41 | Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803. | 9.4 | 1,191 |
| 42 | Genetic Overlap Between Alzheimer's Disease and Bipolar Disorder Implicates the MARK2 and VAC14 Genes. <i>Frontiers in Neuroscience</i> , 2019, 13, 220. | 1.4 | 42 |
| 43 | Combined quantitative measures of ER, PR, HER2, and Ki67 provide more prognostic information than categorical combinations in luminal breast cancer. <i>Modern Pathology</i> , 2019, 32, 1244-1256. | 2.9 | 51 |
| 44 | Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019, 120, 647-657. | 2.9 | 52 |
| 45 | Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11. | 13.5 | 935 |
| 46 | Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019, 104, 21-34. | 2.6 | 711 |
| 47 | The influence of obesity-related factors in the etiology of renal cell carcinoma: A mendelian randomization study. <i>PLoS Medicine</i> , 2019, 16, e1002724. | 3.9 | 59 |
| 48 | Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. <i>International Journal of Epidemiology</i> , 2019, 48, 751-766. | 0.9 | 32 |
| 49 | Exploration of Shared Genetic Architecture Between Subcortical Brain Volumes and Anorexia Nervosa. <i>Molecular Neurobiology</i> , 2019, 56, 5146-5156. | 1.9 | 15 |
| 50 | Functional Analysis and Fine Mapping of the 9p22.2 Ovarian Cancer Susceptibility Locus. <i>Cancer Research</i> , 2019, 79, 467-481. | 0.4 | 22 |
| 51 | Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 795-806. | 0.9 | 81 |
| 52 | Improving genetic prediction by leveraging genetic correlations among human diseases and traits. <i>Nature Communications</i> , 2018, 9, 989. | 5.8 | 136 |
| 53 | Etiology of hormone receptor positive breast cancer differs by levels of histologic grade and proliferation. <i>International Journal of Cancer</i> , 2018, 143, 746-757. | 2.3 | 19 |
| 54 | Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018, 118, 1123-1129. | 2.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. <i>Carcinogenesis</i> , 2018, 39, 336-346. | 1.3 | 29 |
| 56 | Assessment of moderate coffee consumption and risk of epithelial ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2018, 47, 450-459. | 0.9 | 15 |
| 57 | Genetic Contributions to The Association Between Adult Height and Head and Neck Cancer: A Mendelian Randomization Analysis. <i>Scientific Reports</i> , 2018, 8, 4534. | 1.6 | 4 |
| 58 | No association between global DNA methylation in peripheral blood and lung cancer risk in nonsmoking women: results from a multicenter study in Eastern and Central Europe. <i>European Journal of Cancer Prevention</i> , 2018, 27, 1-5. | 0.6 | 9 |
| 59 | Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 228, 20-25. | 2.0 | 14 |
| 60 | Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. <i>Molecular Psychiatry</i> , 2018, 23, 1169-1180. | 4.1 | 32 |
| 61 | Fine mapping of MHC region in lung cancer highlights independent susceptibility loci by ethnicity. <i>Nature Communications</i> , 2018, 9, 3927. | 5.8 | 43 |
| 62 | Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , 2018, 1, 163. | 2.0 | 17 |
| 63 | Tu1294 - Helicobacter Pylori Immunoproteomic Profiles in Patients with Gastric Cancer. <i>Gastroenterology</i> , 2018, 154, S-926. | 0.6 | 0 |
| 64 | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, . | 6.0 | 1,085 |
| 65 | Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018, 13, e0197561. | 1.1 | 9 |
| 66 | Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018, 9, 3166. | 5.8 | 178 |
| 67 | Rare Variants in Known Susceptibility Loci and Their Contribution to Risk of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1483-1495. | 0.5 | 22 |
| 68 | rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2473. | 1.8 | 3 |
| 69 | Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. <i>Nature Communications</i> , 2018, 9, 3221. | 5.8 | 60 |
| 70 | Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16. | 13.5 | 623 |
| 71 | Multi-Omics Analysis Reveals a HIF Network and Hub Gene EPAS1 Associated with Lung Adenocarcinoma. <i>EBioMedicine</i> , 2018, 32, 93-101. | 2.7 | 35 |
| 72 | A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018, 50, 968-978. | 9.4 | 184 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Lung cancer and socioeconomic status in a pooled analysis of case-control studies. PLoS ONE, 2018, 13, e0192999. | 1.1 | 107 |
| 74 | Abstract 4942: Serologic markers of infectious agents and ovarian cancer: Markers of prior Chlamydia trachomatis infection associated with increased ovarian cancer risk in two independent populations. , 2018, , . | | 6 |
| 75 | Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. Molecular Psychiatry, 2017, 22, 192-201. | 4.1 | 63 |
| 76 | Enrichment of putative PAX8 target genes at serous epithelial ovarian cancer susceptibility loci. British Journal of Cancer, 2017, 116, 524-535. | 2.9 | 23 |
| 77 | Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. International Journal of Cancer, 2017, 140, 1976-1984. | 2.3 | 35 |
| 78 | Relationship between crown-like structures and sex-steroid hormones in breast adipose tissue and serum among postmenopausal breast cancer patients. Breast Cancer Research, 2017, 19, 8. | 2.2 | 58 |
| 79 | Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858. | 4.0 | 410 |
| 80 | A genome-wide association study of anorexia nervosa suggests a risk locus implicated in dysregulated leptin signaling. Scientific Reports, 2017, 7, 3847. | 1.6 | 23 |
| 81 | Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155. | 2.4 | 150 |
| 82 | Genome-wide association study identifies multiple risk loci for renal cell carcinoma. Nature Communications, 2017, 8, 15724. | 5.8 | 106 |
| 83 | Exposure-Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case-Control Studies. Epidemiology, 2017, 28, 288-299. | 1.2 | 71 |
| 84 | Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. Nature Genetics, 2017, 49, 1126-1132. | 9.4 | 472 |
| 85 | Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. Nature Genetics, 2017, 49, 680-691. | 9.4 | 356 |
| 86 | Association analysis identifies 65 new breast cancer risk loci. Nature, 2017, 551, 92-94. | 13.7 | 1,099 |
| 87 | Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. Nature Genetics, 2017, 49, 1767-1778. | 9.4 | 289 |
| 88 | Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. European Urology, 2017, 72, 747-754. | 0.9 | 39 |
| 89 | Body mass index and breast cancer survival: a Mendelian randomization analysis. International Journal of Epidemiology, 2017, 46, 1814-1822. | 0.9 | 45 |
| 90 | Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. PLoS ONE, 2017, 12, e0171595. | 1.1 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Obesity, metabolic factors and risk of different histological types of lung cancer: A Mendelian randomization study. PLoS ONE, 2017, 12, e0177875. | 1.1 | 79 |
| 92 | Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. International Journal of Epidemiology, 2016, 45, 884-895. | 0.9 | 71 |
| 93 | Association of Active and Sedentary Behaviors with Postmenopausal Estrogen Metabolism. Medicine and Science in Sports and Exercise, 2016, 48, 439-448. | 0.2 | 27 |
| 94 | Exome genotyping arrays to identify rare and low frequency variants associated with epithelial ovarian cancer risk. Human Molecular Genetics, 2016, 25, 3600-3612. | 1.4 | 17 |
| 95 | <i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. Journal of Medical Genetics, 2016, 53, 800-811. | 1.5 | 174 |
| 96 | Lung Cancer Among Firefighters. Journal of Occupational and Environmental Medicine, 2016, 58, 1137-1143. | 0.9 | 15 |
| 97 | Anti- <i>Helicobacter pylori</i> Antibody Profiles in Epstein-Barr virus (EBV)-Positive and EBV-Negative Gastric Cancer. Helicobacter, 2016, 21, 153-157. | 1.6 | 35 |
| 98 | Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. Human Genetics, 2016, 135, 741-756. | 1.8 | 19 |
| 99 | Lifetime Number of Ovulatory Cycles and Risks of Ovarian and Endometrial Cancer Among Postmenopausal Women. American Journal of Epidemiology, 2016, 183, 800-814. | 1.6 | 41 |
| 100 | Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. International Journal of Epidemiology, 2016, 45, 1619-1630. | 0.9 | 111 |
| 101 | Occupational prestige, social mobility and the association with lung cancer in men. BMC Cancer, 2016, 16, 395. | 1.1 | 18 |
| 102 | Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. Nature Genetics, 2016, 48, 1544-1550. | 9.4 | 164 |
| 103 | Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. Nature Communications, 2016, 7, 11843. | 5.8 | 86 |
| 104 | Prognostic value of automated Ki67 scoring in breast cancer: a centralised evaluation of 8088 patients from 10 study groups. Breast Cancer Research, 2016, 18, 104. | 2.2 | 56 |
| 105 | The role of oral hygiene in head and neck cancer: results from International Head and Neck Cancer Epidemiology (INHANCE) consortium. Annals of Oncology, 2016, 27, 1619-1625. | 0.6 | 101 |
| 106 | High-throughput automated scoring of Ki67 in breast cancer tissue microarrays from the Breast Cancer Association Consortium. Journal of Pathology: Clinical Research, 2016, 2, 138-153. | 1.3 | 19 |
| 107 | CWAS meta-analysis of 16 852 women identifies new susceptibility locus for endometrial cancer. Human Molecular Genetics, 2016, 25, ddw092. | 1.4 | 19 |
| 108 | Investigation of Exomic Variants Associated with Overall Survival in Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 446-454. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Evidence of a genetic link between endometriosis and ovarian cancer. <i>Fertility and Sterility</i> , 2016, 105, 35-43.e10. | 0.5 | 37 |
| 110 | Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 835-845. | 0.9 | 40 |
| 111 | No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016, 141, 386-401. | 0.6 | 18 |
| 112 | Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016, 7, 69097-69110. | 0.8 | 5 |
| 113 | Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. <i>Oncotarget</i> , 2016, 7, 72381-72394. | 0.8 | 13 |
| 114 | A targeted genetic association study of epithelial ovarian cancer susceptibility. <i>Oncotarget</i> , 2016, 7, 7381-7389. | 0.8 | 7 |
| 115 | Abstract B41: Methylation profiling of ovarian cancer to study etiologic and prognostic heterogeneity and to develop a molecular classifier.. , 2016, , . | | 0 |
| 116 | Investigation of geneâ€environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. <i>International Journal of Cancer</i> , 2015, 136, E685-96. | 2.3 | 34 |
| 117 | Epithelialâ€Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015, 39, 689-697. | 0.6 | 22 |
| 118 | Relation of allium vegetables intake with head and neck cancers: Evidence from the INHANCE consortium. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 1641-1650. | 1.5 | 12 |
| 119 | Common germline polymorphisms associated with breast cancer-specific survival. <i>Breast Cancer Research</i> , 2015, 17, 58. | 2.2 | 26 |
| 120 | The <sc>INHANCE</sc> consortium: toward a better understanding of the causes and mechanisms of head and neck cancer. <i>Oral Diseases</i> , 2015, 21, 685-693. | 1.5 | 82 |
| 121 | The 12p13.33/RAD52 Locus and Genetic Susceptibility to Squamous Cell Cancers of Upper Aerodigestive Tract. <i>PLoS ONE</i> , 2015, 10, e0117639. | 1.1 | 10 |
| 122 | Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015, 10, e0128106. | 1.1 | 44 |
| 123 | Body Mass Index Genetic Risk Score and Endometrial Cancer Risk. <i>PLoS ONE</i> , 2015, 10, e0143256. | 1.1 | 13 |
| 124 | Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. <i>Journal of the National Cancer Institute</i> , 2015, 107, . | 3.0 | 428 |
| 125 | Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 caseâ€control studies from 27 countries. <i>International Journal of Cancer</i> , 2015, 136, 1125-1139. | 2.3 | 112 |
| 126 | Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497. | 2.6 | 101 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | A Rare Truncating BRCA2 Variant and Genetic Susceptibility to Upper Aerodigestive Tract Cancer. <i>Journal of the National Cancer Institute</i> , 2015, 107, . | 3.0 | 33 |
| 128 | Cell-type-specific enrichment of risk-associated regulatory elements at ovarian cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2015, 24, 3595-3607. | 1.4 | 40 |
| 129 | Performance of automated scoring of ER, PR, HER2, CK5/6 and EGFR in breast cancer tissue microarrays in the Breast Cancer Association Consortium. <i>Journal of Pathology: Clinical Research</i> , 2015, 1, 18-32. | 1.3 | 24 |
| 130 | Plasma Autoantibodies Associated with Basal-like Breast Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1332-1340. | 1.1 | 42 |
| 131 | Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015, 24, 2966-2984. | 1.4 | 40 |
| 132 | Menopausal hormone use and ovarian cancer risk: individual participant meta-analysis of 52 epidemiological studies. <i>Lancet</i> , The, 2015, 385, 1835-1842. | 6.3 | 349 |
| 133 | A systematic investigation of the contribution of genetic variation within the MHC region to HPV seropositivity. <i>Human Molecular Genetics</i> , 2015, 24, 2681-2688. | 1.4 | 9 |
| 134 | Fine-Scale Mapping of the 5q11.2 Breast Cancer Locus Reveals at Least Three Independent Risk Variants Regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015, 96, 5-20. | 2.6 | 76 |
| 135 | Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. <i>Carcinogenesis</i> , 2015, 36, 256-271. | 1.3 | 14 |
| 136 | Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015, 47, 164-171. | 9.4 | 221 |
| 137 | Effect of Occupational Exposures on Lung Cancer Susceptibility: A Study of Gene-Environment Interaction Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 570-579. | 1.1 | 14 |
| 138 | Infertility and incident endometrial cancer risk: a pooled analysis from the epidemiology of endometrial cancer consortium (E2C2). <i>British Journal of Cancer</i> , 2015, 112, 925-933. | 2.9 | 41 |
| 139 | Cell-Cycle Protein Expression in a Population-Based Study of Ovarian and Endometrial Cancers. <i>Frontiers in Oncology</i> , 2015, 5, 25. | 1.3 | 19 |
| 140 | Genome-wide significant risk associations for mucinous ovarian carcinoma. <i>Nature Genetics</i> , 2015, 47, 888-897. | 9.4 | 78 |
| 141 | Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1574-1584. | 1.1 | 28 |
| 142 | Obesity and survival among women with ovarian cancer: results from the Ovarian Cancer Association Consortium. <i>British Journal of Cancer</i> , 2015, 113, 817-826. | 2.9 | 111 |
| 143 | Genome-wide Analysis Identifies Novel Loci Associated with Ovarian Cancer Outcomes: Findings from the Ovarian Cancer Association Consortium. <i>Clinical Cancer Research</i> , 2015, 21, 5264-5276. | 3.2 | 33 |
| 144 | Identification of Novel Genetic Markers of Breast Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2015, 107, . | 3.0 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Evaluating the ovarian cancer gonadotropin hypothesis: A candidate gene study. <i>Gynecologic Oncology</i> , 2015, 136, 542-548. | 0.6 | 15 |
| 146 | Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015, 44, 169-185. | 0.9 | 128 |
| 147 | Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015, 17, 18. | 2.2 | 20 |
| 148 | Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 202-209. | 0.9 | 9 |
| 149 | Integrated analysis of DNA methylation, immunohistochemistry and mRNA expression, data identifies a methylation expression index (MEI) robustly associated with survival of ER-positive breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2015, 150, 457-466. | 1.1 | 7 |
| 150 | Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015, 6, 8234. | 5.8 | 63 |
| 151 | Identification of lung cancer histology-specific variants applying Bayesian framework variant prioritization approaches within the TRICL and ILCCO consortia. <i>Carcinogenesis</i> , 2015, 36, 1314-1326. | 1.3 | 15 |
| 152 | Common variants at the <i>CHEK2</i> gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015, 36, 1341-1353. | 1.3 | 24 |
| 153 | Annexin A1 expression in a pooled breast cancer series: association with tumor subtypes and prognosis. <i>BMC Medicine</i> , 2015, 13, 156. | 2.3 | 51 |
| 154 | Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. <i>Human Molecular Genetics</i> , 2015, 24, 5955-5964. | 1.4 | 68 |
| 155 | Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv219. | 3.0 | 99 |
| 156 | Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015, 5, e678-e678. | 2.4 | 67 |
| 157 | Lung cancer risk among bricklayers in a pooled analysis of case-control studies. <i>International Journal of Cancer</i> , 2015, 136, 360-371. | 2.3 | 34 |
| 158 | Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015, 24, 285-298. | 1.4 | 38 |
| 159 | Common colorectal cancer risk alleles contribute to the multiple colorectal adenoma phenotype, but do not influence colonic polyposis in FAP. <i>European Journal of Human Genetics</i> , 2015, 23, 260-263. | 1.4 | 17 |
| 160 | Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015, 2, . | 0.3 | 25 |
| 161 | Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 467-477. | 1.7 | 32 |
| 162 | Abstract 2767: Investigation of the relationship between crown-like structures and adipose tissue hormone levels among postmenopausal women with breast cancer. , 2015, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Exome-Wide Association Study of Endometrial Cancer in a Multiethnic Population. PLoS ONE, 2014, 9, e97045. | 1.1 | 12 |
| 164 | MicroRNA Related Polymorphisms and Breast Cancer Risk. PLoS ONE, 2014, 9, e109973. | 1.1 | 49 |
| 165 | Indoor air pollution from solid fuels and peripheral Blood DNA methylation: Findings from a population study in Warsaw, Poland. Environmental Research, 2014, 134, 325-330. | 3.7 | 19 |
| 166 | Improved survival of gastric cancer with tumour Epstein-Barr virus positivity: an international pooled analysis. Gut, 2014, 63, 236-243. | 6.1 | 309 |
| 167 | Using ancestry-informative markers to identify fine structure across 15 populations of European origin. European Journal of Human Genetics, 2014, 22, 1190-1200. | 1.4 | 32 |
| 168 | Is Previous Respiratory Disease a Risk Factor for Lung Cancer?. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 549-559. | 2.5 | 97 |
| 169 | Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633. | 1.4 | 90 |
| 170 | Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. Human Molecular Genetics, 2014, 23, 6096-6111. | 1.4 | 53 |
| 171 | Exposure to secondhand tobacco smoke and lung cancer by histological type: A pooled analysis of the International Lung Cancer Consortium (ILCCO). International Journal of Cancer, 2014, 135, 1918-1930. | 2.3 | 100 |
| 172 | Refined histopathological predictors of BRCA1 and BRCA2 mutation status: a large-scale analysis of breast cancer characteristics from the BCAC, CIMBA, and ENIGMA consortia. Breast Cancer Research, 2014, 16, 3419. | 2.2 | 97 |
| 173 | Genome-wide association study of endometrial cancer in E2C2. Human Genetics, 2014, 133, 211-224. | 1.8 | 42 |
| 174 | Breast cancer susceptibility risk associations and heterogeneity by E-cadherin tumor tissue expression. Breast Cancer Research and Treatment, 2014, 143, 181-187. | 1.1 | 16 |
| 175 | A large-scale assessment of two-way SNP interactions in breast cancer susceptibility using 46 450 cases and 42 461 controls from the breast cancer association consortium. Human Molecular Genetics, 2014, 23, 1934-1946. | 1.4 | 32 |
| 176 | Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. European Journal of Epidemiology, 2014, 29, 35-48. | 2.5 | 66 |
| 177 | Genome-wide association study of subtype-specific epithelial ovarian cancer risk alleles using pooled DNA. Human Genetics, 2014, 133, 481-497. | 1.8 | 23 |
| 178 | No Causal Association Identified for Human Papillomavirus Infections in Lung Cancer. Cancer Research, 2014, 74, 3525-3534. | 0.4 | 33 |
| 179 | Genome-wide association study reveals two new risk loci for bipolar disorder. Nature Communications, 2014, 5, 3339. | 5.8 | 294 |
| 180 | Discovery and validation of methylation markers for endometrial cancer. International Journal of Cancer, 2014, 135, 1860-1868. | 2.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Cross-cancer pleiotropic analysis of endometrial cancer: PAGE and E2C2 consortia. <i>Carcinogenesis</i> , 2014, 35, 2068-2073. | 1.3 | 18 |
| 182 | Identification of New Genetic Susceptibility Loci for Breast Cancer Through Consideration of Gene-Environment Interactions. <i>Genetic Epidemiology</i> , 2014, 38, 84-93. | 0.6 | 28 |
| 183 | Effect Modification of the Association of Cumulative Exposure and Cancer Risk by Intensity of Exposure and Time Since Exposure Cessation: A Flexible Method Applied to Cigarette Smoking and Lung Cancer in the SYNERGY Study. <i>American Journal of Epidemiology</i> , 2014, 179, 290-298. | 1.6 | 38 |
| 184 | Prolactin Receptor Expression and Breast Cancer: Relationships with Tumor Characteristics among Pre- and Post-menopausal Women in a Population-Based Case-Control Study from Poland. <i>Hormones and Cancer</i> , 2014, 5, 42-50. | 4.9 | 29 |
| 185 | Case-case comparison of smoking and alcohol risk associations with Epstein-Barr virus-positive gastric cancer. <i>International Journal of Cancer</i> , 2014, 134, 948-953. | 2.3 | 48 |
| 186 | Consortium analysis of gene and folate interactions in purine and pyrimidine metabolism pathways with ovarian carcinoma risk. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2023-2035. | 1.5 | 16 |
| 187 | Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945. | 1.1 | 37 |
| 188 | Urinary bisphenol A-glucuronide and postmenopausal breast cancer in Poland. <i>Cancer Causes and Control</i> , 2014, 25, 1587-1593. | 0.8 | 37 |
| 189 | FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. <i>British Journal of Cancer</i> , 2014, 110, 1088-1100. | 2.9 | 21 |
| 190 | Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014, 5, 4999. | 5.8 | 105 |
| 191 | A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014, 19, 1085-1094. | 4.1 | 282 |
| 192 | Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014, 23, 6034-6046. | 1.4 | 12 |
| 193 | Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014, 46, 736-741. | 9.4 | 360 |
| 194 | Mo1133 Anti-Viral Antibodies in Epstein-Barr Virus (EBV) Positive and Negative Gastric Cancer. <i>Gastroenterology</i> , 2014, 146, S-566. | 0.6 | 0 |
| 195 | Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014, 16, R51. | 2.2 | 14 |
| 196 | Abstract 2167: Infertility and risk of incident endometrial carcinoma: a pooled analysis from the Epidemiology of Endometrial Cancer Consortium. , 2014, , . | | 0 |
| 197 | Abstract 277: Multiplex Epstein-Barr virus (EBV) serology in EBV-positive and -negative gastric cancer. , 2014, , . | | 0 |
| 198 | Abstract 874: Autoantibody biomarker discovery in basal-like breast cancer using nucleic acid programmable protein array. , 2014, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Recent alcohol consumption and risk of incident ovarian carcinoma: a pooled analysis of 5,342 cases and 10,358 controls from the Ovarian Cancer Association Consortium. <i>BMC Cancer</i> , 2013, 13, 28. | 1.1 | 28 |
| 200 | Hormone-receptor expression and ovarian cancer survival: an Ovarian Tumor Tissue Analysis consortium study. <i>Lancet Oncology</i> , The, 2013, 14, 853-862. | 5.1 | 335 |
| 201 | GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 362-370. | 9.4 | 326 |
| 202 | Fine-Scale Mapping of the FGFR2 Breast Cancer Risk Locus: Putative Functional Variants Differentially Bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013, 93, 1046-1060. | 2.6 | 98 |
| 203 | Type I and II Endometrial Cancers: Have They Different Risk Factors?. <i>Journal of Clinical Oncology</i> , 2013, 31, 2607-2618. | 0.8 | 613 |
| 204 | Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384. | 9.4 | 493 |
| 205 | Common genetic variants in the 9p21 region and their associations with multiple tumours. <i>British Journal of Cancer</i> , 2013, 108, 1378-1386. | 2.9 | 55 |
| 206 | Cigarette smoking and risk of ovarian cancer: a pooled analysis of 21 case-control studies. <i>Cancer Causes and Control</i> , 2013, 24, 989-1004. | 0.8 | 84 |
| 207 | Estrogen receptor and progesterone receptor expression in normal terminal duct lobular units surrounding invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 837-847. | 1.1 | 21 |
| 208 | Functional Variants at the 11q13 Risk Locus for Breast Cancer Regulate Cyclin D1 Expression through Long-Range Enhancers. <i>American Journal of Human Genetics</i> , 2013, 92, 489-503. | 2.6 | 201 |
| 209 | Germline variation in TP53 regulatory network genes associates with breast cancer survival and treatment outcome. <i>International Journal of Cancer</i> , 2013, 132, 2044-2055. | 2.3 | 11 |
| 210 | Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398. | 9.4 | 374 |
| 211 | Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361. | 9.4 | 960 |
| 212 | Genetic modifiers of menopausal hormone replacement therapy and breast cancer risk: a genome-wide interaction study. <i>Endocrine-Related Cancer</i> , 2013, 20, 875-887. | 1.6 | 26 |
| 213 | Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 927-936. | 1.1 | 15 |
| 214 | Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. <i>American Journal of Epidemiology</i> , 2013, 178, 1513-1525. | 1.6 | 55 |
| 215 | Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. <i>American Journal of Epidemiology</i> , 2013, 178, 1355-1365. | 1.6 | 8 |
| 216 | Evidence of Gene-Environment Interactions between Common Breast Cancer Susceptibility Loci and Established Environmental Risk Factors. <i>PLoS Genetics</i> , 2013, 9, e1003284. | 1.5 | 136 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Relationship of Mammographic Density and Gene Expression: Analysis of Normal Breast Tissue Surrounding Breast Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 4972-4982. | 3.2 | 51 |
| 218 | Combined and Interactive Effects of Environmental and GWAS-Identified Risk Factors in Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 880-890. | 1.1 | 54 |
| 219 | Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 810-814. | 1.3 | 12 |
| 220 | Cigarette, Cigar, and Pipe Smoking and the Risk of Head and Neck Cancers: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>American Journal of Epidemiology</i> , 2013, 178, 679-690. | 1.6 | 220 |
| 221 | Obesity and risk of ovarian cancer subtypes: evidence from the Ovarian Cancer Association Consortium. <i>Endocrine-Related Cancer</i> , 2013, 20, 251-262. | 1.6 | 169 |
| 222 | Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. <i>Nature Communications</i> , 2013, 4, 1628. | 5.8 | 144 |
| 223 | A common biological basis of obesity and nicotine addiction. <i>Translational Psychiatry</i> , 2013, 3, e308-e308. | 2.4 | 51 |
| 224 | The etiology of uterine sarcomas: a pooled analysis of the epidemiology of endometrial cancer consortium. <i>British Journal of Cancer</i> , 2013, 108, 727-734. | 2.9 | 72 |
| 225 | Identification and molecular characterization of a new ovarian cancer susceptibility locus at 17q21.31. <i>Nature Communications</i> , 2013, 4, 1627. | 5.8 | 98 |
| 226 | Abstract 2519: Is accelerometer-measured physical activity associated with urinary estrogens and estrogen metabolites among postmenopausal women?.. , 2013, , . | | 1 |
| 227 | Abstract 3477: Discovery and validation of methylation markers for early detection of endometrial cancer.. , 2013, , . | | 0 |
| 228 | Abstract 4808: Case-case comparison of smoking and alcohol risk associations with Epstein-Barr virus-positive gastric cancer.. , 2013, , . | | 0 |
| 229 | Abstract 154: Lifetime ovulatory cycles and risk of ovarian and endometrial cancers.. , 2013, , . | | 0 |
| 230 | Predictors of global methylation levels in blood DNA of healthy subjects: a combined analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 126-139. | 0.9 | 187 |
| 231 | Common Breast Cancer Susceptibility Variants in <i>LSP1</i> and <i>RAD51L1</i> Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1156-1166. | 1.1 | 101 |
| 232 | Influence of common genetic variation on lung cancer risk: meta-analysis of 14 900 cases and 29 485 controls. <i>Human Molecular Genetics</i> , 2012, 21, 4980-4995. | 1.4 | 196 |
| 233 | Genetic variation in C20orf54, PLCE1 and MUC1 and the risk of upper gastrointestinal cancers in Caucasian populations. <i>European Journal of Cancer Prevention</i> , 2012, 21, 541-544. | 0.6 | 72 |
| 234 | Asthma and lung cancer risk: a systematic investigation by the International Lung Cancer Consortium. <i>Carcinogenesis</i> , 2012, 33, 587-597. | 1.3 | 69 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | 19p13.1 Is a Triple-Negative-Specific Breast Cancer Susceptibility Locus. <i>Cancer Research</i> , 2012, 72, 1795-1803. | 0.4 | 100 |
| 236 | Occupational exposure to organic dust increases lung cancer risk in the general population. <i>Thorax</i> , 2012, 67, 111-116. | 2.7 | 45 |
| 237 | Age at Last Birth in Relation to Risk of Endometrial Cancer: Pooled Analysis in the Epidemiology of Endometrial Cancer Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 269-278. | 1.6 | 76 |
| 238 | Welding and Lung Cancer in Central and Eastern Europe and the United Kingdom. <i>American Journal of Epidemiology</i> , 2012, 175, 706-714. | 1.6 | 53 |
| 239 | The role of genetic breast cancer susceptibility variants as prognostic factors. <i>Human Molecular Genetics</i> , 2012, 21, 3926-3939. | 1.4 | 80 |
| 240 | Analysis of Serum Metabolic Profiles in Women with Endometrial Cancer and Controls in a Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3216-3223. | 1.8 | 46 |
| 241 | Analysis of terminal duct lobular unit involution in luminal A and basal breast cancers. <i>Breast Cancer Research</i> , 2012, 14, R64. | 2.2 | 39 |
| 242 | Accelerometer-based measures of active and sedentary behavior in relation to breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1279-1290. | 1.1 | 40 |
| 243 | ABO blood group and risk of epithelial ovarian cancer within the Ovarian Cancer Association Consortium. <i>Cancer Causes and Control</i> , 2012, 23, 1805-1810. | 0.8 | 35 |
| 244 | Genome-wide association analysis identifies three new breast cancer susceptibility loci. <i>Nature Genetics</i> , 2012, 44, 312-318. | 9.4 | 256 |
| 245 | Previous Lung Diseases and Lung Cancer Risk: A Pooled Analysis From the International Lung Cancer Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 573-585. | 1.6 | 160 |
| 246 | Increased risk of lung cancer in individuals with a family history of the disease: A pooled analysis from the International Lung Cancer Consortium. <i>European Journal of Cancer</i> , 2012, 48, 1957-1968. | 1.3 | 143 |
| 247 | Menarche, menopause, and breast cancer risk: individual participant meta-analysis, including 118,964 women with breast cancer from 117 epidemiological studies. <i>Lancet Oncology</i> , The, 2012, 13, 1141-1151. | 5.1 | 753 |
| 248 | A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462. | 1.4 | 81 |
| 249 | Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658. | 9.4 | 519 |
| 250 | 11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012, 33, 1123-1132. | 1.1 | 35 |
| 251 | Cigarette smoking and lung cancer—relative risk estimates for the major histological types from a pooled analysis of case-control studies. <i>International Journal of Cancer</i> , 2012, 131, 1210-1219. | 2.3 | 390 |
| 252 | Genome-Wide Association Study Identifies a Possible Susceptibility Locus for Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 980-987. | 1.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Peripheral blood immunologic phenotype of population-based breast cancer cases and matched controls. <i>European Journal of Clinical Investigation</i> , 2012, 42, 572-574. | 1.7 | 2 |
| 254 | Sex steroid hormone levels in breast adipose tissue and serum in postmenopausal women. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 287-294. | 1.1 | 32 |
| 255 | Fine mapping of 14q24.1 breast cancer susceptibility locus. <i>Human Genetics</i> , 2012, 131, 479-490. | 1.8 | 5 |
| 256 | Using Prior Information from the Medical Literature in GWAS of Oral Cancer Identifies Novel Susceptibility Variant on Chromosome 4 - the AdAPT Method. <i>PLoS ONE</i> , 2012, 7, e36888. | 1.1 | 17 |
| 257 | Comparison of 6q25 Breast Cancer Hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012, 7, e42380. | 1.1 | 51 |
| 258 | Abstract LB-336: Association of variant rs2046210 at 6q25.1 (ESR1) with breast cancer risk suggests heterogeneity by E-cadherin tumor tissue expression. , 2012, , . | | 0 |
| 259 | Abstract LB-330: Genetic variants in the 9p21 region in relation to the risk of multiple tumors. , 2012, , . | | 0 |
| 260 | Abstract 1029: The association of body mass index with risk of endometrial cancer subtypes: Pooled analysis in E2C2. , 2012, , . | | 0 |
| 261 | Abstract 5012: DNA methylation profiles of endometrial cancer and benign endometrium suggest differences by mismatch repair status and possible early detection markers. , 2012, , . | | 0 |
| 262 | Confirmation of 5p12 As a Susceptibility Locus for Progesterone-Receptor-Positive, Lower Grade Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2222-2231. | 1.1 | 27 |
| 263 | Associations of Breast Cancer Risk Factors With Tumor Subtypes: A Pooled Analysis From the Breast Cancer Association Consortium Studies. <i>Journal of the National Cancer Institute</i> , 2011, 103, 250-263. | 3.0 | 596 |
| 264 | Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011, 20, 3289-3303. | 1.4 | 152 |
| 265 | Genetic Variation in the Prostate Stem Cell Antigen Gene and Upper Gastrointestinal Cancer in White Individuals. <i>Gastroenterology</i> , 2011, 140, 435-441. | 0.6 | 70 |
| 266 | Genetic variation in PRL and PRLR, and relationships with serum prolactin levels and breast cancer risk: results from a population-based case-control study in Poland. <i>Breast Cancer Research</i> , 2011, 13, R42. | 2.2 | 18 |
| 267 | A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333. | 1.5 | 158 |
| 268 | Possible association between a genetic polymorphism at 8q24 and risk of upper gastrointestinal cancer. <i>European Journal of Cancer Prevention</i> , 2011, 20, 54-57. | 0.6 | 15 |
| 269 | Acetaldehyde level in spirits from Central European countries. <i>European Journal of Cancer Prevention</i> , 2011, 20, 526-529. | 0.6 | 26 |
| 270 | Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 1262-1267. | 0.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65. | 9.4 | 220 |
| 272 | Endometrial cancer and genetic variation in PTEN, PIK3CA, AKT1, MLH1, and MSH2 within a population-based case-control study. <i>Gynecologic Oncology</i> , 2011, 120, 167-173. | 0.6 | 27 |
| 273 | A role for XRCC2 gene polymorphisms in breast cancer risk and survival. <i>Journal of Medical Genetics</i> , 2011, 48, 477-484. | 1.5 | 47 |
| 274 | An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 case-control studies. <i>Cancer Causes and Control</i> , 2011, 22, 1217-1231. | 0.8 | 48 |
| 275 | Occupational exposure to metal compounds and lung cancer. Results from a multi-center case-control study in Central/Eastern Europe and UK. <i>Cancer Causes and Control</i> , 2011, 22, 1669-1680. | 0.8 | 22 |
| 276 | Exposure to Diesel Motor Exhaust and Lung Cancer Risk in a Pooled Analysis from Case-Control Studies in Europe and Canada. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 941-948. | 2.5 | 150 |
| 277 | Genome-wide association study of HPV seropositivity. <i>Human Molecular Genetics</i> , 2011, 20, 4714-4723. | 1.4 | 25 |
| 278 | A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 658-664. | 1.1 | 14 |
| 279 | Associations of common variants at 1p11.2 and 14q24.1 (RAD51L1) with breast cancer risk and heterogeneity by tumor subtype: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011, 20, 4693-4706. | 1.4 | 71 |
| 280 | TGF- β 2 Signaling Pathway and Breast Cancer Susceptibility. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1112-1119. | 1.1 | 49 |
| 281 | Prostate Cancer Susceptibility Polymorphism rs2660753 Is Not Associated with Invasive Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1028-1031. | 1.1 | 0 |
| 282 | 7q21-rs6964587 and breast cancer risk: an extended case-control study by the Breast Cancer Association Consortium. <i>Journal of Medical Genetics</i> , 2011, 48, 698-702. | 1.5 | 5 |
| 283 | CHEK2, MGMT, SULT1E1 and SULT1A1 Polymorphisms and Endometrial Cancer Risk. <i>Twin Research and Human Genetics</i> , 2011, 14, 328-332. | 0.3 | 12 |
| 284 | Low human papillomavirus prevalence in head and neck cancer: results from two large case-control studies in high-incidence regions. <i>International Journal of Epidemiology</i> , 2011, 40, 489-502. | 0.9 | 165 |
| 285 | Evaluation of variation in the phosphoinositide-3-kinase catalytic subunit alpha oncogene and breast cancer risk. <i>British Journal of Cancer</i> , 2011, 105, 1934-1939. | 2.9 | 4 |
| 286 | Polymorphisms in chemokine and receptor genes and gastric cancer risk and survival in a high risk Polish population. <i>Scandinavian Journal of Gastroenterology</i> , 2011, 46, 333-340. | 0.6 | 20 |
| 287 | Breast cancer susceptibility polymorphisms and endometrial cancer risk: a Collaborative Endometrial Cancer Study. <i>Carcinogenesis</i> , 2011, 32, 1862-1866. | 1.3 | 5 |
| 288 | Abstract 1890: Human papillomavirus serology and the risk of lung cancer. , 2011, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Detection of Somatic Mutations by High-Resolution DNA Melting (HRM) Analysis in Multiple Cancers. PLoS ONE, 2011, 6, e14522. | 1.1 | 52 |
| 290 | The Obesity-Associated Polymorphisms FTO rs9939609 and MC4R rs17782313 and Endometrial Cancer Risk in Non-Hispanic White Women. PLoS ONE, 2011, 6, e16756. | 1.1 | 58 |
| 291 | Abstract 1875: Lung cancer risk among hairdressers in SYNERGY " pooled analysis from case-control studies in Europe and Canada with detailed smoking data. , 2011, , . | | 0 |
| 292 | Abstract 1900: Age at last birth and endometrial cancer risk: Pooled analysis in the Epidemiology of Endometrial Cancer Consortium. , 2011, , . | | 0 |
| 293 | Abstract 1877: Lung cancer risk in painters: Results from the SYNERGY pooled analysis. , 2011, , . | | 0 |
| 294 | Abstract LB-454: Serum metabolic profiles and endometrial cancer. , 2011, , . | | 0 |
| 295 | OC-052"Assessment of novel genetic polymorphisms and risk of upper gastrointestinal carcinoma. Gut, 2010, 59, A21.2-A22. | 6.1 | 0 |
| 296 | Assessing interactions between the associations of common genetic susceptibility variants, reproductive history and body mass index with breast cancer risk in the breast cancer association consortium: a combined case-control study. Breast Cancer Research, 2010, 12, R110. | 2.2 | 82 |
| 297 | Expression of TGF- β signaling factors in invasive breast cancers: relationships with age at diagnosis and tumor characteristics. Breast Cancer Research and Treatment, 2010, 121, 727-735. | 1.1 | 51 |
| 298 | Leukocyte telomere length in a population-based case"control study of ovarian cancer: a pilot study. Cancer Causes and Control, 2010, 21, 77-82. | 0.8 | 59 |
| 299 | A comprehensive analysis of common genetic variation in MUC1, MUC5AC, MUC6 genes and risk of stomach cancer. Cancer Causes and Control, 2010, 21, 313-321. | 0.8 | 76 |
| 300 | Family history and lung cancer risk: international multicentre case"control study in Eastern and Central Europe and meta-analyses. Cancer Causes and Control, 2010, 21, 1091-1104. | 0.8 | 81 |
| 301 | Blood leukocyte DNA hypomethylation and gastric cancer risk in a high-risk Polish population. International Journal of Cancer, 2010, 127, 1866-1874. | 2.3 | 103 |
| 302 | Prolactin serum levels and breast cancer: relationships with risk factors and tumour characteristics among pre- and postmenopausal women in a population-based case"control study from Poland. British Journal of Cancer, 2010, 103, 1097-1102. | 2.9 | 29 |
| 303 | Genome-wide meta-analyses identify multiple loci associated with smoking behavior. Nature Genetics, 2010, 42, 441-447. | 9.4 | 1,083 |
| 304 | Common variants at 19p13 are associated with susceptibility to ovarian cancer. Nature Genetics, 2010, 42, 880-884. | 9.4 | 235 |
| 305 | A genome-wide association study identifies susceptibility loci for ovarian cancer at 2q31 and 8q24. Nature Genetics, 2010, 42, 874-879. | 9.4 | 321 |
| 306 | Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. Occupational and Environmental Medicine, 2010, 67, 98-103. | 1.3 | 86 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. <i>International Journal of Epidemiology</i> , 2010, 39, 182-196. | 0.9 | 210 |
| 308 | International Lung Cancer Consortium: Coordinated association study of 10 potential lung cancer susceptibility variants. <i>Carcinogenesis</i> , 2010, 31, 625-633. | 1.3 | 56 |
| 309 | Can Lactase Persistence Genotype Be Used to Reassess the Relationship between Renal Cell Carcinoma and Milk Drinking? Potentials and Problems in the Application of Mendelian Randomization. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1341-1348. | 1.1 | 19 |
| 310 | No Association between <i>FTO</i> or <i>HHEX</i> and Endometrial Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2106-2109. | 1.1 | 24 |
| 311 | Body mass index and risk of head and neck cancer in a pooled analysis of case-control studies in the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. <i>International Journal of Epidemiology</i> , 2010, 39, 1091-1102. | 0.9 | 89 |
| 312 | Polymorphism in the <i>GALNT1</i> Gene and Epithelial Ovarian Cancer in Non-Hispanic White Women: The Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 600-604. | 1.1 | 23 |
| 313 | Occupation and renal cell cancer in Central and Eastern Europe. <i>Occupational and Environmental Medicine</i> , 2010, 67, 47-53. | 1.3 | 23 |
| 314 | Occupational exposure to organic solvents and breast cancer in women. <i>Occupational and Environmental Medicine</i> , 2010, 67, 722-729. | 1.3 | 38 |
| 315 | Body Mass Index, Cigarette Smoking, and Alcohol Consumption and Cancers of the Oral Cavity, Pharynx, and Larynx: Modeling Odds Ratios in Pooled Case-Control Data. <i>American Journal of Epidemiology</i> , 2010, 171, 1250-1261. | 1.6 | 63 |
| 316 | Missense Variants in <i>ATM</i> in 26,101 Breast Cancer Cases and 29,842 Controls. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2143-2151. | 1.1 | 33 |
| 317 | Common genetic variation in the sex hormone metabolic pathway and endometrial cancer risk: pathway-based evaluation of candidate genes. <i>Carcinogenesis</i> , 2010, 31, 827-833. | 1.3 | 42 |
| 318 | Evaluation of Candidate Stromal Epithelial Cross-Talk Genes Identifies Association between Risk of Serous Ovarian Cancer and <i>TERT</i> , a Cancer Susceptibility "Hot-Spot". <i>PLoS Genetics</i> , 2010, 6, e1001016. | 1.5 | 48 |
| 319 | Subtyping of Breast Cancer by Immunohistochemistry to Investigate a Relationship between Subtype and Short and Long Term Survival: A Collaborative Analysis of Data for 10,159 Cases from 12 Studies. <i>PLoS Medicine</i> , 2010, 7, e1000279. | 3.9 | 764 |
| 320 | In-Home Coal and Wood Use and Lung Cancer Risk: A Pooled Analysis of the International Lung Cancer Consortium. <i>Environmental Health Perspectives</i> , 2010, 118, 1743-1747. | 2.8 | 112 |
| 321 | <i>ESR1/SYNE1</i> Polymorphism and Invasive Epithelial Ovarian Cancer Risk: An Ovarian Cancer Association Consortium Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 245-250. | 1.1 | 75 |
| 322 | Association Between a Germline <i>OCA2</i> Polymorphism at Chromosome 15q13.1 and Estrogen Receptor-Negative Breast Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2010, 102, 650-662. | 3.0 | 48 |
| 323 | Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. <i>International Journal of Epidemiology</i> , 2010, 39, 563-577. | 0.9 | 125 |
| 324 | Active and passive cigarette smoking and the risk of endometrial cancer in Poland. <i>European Journal of Cancer</i> , 2010, 46, 690-696. | 1.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 325 | Performance of Common Genetic Variants in Breast-Cancer Risk Models. <i>New England Journal of Medicine</i> , 2010, 362, 986-993. | 13.9 | 376 |
| 326 | Abstract 2779: Relationship of mammographic density with breast cancer subtypes. , 2010, , . | | 0 |
| 327 | Abstract 2786: Methylation profiling of endometrial cancers from a population-based case control study. , 2010, , . | | 0 |
| 328 | DNA Hypermethylation of <i>ESR1</i> and <i>PGR</i> in Breast Cancer: Pathologic and Epidemiologic Associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3036-3043. | 1.1 | 60 |
| 329 | Association between invasive ovarian cancer susceptibility and 11 best candidate SNPs from breast cancer genome-wide association study. <i>Human Molecular Genetics</i> , 2009, 18, 2297-2304. | 1.4 | 42 |
| 330 | Polymorphisms in estrogen- and androgen-metabolizing genes and the risk of gastric cancer. <i>Carcinogenesis</i> , 2009, 30, 71-77. | 1.3 | 30 |
| 331 | Association of <i>ESR1</i> gene tagging SNPs with breast cancer risk. <i>Human Molecular Genetics</i> , 2009, 18, 1131-1139. | 1.4 | 84 |
| 332 | Risk of Estrogen Receptorâ€‘Positive and â€‘Negative Breast Cancer and Singleâ€‘Nucleotide Polymorphism 2q35-rs13387042. <i>Journal of the National Cancer Institute</i> , 2009, 101, 1012-1018. | 3.0 | 99 |
| 333 | Obesity and cancer: Mendelian randomization approach utilizing the <i>FTO</i> genotype. <i>International Journal of Epidemiology</i> , 2009, 38, 971-975. | 0.9 | 96 |
| 334 | Two Estrogen-Related Variants in <i>CYP19A1</i> and Endometrial Cancer Risk: A Pooled Analysis in the Epidemiology of Endometrial Cancer Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 242-247. | 1.1 | 61 |
| 335 | Single Nucleotide Polymorphisms in the <i>TP53</i> Region and Susceptibility to Invasive Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2009, 69, 2349-2357. | 0.4 | 63 |
| 336 | Total Exposure and Exposure Rate Effects for Alcohol and Smoking and Risk of Head and Neck Cancer: A Pooled Analysis of Case-Control Studies. <i>American Journal of Epidemiology</i> , 2009, 170, 937-947. | 1.6 | 143 |
| 337 | Telomere Length in Peripheral Leukocyte DNA and Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3103-3109. | 1.1 | 106 |
| 338 | Family history of cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2009, 124, 394-401. | 2.3 | 122 |
| 339 | Genetic variation in <i>SIPA1</i> in relation to breast cancer risk and survival after breast cancer diagnosis. <i>International Journal of Cancer</i> , 2009, 124, 1716-1720. | 2.3 | 22 |
| 340 | A multistage genome-wide association study in breast cancer identifies two new risk alleles at 1p11.2 and 14q24.1 (<i>RAD51L1</i>). <i>Nature Genetics</i> , 2009, 41, 579-584. | 9.4 | 487 |
| 341 | Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009, 41, 585-590. | 9.4 | 434 |
| 342 | A genome-wide association study identifies a new ovarian cancer susceptibility locus on 9p22.2. <i>Nature Genetics</i> , 2009, 41, 996-1000. | 9.4 | 276 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 343 | Genetic Variation in <i>rs1044396</i> in Relation to <i>Helicobacter pylori</i> Serology and Gastric Cancer Risk. <i>Helicobacter</i> , 2009, 14, 472-477. | 1.6 | 8 |
| 344 | Genetic variation in sodium-dependent ascorbic acid transporters and risk of gastric cancer in Poland. <i>European Journal of Cancer</i> , 2009, 45, 1824-1830. | 1.3 | 56 |
| 345 | Five Polymorphisms and Breast Cancer Risk: Results from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1610-1616. | 1.1 | 57 |
| 346 | CD14-159C/T and TLR9-1237T/C polymorphisms are not associated with gastric cancer risk in Caucasian populations. <i>European Journal of Cancer Prevention</i> , 2009, 18, 117-119. | 0.6 | 46 |
| 347 | Genetic Variation in the Androgen Receptor Gene and Endometrial Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 585-589. | 1.1 | 13 |
| 348 | Socioeconomic Indicators and Risk of Lung Cancer in Central and Eastern Europe. <i>Central European Journal of Public Health</i> , 2009, 17, 115-121. | 0.4 | 18 |
| 349 | Genetic variation in CYP17 and endometrial cancer risk. <i>Human Genetics</i> , 2008, 123, 155-162. | 1.8 | 23 |
| 350 | Consortium analysis of 7 candidate SNPs for ovarian cancer. <i>International Journal of Cancer</i> , 2008, 123, 380-388. | 2.3 | 73 |
| 351 | Investigation of the fine structure of European populations with applications to disease association studies. <i>European Journal of Human Genetics</i> , 2008, 16, 1413-1429. | 1.4 | 147 |
| 352 | A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008, 452, 633-637. | 13.7 | 1,169 |
| 353 | Progesterone receptor variation and risk of ovarian cancer is limited to the invasive endometrioid subtype: results from the ovarian cancer association consortium pooled analysis. <i>British Journal of Cancer</i> , 2008, 98, 282-288. | 2.9 | 49 |
| 354 | Multiple ADH genes are associated with upper aerodigestive cancers. <i>Nature Genetics</i> , 2008, 40, 707-709. | 9.4 | 161 |
| 355 | Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008, 40, 1404-1406. | 9.4 | 514 |
| 356 | Human papillomavirus infection in women with and without cervical cancer in Warsaw, Poland. <i>European Journal of Cancer</i> , 2008, 44, 557-564. | 1.3 | 54 |
| 357 | Adulthood Lifetime Physical Activity and Breast Cancer. <i>Epidemiology</i> , 2008, 19, 226-236. | 1.2 | 56 |
| 358 | Heterogeneity of Breast Cancer Associations with Five Susceptibility Loci by Clinical and Pathological Characteristics. <i>PLoS Genetics</i> , 2008, 4, e1000054. | 1.5 | 315 |
| 359 | International Lung Cancer Consortium: Pooled Analysis of Sequence Variants in DNA Repair and Cell Cycle Pathways. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3081-3089. | 1.1 | 93 |
| 360 | <i>rs1044396</i> Genetic Variants and Hormone Receptor-Defined Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2766-2772. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Genetic Variants in T Helper Cell Type 1, 2 and 3 Pathways and Gastric Cancer Risk in a Polish Population. <i>Japanese Journal of Clinical Oncology</i> , 2008, 38, 626-633. | 0.6 | 35 |
| 362 | Sequence Variants of <i>NAT1</i> and <i>NAT2</i> and Other Xenometabolic Genes and Risk of Lung and Aerodigestive Tract Cancers in Central Europe. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 141-147. | 1.1 | 26 |
| 363 | Genetic variation in five genes important in telomere biology and risk for breast cancer. <i>British Journal of Cancer</i> , 2007, 97, 832-836. | 2.9 | 70 |
| 364 | Reproductive risk factors for endometrial cancer among Polish women. <i>British Journal of Cancer</i> , 2007, 96, 1450-1456. | 2.9 | 43 |
| 365 | Hormonal Markers in Breast Cancer: Coexpression, Relationship with Pathologic Characteristics, and Risk Factor Associations in a Population-Based Study. <i>Cancer Research</i> , 2007, 67, 10608-10617. | 0.4 | 50 |
| 366 | Uncommon CHEK2 mis-sense variant and reduced risk of tobacco-related cancers: case-control study. <i>Human Molecular Genetics</i> , 2007, 16, 1794-1801. | 1.4 | 66 |
| 367 | Polymorphisms in Th1-type cell-mediated response genes and risk of gastric cancer. <i>Carcinogenesis</i> , 2007, 28, 118-123. | 1.3 | 98 |
| 368 | Differences in Risk Factors for Breast Cancer Molecular Subtypes in a Population-Based Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 439-443. | 1.1 | 394 |
| 369 | Genetic Polymorphisms in Folate Metabolism and the Risk of Stomach Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 115-121. | 1.1 | 45 |
| 370 | Common Genetic Variation in GATA-Binding Protein 3 and Differential Susceptibility to Breast Cancer by Estrogen Receptor α Tumor Status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2269-2275. | 1.1 | 21 |
| 371 | Inherited Predisposition of Lung Cancer: A Hierarchical Modeling Approach to DNA Repair and Cell Cycle Control Pathways. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2736-2744. | 1.1 | 39 |
| 372 | Development of lung cancer before the age of 50: the role of xenobiotic metabolizing genes. <i>Carcinogenesis</i> , 2007, 28, 1287-1293. | 1.3 | 87 |
| 373 | Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. <i>Occupational and Environmental Medicine</i> , 2007, 64, 502-508. | 1.3 | 32 |
| 374 | Tagging Single Nucleotide Polymorphisms in Cell Cycle Control Genes and Susceptibility to Invasive Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2007, 67, 3027-3035. | 0.4 | 78 |
| 375 | Folate-related genes and the risk of tobacco-related cancers in Central Europe. <i>Carcinogenesis</i> , 2007, 28, 1334-1340. | 1.3 | 49 |
| 376 | Occupational Exposure to Crystalline Silica and Risk of Lung Cancer. <i>Epidemiology</i> , 2007, 18, 36-43. | 1.2 | 94 |
| 377 | Ovarian cancer risk and common variation in the sex hormone-binding globulin gene: a population-based case-control study. <i>BMC Cancer</i> , 2007, 7, 60. | 1.1 | 37 |
| 378 | Oral Health and Risk of Squamous Cell Carcinoma of the Head and Neck and Esophagus: Results of Two Multicentric Case-Control Studies. <i>American Journal of Epidemiology</i> , 2007, 166, 1159-1173. | 1.6 | 318 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 379 | A Functional Polymorphism of Toll-Like Receptor 4 Gene Increases Risk of Gastric Carcinoma and Its Precursors. <i>Gastroenterology</i> , 2007, 132, 905-912. | 0.6 | 247 |
| 380 | Occupation and breast cancer risk in Polish women: A population-based case-control study. <i>American Journal of Industrial Medicine</i> , 2007, 50, 97-111. | 1.0 | 17 |
| 381 | Genetic polymorphisms in the one-carbon metabolism pathway and breast cancer risk: A population-based case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2007, 120, 2696-2703. | 2.3 | 107 |
| 382 | Re: More data regarding the effects of passive smoking on breast cancer risk among younger women. <i>International Journal of Cancer</i> , 2007, 120, 2517-2518. | 2.3 | 3 |
| 383 | Variation in breast cancer hormone receptor and HER2 levels by etiologic factors: A population-based analysis. <i>International Journal of Cancer</i> , 2007, 121, 1079-1085. | 2.3 | 44 |
| 384 | Genetic polymorphisms in alcohol metabolism, alcohol intake and the risk of stomach cancer in Warsaw, Poland. <i>International Journal of Cancer</i> , 2007, 121, 2060-2064. | 2.3 | 33 |
| 385 | Common genetic variation in <i>TP53</i> and its flanking genes, <i>WDR79</i> and <i>ATP1B2</i> , and susceptibility to breast cancer. <i>International Journal of Cancer</i> , 2007, 121, 2532-2538. | 2.3 | 49 |
| 386 | A common coding variant in <i>CASP8</i> is associated with breast cancer risk. <i>Nature Genetics</i> , 2007, 39, 352-358. | 9.4 | 591 |
| 387 | Genome-wide association study identifies novel breast cancer susceptibility loci. <i>Nature</i> , 2007, 447, 1087-1093. | 13.7 | 2,165 |
| 388 | Intake of fruits, and vegetables in relation to breast cancer risk by hormone receptor status. <i>Breast Cancer Research and Treatment</i> , 2007, 107, 113-117. | 1.1 | 20 |
| 389 | Estimating age-specific breast cancer risks: a descriptive tool to identify age interactions. <i>Cancer Causes and Control</i> , 2007, 18, 439-447. | 0.8 | 48 |
| 390 | Occupation and risk of lung cancer in Central and Eastern Europe: the IARC multi-center case-control study. <i>Cancer Causes and Control</i> , 2007, 18, 645-654. | 0.8 | 32 |
| 391 | Genetic variation in tumor necrosis factor and lymphotoxin-alpha (TNF- α /LTA) and breast cancer risk. <i>Human Genetics</i> , 2007, 121, 483-490. | 1.8 | 62 |
| 392 | Genetic Polymorphisms in Base-Excision Repair Pathway Genes and Risk of Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 353-358. | 1.1 | 132 |
| 393 | Genetic Polymorphisms in Folate Metabolism and Stomach Cancer Risk: A Comparison Between Conventional and Hierarchical Modeling Approaches. <i>American Journal of Epidemiology</i> , 2006, 163, S226-S226. | 1.6 | 0 |
| 394 | Genetic variation of Cytochrome P450 1B1 (CYP1B1) and risk of breast cancer among Polish women. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 547-553. | 0.7 | 23 |
| 395 | Construction and Validation of Tissue Microarrays of Ductal Carcinoma In Situ and Terminal Duct Lobular Units Associated With Invasive Breast Carcinoma. <i>Diagnostic Molecular Pathology</i> , 2006, 15, 157-161. | 2.1 | 15 |
| 396 | Established breast cancer risk factors by clinically important tumour characteristics. <i>British Journal of Cancer</i> , 2006, 95, 123-129. | 2.9 | 127 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Comprehensive Assessment of Genetic Variation of Catechol-O-Methyltransferase and Breast Cancer Risk. <i>Cancer Research</i> , 2006, 66, 9781-9785. | 0.4 | 21 |
| 398 | Polymorphisms in DNA double-strand break repair genes and risk of breast cancer: two population-based studies in USA and Poland, and meta-analyses. <i>Human Genetics</i> , 2006, 119, 376-388. | 1.8 | 144 |
| 399 | The ATM missense mutation p.Ser49Cys (c.146C>G) and the risk of breast cancer. <i>Human Mutation</i> , 2006, 27, 538-544. | 1.1 | 56 |
| 400 | Lung cancer risk and occupational exposure to meat and live animals. <i>International Journal of Cancer</i> , 2006, 118, 2543-2547. | 2.3 | 21 |
| 401 | Intrauterine environment and breast cancer risk in a population-based case-control study in Poland. <i>International Journal of Cancer</i> , 2006, 119, 2136-2141. | 2.3 | 16 |
| 402 | Tobacco smoking, NAT2 acetylation genotype and breast cancer risk. <i>International Journal of Cancer</i> , 2006, 119, 1961-1969. | 2.3 | 43 |
| 403 | Mannose-binding lectin-2 genetic variation and stomach cancer risk. <i>International Journal of Cancer</i> , 2006, 119, 1970-1975. | 2.3 | 46 |
| 404 | Lung Cancer and Occupation in Nonsmokers. <i>Epidemiology</i> , 2006, 17, 615-623. | 1.2 | 45 |
| 405 | Sequence Variants in Cell Cycle Control Pathway, X-ray Exposure, and Lung Cancer Risk: A Multicenter Case-Control Study in Central Europe. <i>Cancer Research</i> , 2006, 66, 8280-8286. | 0.4 | 23 |
| 406 | High Cumulative Risk of Lung Cancer Death among Smokers and Nonsmokers in Central and Eastern Europe. <i>American Journal of Epidemiology</i> , 2006, 164, 1233-1241. | 1.6 | 67 |
| 407 | DNA Repair and Cell Cycle Control Genes and the Risk of Young-Onset Lung Cancer. <i>Cancer Research</i> , 2006, 66, 11062-11069. | 0.4 | 91 |
| 408 | Interleukin-8 Polymorphisms Are Not Associated with Gastric Cancer Risk in a Polish Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 589-591. | 1.1 | 60 |
| 409 | Occupational Physical Activity and Risk of Breast Cancer in Polish Women. <i>Epidemiology</i> , 2006, 17, S315-S316. | 1.2 | 0 |
| 410 | Occupational X-ray examinations and lung cancer risk. <i>International Journal of Cancer</i> , 2005, 115, 263-267. | 2.3 | 14 |
| 411 | Lung Cancer and Indoor Pollution from Heating and Cooking with Solid Fuels. <i>American Journal of Epidemiology</i> , 2005, 162, 326-333. | 1.6 | 110 |
| 412 | Is the Risk of Lung Cancer Reduced among Eczema Patients?. <i>American Journal of Epidemiology</i> , 2005, 162, 542-547. | 1.6 | 35 |
| 413 | Occupation and risk of stomach cancer in Poland. <i>Occupational and Environmental Medicine</i> , 2005, 62, 318-324. | 1.3 | 30 |
| 414 | Skewed X chromosome inactivation and early-onset breast cancer. <i>Journal of Medical Genetics</i> , 2005, 43, 48-53. | 1.5 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 415 | Selected DNA repair polymorphisms and gastric cancer in Poland. <i>Carcinogenesis</i> , 2005, 26, 1354-1359. | 1.3 | 65 |
| 416 | Lack of Association between Polymorphisms in Inflammatory Genes and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 538-539. | 1.1 | 44 |
| 417 | Lack of Association between -251 T>A Polymorphism of IL8 and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2457-2458. | 1.1 | 35 |
| 418 | Effect of cruciferous vegetables on lung cancer in patients stratified by genetic status: a mendelian randomisation approach. <i>Lancet</i> , The, 2005, 366, 1558-1560. | 6.3 | 136 |
| 419 | P.65 Risk of oral cancer in relation to smoking, alcohol, and dentition in Warsaw, Poland. <i>Oral Oncology Supplement</i> , 2005, 1, 165-166. | 0.0 | 0 |
| 420 | Large-Scale Investigation of Base Excision Repair Genetic Polymorphisms and Lung Cancer Risk in a Multicenter Study. <i>Journal of the National Cancer Institute</i> , 2005, 97, 567-576. | 3.0 | 166 |
| 421 | No apparent association between genetic polymorphisms ($\hat{\sim}^{102} C>T$) and ($\hat{\sim}^9 T>C$) in the human manganese superoxide dismutase gene and gastric cancer ¹ . <i>Journal of Surgical Research</i> , 2005, 124, 92-97. | 0.8 | 27 |
| 422 | Diet and Stomach Cancer Risk in Warsaw, Poland. <i>Nutrition and Cancer</i> , 2004, 48, 149-159. | 0.9 | 79 |
| 423 | Occupational Exposure to Vinyl Chloride, Acrylonitrile and Styrene and Lung Cancer Risk (Europe). <i>Cancer Causes and Control</i> , 2004, 15, 445-452. | 0.8 | 71 |
| 424 | Method for determination of (-102C>T) single nucleotide polymorphism in the human manganese superoxide dismutase promoter. <i>BMC Genetics</i> , 2004, 5, 33. | 2.7 | 6 |
| 425 | Human Papillomavirus and Oral Cancer: The International Agency for Research on Cancer Multicenter Study. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1772-1783. | 3.0 | 1,013 |
| 426 | Smoking, alcohol, diet, dentition and sexual practices in the epidemiology of oral cancer in Poland. <i>European Journal of Cancer Prevention</i> , 2003, 12, 25-33. | 0.6 | 151 |
| 427 | OCCUPATIONAL EXPOSURE TO METAL COMPOUNDS AND LUNG CANCER. RESULTS FROM A MULTI-CENTRE CASE-CONTROL STUDY IN CENTRAL/EASTERN EUROPE AND UK. <i>Epidemiology</i> , 2003, 14, S25. | 1.2 | 0 |
| 428 | Glutathione S-transferase genotypes and stomach cancer in a population-based case-control study in Warsaw, Poland. <i>Pharmacogenetics and Genomics</i> , 2001, 11, 655-661. | 5.7 | 52 |
| 429 | Correction: The role of interleukin-1 polymorphisms in the pathogenesis of gastric cancer. <i>Nature</i> , 2001, 412, 99-99. | 13.7 | 183 |
| 430 | Interleukin-1 polymorphisms associated with increased risk of gastric cancer. <i>Nature</i> , 2000, 404, 398-402. | 13.7 | 2,197 |
| 431 | Risk of stomach cancer in relation to consumption of cigarettes, alcohol, tea and coffee in Warsaw, Poland. , 1999, 81, 871-876. | | 90 |
| 432 | Family history and risk of stomach cancer in Warsaw, Poland. <i>European Journal of Cancer Prevention</i> , 1999, 8, 223-227. | 0.6 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Tobacco, alcohol, and diet in the etiology of laryngeal cancer: a population-based case-control study. <i>Cancer Causes and Control</i> , 1991, 2, 3-10. | 0.8 | 92 |
| 434 | Smoking Cessation: Intermediate Nonsmoking Periods and Reduction of Laryngeal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 1990, 82, 1427-1428. | 3.0 | 11 |