
## Felicia A Huppert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8471980/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Flourishing Across Europe: Application of a New Conceptual Framework for Defining Well-Being. Social Indicators Research, 2013, 110, 837-861.	1.4	1,021
2	Psychological Wellâ€being: Evidence Regarding its Causes and Consequencesâ€. Applied Psychology: Health and Well-Being, 2009, 1, 137-164.	1.6	663
3	The mental wealth of nations. Nature, 2008, 455, 1057-1060.	13.7	425
4	The GPCOG: A New Screening Test for Dementia Designed for General Practice. Journal of the American Geriatrics Society, 2002, 50, 530-534.	1.3	390
5	Evidence for the independence of positive and negative well-being: Implications for quality of life assessment. British Journal of Health Psychology, 2003, 8, 107-122.	1.9	384
6	Recognition Memory in Amnesic Patients: Effect of Temporal Context and Familiarity of Material. Cortex, 1976, 12, 3-20.	1.1	322
7	Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. British Journal of Psychiatry, 2013, 203, 126-131.	1.7	284
8	A controlled trial of mindfulness training in schools: The importance of practice for an impact on well-being. Journal of Positive Psychology, 2010, 5, 264-274.	2.6	281
9	Improvement in Mood and Fatigue after Dehydroepiandrosterone Replacement in Addison's Disease in a Randomized, Double Blind Trial. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4650-4656.	1.8	257
10	Improvement in Mood and Fatigue after Dehydroepiandrosterone Replacement in Addison's Disease in a Randomized, Double Blind Trial. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4650-4656.	1.8	255
11	Measuring Well-being Across Europe: Description of the ESS Well-being Module and Preliminary Findings. Social Indicators Research, 2009, 91, 301-315.	1.4	243
12	Population-based study of the prevalence and presentation of dementia in adults with Down's syndrome. British Journal of Psychiatry, 1998, 172, 493-498.	1.7	233
13	Well-being is more than happiness and life satisfaction: a multidimensional analysis of 21 countries. Health and Quality of Life Outcomes, 2020, 18, 192.	1.0	226
14	CAMCOG—A concise neuropsychological test to assist dementia diagnosis: Socioâ€demographic determinants in an elderly population sample. British Journal of Clinical Psychology, 1995, 34, 529-541.	1.7	222
15	Prevalence of depressive symptoms and syndromes in later life in ten European countries. British Journal of Psychiatry, 2007, 191, 393-401.	1.7	215
16	The efficacy of mindfulnessâ€based stress reduction on mental health of breast cancer patients: a metaâ€analysis. Psycho-Oncology, 2013, 22, 1457-1465.	1.0	206
17	Normal and Abnormal Forgetting in Organic Amnesia: Effect of Locus of Lesion. Cortex, 1979, 15, 385-390.	1.1	192
18	Staging of Cytoskeletal and β-Amyloid Changes in Human Isocortex Reveals Biphasic Synaptic Protein Response during Progression of Alzheimer's Disease. American Journal of Pathology, 2000, 157, 623-636.	1.9	176

Felicia A Huppert

#	Article	IF	CITATIONS
19	Cytomegalovirus infection is associated with increased mortality in the older population. Aging Cell, 2013, 12, 381-387.	3.0	174
20	Long-Term DHEA Replacement in Primary Adrenal Insufficiency: A Randomized, Controlled Trial. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 400-409.	1.8	170
21	Psychometric evaluation and predictive validity of Ryff's psychological well-being items in a UK birth cohort sample of women. Health and Quality of Life Outcomes, 2006, 4, 76.	1.0	169
22	Neighborhood Deprivation, Individual Socioeconomic Status, and Cognitive Function in Older People: Analyses from the English Longitudinal Study of Ageing. Journal of the American Geriatrics Society, 2008, 56, 191-198.	1.3	162
23	Dissociation between learning and remembering in organic amnesia. Nature, 1978, 275, 317-318.	13.7	160
24	Executive dysfunction and its association with personality and behaviour changes in the development of Alzheimer's disease in adults with Down syndrome and mild to moderate learning disabilities. British Journal of Clinical Psychology, 2008, 47, 1-29.	1.7	160
25	Moderate alcohol consumption in older adults is associated with better cognition and well-being than abstinence. Age and Ageing, 2007, 36, 256-261.	0.7	159
26	Neuropathological Correlates of Dementia in Over-80-Year-Old Brain Donors from the Population-Based Cambridge City over-75s Cohort (CC75C) Study. Journal of Alzheimer's Disease, 2009, 18, 645-658.	1.2	157
27	Salivary cortisol and DHEA: association with measures of cognition and well-being in normal older men, and effects of three months of DHEA supplementation. Psychoneuroendocrinology, 2001, 26, 591-612.	1.3	156
28	Personality and behaviour changes mark the early stages of Alzheimer's disease in adults with Down's syndrome: findings from a prospective population-based study. International Journal of Geriatric Psychiatry, 2006, 21, 661-673.	1.3	155
29	High prevalence of prospective memory impairment in the elderly and in early-stage dementia: Findings from a population-based study. Applied Cognitive Psychology, 2000, 14, S63-S81.	0.9	151
30	Symptoms of psychological distress predict 7-year mortality. Psychological Medicine, 1995, 25, 1073-1086.	2.7	142
31	Vascular Risks and Incident Dementia: Results from a Cohort Study of the Very Old. Dementia and Geriatric Cognitive Disorders, 1998, 9, 175-180.	0.7	141
32	Prospective memory impairment as an early indicator of dementia. Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology, 1993, 15, 805-821.	1.4	138
33	The problem of mild dementia. Psychological Medicine, 1984, 14, 5-11.	2.7	134
34	The Factor Structure of the General Health Questionnaire (GHQ-30). British Journal of Psychiatry, 1989, 155, 178-185.	1.7	131
35	The modified CAMDEX informant interview is a valid and reliable tool for use in the diagnosis of dementia in adults with Down's syndrome. Journal of Intellectual Disability Research, 2004, 48, 611-620.	1.2	129
36	Ascertaining lateâ€life depressive symptoms in Europe: an evaluation of the survey version of the EUROâ€Ð scale in 10 nations. The SHARE project. International Journal of Methods in Psychiatric Research, 2008, 17, 12-29.	1.1	125

#	Article	IF	CITATIONS
37	Thyroid function and cognitive decline in the MRC Cognitive Function and Ageing Study. Psychoneuroendocrinology, 2008, 33, 1013-1022.	1.3	121
38	Happy to Help? Exploring the Factors Associated with Variations in Rates of Volunteering Across Europe. Social Indicators Research, 2010, 97, 157-176.	1.4	121
39	The Role of Trace Strength in Recency and Frequency Judgements by Amnesic and Control Subjects. The Quarterly Journal of Experimental Psychology, 1978, 30, 347-354.	1.2	119
40	Phenytoin and cognitive function: Effects on normal volunteers and implications for epilepsy. British Journal of Clinical Psychology, 1981, 20, 155-162.	1.7	116
41	Normality, deviance and minor psychiatric morbidity in the community. Psychological Medicine, 1993, 23, 475-485.	2.7	107
42	Decline across different domains of cognitive function in normal ageing: results of a longitudinal population-based study using CAMCOG. International Journal of Geriatric Psychiatry, 2000, 15, 853-862.	1.3	106
43	Cognitive function and psychological well-being: findings from a population-based cohort. Age and Ageing, 2008, 37, 685-689.	0.7	105
44	α-2 macroglobulin polymorphism and Alzheimer disease risk in the UK. Nature Genetics, 1999, 22, 16-17.	9.4	93
45	An Evaluation of the Precision of Measurement of Ryff's Psychological Well-Being Scales in a Population Sample. Social Indicators Research, 2010, 97, 357-373.	1.4	93
46	Analysis of the apo E/apo C-I, angiotensin converting enzyme and methylenetetrahydrofolate reductase genes as candidates affecting human longevity. Atherosclerosis, 1997, 129, 177-183.	0.4	91
47	Do positive children become positive adults? Evidence from a longitudinal birth cohort study. Journal of Positive Psychology, 2011, 6, 75-87.	2.6	88
48	A New Approach to Reducing Disorder and Improving Well-Being. Perspectives on Psychological Science, 2009, 4, 108-111.	5.2	87
49	Very old drivers: findings from a population cohort of people aged 84 and over. International Journal of Epidemiology, 2000, 29, 704-707.	0.9	83
50	Changes in self-rated health, disability and contact with services in a very elderly cohort: a 6-year follow-up study. Age and Ageing, 1998, 27, 23-33.	0.7	78
51	Survival in a population sample is predicted by proportions of lymphocyte subsets. Mechanisms of Ageing and Development, 2003, 124, 449-451.	2.2	75
52	Framingham Stroke Risk Profile and poor cognitive function: a population-based study. BMC Neurology, 2008, 8, 12.	0.8	75
53	CLINICAL AND NEUROPSYCHOLOGICAL ASSESSMENT OF DEMENTIA. British Medical Bulletin, 1986, 42, 11-18.	2.7	74
54	Psychometric properties of the CAMCOG and its efficacy in the diagnosis of dementia. Aging, Neuropsychology, and Cognition, 1996, 3, 201-214.	0.7	72

#	Article	IF	CITATIONS
55	Estimating the True Extent of Cognitive Decline in the Old Old. Journal of the American Geriatrics Society, 1999, 47, 1283-1288.	1.3	70
56	Cognitive health among older adults in the United States and in England. BMC Geriatrics, 2009, 9, 23.	1.1	70
57	Recognition memory in amnesic patients: A defect of acquisition?. Neuropsychologia, 1977, 15, 643-652.	0.7	68
58	The well-being profile (WB-Pro): Creating a theoretically based multidimensional measure of well-being to advance theory, research, policy, and practice Psychological Assessment, 2020, 32, 294-313.	1.2	67
59	Examination of the validity of the hierarchical model of neuropathological staging in normal aging and Alzheimer's disease. Acta Neuropathologica, 1998, 95, 154-158.	3.9	66
60	Neuropsychological assessment of older adults with Down's Syndrome: An epidemiological study using the Cambridge Cognitive Examination (CAMCOG). British Journal of Clinical Psychology, 1999, 38, 155-165.	1.7	65
61	Parental practices predict psychological well-being in midlife: life-course associations among women in the 1946 British birth cohort. Psychological Medicine, 2010, 40, 1507-1518.	2.7	63
62	The relationship between early personality and midlife psychological well-being: evidence from a UK birth cohort study. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 679-687.	1.6	62
63	Development of a Disease-Specific Quality of Life Questionnaire in Addison's Disease. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 545-551.	1.8	62
64	Lively Social Space, Well-Being Activity, and Urban Design: Findings From a Low-Cost Community-Led Public Space Intervention. Environment and Behavior, 2017, 49, 685-716.	2.1	62
65	Rates of forgetting in normal ageing: A comparison with dementia. Neuropsychologia, 1989, 27, 849-860.	0.7	61
66	Quantitative analysis of tau protein in paired helical filament preparations: Implications for the role of tau protein phosphorylation in PHF assembly in Alzheimer's disease. Neurobiology of Aging, 1995, 16, 409-417.	1.5	61
67	Performance and normative values of a concise neuropsychological test (CAMCOG) in an elderly population sample. International Journal of Geriatric Psychiatry, 2003, 18, 631-644.	1.3	56
68	Education and trajectories of cognitive decline over 9 years in very old people: methods and risk analysis. Age and Ageing, 2008, 38, 277-282.	0.7	56
69	Middle-aged and mobility-limited prevalence of disability and symptom attributions in a national survey. Journal of General Internal Medicine, 2006, 21, 1091-1096.	1.3	55
70	Memory Encoding and Dopamine in the Aging Brain: A Psychopharmacological Neuroimaging Study. Cerebral Cortex, 2010, 20, 743-757.	1.6	54
71	In sickness and in health: associations between physical and mental well-being, employment and parental status in a British nationwide sample of married women. Psychological Medicine, 1991, 21, 515-524.	2.7	51
72	Brief cognitive assessment in a UK population sample – distributional properties and the relationship between the MMSE and an extended mental state examination. BMC Geriatrics, 2005, 5, 7.	1.1	50

#	Article	IF	CITATIONS
73	Cognitive function in the Caerphilly study: associations with age social class, education and mood. European Journal of Epidemiology, 1999, 15, 161-169.	2.5	47
74	Cohort differences in disease and disability in the young-old: findings from the MRC Cognitive Function and Ageing Study (MRC-CFAS). BMC Public Health, 2007, 7, 156.	1.2	47
75	Cross-national comparison and validation of the Alzheimer's Disease Assessment Scale: results from the European Harmonization Project for Instruments in Dementia(EURO-HARPID). International Journal of Geriatric Psychiatry, 2004, 19, 41-50.	1.3	46
76	Analysis of alpha-1 antichymotrypsin, presenilin-1, angiotensin-converting enzyme, and methylenetetrahydrofolate reductase loci as candidates for dementia. , 1997, 74, 207-212.		45
77	The prevalence of depression in a cohort of the very elderly. Journal of Affective Disorders, 1995, 34, 319-329.	2.0	43
78	SUICIDAL THINKING IN COMMUNITY RESIDENTS OVER EIGHTY. , 1997, 12, 337-343.		43
79	Well–being: towards an integration of psychology, neurobiology and social science. Philosophical Transactions of the Royal Society B: Biological Sciences, 2004, 359, 1447-1451.	1.8	43
80	A brief selfâ€administered psychological intervention to improve wellâ€being in patients with cancer: results from a feasibility study. Psycho-Oncology, 2009, 18, 1323-1326.	1.0	43
81	Theoretical exploration of the neural bases of behavioural disinhibition, apathy and executive dysfunction in preclinical Alzheimer's disease in people with Down's syndrome: potential involvement of multiple frontalâ€subcortical neuronal circuits. Journal of Intellectual Disability Research, 2010, 54, 320-336.	1.2	43
82	Improvement in NART word reading in demented and normal older persons using the Cambridge Contextual Reading Test. Journal of Clinical and Experimental Neuropsychology, 1994, 16, 232-242.	0.8	41
83	Changes in the prevalence of psychiatric disorder in a community are related to changes in the mean level of psychiatric symptoms. Psychological Medicine, 1996, 26, 1253-1260.	2.7	41
84	Computerized cognitive examination of the elderly (ECO): The development of a neuropsychological examination for clinic and population use. International Journal of Geriatric Psychiatry, 1993, 8, 899-914.	1.3	40
85	Cross-national comparisons of the Cambridge Cognitive Examination-revised: the CAMCOG-R: Results from the European Harmonization Project for Instruments in Dementia. Age and Ageing, 2003, 32, 534-540.	0.7	40
86	Low prevalence of depression and anxiety is linked to statutory retirement ages rather than personal work exit: a national survey. Psychological Medicine, 2006, 36, 999.	2.7	40
87	A randomised controlled trial investigating the effect of n-3 long-chain polyunsaturated fatty acid supplementation on cognitive and retinal function in cognitively healthy older people: the Older People And n-3 Long-chain polyunsaturated fatty acids (OPAL) study protocol [ISRCTN72331636]. Nutrition Journal, 2006, 5, 20.	1.5	39
88	Memory impairment associated with chronic hypoxia Thorax, 1982, 37, 858-860.	2.7	38
89	Depressive symptoms in the very elderly?their prevalence and significance. International Journal of Geriatric Psychiatry, 1995, 10, 497-504.	1.3	38
90	Introduction: why do we need a science of well–being?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2004, 359, 1331-1332.	1.8	37

Felicia A Huppert

#	Article	IF	CITATIONS
91	Examination of phosphorylated tau protein as a PHF-precursor at early stage alzheimer's disease. Neurobiology of Aging, 1995, 16, 433-445.	1.5	36
92	* Positive mental health in individuals and populations. , 2005, , 306-340.		35
93	Capability measurement for Inclusive Design. Journal of Engineering Design, 2010, 21, 275-288.	1.1	33
94	The value of an improved scoring system (CCHQ) for the General Health Questionnaire in a representative community sample. Psychological Medicine, 1988, 18, 1001-1006.	2.7	32
95	A comparison of clinical, psychometric and behavioural memory tests: Findings from a community study of the early detection of dementia. International Journal of Geriatric Psychiatry, 1991, 6, 295-306.	1.3	31
96	Lewy Body Variant of Alzheimer's Disease: Selective Neocortical Loss of t-SNARE Proteins and Loss of MAP2 and α-Synuclein in Medial Temporal Lobe. Scientific World Journal, The, 2009, 9, 1463-1475.	0.8	30
97	Response suppression in rats: A comparison of response-contingent and noncontingent punishment and the effect of the minor tranquilizer, chlordiazepoxide. Psychopharmacology, 1975, 44, 67-75.	1.5	29
98	The value of the Rivermead Behavioural Memory Test (Children's Version) in an epidemiological study of older adults with Down syndrome. British Journal of Clinical Psychology, 1998, 37, 15-29.	1.7	29
99	Towards a capabilities database to inform inclusive design: Experimental investigation of effective survey-based predictors of human-product interaction. Applied Ergonomics, 2012, 43, 713-726.	1.7	28
100	Neutrophil counts, monocyte counts and cardiovascular disease in the elderly. Experimental Gerontology, 2004, 39, 615-619.	1.2	26
101	Incidence of dementia and cognitive decline in over-75s in Cambridge: overview of cohort study. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 387-392.	1.6	24
102	How Does the Economic Crisis Influence Adolescents' Happiness? Population-Based Surveys in Iceland in 2000–2010. Journal of Happiness Studies, 2016, 17, 1219-1234.	1.9	23
103	Creating invariant subscales of the GHQ-30. Social Science and Medicine, 1998, 46, 1429-1440.	1.8	22
104	Short NART, CCRT and Spot-the-Word: Comparisons in older and demented persons. British Journal of Clinical Psychology, 1997, 36, 619-622.	1.7	21
105	Cognitive impairment: a challenge for community care. A comparison of the domiciliary service receipt of cognitively impaired and equally dependent physically impaired elderly women. Age and Ageing, 1997, 26, 301-308.	0.7	20
106	Efficient Recognition of Pictures in Organic Amnesia. Nature, 1972, 240, 564-564.	13.7	18
107	Health and personality predictors of psychological functioning in a 7-year longitudinal study. Personality and Individual Differences, 1996, 20, 567-573.	1.6	18
108	Do pulmonary function and smoking behavior predict cognitive function? findings from a british sample. Psychology and Health, 1997, 12, 265-275.	1.2	18

#	Article	IF	CITATIONS
109	Improvements in social functioning reported by a birth cohort in mid-adult life: A person-centred analysis of GHQ-28 social dysfunction items using latent class analysis. Personality and Individual Differences, 2007, 42, 305-316.	1.6	18
110	A framework for collecting inclusive design data for the UK population. Applied Ergonomics, 2015, 46, 318-324.	1.7	18
111	Attitudes Toward Death: A Community Study of Octoagenarians and Nonagenarians. International Psychogeriatrics, 1997, 9, 213-221.	0.6	17
112	Challenges in Defining and Measuring Well-Being and Their Implications for Policy. , 2017, , 163-167.		17
113	Apo E and Apo CI Loci Are Associated with Dementia in Younger But Not Older Late-Onset Cases. Dementia and Geriatric Cognitive Disorders, 1998, 9, 191-198.	0.7	16
114	Qualitative differences in psychiatric symptoms between high risk groups assessed on a screening test (GHQ-30). Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 252-258.	1.6	14
115	Cross-cultural comparison of the Mini-Mental State Examination in United Kingdom and United States participants with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2002, 17, 723-728.	1.3	14
116	An aftereffect in judgment of auditory duration. Perception & Psychophysics, 1967, 2, 544-546.	2.3	12
117	Was John Reid right? Smoking, class, and pleasure: A population-based cohort study in England. Public Health, 2007, 121, 518-524.	1.4	12
118	Neuroticism, psychiatric symptoms and life events. Personality and Individual Differences, 1998, 24, 97-107.	1.6	11
119	Neuroticism in Adolescence and Cognitive Function in Midlife in the British 1946 Birth Cohort: The HALCyon Program. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2010, 65B, 50-56.	2.4	11
120	Polymorphisms in LMNA and near a SERPINA gene cluster are associated with cognitive function in older people. Neurobiology of Aging, 2010, 31, 1563-1568.	1.5	10
121	Smoking and cognitive decline. , 1997, 12, 467-480.		8
122	Longitudinal studies of ageing: a key role in the evidence base for improving health and quality of life in older adults. Age and Ageing, 2000, 29, 485-486.	0.7	8
123	Guidelines for Assessing the Predictive Value of Neuropsychological Measures. Cortex, 2002, 38, 414-416.	1.1	7
124	The Development of New Tests of Source Memory and a New Approach to the Testing of Equivalence of Parallel Versions. Aging, Neuropsychology, and Cognition, 2004, 11, 416-427.	0.7	7
125	Memory in Split-Brain Patients: A Comparison with Organic Amnesic Syndromes. Cortex, 1981, 17, 303-311.	1.1	6
126	Design and delivery of a national pilot survey of capabilities. International Journal of Human Factors and Ergonomics, 2013, 2, 281.	0.2	6

#	Article	IF	CITATIONS
127	Mindfulness and Compassion as Foundations for Well-Being. , 2017, , 225-233.		6
128	A Life Course Approach to Well-Being. , 2007, , 187-205.		6
129	Neuropsychological assessment of dementia. Reviews in Clinical Gerontology, 1991, 1, 159-169.	0.5	5
130	Immune measures which predict 9-year survival in an elderly population sample. Advances in Cell Aging and Gerontology, 2002, 13, 17-28.	0.1	4
131	SUICIDAL THINKING IN COMMUNITY RESIDENTS OVER EIGHTY. , 1997, 12, 337.		2
132	Policy challenges. , 2018, , 131-140.		2
133	The Virtue of Self-Compassion. Ethical Theory and Moral Practice, 2021, 24, 443-458.	0.4	1
134	Something in the heir: Royal succession and the elderly. International Journal of Geriatric Psychiatry, 1994, 9, 675-678.	1.3	0
135	Amnesia, Aging and Alzheimer's Disease. Critical Issues in Neuropsychology, 1994, , 95-101.	0.4	0