

# Kenneth S Waxman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8472450/publications.pdf>

Version: 2024-02-01

81  
papers

4,487  
citations

293460

24  
h-index

111975

67  
g-index

86  
all docs

86  
docs citations

86  
times ranked

1552  
citing authors

#	ARTICLE	IF	CITATIONS
1	Case Report of Situs Inversus Totalis and Laparoscopic Cholecystectomy. International Surgery, 2016, 101, 347-351.	0.0	1
2	Renal Management in the Critically Ill Patient. Surgical Clinics of North America, 2012, 92, 1503-1518.	0.5	2
3	Providing Endoscopy for Underserved Patients Benefits Public Health and Resident Education. Journal of Surgical Education, 2011, 68, 32-35.	1.2	0
4	Management of Postoperative Ileus. Disease-a-Month, 2010, 56, 204-214.	0.4	24
5	Management of Postoperative Ileus. American Journal of Therapeutics, 2007, 14, 561-566.	0.5	30
6	Gum Chewing Reduces Ileus After Elective Open Sigmoid Colectomy. Archives of Surgery, 2006, 141, 174.	2.3	126
7	Shock resuscitation: Have critical transcutaneous values now been defined?. Critical Care Medicine, 2000, 28, 2651.	0.4	1
8	Are resuscitation fluids harmful?. Critical Care Medicine, 2000, 28, 264-265.	0.4	9
9	Monitoring in shock: Stomach or muscle?. Critical Care Medicine, 1999, 27, 2047-2048.	0.4	0
10	Pentoxifylline preserves intestinal function (and more) following shock. Critical Care Medicine, 1998, 26, 9-10.	0.4	6
11	THE COMPLEXITIES OF MANAGING SEVERE BURNS WITH ASSOCIATED TRAUMA. Surgical Clinics of North America, 1996, 76, 923-958.	0.5	38
12	Should Critical Care Medicine be a Formal Part of the Undergraduate Curriculum?. Journal of Intensive Care Medicine, 1996, 11, 13-18.	1.3	5
13	Increasing nitric oxide production improves survival in experimental hemorrhagic shock. Resuscitation, 1996, 31, 141-144.	1.3	41
14	Lisofylline decreases white cell adhesiveness and improves survival after experimental hemorrhagic shock. Critical Care Medicine, 1996, 24, 1724-1728.	0.4	17
15	Is granulocyte elastase the cause of gastric mucosal injury after shock?. Critical Care Medicine, 1996, 24, 914-915.	0.4	1
16	HYPOXIA DECREASES NEUTROPHIL ATP LEVELS WHILE PROMOTING UPREGULATION OF ADHESION RECEPTORS.. Critical Care Medicine, 1995, 23, A104.	0.4	0
17	Decreasing unplanned extubations in the surgical intensive care unit. American Journal of Surgery, 1995, 170, 586-590.	0.9	60
18	ATP-MgCl2 added to resuscitation improves survival in an experimental model of hemorrhagic shock. Resuscitation, 1994, 28, 253-257.	1.3	6

#	ARTICLE	IF	CITATIONS
19	TISSUE OXIMETRY IN HEMORRHAGIC SHOCK AND RESUSCITATION. <i>Critical Care Medicine</i> , 1994, 22, A188.	0.4	4
20	Tumor necrosis factor and monocytes are released during hemorrhagic shock. <i>Resuscitation</i> , 1993, 25, 249-255.	1.3	33
21	Pentoxifylline alone versus pentoxifylline combined with superoxide dismutase prolongs survival in a rat hemorrhagic shock model. <i>Resuscitation</i> , 1993, 26, 237-242.	1.3	6
22	Absorption of Insulin in the Peritoneal Cavity in a Diabetic Animal Model. <i>Artificial Organs</i> , 1993, 17, 925-928.	1.0	7
23	Implantable Programmable Insulin Pumps for the Treatment of Diabetes. <i>Archives of Surgery</i> , 1992, 127, 1032.	2.3	17
24	Regional flow during experimental hemorrhage and crystalloid resuscitation: persistence of low flow to the splanchnic organs. <i>Resuscitation</i> , 1992, 23, 217-225.	1.3	21
25	Adequate resuscitation of burn patients may not be measured by urine output and vital signs. <i>Critical Care Medicine</i> , 1991, 19, 327-329.	0.4	134
26	Pentoxifylline in resuscitation of experimental hemorrhagic shock. <i>Critical Care Medicine</i> , 1991, 19, 728-731.	0.4	31
27	Is Early Prediction of Outcome in Severe Head Injury Possible?. <i>Archives of Surgery</i> , 1991, 126, 1237.	2.3	83
28	Diagnosis of traumatic cardiac contusion utilizing single photon-emission computed tomography. <i>Critical Care Medicine</i> , 1990, 18, 1-3.	0.4	35
29	Pentoxifylline in septic shock. <i>Critical Care Medicine</i> , 1990, 18, 243-244.	0.4	23
30	Normal ventilation/perfusion lung scan in a patient with proven pulmonary embolus. <i>Critical Care Medicine</i> , 1990, 18, 577-578.	0.4	3
31	Pentoxifylline in Resuscitation of Hemorrhagic Shock. , 1990, , 104-107.		0
32	PENTOXIFYLLINE (PTF) DECREASES NEUTROPHIL (PMN) ADHERENCE, INCREASES TISSUE OXYGENATION, AND IMPROVES SURVIVAL FOLLOWING HEMORRHAGE. <i>Critical Care Medicine</i> , 1990, 18, S270.	0.4	0
33	A Preliminary Trial of the Programmable Implantable Medication System for Insulin Delivery. <i>New England Journal of Medicine</i> , 1989, 321, 574-579.	13.9	133
34	Heated laser Doppler flow measurements to determine depth of burn injury. <i>American Journal of Surgery</i> , 1989, 157, 541-543.	0.9	44
35	Hemodynamic and Oxygen Transport Effects of Pentastarch in Burn Resuscitation. <i>Annals of Surgery</i> , 1989, 209, 341-345.	2.1	55
36	Toward a re-evaluation of burn resuscitation. <i>Critical Care Medicine</i> , 1989, 17, 1077.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Pentoxifylline improves survival following hemorrhagic shock. Critical Care Medicine, 1989, 17, 36-47.	0.4	65
38	Protective effect of pentoxifylline on gastric mucosa. Journal of Surgical Research, 1988, 44, 727-732.	0.8	6
39	EFFECT OF PENTOXIFYLLINE (PF) ON BLOOD VISCOSITY (BV). Critical Care Medicine, 1988, 16, 437.	0.4	0
40	SPECT SCAN AND TRAUMATIC CARDIAC CONTUSION. Critical Care Medicine, 1988, 16, 438.	0.4	0
41	Prospective Trial of Supranormal Values of Survivors as Therapeutic Goals in High-Risk Surgical Patients. Chest, 1988, 94, 1176-1186.	0.4	2,298
42	PENTOXIFYLLINE (PF) IMPROVES SURVIVAL FOLLOWING HEMORRHAGIC SHOCK. Critical Care Medicine, 1988, 16, 437.	0.4	0
43	Early diagnosis of shock due to pericardial tamponade using transcutaneous oxygen monitoring. Critical Care Medicine, 1987, 15, 1156-1157.	0.4	3
44	Pentoxifylline improves tissue oxygenation following anesthesia and operation. Critical Care Medicine, 1987, 15, 93-94.	0.4	13
45	Value of a conventional approach to the diagnosis of traumatic cardiac contusion after chest injury. Critical Care Medicine, 1987, 15, 218-220.	0.4	18
46	Hyperalimantation: A Guide to Clinicians. Plastic and Reconstructive Surgery, 1987, 79, 842.	0.7	0
47	Laser Doppler velocimetry in critically ill patients. Critical Care Medicine, 1987, 15, 780-783.	0.4	16
48	Hemodynamic and Metabolic Changes During and Following Operation. Critical Care Clinics, 1987, 3, 241-250.	1.0	12
49	Mediators of Altered Perioperative Physiology. Critical Care Clinics, 1987, 3, 359-371.	1.0	0
50	Postoperative Multiple Organ Failure. Critical Care Clinics, 1987, 3, 429-440.	1.0	9
51	PENTOXIFYLLINE IMPROVES TISSUE OXYGENATION FOLLOWING ANESTHESIA AND OPERATION. Critical Care Medicine, 1986, 14, 331.	0.4	0
52	Session 4: Oxygenation. Annals of Emergency Medicine, 1986, 15, 1415.	0.3	0
53	Oxygen delivery and resuscitation. Annals of Emergency Medicine, 1986, 15, 1420-1422.	0.3	7
54	Perfluorocarbons as blood substitutes. Annals of Emergency Medicine, 1986, 15, 1423-1424.	0.3	24

#	ARTICLE	IF	CITATIONS
55	Noninvasive monitoring in emergency resuscitation. <i>Annals of Emergency Medicine</i> , 1986, 15, 1434-1436.	0.3	9
56	Description of a Continent Jejunum Gastrostomy. <i>Archives of Surgery</i> , 1986, 121, 1121.	2.3	0
57	Diagnosis of Traumatic Cardiac Contusion. <i>Archives of Surgery</i> , 1986, 121, 689.	2.3	18
58	Invasive Cardiorespiratory Monitoring. <i>Emergency Medicine Clinics of North America</i> , 1986, 4, 775-789.	0.5	3
59	Clinical Experience with Fluosol-DA (20%) in the United States. <i>International Anesthesiology Clinics</i> , 1985, 23, 185-198.	0.3	22
60	Transcutaneous Po <sub>2</sub> monitoring during sodium nitroprusside infusion. <i>Critical Care Medicine</i> , 1985, 13, 65-67.	0.4	5
61	Pulmonary complications after Fluosol administration to patients with life-threatening blood loss. <i>Critical Care Medicine</i> , 1985, 13, 96-98.	0.4	32
62	Calcitonin as a tumor marker for nonthyroid neoplasia. <i>Journal of Surgical Oncology</i> , 1985, 29, 59-60.	0.8	0
63	Comparative Flow Rates of Intravenous Catheters. <i>Military Medicine</i> , 1984, 149, 415-416.	0.4	12
64	Perfluorocarbon Infusion in Bleeding Patients Refusing Blood Transfusions. <i>Archives of Surgery</i> , 1984, 119, 721.	2.3	30
65	Transcutaneous oxygen monitoring in the emergency department. <i>American Journal of Emergency Medicine</i> , 1984, 2, 181-182.	0.7	1
66	Hypotensive reaction after infusion of a perfluorochemical emulsion. <i>Critical Care Medicine</i> , 1984, 12, 609-610.	0.4	16
67	Transcutaneous oxygen monitoring of emergency department patients. <i>American Journal of Surgery</i> , 1983, 146, 35-38.	0.9	42
68	Physiologic Determinants of Operative Survival After Portacaval Shunt. <i>Annals of Surgery</i> , 1983, 197, 72-78.	2.1	21
69	Physiologic Responses to Massive Intraoperative Hemorrhage. <i>Archives of Surgery</i> , 1982, 117, 470.	2.3	14
70	Sequential perioperative lactate determination. Physiological and clinical implications. <i>Critical Care Medicine</i> , 1982, 10, 96-99.	0.4	64
71	Clinical trial of survivors's cardiorespiratory patterns as therapeutic goals in critically ill postoperative patients. <i>Critical Care Medicine</i> , 1982, 10, 398-403.	0.4	216
72	USE OF SURVIVOR CARDIORESPIRATORY PATTERNS AS CRITERIA FOR THERAPY IN CRITICALLY ILL PATIENTS. <i>Critical Care Medicine</i> , 1981, 9, 157.	0.4	1

#	ARTICLE	IF	CITATIONS
73	Use of Transcutaneous Oxygen Sensors to Titrate PEEP. <i>Annals of Surgery</i> , 1981, 193, 206-209.	2.1	21
74	Management of Postoperative and Posttraumatic Respiratory Failure in the Intensive Care Unit. <i>Surgical Clinics of North America</i> , 1980, 60, 1413-1428.	0.5	5
75	Hemodynamic, blood volume, and oxygen transport responses to albumin and hydroxyethyl starch infusions in critically ill postoperative patients. <i>Critical Care Medicine</i> , 1980, 8, 302-306.	0.4	96
76	SURGERY ON THE PATIENT WITH PREOPERATIVE SHOCK. <i>Critical Care Medicine</i> , 1980, 8, 271.	0.4	1
77	Continuous transcutaneous oxygen monitoring during respiratory failure, cardiac decompensation, cardiac arrest, and CPR. <i>Critical Care Medicine</i> , 1980, 8, 377-381.	0.4	106
78	Cardiovascular Effects of Anesthetic Induction with Ketamine. <i>Anesthesia and Analgesia</i> , 1980, 59, 355-358.	1.1	121
79	INTRAOPERATIVE CARDIORESPIRATORY PATTERNS IN SURVIVORS AND NONSURVIVORS. <i>Critical Care Medicine</i> , 1979, 7, 187.	0.4	1
80	TRANSCUTANEOUS OXYGEN SENSORS FOR CONTINUOUS MONITORING IN SHOCK AND RESUSCITATION. <i>Critical Care Medicine</i> , 1979, 7, 136.	0.4	4
81	Effects of hypoxia and shock on transcutaneous Po <sub>2</sub> values in dogs. <i>Critical Care Medicine</i> , 1979, 7, 526-531.	0.4	155