

Miguel Xavier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8472883/publications.pdf>

Version: 2024-02-01

90
papers

6,558
citations

136950

32
h-index

69250

77
g-index

95
all docs

95
docs citations

95
times ranked

10018
citing authors

#	ARTICLE	IF	CITATIONS
1	Barriers to mental health services utilisation in Portugal – results from the National Mental Health Survey. <i>Journal of Mental Health</i> , 2022, 31, 453-461.	1.9	5
2	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	2.7	3
3	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	3.1	7
4	Dealing with the COVID-19 pandemic in Europe: five lessons from the European Society for Traumatic Stress Studies. <i>European Journal of Psychotraumatology</i> , 2022, 13, 2046330.	2.5	4
5	Barriers and facilitators to implementing a continuing medical education intervention in a primary health care setting. <i>BMC Health Services Research</i> , 2022, 22, 638.	2.2	16
6	Social Anxiety Disorder and Childhood adversities in Portugal: Findings from the World Mental Health Survey Initiative. <i>Psychiatry Research</i> , 2022, , 114734.	3.3	0
7	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	4.5	21
8	How Many People Live with Dementia in Portugal? A Discussion Paper of National Estimates. <i>Portuguese Journal of Public Health</i> , 2021, 39, 58-68.	0.5	8
9	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	2.6	10
10	Suicide time-series structural change analysis in Portugal (1913-2018): Impact of register bias on suicide trends. <i>Journal of Affective Disorders</i> , 2021, 291, 65-75.	4.1	4
11	Childhood adversities and the comorbidity between mood and general medical disorders in adults: Results from the WHO World Mental Health Survey Portugal. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 17, 100329.	2.5	1
12	Trauma exposure and ptsd in portugal: Findings from the world mental health survey initiative. <i>Psychiatry Research</i> , 2020, 284, 112644.	3.3	7
13	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020, , 1-10.	4.5	1
14	How did the use of psychotropic drugs change during the Great Recession in Portugal? A follow-up to the National Mental Health Survey. <i>BMC Psychiatry</i> , 2020, 20, 215.	2.6	7
15	Reducing the Number of People with Dementia Through Primary Prevention in Mozambique, Brazil, and Portugal: An Analysis of Population-Based Data. <i>Journal of Alzheimer's Disease</i> , 2019, 70, S283-S291.	2.6	27
16	The prevalence of late-life depression in a Portuguese community sample: A 10/66 Dementia Research Group study. <i>Journal of Affective Disorders</i> , 2019, 246, 674-681.	4.1	11
17	Needs Assessment Framework for Mental Health Policy in Treating Persons With Serious Mental Illness in Azerbaijan. <i>Psychiatric Services</i> , 2019, 70, 432-435.	2.0	3
18	The influence of clerkship on students'™ stigma towards mental illness: a meta-analysis. <i>Medical Education</i> , 2018, 52, 694-704.	2.1	39

#	ARTICLE	IF	CITATIONS
19	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	3.1	79
20	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017, 47, 1230-1245.	4.5	108
21	Days out of role due to common physical and mental conditions in Portugal: Results from the WHO World Mental Health Survey. <i>BJPsych Open</i> , 2017, 3, 15-21.	0.7	24
22	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	13
23	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 74-84.	4.5	58
24	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 2260-2274.	4.5	675
25	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 1744-1760.	4.5	148
26	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136.	11.0	75
27	Multistage modeling for the classification of numerical and categorical datasets. , 2017, , .		3
28	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367.	3.1	19
29	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017, 9, 47-65.	1.7	507
30	The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. <i>BMC Geriatrics</i> , 2017, 17, 261.	2.7	24
31	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.	5.5	258
32	The cross-national epidemiology of DSM-IV intermittent explosive disorder. <i>Psychological Medicine</i> , 2016, 46, 3161-3172.	4.5	26
33	A Gaussian random field model for similarity-based smoothing in Bayesian disease mapping. <i>Statistical Methods in Medical Research</i> , 2016, 25, 1166-1184.	1.5	13
34	A Cross-national Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between <scp>DSM</scp>â€‹<scp>IV</scp> and <scp>DSM</scp>â€‹5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1728-1736.	2.4	35
35	ImplementaÃ§Ã£o em Portugal de um estudo de prevalÃªncia da demÃªncia e da depressÃ£o geriÃ¡trica: a metodologia do 10/66 Dementia Research Group. <i>Revista Portuguesa De Saude Publica</i> , 2016, 34, 134-143.	0.3	4
36	Suicidality in primary care patients who present with sadness and anhedonia: a prospective European study. <i>BMC Psychiatry</i> , 2016, 16, 94.	2.6	9

#	ARTICLE	IF	CITATIONS
37	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015, 79, 130-136.	2.6	17
38	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 210-226.	3.9	355
39	The Associations Between Preexisting Mental Disorders and Subsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. <i>Journal of Pain</i> , 2015, 16, 42-52.	1.4	29
40	Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015, 206, 101-109.	2.8	27
41	Unmet needs in the management of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 97.	2.2	47
42	Standardization of the MARISTAN scale to measure needs in people with schizophrenia and related psychoses. <i>International Journal of Social Psychiatry</i> , 2014, 60, 219-226.	3.1	2
43	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 27-41.	3.9	46
44	Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014, 44, 1303-1317.	4.5	825
45	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. <i>Psychological Medicine</i> , 2014, 44, 3289-3302.	4.5	25
46	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014, 36, 142-149.	2.4	102
47	MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. <i>Depression and Anxiety</i> , 2014, 31, 765-777.	4.1	56
48	The MaristAn stigma scale: a standardized international measure of the stigma of schizophrenia and other psychoses. <i>BMC Psychiatry</i> , 2014, 14, 182.	2.6	8
49	Implementing the World Mental Health Survey Initiative in Portugal " rationale, design and fieldwork procedures. <i>International Journal of Mental Health Systems</i> , 2013, 7, 19.	2.7	38
50	Risk factors for onset of multiple or long major depressive episodes versus single and short episodes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1067-1075.	3.1	13
51	CANFOR Portuguese version: validation study. <i>BMC Psychiatry</i> , 2013, 13, 157.	2.6	10
52	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 904-914.	1.3	1,025
53	Impact of psychosis on Portuguese caregivers: a cross-cultural exploration of burden, distress, positive aspects and clinical-functional correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 325-335.	3.1	42
54	Spiritual and religious beliefs as risk factors for the onset of major depression: an international cohort study. <i>Psychological Medicine</i> , 2013, 43, 2109-2120.	4.5	50

#	ARTICLE	IF	CITATIONS
55	Affective disorders and risk of developing dementia: systematic review. <i>British Journal of Psychiatry</i> , 2013, 202, 177-186.	2.8	249
56	Standardization of the MaristÅn Scale of Informal Care in people with schizophrenia and other psychoses. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 468-474.	4.5	3
57	Predicting onset of major depression in general practice attendees in Europe: extending the application of the predictD risk algorithm from 12 to 24 months. <i>Psychological Medicine</i> , 2013, 43, 1929-1939.	4.5	17
58	Disability Mediates the Impact of Common Conditions on Perceived Health. <i>PLoS ONE</i> , 2013, 8, e65858.	2.5	27
59	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461.	2.8	77
60	Depression, anxiety and physical function: exploring the strength of causality. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, e25-e25.	3.7	47
61	Differential Impact of Risk Factors for Women and Men on the Risk of Major Depressive Disorder. <i>Annals of Epidemiology</i> , 2012, 22, 388-396.	1.9	26
62	Caregiving in severe mental illness: the psychometric properties of the Involvement Evaluation Questionnaire in Portugal. <i>Annals of General Psychiatry</i> , 2012, 11, 8.	2.7	8
63	Recent life events pose greatest risk for onset of major depressive disorder during mid-life. <i>Journal of Affective Disorders</i> , 2012, 136, 505-513.	4.1	19
64	Standardised measures of needs, stigma and informal care in schizophrenia using a bottom-up, cross-cultural approach. <i>Mental Health in Family Medicine</i> , 2012, 9, 125-34.	0.2	3
65	Associations between unemployment and major depressive disorder: Evidence from an international, prospective study (the predict cohort). <i>Social Science and Medicine</i> , 2011, 73, 1627-1634.	3.8	105
66	Obsessiveâ compulsive symptoms in primary focal dystonia: A controlled study. <i>Movement Disorders</i> , 2011, 26, 2274-2278.	3.9	51
67	An international risk prediction algorithm for the onset of generalized anxiety and panic syndromes in general practice attendees: predictA. <i>Psychological Medicine</i> , 2011, 41, 1625-1639.	4.5	26
68	Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain. <i>Psychological Medicine</i> , 2011, 41, 2075-2088.	4.5	45
69	Heavy Episodic Drinking in Europe: A Cross Section Study in Primary Care in Six European Countries. <i>Alcohol and Alcoholism</i> , 2011, 46, 600-606.	1.6	22
70	Development and Validation of a Risk Model for Prediction of Hazardous Alcohol Consumption in General Practice Attendees: The PredictAL Study. <i>PLoS ONE</i> , 2011, 6, e22175.	2.5	6
71	Impact of clerkship in the attitudes toward psychiatry among Portuguese medical students. <i>BMC Medical Education</i> , 2010, 10, 56.	2.4	27
72	Comparison of risk factors for the onset and maintenance of depression. <i>British Journal of Psychiatry</i> , 2010, 196, 13-17.	2.8	31

#	ARTICLE	IF	CITATIONS
73	Resistant schizophrenia in a patient with epilepsy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 559-560.	4.8	0
74	Munchausen syndrome mimicking psychiatric disease with concomitant genuine physical illness. <i>BMJ Case Reports</i> , 2010, 2010, bcr0720103142-bcr0720103142.	0.5	6
75	Acute psychotic episode in a patient with thyrotoxicosis factitia. <i>BMJ Case Reports</i> , 2009, 2009, bcr0820080676-bcr0820080676.	0.5	4
76	Set-shifting and behavioral dysfunction in primary focal dystonia. <i>Movement Disorders</i> , 2008, 23, 200-206.	3.9	45
77	Bipolar disorder, homocysteine and white matter hyperintensities. <i>Bipolar Disorders</i> , 2008, 10, 748-749.	1.9	2
78	Development and Validation of an International Risk Prediction Algorithm for Episodes of Major Depression in General Practice Attendees. <i>Archives of General Psychiatry</i> , 2008, 65, 1368.	12.3	134
79	Prevalence of common mental disorders in general practice attendees across Europe. <i>British Journal of Psychiatry</i> , 2008, 192, 362-367.	2.8	227
80	Arachnoid cyst in a patient with psychosis: Case report. <i>Annals of General Psychiatry</i> , 2007, 6, 16.	2.7	37
81	Obsessive-compulsive disorder and executive deficits in two patients with primary dystonia. <i>Parkinsonism and Related Disorders</i> , 2006, 12, 388-391.	2.2	8
82	Schizophrenia and quality of life: a one-year follow-up in four EU countries. <i>BMC Psychiatry</i> , 2006, 6, 39.	2.6	22
83	Prediction of depression in European general practice attendees: the PREDICT study. <i>BMC Public Health</i> , 2006, 6, 6.	2.9	71
84	Needs for care among patients with schizophrenia in six European countries: a one-year follow-up study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 22.	1.2	12
85	Association of Huntington's disease and schizophrenia-like psychosis in a Huntington's disease pedigree. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 1.	1.2	78
86	Sudden psychotic episode probably due to meningoencephalitis and <i>Chlamydia pneumoniae</i> acute infection. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 15.	1.2	12
87	Psychosocial wellbeing and psychiatric care in the European Communities: analysis of macro indicators. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 883-892.	3.1	42
88	An Evaluation of the Therapeutic Programme Conducted by the Southern Regional Alcohol-Abuse Treatment Centre: Study on the Programme's Results One Year after Discharge from Inpatient Care. <i>European Addiction Research</i> , 2001, 7, 61-68.	2.4	1
89	Social and clinical factors influencing the choice of coping strategies in relatives of patients with schizophrenia: results of the BIOMED I study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998, 33, 413-419.	3.1	62
90	Sequential Combined Treatment of Heroin Addicted Patients in Portugal with Naltrexone and Family Therapy. <i>European Addiction Research</i> , 1997, 3, 138-145.	2.4	6