

Jocelyn Turpin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/84779/publications.pdf>

Version: 2024-02-01

23
papers

481
citations

840776

11
h-index

839539

18
g-index

24
all docs

24
docs citations

24
times ranked

854
citing authors

#	ARTICLE	IF	CITATIONS
1	Clonality of HIV-1 and HTLV-1 Infected Cells in Naturally Coinfected Individuals. <i>Journal of Infectious Diseases</i> , 2022, 225, 317-326.	4.0	3
2	Molecular remissions are observed in chronic adult T-cell leukemia/lymphoma in patients treated with mogamulizumab. <i>Haematologica</i> , 2019, 104, e566-e569.	3.5	8
3	Dendritic Cells Promote the Spread of Human T-Cell Leukemia Virus Type 1 via Bidirectional Interactions with CD4+ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 157-166.	0.7	9
4	Impact of Hepatitis B Virus Coinfection on Human T-Lymphotropic Virus Type 1 Clonality in an Indigenous Population of Central Australia. <i>Journal of Infectious Diseases</i> , 2019, 219, 562-567.	4.0	13
5	Stability of HTLV-2 antisense protein is controlled by PML nuclear bodies in a SUMO-dependent manner. <i>Oncogene</i> , 2018, 37, 2806-2816.	5.9	18
6	STLV-1 co-infection is correlated with an increased SFV proviral load in the peripheral blood of SFV/STLV-1 naturally infected non-human primates. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006812.	3.0	16
7	Human T-Lymphotropic Virus type 1c subtype proviral loads, chronic lung disease and survival in a prospective cohort of Indigenous Australians. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006281.	3.0	43
8	Whole body clonality analysis in an aggressive STLV-1 associated leukemia (ATLL) reveals an unexpected clonal complexity. <i>Cancer Letters</i> , 2017, 389, 78-85.	7.2	12
9	Persistent risk of adult T-cell leukemia/lymphoma after neonatal HTLV-1 infection through exchange transfusion. <i>International Journal of Hematology</i> , 2017, 105, 859-862.	1.6	0
10	Quantification of HTLV-1 reverse transcriptase activity in ATL patients treated with zidovudine and interferon- α . <i>Blood Advances</i> , 2017, 1, 748-752.	5.2	23
11	Detection and quantification of STLV-1 and SFV proviral load in blood and saliva of naturally infected non-human primates. <i>Retrovirology</i> , 2015, 12, .	2.0	0
12	Treatment of an aggressive STLV-1 associated lymphoma in a naturally infected baboon. <i>Retrovirology</i> , 2015, 12, .	2.0	0
13	Discovery and Characterization of Auxiliary Proteins Encoded by Type 3 Simian T-Cell Lymphotropic Viruses. <i>Journal of Virology</i> , 2015, 89, 931-951.	3.4	2
14	IFITM proteins are incorporated onto HIV-1 virion particles and negatively imprint their infectivity. <i>Retrovirology</i> , 2014, 11, 103.	2.0	114
15	Gem-Induced Cytoskeleton Remodeling Increases Cellular Migration of HTLV-1-Infected Cells, Formation of Infected-to-Target T-Cell Conjugates and Viral Transmission. <i>PLoS Pathogens</i> , 2014, 10, e1003917.	4.7	37
16	Low levels of HTLV-2 Tax conjugation to ubiquitin and SUMO do not impede Tax-mediated activation of NF- κ B. <i>Retrovirology</i> , 2014, 11, .	2.0	0
17	Antisense protein of HTLV-2 (APH-2) associates with PML nuclear bodies: molecular determinants and functional implications. <i>Retrovirology</i> , 2014, 11, .	2.0	0
18	HTLV-3/4 and simian foamy retroviruses in humans: Discovery, epidemiology, cross-species transmission and molecular virology. <i>Virology</i> , 2013, 435, 187-199.	2.4	94

#	ARTICLE	IF	CITATIONS
19	Human T Cell Leukemia Virus Type 2 Tax-Mediated NF- κ B Activation Involves a Mechanism Independent of Tax Conjugation to Ubiquitin and SUMO. <i>Journal of Virology</i> , 2013, 87, 1123-1136.	3.4	42
20	Tailored HIV-1 Vectors for Genetic Modification of Primary Human Dendritic Cells and Monocytes. <i>Journal of Virology</i> , 2013, 87, 234-242.	3.4	13
21	Functional Analysis of the Relationship between Vpx and the Restriction Factor SAMHD1. <i>Journal of Biological Chemistry</i> , 2012, 287, 41210-41217.	3.4	31
22	Identification and characterization of auxiliary proteins encoded by the STLV-3 retrovirus pX region. <i>Retrovirology</i> , 2011, 8, .	2.0	2
23	Exclusion from the Golgi and very low levels of HTLV-2 Tax ubiquitination do not prevent IKK-gamma/NEMO relocalization and NF- κ B activation. <i>Retrovirology</i> , 2011, 8, A134.	2.0	1