
Kit Wa Chan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8479838/publications.pdf Version: 2024-02-01



Κιτ \λλα Снам

#	Article	IF	CITATIONS
1	Depression and post-traumatic stress during major social unrest in Hong Kong: a 10-year prospective cohort study. Lancet, The, 2020, 395, 273-284.	6.3	193
2	Vulnerability and resilience in children during the COVID-19 pandemic. European Child and Adolescent Psychiatry, 2022, 31, 161-176.	2.8	167
3	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2011, 133, 22-28.	1.1	109
4	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. Pharmacopsychiatry, 2022, 55, 73-86.	1.7	107
5	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. Lancet Psychiatry,the, 2018, 5, 432-442.	3.7	97
6	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2012, 46, 100-108.	1.3	84
7	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. NPJ Schizophrenia, 2015, 1, 15047.	2.0	84
8	A systematic review on definitions and assessments of psychoticâ€like experiences. Microbial Biotechnology, 2016, 10, 3-16.	0.9	78
9	Five-year stability of ICD-10 diagnoses among Chinese patients presented with first-episode psychosis in Hong Kong. Schizophrenia Research, 2009, 115, 351-357.	1.1	68
10	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2015, 206, 492-500.	1.7	63
11	Early intervention for psychosis in Hong Kong – the EASY programme. Microbial Biotechnology, 2010, 4, 214-219.	0.9	62
12	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. JAMA Psychiatry, 2018, 75, 458.	6.0	57
13	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. Psychological Medicine, 2013, 43, 1883-1893.	2.7	56
14	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. Schizophrenia Bulletin, 2017, 43, 1280-1290.	2.3	55
15	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. Psychiatry Research, 2013, 209, 353-360.	1.7	54
16	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. Schizophrenia Research, 2014, 153, 1-8.	1.1	53
17	10-year outcome study of an early intervention program for psychosis compared with standard care service. Psychological Medicine, 2015, 45, 1181-1193.	2.7	53
18	Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. Psychiatry Research, 2012, 198, 360-365.	1.7	50

#	Article	IF	CITATIONS
19	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. Schizophrenia Research, 2014, 157, 12-18.	1.1	46
20	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. Schizophrenia Research, 2016, 170, 318-321.	1.1	44
21	Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. Australian and New Zealand Journal of Psychiatry, 2011, 45, 199-205.	1.3	42
22	ls depression contagious? The importance of social networks and the implications of contagion theory. Australian and New Zealand Journal of Psychiatry, 2013, 47, 299-303.	1.3	42
23	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 485-494.	2.3	42
24	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1225-1231.	1.6	40
25	Early intervention and evaluation for adultâ€onset psychosis: the <scp>JCEP</scp> study rationale and design. Microbial Biotechnology, 2014, 8, 261-268.	0.9	38
26	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. Psychiatric Services, 2016, 67, 766-770.	1.1	38
27	Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. Schizophrenia Bulletin, 2019, 45, 610-619.	2.3	38
28	A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2013, 47, 746-753.	1.3	35
29	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. British Journal of Psychiatry, 2017, 211, 37-44.	1.7	35
30	Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. Psychological Medicine, 2017, 47, 755-765.	2.7	32
31	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. Psychological Medicine, 2021, 51, 365-375.	2.7	32
32	Clinical and social correlates of duration of untreated psychosis among adultâ€onset psychosis in <scp>H</scp> ong <scp>K</scp> ong <scp>C</scp> hinese: the <scp>JCEP</scp> study. Microbial Biotechnology, 2015, 9, 118-125.	0.9	31
33	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. Schizophrenia Research, 2018, 197, 131-137.	1.1	31
34	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. European Neuropsychopharmacology, 2019, 29, 629-642.	0.3	31
35	Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. Schizophrenia Research, 2011, 126, 87-92.	1.1	30
36	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. Schizophrenia Research, 2016, 174, 144-149.	1.1	30

#	Article	IF	CITATIONS
37	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. Schizophrenia Research, 2016, 173, 79-83.	1.1	29
38	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. Schizophrenia Research, 2019, 204, 65-71.	1.1	29
39	Inter-relationships among psychopathology, premorbid adjustment, cognition and psychosocial functioning in first-episode psychosis: a network analysis approach. Psychological Medicine, 2020, 50, 2019-2027.	2.7	29
40	The impacts of COVID-19 outbreak on mental health in general population in different areas in China. Psychological Medicine, 2022, 52, 2651-2660.	2.7	29
41	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. Schizophrenia Research, 2013, 143, 107-115.	1.1	28
42	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. Schizophrenia Research, 2014, 159, 465-470.	1.1	28
43	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. Schizophrenia Bulletin, 2021, 47, 386-394.	2.3	28
44	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: A validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. Schizophrenia Research, 2012, 135, 158-163.	1.1	27
45	Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 219-226.	1.6	27
46	A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. International Review of Psychiatry, 2019, 31, 441-459.	1.4	27
47	Gender differences in correlates of cognition in first-episode psychosis. Psychiatry Research, 2019, 271, 412-420.	1.7	27
48	Symptomatic Remission and Cognitive Impairment in First-Episode Schizophrenia. Journal of Clinical Psychiatry, 2013, 74, e1046-e1053.	1.1	27
49	Clinical and cognitive correlates of insight in first-episode schizophrenia. Schizophrenia Research, 2012, 135, 40-45.	1.1	26
50	Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. Schizophrenia Bulletin, 2016, 42, 1476-1485.	2.3	26
51	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. Schizophrenia Research, 2018, 195, 463-468.	1.1	26
52	Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. International Review of Psychiatry, 2019, 31, 523-542.	1.4	26
53	Impact of physical activity on functioning of patients with first-episode psychosis — A 6months prospective longitudinal study. Schizophrenia Research, 2013, 150, 538-541.	1.1	25
54	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. Psychiatry Research, 2014, 220, 834-839.	1.7	25

#	Article	IF	CITATIONS
55	Abnormal cognitive effort allocation and its association with amotivation in first-episode psychosis. Psychological Medicine, 2020, 50, 2599-2609.	2.7	25
56	Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. Schizophrenia Bulletin, 2021, 47, 474-484.	2.3	25
57	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. Schizophrenia Research, 2013, 150, 297-302.	1.1	24
58	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. Psychiatry Research, 2014, 220, 797-802.	1.7	24
59	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. Schizophrenia Research, 2015, 168, 99-105.	1.1	24
60	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. Psychiatry Research, 2016, 242, 144-149.	1.7	24
61	Perception of social support and psychotic symptoms among persons with schizophrenia: A strategy to lessen caregiver burden. International Journal of Social Psychiatry, 2019, 65, 548-557.	1.6	24
62	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la santé mentale après une exposition répétée à de multiples événements stressants d'agitation sociale durable et de pandÃ Hong Kong: le rÃ1e de la rumination. Canadian Journal of Psychiatry, 2021, 66, 577-585.	.©mie Ã	24
63	Medication Adherence, Knowledge About Psychosis, and Insight Among Patients With a Schizophrenia-Spectrum Disorder. Journal of Nervous and Mental Disease, 2014, 202, 25-29.	0.5	23
64	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2015, 49, 914-922.	1.3	23
65	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. International Journal of Social Psychiatry, 2016, 62, 205-213.	1.6	23
66	A systematic review of long-term outcomes of patients with psychosis who received early intervention services. International Review of Psychiatry, 2019, 31, 425-440.	1.4	23
67	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. Schizophrenia Bulletin, 2020, 46, 774-784.	2.3	23
68	Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. Psychological Medicine, 2015, 45, 3085-3095.	2.7	22
69	Predicting first-episode psychosis patients who will never relapse over 10 years. Psychological Medicine, 2019, 49, 2206-2214.	2.7	22
70	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. Neuropsychopharmacology, 2020, 45, 1870-1876.	2.8	22
71	Naming psychosis: the Hong Kong experience. Microbial Biotechnology, 2010, 4, 270-274.	0.9	21
72	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. Frontiers in Psychology, 2016, 07, 2006.	1.1	21

#	Article	IF	CITATIONS
73	A Lowâ€Intensity Mindfulnessâ€Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. Clinical Psychology and Psychotherapy, 2016, 23, 550-560.	1.4	21
74	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. Journal of Mental Health, 2019, 28, 583-588.	1.0	21
75	Cost-Effectiveness of An Early Assessment Service for Young People with Early Psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2011, 45, 673-680.	1.3	20
76	Examining gender difference in adultâ€onset psychosis in Hong Kong. Microbial Biotechnology, 2016, 10, 324-333.	0.9	19
77	Comparison of cognitive functions between first-episode schizophrenia patients, their unaffected siblings and individuals at clinical high-risk for psychosis. Psychological Medicine, 2019, 49, 1929-1936.	2.7	18
78	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. Journal of Affective Disorders, 2016, 200, 1-5.	2.0	17
79	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. Schizophrenia Research, 2017, 184, 141-142.	1.1	17
80	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. Asian Journal of Psychiatry, 2018, 33, 113-120.	0.9	17
81	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. Schizophrenia Research, 2019, 206, 251-256.	1.1	17
82	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2014, 152, 146-151.	1.1	16
83	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. Comprehensive Psychiatry, 2015, 56, 42-50.	1.5	16
84	Visual working memory deterioration preceding relapse in psychosis. Psychological Medicine, 2016, 46, 2435-2444.	2.7	16
85	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1194-1201.	1.3	16
86	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and metaâ€analysis of randomized controlled trials. Journal of Psychiatric and Mental Health Nursing, 2020, 27, 128-139.	1.2	16
87	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. Schizophrenia Research, 2020, 220, 85-91.	1.1	16
88	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 307-315.	1.6	15
89	Newspaper coverage of mental illness in <scp>H</scp> ong <scp>K</scp> ong between 2002 and 2012: impact of introduction of a new <scp>C</scp> hinese name of psychosis. Microbial Biotechnology, 2017, 11, 342-345.	0.9	15
90	Binding of SEP-363856 within TAAR1 and the 5HT1A receptor: implications for the design of novel antipsychotic drugs. Molecular Psychiatry, 2022, 27, 88-94.	4.1	15

#	Article	IF	CITATIONS
91	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. BJPsych Open, 2020, 6, e121.	0.3	14
92	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. Australian and New Zealand Journal of Psychiatry, 2022, 56, 376-384.	1.3	14
93	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1819-1828.	1.6	13
94	Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2015, 9, 422-427.	0.9	13
95	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. Psychiatry Research, 2017, 249, 39-45.	1.7	13
96	Induced ideas of reference during social unrest and pandemic in Hong Kong. Schizophrenia Research, 2021, 229, 46-52.	1.1	13
97	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. Asian Journal of Psychiatry, 2012, 5, 68-72.	0.9	12
98	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. Psychiatry Research, 2014, 216, 177-184.	1.7	12
99	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. Schizophrenia Research, 2014, 153, 204-208.	1.1	12
100	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. Psychiatry Research, 2015, 228, 680-687.	1.7	12
101	Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 259-267.	1.6	12
102	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. BMC Psychiatry, 2021, 21, 274.	1.1	12
103	Coupling physical exercise with dietary glucose supplement for treating cognitive impairment in schizophrenia: a theoretical model and future directions. Microbial Biotechnology, 2014, 8, 209-220.	0.9	11
104	Changes for clozapine monitoring in the United States. Molecular Psychiatry, 2016, 21, 858-860.	4.1	11
105	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. European Psychiatry, 2017, 41, 37-41.	0.1	11
106	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2018, 12, 331-338.	0.9	11
107	Destigmatizing psychosis: Investigating the effectiveness of a schoolâ€based programme in Hong Kong secondary school students. Microbial Biotechnology, 2019, 13, 882-887.	0.9	11
108	Measuring subjective stress among young people in Hong Kong: validation and predictive utility of the single-item subjective level of stress (SLS-1) in epidemiological and longitudinal community samples. Epidemiology and Psychiatric Sciences, 2021, 30, .	1.8	11

#	Article	IF	CITATIONS
109	Rates and predictors of disengagement of patients with firstâ€episode psychosis from the early intervention service for sychosis service (EASY) covering 15 to 64 years of age in Hong Kong. Microbial Biotechnology, 2019, 13, 398-404.	0.9	11
110	Risk of selfâ€harm or suicide associated with specific drug use disorders, 2004–2016: a populationâ€based cohort study. Addiction, 2022, 117, 1940-1949.	1.7	11
111	Random Number Generation Deficit in Early Schizophrenia. Perceptual and Motor Skills, 2011, 112, 91-103.	0.6	10
112	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. Canadian Journal of Psychiatry, 2015, 60, 346-353.	0.9	10
113	Efficacy of transcranial direct current stimulation (tDCS) as a treatment for persistent hallucinations in patients with schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2018, 202, 423-425.	1.1	10
114	Psychiatrists' opinion towards medication discontinuation in remitted firstâ€episode psychosis: A multiâ€site study of the Asian Network for Early Psychosis. Microbial Biotechnology, 2019, 13, 1329-1337.	0.9	10
115	The effect of media reporting of a homicide committed by a patient with schizophrenia on the public stigma and knowledge of psychosis among the general population of Hong Kong. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 43-50.	1.6	9
116	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. British Journal of Psychiatry, 2020, 217, 491-497.	1.7	9
117	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. Psychological Medicine, 2021, 51, 2501-2508.	2.7	9
118	Perception towards relapse and its predictors in psychosis patients: A qualitative study. Microbial Biotechnology, 2018, 12, 856-862.	0.9	8
119	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. Schizophrenia Research: Cognition, 2020, 21, 100176.	0.7	8
120	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. Microbial Biotechnology, 2021, 15, 278-285.	0.9	8
121	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. Schizophrenia Research, 2021, 237, 103-114.	1.1	8
122	Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. Psychological Medicine, 2023, 53, 4603-4613.	2.7	8
123	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: A 3-year follow-up study. Schizophrenia Research, 2012, 137, 118-123.	1.1	7
124	NICE guidance: why not clozapine for treatment-refractory bipolar disorder?. Lancet Psychiatry,the, 2016, 3, 502-503.	3.7	7
125	Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. International Review of Psychiatry, 2019, 31, 491-509.	1.4	7
126	Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. Psychological Medicine, 2016, 46, 2011-2013.	2.7	7

#	Article	IF	CITATIONS
127	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis. JAMA Psychiatry, 2019, 76, 217.	6.0	6
128	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. Microbial Biotechnology, 2021, 15, 686-696.	0.9	6
129	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. American Journal of Psychiatry, 2018, 175, 285-286.	4.0	5
130	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. Schizophrenia Research, 2018, 192, 294-299.	1.1	5
131	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 887-896.	1.8	5
132	Perspective on medication decisions following remission from first-episode psychosis. Schizophrenia Research, 2020, 225, 82-89.	1,1	5
133	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. Australian and New Zealand Journal of Psychiatry, 2021, 55, 983-992.	1.3	5
134	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1561-1569.	1.8	5
135	Psychiatric comorbidity in individuals atâ€risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. Microbial Biotechnology, 2021, 15, 616-623.	0.9	5
136	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1687-1695.	1.6	4
137	Psychiatric beds and increased suicide rates in England. Lancet Psychiatry,the, 2016, 3, 604.	3.7	4
138	Quality of life and functioning in firstâ€episode psychosis <scp>C</scp> hinese patients with different antipsychotic medications. Microbial Biotechnology, 2016, 10, 535-539.	0.9	4
139	Psychosocial factors associated with physical activity behavior among patients with psychosis. Schizophrenia Research, 2018, 195, 130-135.	1.1	4
140	Objective and subjective cognitive functioning in relation to psychopathology among women with early psychosis. Microbial Biotechnology, 2019, 13, 1227-1235.	0.9	4
141	Clinical and functional correlates of financially deprived women with firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 639-645.	0.9	4
142	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. Journal of Mental Health, 2022, 31, 29-38.	1.0	4
143	An epidemiological survey of mental disorders 5Âyears after the Lushan earthquake in Ya'an, China. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1263-1272.	1.6	4
144	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. Schizophrenia Research, 2021, 228, 288-294.	1.1	4

#	Article	IF	CITATIONS
145	<scp>ReMind</scp> , a smartphone application for psychotic relapse prediction: A longitudinal study protocol. Microbial Biotechnology, 2021, 15, 1659-1666.	0.9	4
146	Three-year community case management for early psychosis: a randomised controlled study. Hong Kong Medical Journal, 2015, 21 Suppl 2, 23-6.	0.1	4
147	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder. Psychopharmacology, 2022, 239, 2133-2141.	1.5	4
148	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. Asian Journal of Psychiatry, 2022, 71, 103087.	0.9	4
149	<scp>LevelMind</scp> @ <scp>JC</scp> : Development and evaluation of a community early intervention program for young people in Hong Kong. Microbial Biotechnology, 2022, 16, 920-925.	0.9	4
150	Impact of restrictive COVID-19 measures on daily momentary affect in an epidemiological youth sample in Hong Kong: An experience sampling study. Current Psychology, 2023, 42, 20804-20813.	1.7	4
151	Chinese label for people at risk for psychosis. Microbial Biotechnology, 2017, 11, 224-228.	0.9	3
152	The Royal Australian and New Zealand College of Psychiatrists guidelines: Acute inpatient care for schizophrenia. Australian and New Zealand Journal of Psychiatry, 2017, 51, 191-192.	1.3	3
153	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. Schizophrenia Research, 2018, 197, 618-619.	1.1	3
154	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. Microbial Biotechnology, 2018, 12, 107-112.	0.9	3
155	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with atâ€risk mental state for psychosis. Microbial Biotechnology, 2022, 16, 61-68.	0.9	3
156	Aberrant Learned Irrelevance in Patients with First-Episode Schizophrenia-Spectrum Disorder. Brain Sciences, 2021, 11, 1370.	1.1	3
157	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1277-1286.	1.3	3
158	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. European Archives of Psychiatry and Clinical Neuroscience, 2022, , 1.	1.8	3
159	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. Psychological Medicine, 2022, , 1-13.	2.7	3
160	Mental Health Challenges in COVID-19 Pandemic. , 2022, 32, 3-4.		3
161	Correlates and predictors of perceived stigma and selfâ€stigma in Chinese patients with psychosis. Microbial Biotechnology, 2022, 16, 1075-1084.	0.9	3
162	A qualitative study exploring the factors influencing perceptions of mental illness and coping strategies in ethnic minority populations experiencing negative mood symptoms in Hong Kong. Journal of Affective Disorders Reports, 2022, 9, 100360.	0.9	3

#	Article	IF	CITATIONS
163	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. Schizophrenia Research, 2013, 148, 181-182.	1.1	2
164	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. American Journal of Psychiatry, 2016, 173, 939-940.	4.0	2
165	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. Microbial Biotechnology, 2021, 15, 1686-1695.	0.9	2
166	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. Asian Journal of Psychiatry, 2021, 57, 102578.	0.9	2
167	Clinical and psychological correlates of insight dimensions in patients with early psychosis. Microbial Biotechnology, 2021, , .	0.9	2
168	Methadone prescribing in the general hospital. Clinical Governance, 2010, 15, 12-18.	0.4	1
169	Letter to the Editor: Comparing delusional disorder and schizophrenia: a comment on Hui et al. (2015) – a reply. Psychological Medicine, 2016, 46, 1561-1562.	2.7	1
170	Incidence of hospitalization and its associated factors in firstâ€episode psychosis in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2016, 10, 263-266.	0.9	1
171	Early intervention for incipient insanity: early notions from the 19 th century English literature. Microbial Biotechnology, 2018, 12, 708-714.	0.9	1
172	Predictors of functioning in people suffering from firstâ€episode psychosis 1 year into entering early intervention service in Hong Kong. Microbial Biotechnology, 2018, 12, 828-838.	0.9	1
173	Differential cortical thinning of auditory cortex in first episode schizophrenia: Association with auditory verbal hallucinations. Schizophrenia Research, 2019, 206, 464-465.	1.1	1
174	Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. Frontiers in Psychiatry, 2021, 12, 763545.	1.3	1
175	Prodromal psychosis: a case series of ten symptomatic patients. East Asian Archives of Psychiatry, 2015, 25, 35-41.	0.5	1
176	Duration of early intervention for psychosis: 2 years versus 3 years. Hong Kong Medical Journal, 2019, 25 Suppl 2, 10-14.	0.1	1
177	Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. Schizophrenia Bulletin, 2022, 48, 1043-1052.	2.3	1
178	Quality assurance of training standards. Psychiatric Bulletin, 2007, 31, 274-274.	0.3	0
179	Can Australian psychiatrists prescribe clozapine off-label for treatment-refractory bipolar disorder?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 810-811.	1.3	0
180	Lithium, suicide prevention and unipolar depression?. Australian and New Zealand Journal of Psychiatry, 2017, 51, 844-844.	1.3	0

#	Article	IF	CITATIONS
181	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. Schizophrenia Research, 2019, 209, 275-277.	1.1	0
182	International services for assessing and treating psychosis risk. , 2020, , 383-398.		0
183	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 509-518.	1.8	0
184	Antipsychotic treatment in clinical high risk for psychosis: latrogenesis related to dopamine supersensitivity psychosis?. Australian and New Zealand Journal of Psychiatry, 2022, 56, 97-97.	1.3	0
185	Why does clozapine cause increased rebound psychosis and catatonia, compared to quetiapine?. Australian and New Zealand Journal of Psychiatry, 2022, 56, 98-98.	1.3	0
186	LevelMind @ JC hubs–a novel communityâ€based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. Microbial Biotechnology, 2021, , .	0.9	0
187	A multifaceted approach in promoting positive mental health culture in Hong Kong secondary schools: The Mindshift educational networking programme. Microbial Biotechnology, 2021, , .	0.9	0
188	Protocol for a prospective open-label clinical trial to investigate the utility of concurrent TBS/fNIRS for antidepressant treatment optimisation. BMJ Open, 2022, 12, e053896.	0.8	0
189	Early intervention versus standard care for psychosis in Hong Kong: a 10-year study. Hong Kong Medical Journal, 2015, 21 Suppl 2, 19-22.	0.1	0
190	Extended early intervention versus standard psychiatric care for adults with first-episode psychosis. Hong Kong Medical Journal, 2019, 25 Suppl 3, 4-8.	0.1	0