

Kit Wa Chan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8479838/publications.pdf>

Version: 2024-02-01

190
papers

3,900
citations

159358

30
h-index

205818

48
g-index

191
all docs

191
docs citations

191
times ranked

4229
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of restrictive COVID-19 measures on daily momentary affect in an epidemiological youth sample in Hong Kong: An experience sampling study. <i>Current Psychology</i> , 2023, 42, 20804-20813.	1.7	4
2	Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. <i>Psychological Medicine</i> , 2023, 53, 4603-4613.	2.7	8
3	Vulnerability and resilience in children during the COVID-19 pandemic. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 161-176.	2.8	167
4	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. <i>Journal of Mental Health</i> , 2022, 31, 29-38.	1.0	4
5	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with at-risk mental state for psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 61-68.	0.9	3
6	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 509-518.	1.8	0
7	Antipsychotic treatment in clinical high risk for psychosis: iatrogenesis related to dopamine supersensitivity psychosis?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 97-97.	1.3	0
8	Why does clozapine cause increased rebound psychosis and catatonia, compared to quetiapine?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 98-98.	1.3	0
9	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 376-384.	1.3	14
10	Binding of SEP-363856 within TAAR1 and the 5HT1A receptor: implications for the design of novel antipsychotic drugs. <i>Molecular Psychiatry</i> , 2022, 27, 88-94.	4.1	15
11	The impacts of COVID-19 outbreak on mental health in general population in different areas in China. <i>Psychological Medicine</i> , 2022, 52, 2651-2660.	2.7	29
12	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1277-1286.	1.3	3
13	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	3
14	Risk of self-harm or suicide associated with specific drug use disorders, 2004-2016: a population-based cohort study. <i>Addiction</i> , 2022, 117, 1940-1949.	1.7	11
15	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. <i>Psychological Medicine</i> , 2022, , 1-13.	2.7	3
16	Protocol for a prospective open-label clinical trial to investigate the utility of concurrent TBS/fNIRS for antidepressant treatment optimisation. <i>BMJ Open</i> , 2022, 12, e053896.	0.8	0
17	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder. <i>Psychopharmacology</i> , 2022, 239, 2133-2141.	1.5	4
18	Mental Health Challenges in COVID-19 Pandemic. , 2022, 32, 3-4.		3

#	ARTICLE	IF	CITATIONS
19	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. <i>Asian Journal of Psychiatry</i> , 2022, 71, 103087.	0.9	4
20	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. <i>Pharmacopsychiatry</i> , 2022, 55, 73-86.	1.7	107
21	Correlates and predictors of perceived stigma and self-stigma in Chinese patients with psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1075-1084.	0.9	3
22	LevelMind@JC: Development and evaluation of a community early intervention program for young people in Hong Kong. <i>Microbial Biotechnology</i> , 2022, 16, 920-925.	0.9	4
23	A qualitative study exploring the factors influencing perceptions of mental illness and coping strategies in ethnic minority populations experiencing negative mood symptoms in Hong Kong. <i>Journal of Affective Disorders Reports</i> , 2022, 9, 100360.	0.9	3
24	Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. <i>Schizophrenia Bulletin</i> , 2022, 48, 1043-1052.	2.3	1
25	An epidemiological survey of mental disorders 5 years after the Lushan earthquake in Ya'an, China. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1263-1272.	1.6	4
26	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021, 51, 2501-2508.	2.7	9
27	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. <i>Microbial Biotechnology</i> , 2021, 15, 278-285.	0.9	8
28	Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 474-484.	2.3	25
29	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 485-494.	2.3	42
30	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. <i>Schizophrenia Bulletin</i> , 2021, 47, 386-394.	2.3	28
31	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. <i>Microbial Biotechnology</i> , 2021, 15, 686-696.	0.9	6
32	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. <i>Microbial Biotechnology</i> , 2021, 15, 1686-1695.	0.9	2
33	Measuring subjective stress among young people in Hong Kong: validation and predictive utility of the single-item subjective level of stress (SLS-1) in epidemiological and longitudinal community samples. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	1.8	11
34	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2021, 51, 365-375.	2.7	32
35	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021, 228, 288-294.	1.1	4
36	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2021, 57, 102578.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Induced ideas of reference during social unrest and pandemic in Hong Kong. <i>Schizophrenia Research</i> , 2021, 229, 46-52.	1.1	13
38	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. <i>BMC Psychiatry</i> , 2021, 21, 274.	1.1	12
39	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 983-992.	1.3	5
40	LevelMind @ JC hubs—a novel community-based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. <i>Microbial Biotechnology</i> , 2021, , .	0.9	0
41	Clinical and psychological correlates of insight dimensions in patients with early psychosis. <i>Microbial Biotechnology</i> , 2021, , .	0.9	2
42	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1561-1569.	1.8	5
43	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 103-114.	1.1	8
44	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la santé mentale après une exposition répétée à de multiples événements stressants d'agitation sociale durable et de pandémie à Hong Kong: le rôle de la rumination. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 577-585.	0.9	24
45	Aberrant Learned Irrelevance in Patients with First-Episode Schizophrenia-Spectrum Disorder. <i>Brain Sciences</i> , 2021, 11, 1370.	1.1	3
46	Psychiatric comorbidity in individuals at risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. <i>Microbial Biotechnology</i> , 2021, 15, 616-623.	0.9	5
47	<scp>ReMind</scp>, a smartphone application for psychotic relapse prediction: A longitudinal study protocol. <i>Microbial Biotechnology</i> , 2021, 15, 1659-1666.	0.9	4
48	Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 763545.	1.3	1
49	A multifaceted approach in promoting positive mental health culture in Hong Kong secondary schools: The Mindshift educational networking programme. <i>Microbial Biotechnology</i> , 2021, , .	0.9	0
50	Abnormal cognitive effort allocation and its association with amotivation in first-episode psychosis. <i>Psychological Medicine</i> , 2020, 50, 2599-2609.	2.7	25
51	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. <i>British Journal of Psychiatry</i> , 2020, 217, 491-497.	1.7	9
52	Inter-relationships among psychopathology, premorbid adjustment, cognition and psychosocial functioning in first-episode psychosis: a network analysis approach. <i>Psychological Medicine</i> , 2020, 50, 2019-2027.	2.7	29
53	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 128-139.	1.2	16
54	Depression and post-traumatic stress during major social unrest in Hong Kong: a 10-year prospective cohort study. <i>Lancet, The</i> , 2020, 395, 273-284.	6.3	193

#	ARTICLE	IF	CITATIONS
55	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. <i>BJPsych Open</i> , 2020, 6, e121.	0.3	14
56	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. <i>Schizophrenia Research: Cognition</i> , 2020, 21, 100176.	0.7	8
57	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. <i>Neuropsychopharmacology</i> , 2020, 45, 1870-1876.	2.8	22
58	Perspective on medication decisions following remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 225, 82-89.	1.1	5
59	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 774-784.	2.3	23
60	International services for assessing and treating psychosis risk. , 2020, , 383-398.		0
61	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 220, 85-91.	1.1	16
62	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 887-896.	1.8	5
63	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. <i>Schizophrenia Research</i> , 2019, 204, 65-71.	1.1	29
64	Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 610-619.	2.3	38
65	Destigmatizing psychosis: Investigating the effectiveness of a school-based programme in Hong Kong secondary school students. <i>Microbial Biotechnology</i> , 2019, 13, 882-887.	0.9	11
66	Perception of social support and psychotic symptoms among persons with schizophrenia: A strategy to lessen caregiver burden. <i>International Journal of Social Psychiatry</i> , 2019, 65, 548-557.	1.6	24
67	Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. <i>International Review of Psychiatry</i> , 2019, 31, 523-542.	1.4	26
68	A systematic review of long-term outcomes of patients with psychosis who received early intervention services. <i>International Review of Psychiatry</i> , 2019, 31, 425-440.	1.4	23
69	Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. <i>International Review of Psychiatry</i> , 2019, 31, 491-509.	1.4	7
70	A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. <i>International Review of Psychiatry</i> , 2019, 31, 441-459.	1.4	27
71	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. <i>Schizophrenia Research</i> , 2019, 209, 275-277.	1.1	0
72	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2019, 29, 629-642.	0.3	31

#	ARTICLE	IF	CITATIONS
73	Gender differences in correlates of cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2019, 271, 412-420.	1.7	27
74	Objective and subjective cognitive functioning in relation to psychopathology among women with early psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1227-1235.	0.9	4
75	Psychiatrists' opinion towards medication discontinuation in remitted first-episode psychosis: A multi-site study of the Asian Network for Early Psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1329-1337.	0.9	10
76	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 251-256.	1.1	17
77	Predicting first-episode psychosis patients who will never relapse over 10 years. <i>Psychological Medicine</i> , 2019, 49, 2206-2214.	2.7	22
78	The effect of media reporting of a homicide committed by a patient with schizophrenia on the public stigma and knowledge of psychosis among the general population of Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 43-50.	1.6	9
79	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 217.	6.0	6
80	Differential cortical thinning of auditory cortex in first episode schizophrenia: Association with auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2019, 206, 464-465.	1.1	1
81	Comparison of cognitive functions between first-episode schizophrenia patients, their unaffected siblings and individuals at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2019, 49, 1929-1936.	2.7	18
82	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. <i>Journal of Mental Health</i> , 2019, 28, 583-588.	1.0	21
83	Clinical and functional correlates of financially deprived women with first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 639-645.	0.9	4
84	Rates and predictors of disengagement of patients with first-episode psychosis from the early intervention service for psychosis service (EASY) covering 15 to 64 years of age in Hong Kong. <i>Microbial Biotechnology</i> , 2019, 13, 398-404.	0.9	11
85	Duration of early intervention for psychosis: 2 years versus 3 years. <i>Hong Kong Medical Journal</i> , 2019, 25 Suppl 2, 10-14.	0.1	1
86	Extended early intervention versus standard psychiatric care for adults with first-episode psychosis. <i>Hong Kong Medical Journal</i> , 2019, 25 Suppl 3, 4-8.	0.1	0
87	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1194-1201.	1.3	16
88	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2018, 175, 285-286.	4.0	5
89	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. <i>JAMA Psychiatry</i> , 2018, 75, 458.	6.0	57
90	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018, 197, 131-137.	1.1	31

#	ARTICLE	IF	CITATIONS
91	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. <i>Lancet Psychiatry</i> , 2018, 5, 432-442.	3.7	97
92	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2018, 33, 113-120.	0.9	17
93	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. <i>Schizophrenia Research</i> , 2018, 197, 618-619.	1.1	3
94	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 331-338.	0.9	11
95	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. <i>Microbial Biotechnology</i> , 2018, 12, 107-112.	0.9	3
96	Early intervention for incipient insanity: early notions from the 19 th century English literature. <i>Microbial Biotechnology</i> , 2018, 12, 708-714.	0.9	1
97	Predictors of functioning in people suffering from first-episode psychosis 1 year into entering early intervention service in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 828-838.	0.9	1
98	Perception towards relapse and its predictors in psychosis patients: A qualitative study. <i>Microbial Biotechnology</i> , 2018, 12, 856-862.	0.9	8
99	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. <i>Schizophrenia Research</i> , 2018, 192, 294-299.	1.1	5
100	Psychosocial factors associated with physical activity behavior among patients with psychosis. <i>Schizophrenia Research</i> , 2018, 195, 130-135.	1.1	4
101	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. <i>Schizophrenia Research</i> , 2018, 195, 463-468.	1.1	26
102	Efficacy of transcranial direct current stimulation (tDCS) as a treatment for persistent hallucinations in patients with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2018, 202, 423-425.	1.1	10
103	Chinese label for people at risk for psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 224-228.	0.9	3
104	Newspaper coverage of mental illness in Hong Kong between 2002 and 2012: impact of introduction of a new Chinese name of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 342-345.	0.9	15
105	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. <i>Psychiatry Research</i> , 2017, 249, 39-45.	1.7	13
106	Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. <i>Psychological Medicine</i> , 2017, 47, 755-765.	2.7	32
107	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 184, 141-142.	1.1	17
108	Lithium, suicide prevention and unipolar depression?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 844-844.	1.3	0

#	ARTICLE	IF	CITATIONS
109	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1280-1290.	2.3	55
110	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. <i>European Psychiatry</i> , 2017, 41, 37-41.	0.1	11
111	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017, 211, 37-44.	1.7	35
112	Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 259-267.	1.6	12
113	The Royal Australian and New Zealand College of Psychiatrists guidelines: Acute inpatient care for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 191-192.	1.3	3
114	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. <i>Frontiers in Psychology</i> , 2016, 07, 2006.	1.1	21
115	A Low-Intensity Mindfulness-Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 550-560.	1.4	21
116	Examining gender difference in adult-onset psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016, 10, 324-333.	0.9	19
117	Can Australian psychiatrists prescribe clozapine off-label for treatment-refractory bipolar disorder?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 810-811.	1.3	0
118	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. <i>Schizophrenia Research</i> , 2016, 173, 79-83.	1.1	29
119	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. <i>Schizophrenia Research</i> , 2016, 174, 144-149.	1.1	30
120	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1225-1231.	1.6	40
121	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. <i>Journal of Affective Disorders</i> , 2016, 200, 1-5.	2.0	17
122	Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1476-1485.	2.3	26
123	Psychiatric beds and increased suicide rates in England. <i>Lancet Psychiatry</i> , 2016, 3, 604.	3.7	4
124	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2016, 173, 939-940.	4.0	2
125	NICE guidance: why not clozapine for treatment-refractory bipolar disorder?. <i>Lancet Psychiatry</i> , 2016, 3, 502-503.	3.7	7
126	Letter to the Editor: Comparing delusional disorder and schizophrenia: a comment on Hui et al. (2015) "a reply". <i>Psychological Medicine</i> , 2016, 46, 1561-1562.	2.7	1

#	ARTICLE	IF	CITATIONS
127	Incidence of hospitalization and its associated factors in first-episode psychosis in Hong Kong. Microbial Biotechnology, 2016, 10, 263-266.	0.9	1
128	Visual working memory deterioration preceding relapse in psychosis. Psychological Medicine, 2016, 46, 2435-2444.	2.7	16
129	Changes for clozapine monitoring in the United States. Molecular Psychiatry, 2016, 21, 858-860.	4.1	11
130	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. Psychiatry Research, 2016, 242, 144-149.	1.7	24
131	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. Psychiatric Services, 2016, 67, 766-770.	1.1	38
132	Quality of life and functioning in first-episode psychosis Chinese patients with different antipsychotic medications. Microbial Biotechnology, 2016, 10, 535-539.	0.9	4
133	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. Schizophrenia Research, 2016, 170, 318-321.	1.1	44
134	A systematic review on definitions and assessments of psychotic-like experiences. Microbial Biotechnology, 2016, 10, 3-16.	0.9	78
135	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. International Journal of Social Psychiatry, 2016, 62, 205-213.	1.6	23
136	Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. Psychological Medicine, 2016, 46, 2011-2013.	2.7	7
137	Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. Psychological Medicine, 2015, 45, 3085-3095.	2.7	22
138	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. Canadian Journal of Psychiatry, 2015, 60, 346-353.	0.9	10
139	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. NPJ Schizophrenia, 2015, 1, 15047.	2.0	84
140	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2015, 206, 492-500.	1.7	63
141	Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in Hong Kong. Microbial Biotechnology, 2015, 9, 422-427.	0.9	13
142	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. Psychiatry Research, 2015, 228, 680-687.	1.7	12
143	10-year outcome study of an early intervention program for psychosis compared with standard care service. Psychological Medicine, 2015, 45, 1181-1193.	2.7	53
144	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 307-315.	1.6	15

#	ARTICLE	IF	CITATIONS
145	Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 219-226.	1.6	27
146	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 914-922.	1.3	23
147	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2015, 168, 99-105.	1.1	24
148	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. <i>Comprehensive Psychiatry</i> , 2015, 56, 42-50.	1.5	16
149	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong: the JCEP study. <i>Microbial Biotechnology</i> , 2015, 9, 118-125.	0.9	31
150	Prodromal psychosis: a case series of ten symptomatic patients. <i>East Asian Archives of Psychiatry</i> , 2015, 25, 35-41.	0.5	1
151	Early intervention versus standard care for psychosis in Hong Kong: a 10-year study. <i>Hong Kong Medical Journal</i> , 2015, 21 Suppl 2, 19-22.	0.1	0
152	Three-year community case management for early psychosis: a randomised controlled study. <i>Hong Kong Medical Journal</i> , 2015, 21 Suppl 2, 23-6.	0.1	4
153	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014, 8, 261-268.	0.9	38
154	Coupling physical exercise with dietary glucose supplement for treating cognitive impairment in schizophrenia: a theoretical model and future directions. <i>Microbial Biotechnology</i> , 2014, 8, 209-220.	0.9	11
155	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. <i>Psychiatry Research</i> , 2014, 220, 797-802.	1.7	24
156	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014, 220, 834-839.	1.7	25
157	Medication Adherence, Knowledge About Psychosis, and Insight Among Patients With a Schizophrenia-Spectrum Disorder. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 25-29.	0.5	23
158	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. <i>Psychiatry Research</i> , 2014, 216, 177-184.	1.7	12
159	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. <i>Schizophrenia Research</i> , 2014, 153, 1-8.	1.1	53
160	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. <i>Schizophrenia Research</i> , 2014, 159, 465-470.	1.1	28
161	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 157, 12-18.	1.1	46
162	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014, 152, 146-151.	1.1	16

#	ARTICLE	IF	CITATIONS
163	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2014, 153, 204-208.	1.1	12
164	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1819-1828.	1.6	13
165	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1687-1695.	1.6	4
166	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 107-115.	1.1	28
167	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. <i>Schizophrenia Research</i> , 2013, 148, 181-182.	1.1	2
168	Impact of physical activity on functioning of patients with first-episode psychosis – A 6months prospective longitudinal study. <i>Schizophrenia Research</i> , 2013, 150, 538-541.	1.1	25
169	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 150, 297-302.	1.1	24
170	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. <i>Psychiatry Research</i> , 2013, 209, 353-360.	1.7	54
171	A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 746-753.	1.3	35
172	Is depression contagious? The importance of social networks and the implications of contagion theory. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 299-303.	1.3	42
173	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. <i>Psychological Medicine</i> , 2013, 43, 1883-1893.	2.7	56
174	Symptomatic Remission and Cognitive Impairment in First-Episode Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e1046-e1053.	1.1	27
175	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 100-108.	1.3	84
176	Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. <i>Psychiatry Research</i> , 2012, 198, 360-365.	1.7	50
177	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2012, 5, 68-72.	0.9	12
178	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: A validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. <i>Schizophrenia Research</i> , 2012, 135, 158-163.	1.1	27
179	Clinical and cognitive correlates of insight in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 40-45.	1.1	26
180	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: A 3-year follow-up study. <i>Schizophrenia Research</i> , 2012, 137, 118-123.	1.1	7

#	ARTICLE	IF	CITATIONS
181	Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. Australian and New Zealand Journal of Psychiatry, 2011, 45, 199-205.	1.3	42
182	Random Number Generation Deficit in Early Schizophrenia. Perceptual and Motor Skills, 2011, 112, 91-103.	0.6	10
183	Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. Schizophrenia Research, 2011, 126, 87-92.	1.1	30
184	Cost-Effectiveness of An Early Assessment Service for Young People with Early Psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2011, 45, 673-680.	1.3	20
185	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2011, 133, 22-28.	1.1	109
186	Methadone prescribing in the general hospital. Clinical Governance, 2010, 15, 12-18.	0.4	1
187	Early intervention for psychosis in Hong Kong – the EASY programme. Microbial Biotechnology, 2010, 4, 214-219.	0.9	62
188	Naming psychosis: the Hong Kong experience. Microbial Biotechnology, 2010, 4, 270-274.	0.9	21
189	Five-year stability of ICD-10 diagnoses among Chinese patients presented with first-episode psychosis in Hong Kong. Schizophrenia Research, 2009, 115, 351-357.	1.1	68
190	Quality assurance of training standards. Psychiatric Bulletin, 2007, 31, 274-274.	0.3	0