

# Karl Kuchler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8483184/publications.pdf>

Version: 2024-02-01

167  
papers

11,066  
citations

20797

60  
h-index

33869

99  
g-index

174  
all docs

174  
docs citations

174  
times ranked

9821  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanisms of resistance to azole antifungal agents in <i>Candida albicans</i> isolates from AIDS patients involve specific multidrug transporters. <i>Antimicrobial Agents and Chemotherapy</i> , 1995, 39, 2378-2386.	1.4	808
2	Detoxification of the <i>Fusarium</i> Mycotoxin Deoxynivalenol by a UDP-glucosyltransferase from <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 47905-47914.	1.6	472
3	The Pdr12 ABC transporter is required for the development of weak organic acid resistance in yeast. <i>EMBO Journal</i> , 1998, 17, 4257-4265.	3.5	306
4	Inventory and function of yeast ABC proteins: about sex, stress, pleiotropic drug and heavy metal resistance. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999, 1461, 217-236.	1.4	246
5	<i>Candida albicans</i> cell surface superoxide dismutases degrade host-derived reactive oxygen species to escape innate immune surveillance. <i>Molecular Microbiology</i> , 2009, 71, 240-252.	1.2	233
6	The <i>Arabidopsis thaliana</i> ABC transporter AtMRP5 controls root development and stomata movement. <i>EMBO Journal</i> , 2001, 20, 1875-1887.	3.5	206
7	The Facultative Intracellular Pathogen <i>Candida glabrata</i> Subverts Macrophage Cytokine Production and Phagolysosome Maturation. <i>Journal of Immunology</i> , 2011, 187, 3072-3086.	0.4	196
8	Molecular cloning and expression of the <i>Saccharomyces cerevisiae</i> STS1 gene product. A yeast ABC transporter conferring mycotoxin resistance. <i>Journal of Biological Chemistry</i> , 1994, 269, 4180-6.	1.6	196
9	Subcellular and submitochondrial localization of phospholipid-synthesizing enzymes in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1986, 165, 901-910.	1.0	194
10	Global Gene Deletion Analysis Exploring Yeast Filamentous Growth. <i>Science</i> , 2012, 337, 1353-1356.	6.0	186
11	Yeast ABC transporters - A tale of sex, stress, drugs and aging. <i>FEBS Letters</i> , 2006, 580, 1131-1138.	1.3	184
12	The Yeast Protein Kinase C Cell Integrity Pathway Mediates Tolerance to the Antifungal Drug Caspofungin through Activation of Slt2p Mitogen-Activated Protein Kinase Signaling. <i>Eukaryotic Cell</i> , 2003, 2, 1200-1210.	3.4	176
13	Endoplasmic Reticulum Degradation of a Mutated ATP-binding Cassette Transporter Pdr5 Proceeds in a Concerted Action of Sec61 and the Proteasome. <i>Journal of Biological Chemistry</i> , 1998, 273, 32848-32856.	1.6	166
14	Systematic Phenotyping of a Large-Scale <i>Candida glabrata</i> Deletion Collection Reveals Novel Antifungal Tolerance Genes. <i>PLoS Pathogens</i> , 2014, 10, e1004211.	2.1	155
15	Global Phenotypic Analysis and Transcriptional Profiling Defines the Weak Acid Stress Response Regulon in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 706-720.	0.9	149
16	DENR-MCT-1 promotes translation re-initiation downstream of uORFs to control tissue growth. <i>Nature</i> , 2014, 512, 208-212.	13.7	148
17	Genetic Separation of FK506 Susceptibility and Drug Transport in the Yeast Pdr5 ATP-binding Cassette Multidrug Resistance Transporter. <i>Molecular Biology of the Cell</i> , 1998, 9, 523-543.	0.9	146
18	The <i>Saccharomyces cerevisiae</i> Weak-Acid-Inducible ABC Transporter Pdr12 Transports Fluorescein and Preservative Anions from the Cytosol by an Energy-Dependent Mechanism. <i>Journal of Bacteriology</i> , 1999, 181, 4644-4652.	1.0	146

#	ARTICLE	IF	CITATIONS
19	Analysis of the cDNA for phospholipase A2 from honeybee venom glands. The deduced amino acid sequence reveals homology to the corresponding vertebrate enzymes. <i>FEBS Journal</i> , 1989, 184, 249-254.	0.2	144
20	The ATP Binding Cassette Transporters Pdr5 and Snq2 of <i>Saccharomyces cerevisiae</i> Can Mediate Transport of Steroids in Vivo. <i>Journal of Biological Chemistry</i> , 1996, 271, 25167-25172.	1.6	140
21	Type I Interferons Promote Fatal Immunopathology by Regulating Inflammatory Monocytes and Neutrophils during <i>Candida</i> Infections. <i>PLoS Pathogens</i> , 2012, 8, e1002811.	2.1	131
22	Endocytosis and Vacuolar Degradation of the Plasma Membrane-Localized Pdr5 ATP-Binding Cassette Multidrug Transporter in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1995, 15, 5879-5887.	1.1	130
23	War1p, a Novel Transcription Factor Controlling Weak Acid Stress Response in Yeast. <i>Molecular and Cellular Biology</i> , 2003, 23, 1775-1785.	1.1	129
24	A mutation of the H-loop selectively affects rhodamine transport by the yeast multidrug ABC transporter Pdr5. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5069-5074.	3.3	128
25	Identification of Mouse Histone Deacetylase 1 as a Growth Factor-Inducible Gene. <i>Molecular and Cellular Biology</i> , 1997, 17, 5033-5043.	1.1	123
26	An Interspecies Regulatory Network Inferred from Simultaneous RNA-seq of <i>Candida albicans</i> Invading Innate Immune Cells. <i>Frontiers in Microbiology</i> , 2012, 3, 85.	1.5	123
27	Fungal ABC proteins: pleiotropic drug resistance, stress response and cellular detoxification. <i>Research in Microbiology</i> , 2001, 152, 375-389.	1.0	122
28	The yeast multidrug transporter Pdr5 of the plasma membrane is ubiquitinated prior to endocytosis and degradation in the vacuole. <i>FEBS Letters</i> , 1996, 378, 177-181.	1.3	115
29	The yeast zinc finger regulators Pdr1p and Pdr3p control pleiotropic drug resistance (PDR) as homo- and heterodimers in vivo. <i>Molecular Microbiology</i> , 2002, 46, 1429-1440.	1.2	115
30	The ATP-binding cassette multidrug transporter Snq2 of <i>Saccharomyces cerevisiae</i> : a novel target for the transcription factors Pdr1 and Pdr3. <i>Molecular Microbiology</i> , 1996, 20, 109-117.	1.2	113
31	<i>Candida glabrata</i> environmental stress response involves <i>Saccharomyces cerevisiae</i> Msn2/4 orthologous transcription factors. <i>Molecular Microbiology</i> , 2008, 69, 603-620.	1.2	112
32	Inhibition of CBLB protects from lethal <i>Candida albicans</i> sepsis. <i>Nature Medicine</i> , 2016, 22, 915-923.	15.2	111
33	Weak organic acid stress inhibits aromatic amino acid uptake by yeast, causing a strong influence of amino acid auxotrophies on the phenotypes of membrane transporter mutants. <i>FEBS Journal</i> , 2003, 270, 3189-3195.	0.2	110
34	The <i>Candida albicans</i> Cdr2p ATP-binding cassette (ABC) transporter confers resistance to caspofungin. <i>Molecular Microbiology</i> , 2003, 48, 225-235.	1.2	107
35	Multidrug efflux pumps: Substrate selection in ATP-binding cassette multidrug efflux pumps – first come, first served?. <i>FEBS Journal</i> , 2010, 277, 540-549.	2.2	106
36	The a-factor transporter (STE6 gene product) and cell polarity in the yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 1993, 120, 1203-1215.	2.3	104

#	ARTICLE	IF	CITATIONS
37	Fungal ATP-Binding Cassette (ABC) Transporters in Drug Resistance & Detoxification. <i>Current Drug Targets</i> , 2006, 7, 471-481.	1.0	104
38	Conventional Dendritic Cells Mount a Type I IFN Response against <i>Candida</i> spp. Requiring Novel Phagosomal TLR7-Mediated IFN- $\gamma$ Signaling. <i>Journal of Immunology</i> , 2011, 186, 3104-3112.	0.4	104
39	Plasma Membrane Translocation of Fluorescent-labeled Phosphatidylethanolamine Is Controlled by Transcription Regulators, PDR1 and PDR3. <i>Journal of Cell Biology</i> , 1997, 138, 255-270.	2.3	102
40	MAPK Hog1 closes the <i>S. cerevisiae</i> glycerol channel Fps1 by phosphorylating and displacing its positive regulators. <i>Genes and Development</i> , 2013, 27, 2590-2601.	2.7	102
41	Immune Evasion, Stress Resistance, and Efficient Nutrient Acquisition Are Crucial for Intracellular Survival of <i>Candida glabrata</i> within Macrophages. <i>Eukaryotic Cell</i> , 2014, 13, 170-183.	3.4	100
42	The Set3/Hos2 Histone Deacetylase Complex Attenuates cAMP/PKA Signaling to Regulate Morphogenesis and Virulence of <i>Candida albicans</i> . <i>PLoS Pathogens</i> , 2010, 6, e1000889.	2.1	99
43	Functional expression of human <i>mdr1</i> in the yeast <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 2302-2306.	3.3	97
44	Transcriptional loops meet chromatin: a dual-layer network controls white-to-opaque switching in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2009, 74, 1-15.	1.2	91
45	Reversal of antifungal resistance mediated by ABC efflux pumps from <i>Candida albicans</i> functionally expressed in yeast. <i>International Journal of Antimicrobial Agents</i> , 2003, 22, 291-300.	1.1	89
46	The yeast ATP binding cassette (ABC) protein genes <i>PDR10</i> and <i>PDR15</i> are novel targets for the <i>Pdr1</i> and <i>Pdr3</i> transcriptional regulators. <i>FEBS Letters</i> , 1997, 418, 269-274.	1.3	88
47	A Histone Deacetylase Adjusts Transcription Kinetics at Coding Sequences during <i>Candida albicans</i> Morphogenesis. <i>PLoS Genetics</i> , 2012, 8, e1003118.	1.5	88
48	Fungal pathogens—a sweet and sour treat for toll-like receptors. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 142.	1.8	88
49	<i>Candida glabrata</i> Persistence in Mice Does Not Depend on Host Immunosuppression and Is Unaffected by Fungal Amino Acid Auxotrophy. <i>Infection and Immunity</i> , 2010, 78, 1066-1077.	1.0	87
50	Unusual routes of protein secretion: the easy way out. <i>Trends in Cell Biology</i> , 1993, 3, 421-426.	3.6	79
51	The ATP-binding cassette (ABC) transporter <i>Bpt1p</i> mediates vacuolar sequestration of glutathione conjugates in yeast. <i>FEBS Letters</i> , 2002, 520, 63-67.	1.3	78
52	Diazaborine Resistance in the Yeast <i>Saccharomyces cerevisiae</i> Reveals a Link between <i>YAP1</i> and the Pleiotropic Drug Resistance Genes <i>PDR1</i> and <i>PDR3</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 27091-27098.	1.6	75
53	The transmembrane domain 10 of the yeast <i>Pdr5p</i> ABC antifungal efflux pump determines both substrate specificity and inhibitor susceptibility. <i>Molecular Microbiology</i> , 2000, 35, 1255-1263.	1.2	75
54	Screening the yeast deletant mutant collection for hypersensitivity and hyper-resistance to sorbate, a weak organic acid food preservative. <i>Yeast</i> , 2004, 21, 927-946.	0.8	73

#	ARTICLE	IF	CITATIONS
55	Secretion of Peptides and Proteins Lacking Hydrophobic Signal Sequences: The Role of Adenosine Triphosphate-Driven Membrane Translocators*. <i>Endocrine Reviews</i> , 1992, 13, 499-514.	8.9	71
56	Human dermo-1 has attributes similar to twist in early bone development. <i>Bone</i> , 2000, 27, 591-602.	1.4	70
57	Yeast ATP-binding Cassette Transporters: Cellular Cleaning Pumps. <i>Methods in Enzymology</i> , 2005, 400, 460-484.	0.4	70
58	A Histone Deacetylase Complex Mediates Biofilm Dispersal and Drug Resistance in <i>Candida albicans</i> . <i>MBio</i> , 2014, 5, e01201-14.	1.8	70
59	Microevolution of <i>Candida albicans</i> in Macrophages Restores Filamentation in a Nonfilamentous Mutant. <i>PLoS Genetics</i> , 2014, 10, e1004824.	1.5	67
60	Fungal attacks on mammalian hosts: pathogen elimination requires sensing and tasting. <i>Current Opinion in Microbiology</i> , 2010, 13, 401-408.	2.3	65
61	Moderately lipophilic carboxylate compounds are the selective inducers of the <i>Saccharomyces cerevisiae</i> Pdr12p ATP-binding cassette transporter. <i>Yeast</i> , 2003, 20, 575-585.	0.8	63
62	Expression regulation of the yeast PDR5 ATP-binding cassette (ABC) transporter suggests a role in cellular detoxification during the exponential growth phase. <i>FEBS Letters</i> , 2004, 559, 111-117.	1.3	63
63	The structure of the human ABC transporter ABCG2 reveals a novel mechanism for drug extrusion. <i>Scientific Reports</i> , 2017, 7, 13767.	1.6	62
64	Positions and Numbers of FKS Mutations in <i>Candida albicans</i> Selectively Influence In Vitro and In Vivo Susceptibilities to Echinocandin Treatment. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3626-3635.	1.4	59
65	Activin A and Follicle-Stimulating Hormone Control Tight Junctions in Avian Granulosa Cells by Regulating Occludin Expression. <i>Biology of Reproduction</i> , 2004, 70, 1493-1499.	1.2	58
66	Identification of <i>Candida glabrata</i> Genes Involved in pH Modulation and Modification of the Phagosomal Environment in Macrophages. <i>PLoS ONE</i> , 2014, 9, e96015.	1.1	54
67	The Yeast Pdr15p ATP-binding Cassette (ABC) Protein Is a General Stress Response Factor Implicated in Cellular Detoxification. <i>Journal of Biological Chemistry</i> , 2004, 279, 11593-11599.	1.6	53
68	Loss of peroxisome function triggers necrosis. <i>FEBS Letters</i> , 2008, 582, 2882-2886.	1.3	52
69	Of mice, flies and men? Comparing fungal infection models for large-scale screening efforts. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 473-486.	1.2	52
70	Membrane translocation of proteins without hydrophobic signal peptides. <i>Current Opinion in Cell Biology</i> , 1990, 2, 617-624.	2.6	50
71	The High-Osmolarity Glycerol Response Pathway in the Human Fungal Pathogen <i>Candida glabrata</i> Strain ATCC 2001 Lacks a Signaling Branch That Operates in Baker's Yeast. <i>Eukaryotic Cell</i> , 2007, 6, 1635-1645.	3.4	49
72	Jagunal homolog 1 is a critical regulator of neutrophil function in fungal host defense. <i>Nature Genetics</i> , 2014, 46, 1028-1033.	9.4	49

#	ARTICLE	IF	CITATIONS
73	Pathogenesis and Antifungal Drug Resistance of the Human Fungal Pathogen <i>Candida glabrata</i> . <i>Pharmaceuticals</i> , 2011, 4, 169-186.	1.7	48
74	The <i>Candida albicans</i> Histone Acetyltransferase Hat1 Regulates Stress Resistance and Virulence via Distinct Chromatin Assembly Pathways. <i>PLoS Pathogens</i> , 2015, 11, e1005218.	2.1	48
75	Membrane-active Compounds Activate the Transcription Factors Pdr1 and Pdr3 Connecting Pleiotropic Drug Resistance and Membrane Lipid Homeostasis in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 4932-4944.	0.9	47
76	Remodeling of the <i>Candida glabrata</i> cell wall in the gastrointestinal tract affects the gut microbiota and the immune response. <i>Scientific Reports</i> , 2018, 8, 3316.	1.6	47
77	The role of ABC proteins Aus1p and Pdr11p in the uptake of external sterols in yeast: Dehydroergosterol fluorescence study. <i>Biochemical and Biophysical Research Communications</i> , 2011, 404, 233-238.	1.0	46
78	<i>Candida glabrata</i> susceptibility to antifungals and phagocytosis is modulated by acetate. <i>Frontiers in Microbiology</i> , 2015, 6, 919.	1.5	45
79	The ABCG2 multidrug transporter is a pump gated by a valve and an extracellular lid. <i>Nature Communications</i> , 2019, 10, 5433.	5.8	44
80	The histone acetyltransferase <i>Hat1</i> facilitates DNA damage repair and morphogenesis in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2012, 86, 1197-1214.	1.2	42
81	<i>Klebsiella pneumoniae</i> prevents spore germination and hyphal development of <i>Aspergillus</i> species. <i>Scientific Reports</i> , 2019, 9, 218.	1.6	42
82	ABC Transporter Pdr10 Regulates the Membrane Microenvironment of Pdr12 in <i>Saccharomyces cerevisiae</i> . <i>Journal of Membrane Biology</i> , 2009, 229, 27-52.	1.0	41
83	<i>Candida albicans</i> Hgt1p, a Multifunctional Evasion Molecule: Complement Inhibitor, CR3 Analogue, and Human Immunodeficiency Virus Binding Molecule. <i>Journal of Infectious Diseases</i> , 2011, 204, 802-809.	1.9	41
84	Estradiol impairs the Th17 immune response against <i>Candida albicans</i> . <i>Journal of Leukocyte Biology</i> , 2011, 91, 159-165.	1.5	41
85	Type I Interferon Response Dysregulates Host Iron Homeostasis and Enhances <i>Candida glabrata</i> Infection. <i>Cell Host and Microbe</i> , 2020, 27, 454-466.e8.	5.1	41
86	The Non-receptor Tyrosine Kinase Tec Controls Assembly and Activity of the Noncanonical Caspase-8 Inflammasome. <i>PLoS Pathogens</i> , 2014, 10, e1004525.	2.1	40
87	A Sensitive and Inexpensive Yeast Bioassay for the Mycotoxin Zearalenone and Other Compounds with Estrogenic Activity. <i>Applied and Environmental Microbiology</i> , 2003, 69, 805-811.	1.4	39
88	The CRG1 gene required for resistance to the singlet oxygen-generating cercosporin toxin in <i>Cercospora nicotianae</i> encodes a putative fungal transcription factor. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 302-310.	1.0	39
89	The Fungal Histone Acetyl Transferase Gcn5 Controls Virulence of the Human Pathogen <i>Candida albicans</i> through Multiple Pathways. <i>Scientific Reports</i> , 2019, 9, 9445.	1.6	38
90	The genes for the frog skin peptides GLa, xenopsin, levitide and caerulein contain a homologous export exon encoding a signal sequence and part of an amphiphilic peptide. <i>FEBS Journal</i> , 1989, 179, 281-285.	0.2	37

#	ARTICLE	IF	CITATIONS
91	The nuclear actin-related protein Act3p/Arp4p of <i>Saccharomyces cerevisiae</i> is involved in transcription regulation of stress genes. <i>Molecular Microbiology</i> , 2003, 50, 1155-1171.	1.2	37
92	Vienna special issue: Molecular machines. <i>FEBS Letters</i> , 2007, 581, 2749-2749.	1.3	37
93	Intracellular Location, Complex Formation, and Function of the Transporter Associated with Antigen Processing in Yeast. <i>FEBS Journal</i> , 1997, 245, 266-272.	0.2	35
94	Efg1 Controls Caspofungin-Induced Cell Aggregation of <i>Candida albicans</i> through the Adhesin Als1. <i>Eukaryotic Cell</i> , 2011, 10, 1694-1704.	3.4	35
95	Fungal KATs/KDACs: A New Highway to Better Antifungal Drugs?. <i>PLoS Pathogens</i> , 2016, 12, e1005938.	2.1	33
96	Pathogenetic Impact of Bacterial–Fungal Interactions. <i>Microorganisms</i> , 2019, 7, 459.	1.6	31
97	Loss of Cmk1 Ca <sup>2+</sup> -calmodulin-dependent protein kinase in yeast results in constitutive weak organic acid resistance, associated with a post-transcriptional activation of the Pdr12 ATP-binding cassette transporter. <i>Molecular Microbiology</i> , 2002, 37, 595-605.	1.2	30
98	Weak Organic Acids Trigger Conformational Changes of the Yeast Transcription Factor War1 in Vivo to Elicit Stress Adaptation. <i>Journal of Biological Chemistry</i> , 2008, 283, 25752-25764.	1.6	30
99	ABC proteins in yeast and fungal pathogens. <i>Essays in Biochemistry</i> , 2011, 50, 101-119.	2.1	29
100	Two precursors of thyrotropin-releasing hormone from skin of <i>Xenopus laevis</i> . Each contains seven copies of the end product. <i>Journal of Biological Chemistry</i> , 1990, 265, 11731-3.	1.6	29
101	Methionine is required for cAMP–PKA–mediated morphogenesis and virulence of <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2018, 108, 258-275.	1.2	28
102	Multidrug Resistance in Mammals and Fungi—From MDR to PDR: A Rocky Road from Atomic Structures to Transport Mechanisms. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4806.	1.8	28
103	A cDNA from brain of <i>Xenopus laevis</i> coding for a new precursor of thyrotropin-releasing hormone. <i>FEBS Letters</i> , 1992, 296, 292-296.	1.3	27
104	Retinol in Avian Oogenesis: Molecular Properties of the Carrier Protein. <i>DNA and Cell Biology</i> , 1995, 14, 403-410.	0.9	25
105	High Pdr12 levels in spoilage yeast ( <i>Saccharomyces cerevisiae</i> ) correlate directly with sorbic acid levels in the culture medium but are not sufficient to provide cells with acquired resistance to the food preservative. <i>International Journal of Food Microbiology</i> , 2007, 113, 173-179.	2.1	25
106	Chicken Lecithin-Cholesterol Acyltransferase. <i>Journal of Biological Chemistry</i> , 1995, 270, 26139-26145.	1.6	24
107	Upregulation of chicken p15INK4b at senescence and in the developing brain. <i>Journal of Cell Science</i> , 2006, 119, 2435-2443.	1.2	24
108	Flagging Drugs That Inhibit the Bile Salt Export Pump. <i>Molecular Pharmaceutics</i> , 2016, 13, 163-171.	2.3	24



#	ARTICLE	IF	CITATIONS
109	The Two-Component Response Regulator Ssk1 and the Mitogen-Activated Protein Kinase Hog1 Control Antifungal Drug Resistance and Cell Wall Architecture of <i>Candida auris</i> . <i>MSphere</i> , 2020, 5, .	1.3	24
110	Cmdr1, a Chicken P-Glycoprotein, Confers Multidrug Resistance and Interacts with Estradiol. <i>Biological Chemistry</i> , 1999, 380, 231-41.	1.2	23
111	Activin A Signaling Induces Smad2, but Not Smad3, Requiring Protein Kinase A Activity in Granulosa Cells from the Avian Ovary. <i>Journal of Biological Chemistry</i> , 2003, 278, 21197-21203.	1.6	23
112	Activin and Follicle-Stimulating Hormone Signaling Are Required for Long-Term Culture of Functionally Differentiated Primary Granulosa Cells from the Chicken Ovary1. <i>Biology of Reproduction</i> , 2003, 68, 620-627.	1.2	22
113	Dedicated Transporters for Peptide Export and Intercompartmental Traffic in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1992, 57, 579-592.	2.0	22
114	The hydrophilic and acidic N-terminus of the integral membrane enzyme phosphatidylserine synthase is required for efficient membrane insertion. <i>Yeast</i> , 1990, 6, 331-343.	0.8	21
115	Identification of mitochondrial and microsomal phosphatidylserine synthase in <i>Saccharomyces cerevisiae</i> as the gene product of the CHO1 structural gene. <i>Journal of Bacteriology</i> , 1988, 170, 3778-3781.	1.0	20
116	Transcription Factor Efg1 Shows a Haploinsufficiency Phenotype in Modulating the Cell Wall Architecture and Immunogenicity of <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2012, 11, 129-140.	3.4	20
117	The YEATS Domain Histone Crotonylation Readers Control Virulence-Related Biology of a Major Human Pathogen. <i>Cell Reports</i> , 2020, 31, 107528.	2.9	19
118	The Tyrosine Kinase Btk Regulates the Macrophage Response to <i>Listeria monocytogenes</i> Infection. <i>PLoS ONE</i> , 2013, 8, e60476.	1.1	18
119	The <i>Candida albicans</i> HIR histone chaperone regulates the yeast-to-hyphae transition by controlling the sensitivity to morphogenesis signals. <i>Scientific Reports</i> , 2017, 7, 8308.	1.6	18
120	The Multifaceted Roles of Mast Cells in Immune Homeostasis, Infections and Cancers. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2249.	1.8	17
121	Construction and characterization of single-transcript tricistronic retroviral vectors using two internal ribosome entry sites. <i>Somatic Cell and Molecular Genetics</i> , 1998, 24, 53-69.	0.7	16
122	The Paralogous Histone Deacetylases Rpd3 and Rpd31 Play Opposing Roles in Regulating the White-Opaque Switch in the Fungal Pathogen <i>Candida albicans</i> . <i>MBio</i> , 2016, 7, .	1.8	16
123	Dectin-1 is required for miR155 upregulation in murine macrophages in response to <i>Candida albicans</i> . <i>Virulence</i> , 2017, 8, 41-52.	1.8	16
124	In Vitro Systems for Studying the Interaction of Fungal Pathogens with Primary Cells from the Mammalian Innate Immune System. <i>Methods in Molecular Biology</i> , 2009, 470, 125-139.	0.4	15
125	Picky ABCG5/G8 and promiscuous ABCG2 – a tale of fatty diets and drug toxicity. <i>FEBS Letters</i> , 2020, 594, 4035-4058.	1.3	15
126	Systems biology of host–fungus interactions: turning complexity into simplicity. <i>Current Opinion in Microbiology</i> , 2012, 15, 440-446.	2.3	14



#	ARTICLE	IF	CITATIONS
127	Subtle Structural Differences Trigger Inhibitory Activity of Propafenone Analogues at the Two Polyspecific ABC Transporters: P-glycoprotein (P-gp) and Breast Cancer Resistance Protein (BCRP). <i>ChemMedChem</i> , 2016, 11, 1380-1394.	1.6	14
128	Type I Interferons Ameliorate Zinc Intoxication of <i>Candida glabrata</i> by Macrophages and Promote Fungal Immune Evasion. <i>iScience</i> , 2020, 23, 101121.	1.9	14
129	ATP binding cassette transporters in yeast. <i>Membrane Protein Transport</i> , 1995, 2, 57-96.	0.2	13
130	Positive and Negative Control of Multidrug Resistance by the Sit4 Protein Phosphatase in <i>Kluyveromyces lactis</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 14865-14872.	1.6	13
131	A genetic screen identifies mutations in the yeast WAR1 gene, linking transcription factor phosphorylation to weak-acid stress adaptation. <i>FEBS Journal</i> , 2007, 274, 3094-3107.	2.2	13
132	ATAC-Seq Identifies Chromatin Landscapes Linked to the Regulation of Oxidative Stress in the Human Fungal Pathogen <i>Candida albicans</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 182.	1.5	13
133	Transcriptome Signatures Predict Phenotypic Variations of <i>Candida auris</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 662563.	1.8	12
134	INVENTORY AND EVOLUTION OF FUNGAL ABC PROTEIN GENES. , 2003, , 279-293.		11
135	The ABC of ABCs: multidrug resistance and genetic diseases. <i>FEBS Journal</i> , 2011, 278, 3189-3189.	2.2	11
136	Grand Challenges in Infectious Diseases: Are We Prepared for Worst-Case Scenarios?. <i>Frontiers in Microbiology</i> , 2020, 11, 613383.	1.5	11
137	Sugar Phosphorylation Controls Carbon Source Utilization and Virulence of <i>Candida albicans</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1274.	1.5	11
138	Targeting chromatin in fungal pathogens as a novel therapeutic strategy: histone modification gets infectious. <i>Epigenomics</i> , 2011, 3, 129-132.	1.0	10
139	Genetic Transformation of <i>Candida glabrata</i> by Electroporation. <i>Bio-protocol</i> , 2015, 5, .	0.2	10
140	The histone chaperone HIR maintains chromatin states to control nitrogen assimilation and fungal virulence. <i>Cell Reports</i> , 2021, 36, 109406.	2.9	10
141	The involvement of the <i>Candida glabrata</i> trehalase enzymes in stress resistance and gut colonization. <i>Virulence</i> , 2021, 12, 329-345.	1.8	9
142	Mutations in the nucleotide-binding domain of putative sterol importers Aus1 and Pdr11 selectively affect utilization of exogenous sterol species in yeast. <i>Yeast</i> , 2020, 37, 5-14.	0.8	8
143	Weak Organic Acid Stress Triggers Hyperphosphorylation of the Yeast Zinc-Finger Transcription Factor War1 and Dampens Stress Adaptation. <i>OMICS A Journal of Integrative Biology</i> , 2010, 14, 575-586.	1.0	7
144	The sensitivities of yeast strains deficient in PDR ABC transporters, to quinoline-ring antimalarial drugs. <i>Annals of Tropical Medicine and Parasitology</i> , 2004, 98, 643-649.	1.6	6

#	ARTICLE	IF	CITATIONS
145	Functional Genomics of Drug-Induced Ion Homeostasis Identifies a Novel Regulatory Crosstalk of Iron and Zinc Regulons in Yeast. <i>OMICS A Journal of Integrative Biology</i> , 2010, 14, 651-663.	1.0	6
146	A Histone Acetyltransferase Inhibitor with Antifungal Activity against CTG clade <i>Candida</i> Species. <i>Microorganisms</i> , 2019, 7, 201.	1.6	5
147	The incredible diversity of structures and functions of ABC transporters. <i>FEBS Letters</i> , 2021, 595, 671-674.	1.3	5
148	Morphological and Molecular Genetic Analysis of Epigenetic Switching of the Human Fungal Pathogen <i>Candida albicans</i> . <i>Methods in Molecular Biology</i> , 2011, 734, 303-315.	0.4	5
149	Chapter 2 A Novel Mechanism for Transmembrane Translocation of Peptides: The <i>Saccharomyces cerevisiae</i> STE6 Transporter and Export of the Mating Pheromone $\alpha$ -Factor. <i>Current Topics in Membranes</i> , 1994, , 19-42.	0.5	4
150	FUNGAL ABC PROTEINS IN CLINICAL DRUG RESISTANCE AND CELLULAR DETOXIFICATION. , 2003, , 295-316.		4
151	Cdr2p contributes to fluconazole resistance in <i>Candida dubliniensis</i> clinical isolates. <i>Canadian Journal of Microbiology</i> , 2011, 57, 416-426.	0.8	4
152	The first intracellular loop is essential for the catalytic cycle of the human ABCG2 multidrug resistance transporter. <i>FEBS Letters</i> , 2020, 594, 4059-4075.	1.3	4
153	Analyzing the Quenchable Iron Pool in Murine Macrophages by Flow Cytometry. <i>Bio-protocol</i> , 2020, 10, e3552.	0.2	4
154	Comparative Transcriptomics Reveal Possible Mechanisms of Amphotericin B Resistance in <i>Candida auris</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, .	1.4	4
155	Unusual Protein Secretion and Translocation Pathways in Yeast: Implication of ABC Transporters. <i>Molecular Biology Intelligence Unit</i> , 1997, , 49-85.	0.2	2
156	Immunological Identification of Fungal Species. <i>Methods in Molecular Biology</i> , 2017, 1508, 339-359.	0.4	2
157	The Molecular Basis for Pleiotropic Drug Resistance in the Yeast <i>Saccharomyces Cerevisiae</i> : Regulation of Expression, Intracellular Trafficking and Proteolytic Turnover of ATP Binding Cassette (ABC) Multidrug Resistance Transporters. , 1997, , 305-317.		2
158	Quantification of zinc intoxication of <i>Candida glabrata</i> after phagocytosis by primary macrophages. <i>STAR Protocols</i> , 2021, 2, 100352.	0.5	1
159	Large-scale Phenotypic Profiling of Gene Deletion Mutants in <i>Candida glabrata</i> . <i>Bio-protocol</i> , 2015, 5, .	0.2	1
160	Genetic Transformation of <i>Candida glabrata</i> by Heat Shock. <i>Bio-protocol</i> , 2015, 5, .	0.2	1
161	An ABC of tackling ABCs.... <i>Trends in Cell Biology</i> , 1999, 9, 463-464.	3.6	0
162	Editorial [ <i>Biology &amp; Pathology of Human Fungal Pathogens</i> (Guest Editor: Karl Kuchler)]. <i>Current Drug Targets</i> , 2006, 7, 463-463.	1.0	0

#	ARTICLE	IF	CITATIONS
163	Candida albicans HGT1 is a multifunctional complement evasion molecule. Molecular Immunology, 2009, 46, 2835.	1.0	0
164	Functional overexpression and characterization of yeast ABC transporter Pdr5p. , 0, 2007, .		0
165	Immunoblot Analysis of Histone H4 Acetylation and Histone H2A Phosphorylation in Candida albicans. Bio-protocol, 2013, 3, .	0.2	0
166	Phenotypic Profiling of Candida glabrata in Liquid Media. Bio-protocol, 2017, 7, .	0.2	0
167	ABC Transporters in Yeast “ Drug Resistance and Stress Response in a Nutshell. , 2007, , 289-314.		0